

Sales Selection Sheet  
Checklist

LOT 370    Model: 28-2797 B THE WESTWOOD

PURCHASERS: GURJIT, SINGH ATWAL/

VENDOR:        Heathwood Homes (Huron) Limited

- ☐ WOB
- ☐ DECK
- ☐ FINISHED BASEMENT
- ☐ COLD CELLAR

UPGRADED / MODIFIED ELEVATION

- ☐ CORNER UPGRADE
- ☐ REAR UPGRADE
- ☐ SIDE UPGRADE

CEILING UPGRADE - SMOOTH

- ☒ MAIN FLOOR
- ☐ SECOND FLOOR
- ☐ BASEMENT

ADDITIONAL ROUGH-INS

- ☒ 200 AMP SERVICE (STD IN SINGLES)
- ☐ WET BAR ROUGH-IN
- ☐ HUMIDIFIER
- ☒ AIR CONDITIONING (SITE STD)

GAS ROUGH-IN

- ☒ STOVE
- ☐ DRYER
- ☐ BBQ
- ☐ ADDITIONAL FIREPLACE

KITCHEN: HOODFAN VENTING SIZE

- ☒ 6 IN ROUND DUCT
- ☐ 7 IN ROUND DUCT

|                               |             |
|-------------------------------|-------------|
| FULL BASEMENT STAIRS:         | Paint Grade |
| UPPER BASEMENT STAIRS:        | N/A         |
| LOWER LEVEL STAIRS:           | N/A         |
| MAIN STAIRS:                  | All Oak     |
| MEDIA STAIRS (if applicable): | N/A         |
| LOFT STAIRS (if applicable):  | N/A         |

DEC 9/22    *Signature*

Date    Purchaser:    *on file*

Dec 9/22    *TINA LEFUR*

Date    Decor Consultant:

\_\_\_\_\_  
Date    Purchaser:

-12- 09 2022

Date    Approved

Heathwood Homes (Huron) Limited

Locked Date:

GURJIT, SINGH ATWAL/  
Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 11/9/2022 10:50:50  
Locked:  
Closed:

Kitchen

|                             |      |                                                                       |
|-----------------------------|------|-----------------------------------------------------------------------|
| Cabinet Colour/Style        | 9166 | Viking III-CHARLESTON-ORCHID-3DL ***STD***                            |
| Island Cabinet Colour/Style | 9166 | Viking III-CHARLESTON-ORCHID-3DL ***STD***                            |
| Cabinet Hardware            | 7667 | 12881-HARDWARE ***STD***                                              |
| Countertop                  | 9121 | MSI Quartz GROUP 1 ICED WHITE 3/4 inch with double mitre edge ***1*** |
| Island Countertop           | 9121 | MSI Quartz GROUP 1 ICED WHITE 3/4 inch with double mitre edge ***1*** |
| Countertop Edge             | 4005 | DOUBLE MITRE 1 1/2 INCH ***UPG***                                     |



- Please note some islands may require a seam as per manufacturer and fabricator discretions.

|                         |      |                                                                                                                                        |          |
|-------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------|----------|
| Sink                    | 9487 | Plumbing-KINDRED Kitchen Sink Collection - Reginox ND1831 U/9-Double (equal size) Bowl Undermount Sink (or equivalent)-Stainless Steel | PG 22    |
| HoodFan                 | 9394 | SCB51936-CYCLONE 36 inch CANOPY CHIMNEY HOODFAN-SS                                                                                     | PG 34-35 |
| Backsplash              | 1111 | N/A *****                                                                                                                              |          |
| Backsplash Grout        | 1111 | N/A *****                                                                                                                              |          |
| Backsplash Tile Pattern | 1111 | N/A *****                                                                                                                              |          |


- Purchasers have been advised: standard fridge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline Rough-In is included.

- Standard stove opening is 30 inches and standard dishwasher opening is 24 inches. Any gas stove will require backsplash or stainless steel backing to avoid fire hazards.

- Purchasers acknowledge: Heathwood Homes and its contractors will not be responsible for any kitchen cabinet changes due to appliances dimension changes after sign-off.

Kitchen / Breakfast

|                    |      |                                                                    |
|--------------------|------|--------------------------------------------------------------------|
| Flooring           | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                        |
| Floor Tile Pattern | 3000 | STANDARD SQUARE ***STD***                                          |



Comment

Servery


|                                    |      |                                            |
|------------------------------------|------|--------------------------------------------|
| Cabinet Colour/Style - Base        | 3000 | Viking III-CHARLESTON-ORCHID-3DL ***STD*** |
| Opt. Cabinet Colour/Style - Uppers | 1111 | N/A *****                                  |
| Cabinet Hardware                   | 7667 | 12881-HARDWARE ***STD***                   |

Customer Colours


GURJIT, SINGH ATWAL/  
Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 11/9/2022 10:50:50  
Locked:  
Closed:


|                              |      |                                                                                                                        |
|------------------------------|------|------------------------------------------------------------------------------------------------------------------------|
| Cabinet hardware             | 1007 | 12007-HARDWARE STD                                                                                                     |
| Countertop                   | 9121 | MSI Quartz GROUP 1 ICED WHITE 3/4 inch with double mitre edge ***1***                                                  |
| Island Countertop            | 1111 | N/A *****                                                                                                              |
| Countertop Edge              | 4005 | DOUBLE MITRE 1 1/2 INCH ***UPG***<br> |
| Opt. Servery Sink            | 1111 | N/A *****                                                                                                              |
| Opt. Backsplash              | 1111 | N/A *****                                                                                                              |
| Opt. Backsplash Grout        | 1111 | N/A *****                                                                                                              |
| Opt. Backsplash Tile Pattern | 1111 | N/A *****                                                                                                              |

|                    |      |                                                                                                                  |
|--------------------|------|------------------------------------------------------------------------------------------------------------------|
| Flooring           | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                               |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                                                                      |
| Floor Tile Pattern | 3000 | STANDARD SQUARE ***STD***<br> |
| Comment            |      |                                                                                                                  |

Foyer

|                    |      |                                                                                                                  |
|--------------------|------|------------------------------------------------------------------------------------------------------------------|
| Flooring           | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                               |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                                                                      |
| Floor Tile Pattern | 3000 | STANDARD SQUARE ***STD***<br> |
| Comment            |      |                                                                                                                  |

Powder Room

|                    |      |                                                                                                                  |
|--------------------|------|------------------------------------------------------------------------------------------------------------------|
| Flooring           | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                               |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                                                                      |
| Floor Tile Pattern | 3000 | STANDARD SQUARE ***STD***<br> |

GURJIT, SINGH ATWAL/  
Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 11/9/2022 10:50:50  
Locked:  
Closed:



|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |

|                           |      |                                   |
|---------------------------|------|-----------------------------------|
| Plumbing Fixture (Colour) | 1737 | Plumbing Fixtures-WHITE ***STD*** |
| Comment                   |      |                                   |

Mud Room / Closet

|                    |      |                                                                    |
|--------------------|------|--------------------------------------------------------------------|
| Flooring           | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                        |
| Floor Tile Pattern | 3000 | STANDARD SQUARE ***STD***                                          |

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

|         |  |
|---------|--|
| Comment |  |
|---------|--|

Main Hall

|          |      |                                                                           |
|----------|------|---------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***STD*** |
| Comment  |      |                                                                           |

Dining Room

|          |      |                                                                           |
|----------|------|---------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***STD*** |
| Comment  |      |                                                                           |

Great Room

|          |      |                                                                           |
|----------|------|---------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***STD*** |
| Comment  |      |                                                                           |

Great Room Fireplace

|                 |      |                                                              |
|-----------------|------|--------------------------------------------------------------|
| Type            | 8869 | Majestic MERC32 ***STD***                                    |
| Mantle          | 8891 | NF-17-Paint Grade Mantle- Cabinet (Per Plan)-WHITE ***STD*** |
| Surround (Opt.) | 1111 | N/A *****                                                    |

- Purchasers have been advised: heat from the FP can damage TV above a FP and items placed on mantle.

- Heathwood and its contractors will not be liable for any damage on items placed/@installed above a FP after closing.

|         |  |
|---------|--|
| Comment |  |
|---------|--|

GURJIT, SINGH ATWAL/  
Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 11/9/2022 10:50:50  
Locked:  
Closed:

Laundry Room

|                                    |      |                                                                         |
|------------------------------------|------|-------------------------------------------------------------------------|
| Flooring                           | 9103 | GE.MD.LGR.1818.MT Madison Series Light Grey Matte 18 X 18 Matte ***1*** |
| Floor Tile Grout                   | 2225 | Grout-(27) Silver ***STD***                                             |
| Floor Tile Pattern                 | 3000 | STANDARD SQUARE ***STD***                                               |
|                                    |      |                                                                         |
| Opt. Cabinet Colour/Style - Uppers | 1111 | N/A *****                                                               |
| Opt. Cabinet Hardware - Uppers     | 1111 | N/A *****                                                               |
| Opt. Countertop                    | 1111 | N/A *****                                                               |
| Opt. Countertop Edge               | 1111 | N/A *****                                                               |

Comment

Upper Hall

|          |      |                                                  |
|----------|------|--------------------------------------------------|
| Flooring | 9507 | DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD*** |
|----------|------|--------------------------------------------------|

Comment

Master Bedroom / Walk-in Closet

|          |      |                                                  |
|----------|------|--------------------------------------------------|
| Flooring | 9507 | DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD*** |
|----------|------|--------------------------------------------------|

Comment

Bedroom 2

|          |      |                                                  |
|----------|------|--------------------------------------------------|
| Flooring | 9507 | DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD*** |
|----------|------|--------------------------------------------------|

Comment

Bedroom 3

|          |      |                                                  |
|----------|------|--------------------------------------------------|
| Flooring | 9507 | DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD*** |
|----------|------|--------------------------------------------------|

Comment

Bedroom 4 / Walk-in Closet





Customer Colours

GURJIT, SINGH ATWAL/  
Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 11/9/2022 10:50:50  
Locked:  
Closed:

|          |      |                                                  |
|----------|------|--------------------------------------------------|
| Flooring | 9507 | DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD*** |
| Comment  |      |                                                  |

Master Ensuite

|                            |      |                                                                                                                                       |
|----------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------|
| Cabinet Colour/Style       | 9156 | Viking III-SIMCOE-RAIN CLOUD-3DL ***STD***                                                                                            |
| Cabinet Hardware           | 7672 | 135-HARDWARE ***STD***                                                                                                                |
| Countertop                 | 9069 | MSI Quartz GROUP 1 ICED WHITE ***STD***                                                                                               |
| Countertop Edge            | 4010 | SINGLE POLISHED STRAIGHT EDGE 3/4 INCH ***STD***<br> |
| Floor Tile                 | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                                                    |
| Floor Tile Grout           | 2225 | Grout-(27) Silver ***STD***                                                                                                           |
| Floor Tile Pattern         | 3000 | STANDARD SQUARE ***STD***<br>                      |
| Shower Wall Tile           | 5411 | QT.SP.WHT.0810-Splendour-White-8 inch x 10 inch ***STD***                                                                             |
| Shower Wall Tile Grout     | 2226 | Grout-(00) White ***STD***                                                                                                            |
| Shower Wall Tile Pattern   | 3070 | HORIZONTAL STACKED ***STD***<br>                   |
| Shower Floor Tile          | 8661 | OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 ***STD***                                                            |
| Shower Floor Tile Grout    | 2226 | Grout-(00) White ***STD***                                                                                                            |
| Shower Floor Tile Pattern  | 3000 | STANDARD SQUARE ***STD***<br>                      |
| Shower Jamb(s) and Sill(s) | 8923 | Shower Jamb / Sill-Thassos White ***STD***                                                                                            |
| Plumbing Fixture (colour)  | 1737 | Plumbing Fixtures-WHITE ***STD***                                                                                                     |
| Comment                    |      |                                                                                                                                       |

Ensuite 4

|                      |      |                                                      |
|----------------------|------|------------------------------------------------------|
| Cabinet Colour/Style | 9157 | Viking III-SIMCOE-MOONLIGHT-3DL ***STD***            |
| Cabinet Hardware     | 7672 | 135-HARDWARE ***STD***                               |
| Countertop           | 8822 | 4924-38-Countertop-WHITE CARRARA-Wilsonart ***STD*** |
| Countertop Edge      | 1111 | N/A *****                                            |

GURJIT, SINGH ATWAL/  
Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 11/9/2022 10:50:50  
Locked:  
Closed:

|                            |      |                                                                                                                                             |
|----------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Countertop Edge            | 1111 | N/A                                                                                                                                         |
| Floor Tile                 | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                                                          |
| Floor Tile Grout           | 2225 | Grout-(27) Silver ***STD***                                                                                                                 |
| Floor Tile Pattern         | 3000 | STANDARD SQUARE ***STD***<br><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div> |
| Shower Wall Tile           | 5420 | QT.SP.DGR.0810-Splendour-Dark Grey-8 inch x 10 inch ***STD***                                                                               |
| Shower Wall Tile Grout     | 2226 | Grout-(00) White ***STD***                                                                                                                  |
| Shower Wall Tile Pattern   | 3070 | HORIZONTAL STACKED ***STD***<br><div><div></div><div></div><div></div><div></div><div></div><div></div></div>                               |
| Shower Floor Tile          | 8661 | OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 ***STD***                                                                  |
| Shower Floor Tile Grout    | 2226 | Grout-(00) White ***STD***                                                                                                                  |
| Shower Floor Tile Pattern  | 3000 | STANDARD SQUARE ***STD***<br><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div> |
| Shower Jamb(s) and Sill(s) | 8923 | Shower Jamb / Sill-Thassos White ***STD***                                                                                                  |
| Plumbing Fixture (colour)  | 1737 | Plumbing Fixtures-WHITE ***STD***                                                                                                           |
| Comment                    |      |                                                                                                                                             |

Shared Ensuite

|                      |      |                                                                                                                                             |
|----------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Cabinet Colour/Style | 9158 | Viking III-SIMCOE-NAVY BLUE-3DL ***STD***                                                                                                   |
| Cabinet Hardware     | 7672 | 135-HARDWARE ***STD***                                                                                                                      |
| Countertop           | 8796 | 6698-46-Countertop-PALOMA POLAR ETCHINGS FINISH-Formica ***STD***                                                                           |
| Countertop Edge      | 1111 | N/A *****                                                                                                                                   |
| Floor Tile           | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                                                          |
| Floor Tile Grout     | 2225 | Grout-(27) Silver ***STD***                                                                                                                 |
| Floor Tile Pattern   | 3000 | STANDARD SQUARE ***STD***<br><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div> |
| Wall Tile            | 5420 | QT.SP.DGR.0810-Splendour-Dark Grey-8 inch x 10 inch                                                                                         |

GURJIT, SINGH ATWAL/  
Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 11/9/2022 10:50:50  
Locked:  
Closed:

|                                           |      |                                            |
|-------------------------------------------|------|--------------------------------------------|
| ***STD***                                 |      |                                            |
| Wall Tile Grout                           | 2226 | Grout-(00) White ***STD***                 |
| Wall Tile Pattern                         | 3070 | HORIZONTAL STACKED ***STD***               |
|                                           |      |                                            |
|                                           |      |                                            |
|                                           |      |                                            |
|                                           |      |                                            |
| Opt. Shower Floor Tile                    | 1111 | N/A *****                                  |
| Opt. Shower Floor Tile Grout              | 1111 | N/A *****                                  |
| Opt. Shower Floor Tile Pattern            | 1111 | N/A *****                                  |
|                                           |      |                                            |
| Opt. Shower Jamb(s) and Sill(s)           | 8923 | Shower Jamb / Sill-Thassos White ***STD*** |
| Plumbing Fixture (colour)                 | 1737 | Plumbing Fixtures-WHITE ***STD***          |
| Comment                                   |      |                                            |
|                                           |      |                                            |
| Lower Level Recreation Room (Opt. Finish) |      |                                            |
| Flooring                                  | 1111 | N/A *****                                  |
|                                           |      |                                            |
| Comment                                   |      |                                            |
|                                           |      |                                            |
| Lower Level Bathroom (Opt. Finished Bas   |      |                                            |
| Cabinet Colour/Style                      | 1111 | N/A *****                                  |
| Cabinet Hardware                          | 1111 | N/A *****                                  |
| Countertop                                | 1111 | N/A *****                                  |
| Countertop Edge                           | 1111 | N/A *****                                  |
|                                           |      |                                            |
| Floor Tile                                | 1111 | N/A *****                                  |
|                                           |      |                                            |
| Floor Tile Grout                          | 1111 | N/A *****                                  |
| Floor Tile Pattern                        | 1111 | N/A *****                                  |
|                                           |      |                                            |
| Shower Wall Tile                          | 1111 | N/A *****                                  |
|                                           |      |                                            |
| Shower Wall Tile Grout                    | 1111 | N/A *****                                  |
| Shower Wall Tile Pattern                  | 1111 | N/A *****                                  |

GURJIT, SINGH ATWAL/  
Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 11/9/2022 10:50:50  
Locked:  
Closed:



|                           |      |           |
|---------------------------|------|-----------|
| Shower Floor Tile         | 1111 | N/A ***** |
| Shower Floor Tile Grout   | 1111 | N/A ***** |
| Shower Floor Tile Pattern | 1111 | N/A ***** |

|                            |      |           |
|----------------------------|------|-----------|
| Shower Jamb(s) and Sill(s) | 1111 | N/A ***** |
| Plumbing Fixture (colour)  | 1111 | N/A ***** |
| Comment                    |      |           |

Main Stairs

|                               |      |                                                                                |
|-------------------------------|------|--------------------------------------------------------------------------------|
| Type                          | 1712 | Oak Stairs ***STD***                                                           |
| Colour                        | 7940 | Sambucca STAIN TO COMPLIMENT HARDWOOD AND WILL VARY FROM FLOORING ***99***     |
| Handrail/Pickets/Posts Type   | 7940 | Single Collar Alt. Plain w/ Shoes with 3 1/2" Square/Cap Post(s)-BLACK ***2*** |
| Handrail/Pickets/Posts Colour | 7940 | Sambucca STAIN TO COMPLIMENT HARDWOOD AND WILL VARY FROM FLOORING ***99***     |
| Custom Stain/Paint            | 1111 | N/A *****                                                                      |
| Landing(s)                    | 1111 | N/A *****                                                                      |
| Opt. Carpet Runner            | 1111 | N/A *****                                                                      |
| Comment                       |      |                                                                                |

Lower Level Stairs

|                               |      |                                                         |
|-------------------------------|------|---------------------------------------------------------|
| Type                          | 1713 | Paint Grade Stairs ***STD UNFINISHED BASEMENT STAIRS*** |
| Colour                        | 1111 | N/A *****                                               |
| Handrail/Pickets/Posts Type   | 1111 | N/A *****                                               |
| Handrail/Pickets/Posts Colour | 1111 | N/A *****                                               |
| Custom Stain/Paint            | 1111 | N/A *****                                               |
| Landing(s)                    | 1111 | N/A *****                                               |
| Opt. Carpet Runner            | 1111 | N/A *****                                               |
| Comment                       |      |                                                         |



10 of 528

Created: 11/9/2022 10:50:50  
Locked:  
Closed:

|                      |      |                                             |
|----------------------|------|---------------------------------------------|
| Switches and Plug    | 5796 | Decora White Switches and Plugs ***STD***   |
| Thresholds           | 2232 | Metal Thresholds ***STD***                  |
| Underpad             | 1079 | 500 Series-Underpad ***STD***               |
| Trim Size            | 8705 | 4 1/4 Baseboard and 2 3/4 Casings ***STD*** |
| Trim - Paint Colour  | 1716 | Trim-WHITE ***STD***                        |
| Walls - Paint Colour | 1717 | 22-Wall-WARM GREY ***STD***                 |
| Comment              |      |                                             |

**Purchaser:** \_\_\_\_\_ **Date** \_\_\_\_\_ **Wallaceton** \_\_\_\_\_ **Date Approved** \_\_\_\_\_



CONSTRUCTION SUMMARY

Lot: 370  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

|                    |                                                                                                                                                                                                   |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Offer<br>Worksheet | The Purchaser(s) acknowledge that they have NOT been referred by an existing Heathwood Homeowner and therefor are not entitled to a referral fee under Heathwood Homes Referral program.<br>Note: |
| Offer<br>Worksheet | DELETED BY AMENDMENT - Five Appliances: SS Fridge, Stove, Chimney Hood Fan, Dishwasher: White Front Loader Washer/Dryer (Singles)<br>Note:                                                        |



CONSTRUCTION SUMMARY

Lot: 370  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

ADMIN FEE

| Invoice | Qty. | Description |
|---------|------|-------------|
|---------|------|-------------|

APPLIANCES

| Invoice                          | Qty. | Description                                                                                                                                                                                      |
|----------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>314,277<br>22May23<br>** | 1    | KITCHEN - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS                                                                 |
| 1193<br>313,486<br>22May23       | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51936<br><br><b>CABINETRY-delete stove uppers; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct change to 6 in</b> |

CABINETRY

| Invoice                          | Qty. | Description                                                                                                                                                                                                            |
|----------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>343,337<br>22May23       | 1    | KITCHEN - CABINETRY - OPT. BUILT IN - VIKING II/III - UPG<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b> |
| 1193<br>314,277<br>22May23<br>** | 1    | KITCHEN - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS                                                                                       |
| 1193<br>313,486<br>22May23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51936<br><br><b>CABINETRY-delete stove uppers; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct change to 6 in</b>                       |
| 1193<br>313,740<br>22May23       | 2    | SHARED BATHROOM - D13-Vanity top drawer/lower drawer price per drawer (includes false drawer) Viking<br><br>2 x SHARED BATHROOM SEE SKETCH # 4 AND 5                                                                   |



CONSTRUCTION SUMMARY

Lot: 370  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

CERAMICS

| Invoice                    | Qty. | Description                            |
|----------------------------|------|----------------------------------------|
| 1247<br>344,288<br>21Dec22 | 1    | - CERAMICS - M.ENS BATH FLOOR - UPG 1  |
| 1193<br>344,284<br>22May23 | 1    | - CERAMICS - KITCHEN / SERVERY - UPG 1 |
| 1193<br>344,281<br>22May23 | 1    | - CERAMICS - FOYER FLOOR - UPG 1       |
| 1193<br>344,282<br>22May23 | 1    | - CERAMICS - POWDER FLOOR - UPG 1      |
| 1193<br>344,283<br>22May23 | 1    | - CERAMICS - MUD ROOM - UPG 1          |
| 1193<br>344,286<br>22May23 | 1    | - CERAMICS - SHARED BATH FLOOR - UPG 1 |
| 1193<br>344,287<br>22May23 | 1    | - CERAMICS - ENS 4 BATH FLOOR - UPG 1  |
| 1193<br>344,285<br>22May23 | 1    | - CERAMICS - LAUNDRY ROOM - UPG 1      |

DRYWALL

| Invoice                          | Qty. | Description                                                                                                                                                                                                            |
|----------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>345,677<br>22May23       | 1    | MAIN FLOOR - DRYWALL - SMOOTH CEILING IN MAIN FLOOR - UPG<br><br><b>PAINTING-Notify</b>                                                                                                                                |
| 1193<br>343,337<br>22May23<br>** | 1    | KITCHEN - CABINETRY - OPT. BUILT IN - VIKING II/III - UPG<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b> |



CONSTRUCTION SUMMARY

Lot: 370  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

ELECTRICAL

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>314,224<br>22May23       | 2    | - ELECTRICAL - CEILING ROUGH-IN (CAPPED) INCLUDING SWITCH<br><br>1) IN GREAT ROOM CENTERED +/- ON CEILING;2) ON ISLAND CENTERED +/- SKETCH # 2                                                                                                                                                                                                                       |
| 1193<br>314,232<br>22May23       | 1    | GREAT ROOM - ELECTRICAL - EXTRA WALL INTERIOR OUTLET ON EXISTING CIRCUIT (DOES NOT INCLUDE KITCHEN OUTLETS)<br><br>GREAT ROOM - CENTERED +/- ABOVE FIREPLACE APPROX. 70" +/- FROM FLOOR SKETCH # 2                                                                                                                                                                   |
| 1193<br>314,277<br>22May23<br>** | 1    | KITCHEN - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS                                                                                                                                                                                                                                     |
| 1193<br>314,242<br>22May23       | 1    | KITCHEN - ELECTRICAL - RELOCATION OF SWITCHES/LIGHTS (MUST SPECIFY LOCATION) - NOTE: PLUGS CANNOT BE RELOCATED- MUST PURCHASE ADDITIONAL OUTLET.<br><br>KITCHEN - STANDARD STOVE ELECTRICAL RELOCATED TO WALL OVEN LOCATION SKETCH # 3 SEE APPLIANCE SPECS                                                                                                           |
| 1193<br>314,340<br>22May23<br>** | 1    | KITCHEN - HEATING/AIR - ROUGH-IN GAS LINE FOR GAS STOVE AT MAIN FLOOR (SEE SPECS) (HOOK-UP NOT INCLUDED) LEAVE STANDARD 120 VOLT ELECTRICAL OUTLET ON A SEPARATE CIRCUIT. * SPECIFY IF STANDARD 220V WILL STAY OR BE RELOCATED<br>STANDARD 220V/40 amp TO BE RELOCATED TO BUILT-IN MICRO/OVEN LOCATION SKETCH # 3<br><b>ELECTRICAL-Notify</b><br>SEE APPLIANCE SPECS |
| 1193<br>345,787<br>22May23       | 1    | KITCHEN - ELECTRICAL - CEILING ROUGH-IN (CAPPED)<br><br>KITCHEN - TO BE CENTERED +/- ON ISLAND WITH OTHER CAPPED ELECTRICAL ON OWN SWITCH SKETCH # 2                                                                                                                                                                                                                 |
| 1193<br>313,486<br>22May23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51936<br><br><b>CABINETRY-delete stove uppers; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct change to 6 in</b>                                                                                                                                                                     |

FRAMING

| Invoice                          | Qty. | Description                                                                                                                                                                                                            |
|----------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>343,337<br>22May23<br>** | 1    | KITCHEN - CABINETRY - OPT. BUILT IN - VIKING II/III - UPG<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b> |

GLASS PRODUCTS / MIRRORS

| Invoice                    | Qty. | Description                                                                                                                      |
|----------------------------|------|----------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>345,697<br>22May23 | 1    | ENSUITE MASTER - GLASS PRODUCTS / MIRRORS - UPGRADE TO FRAMELESS CLEAR GLASS WITH D-RING HANDLE IN CHROME - ENSUITE MASTER - UPG |



CONSTRUCTION SUMMARY

Lot: 370  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

GRANITE

| Invoice                          | Qty. | Description                                                                                                                                                                                                            |
|----------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>343,337<br>22May23<br>** | 1    | KITCHEN - CABINETRY - OPT. BUILT IN - VIKING II/III - UPG<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b> |
| 1193<br>314,277<br>22May23       | 1    | KITCHEN - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS                                                                                       |
| 1193<br>346,860<br>22May23       | 1    | KITCHEN - GRANITE - KITCHEN / ISLAND - GROUP 1 WITH 1 ½ IN SQUARE BUILT UP MITERED EDGE - UPG<br><br>INLCUDES SERVERY                                                                                                  |

HEATING / AIR CONDITIONING

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>314,340<br>22May23       | 1    | KITCHEN - HEATING/AIR - ROUGH-IN GAS LINE FOR GAS STOVE AT MAIN FLOOR (SEE SPECS) (HOOK-UP NOT INCLUDED) LEAVE STANDARD 120 VOLT ELECTRICAL OUTLET ON A SEPARATE CIRCUIT. * SPECIFY IF STANDARD 220V WILL STAY OR BE RELOCATED<br>STANDARD 220V/40 amp TO BE RELOCATED TO BUILT-IN MICRO/OVEN LOCATION SKETCH # 3<br><b>ELECTRICAL-Notify</b><br>SEE APPLIANCE SPECS |
| 1193<br>313,486<br>22May23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51936<br><br><b>CABINETRY-delete stove uppers; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct change to 6 in</b>                                                                                                                                                                     |

INTERIOR RAILINGS

| Invoice                    | Qty. | Description                                                                                                                                                               |
|----------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>345,727<br>22May23 | 1    | - Interior Railings - BLACK METAL - SINGLE COLLAR ALT. PLAIN W/ SHOES WITH 3 1/2? SQUARE/CAP POST(S) AS PER PLAN - MAIN AND 2ND FLOOR - UPG<br><br><b>PAINTING-Notify</b> |

PAINTING

| Invoice                          | Qty. | Description                                                                                                                                                                                                            |
|----------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1193<br>345,677<br>22May23<br>** | 1    | MAIN FLOOR - DRYWALL - SMOOTH CEILING IN MAIN FLOOR - UPG<br><br><b>PAINTING-Notify</b>                                                                                                                                |
| 1193<br>343,337<br>22May23<br>** | 1    | KITCHEN - CABINETRY - OPT. BUILT IN - VIKING II/III - UPG<br><br>KITCHEN SKETCH # 3 SEE APPLIANCE SPECS<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b> |
| 1193<br>345,727<br>22May23<br>** | 1    | - Interior Railings - BLACK METAL - SINGLE COLLAR ALT. PLAIN W/ SHOES WITH 3 1/2? SQUARE/CAP POST(S) AS PER PLAN - MAIN AND 2ND FLOOR - UPG<br><br><b>PAINTING-Notify</b>                                              |


THE WESTWOOD

ELEVATION B | 2,794 SQ. FT.

833 sq. ft. of opt. finished Lower Level

28-2797 ELEV. B

Sketch #1 WALLACETON  
EST. 1870



LOWER LEVEL  
ELEVATION B

GA

28-2797 ELEV. B


THE WESTWOOD

ELEVATION B | 2,794 SQ. FT.

833 sq. ft. of opt. finished Lower Level

WALLACETON  
EST. 1870


Sketch #2




UPGRADE KITCHEN - BUILT-IN APPLIANCES:

- 30" COOKTOP POTS & PANS
- 30" WALL OVEN


Project: Wallaceton  
Unit: 370, Phase: 3  
Model: 28-2797 B THE WESTWOOD



GAS R/I



SERVERY  
STD. BASE  
OPT. WALL CABINETS  
OPT. BAR SINK



GA



F R E N D E L  
K I T C H E N S L I M I T E D  
1350 Showdon Drive, Mississauga, ON L4W 1C5

HEATHWOOD HOMES  
WALLACETON, KITCHENER ON  
MODEL: 28-2841 CRN (3401-CRN)  
& 28-2797 (3401)

STANDARD CONTRACT INCLUDES:

Appliance Openings

- Hood: 30"W builder hood
- Fridge Opening: 37 3/8 "W X 73 3/8"
- Fridge cabinet & gables: 66cm Deep
- Cooktop: 30"W - Tall Wall Oven: 30"W
- Dishwasher Opening: 24"

Standard Kitchens Scope:

- 100cm H wall cabinets
- Std. Blumotion Hinges- soft close doors
- Std. Metabox Drawers- not soft close
- Min 40cm W drawer
- Base pie cut corner cabinets
- Backing on all cabinets
- Countertop by others
- Upgrade applied paneled fridge & dishwashers supply only (appliance hardware by others)

# THE WESTWOOD

ELEVATION B | 2,794 SQ. FT.

833 sq. ft. of opt. finished Lower Level

WALLACETON


EST. 1870

28-2797 ELEV. B

Sketch # 4

FRAMELESS

2x  
TOP DRAWERS




SECOND LEVEL  
ELEVATION B

G.A

4/29/2022

Sketch #5



C.A



F R E N D E L  
K I T C H E N S L I M I T E D

1350 Showson Drive, Mississauga, ON L4W 1C5

**HEATHWOOD HOMES**  
WALLACETON, KITCHENER ON  
MODEL: 28-2841 CRN (3401-CRN)  
& 28-2797 (3401)

**STANDARD CONTRACT INCLUDES:**



**Standard Vanity & Laundry Scope:**

- Powder by others, pedestal
- Master Ens. – Top by others
- Remaining vanities inc. laminate top
- Std. Blumotion Hinges- **not soft close**
- Std. Metabox Drawers- **not soft close**
- Master Ens: Top drawers(Sink Full height)
- Mains: Full height doors (top drawers added if Masters can't accommodate)
- Optional laundry base & wall cabinets



NEAS NF17 Mantel - CABINET

G.A



ND1831UA/9 SPECIFICATION

Model ND1831UA/9 is a double (two equal size) bowl undermount sink manufactured by Franke Kindred Canada Limited from 18 gauge stainless steel. Product has silk finished rims and linear brush finished bowls. Sink is fully undercoated. Basket strainer waste fittings (3 1/2", 89 mm) are included. Sink is backed with a limited lifetime warranty.

- O.D. 17 3/4" x 30 7/8" x 8 1/2" (45 x 78 x 22 cm)
- Recommended for minimum 36" cabinet

Franke Kindred Canada Limited  
P.O. Box 190, 1000 Franke Kindred Road, Midland, Ontario, Canada, L4R 4K9 Phone: 866-687-7465 Fax: 800-361-8408

G.A

# MOEN®

## Specifications

### FAUCET DESCRIPTION

- Reflex™ pulldown system offers smooth operation, easy movement and secure docking
- Power Clean™ spray technology
- Metal construction with various finishes identified by suffix
- Quick connect installation
- Pulldown spray with 68" braided hose
- Flexible supply lines with 3/8" compression fittings
- High arc spout provides height and reach to fill or clean large pots while pulldown wand provides the maneuverability for cleaning or rinsing
- 360° rotating spout
- Faucet designed for handle to be mounted on right side only

### OPERATION

- Lever style handle
- Temperature controlled by 100° arc of handle travel
- Operates with less than 5 lbs. of force
- Operates in stream or spray mode in the pullout or retracted position

### FLOW

- Flow is limited to 1.5 gpm (5.7 L/min) max at 60 psi

### CARTRIDGE


- 1255™ Duralast™ cartridge

### STANDARDS

- Third party certified to IAPMO Green, ASME A112.18.1/CSA B125.1 and all applicable requirements therein including NSF 61/9G & 372
- Meets CalGreen and Georgia SB370 requirements
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- The backflow protection system in the device consists of two independently operating check valves, a primary and a secondary which prevent backflow
- ADA  for lever handle

### WARRANTY


- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
  - 10 year limited warranty when used in a multifamily installation
  - 5 year limited warranty when used in a commercial installation
- Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations



**ALIGN™**  
Single Handle High Arc  
Pulldown Kitchen Faucet

Models: 7565 series

**NOTE:** THIS FAUCET IS DESIGNED TO BE INSTALLED  
THROUGH 1 HOLE, 1-1/2" (38mm) MIN. DIA.  
(OPTIONAL 3-HOLE ESCUTCHEON 141002 AVAILABLE)



FOR MORE INFORMATION CALL: 1-800-BUY-MOEN  
[www.moen.com](http://www.moen.com)

Rev. 6/20

Cr.A



**BARRIER FREE (ABOVE COUNTER OR DROP-IN ONLY)**

**BOULEVARD®  
PEDESTAL SINK**  
VITREOUS CHINA

**BOULEVARD® PEDESTAL SINK**

- STD ☐ **0641.800** Faucet holes on 8" (203mm) centers (Illustrated)
- ☐ **0641.400** Faucet holes on 4" (102mm) centers
- ☐ **0641.100** Center hole only
- Classic styled rectangular pedestal lavatory
  - Vitreous china
  - Rear overflow
  - Supplied with mounting kit
  - Right Height® for greater comfort during use
  - Faucet ledge with large deck area (faucet not included)
  - **Design coordinates with Boulevard® Toilet**
  - Basin has flat bottom to also allow use as an **above counter** sink or a **drop-in** sink (with u-shaped cut out)

**Nominal Dimensions:**

24" x 19" x 35-1/2"  
(610 x 483 x 902mm)

- ☐ **0641.008** Pedestal top-8" (203mm) centers
- ☐ **0641.004** Pedestal top-4" (102mm) centers
- ☐ **0641.001** Pedestal top-center hole only
- ☐ **0010.000** Pedestal only


**Bowl sizes:**

17" (432mm) wide,  
12-1/2" (318mm) front to back,  
5" (127mm) deep

**Compliance Certifications -**

**Meets or Exceeds the Following Specifications:**

- ASME A112.19.2 - 2008/CSA B45.1-08



SEE REVERSE FOR ROUGHING-IN DIMENSIONS


**To Be Specified:**

- ☐ Color: ☐ White ☐ Linen
- ☐ Faucet Finish:
- ☐ Supplies:
- ☐ 1-1/4" Trap:
- ☐ Nipple:

\* See faucet section for additional models available

G.A

☐ BARRIER FREE (ABOVE COUNTER OR DROP-IN ONLY)



spec\_0641\_BoulevardPedSink Rev 2/18

G.A

*American Standard*  
Style That Works Better

 BARRIER FREE

**OVALYN™**  
**UNDERCOUNTER SINK**  
VITREOUS CHINA

**OVALYN™ UNDERCOUNTER SINK**


- Classic oval undermount sink
- Made from vitreous china
- Front overflow
- Supplied with mounting kit (047194-0070A) and template

☐ **0495.221 Unglazed rim**  
435 x 359mm  
(17-1/8" x 14-1/8")

☐ **0495.300 Glazed underside**

**Bowl size:**

382mm (15-1/16") wide  
306mm (12-1/16") front to back  
140mm (5-1/2") deep



☐ **0496.221 Unglazed rim**  
489 x 413mm  
(19-1/4" x 16-1/4")

☐ **0496.300 Glazed underside**

**Bowl size:**

432mm (17") wide  
356mm (14") front to back  
140mm (5-1/2") deep

☐ **0497.221 Unglazed rim**  
546 x 441mm  
(21-1/2" x 17-3/8")

☐ **0497.300 Glazed underside**

**Bowl size:**

483mm (19") wide  
391mm (15-3/8") front to back  
140mm (5-1/2") deep

**Compliance Certifications -**

**Meets or Exceeds the Following Specifications:**

- ASME A112.19.2M for Vitreous China Fixtures
- CAN/CSA B45 series

**To Be Specified:**

- ☐ Color: ☐ White ☐ Bone ☐ Linen  
☐ Silver ☐ Fawn Beige ☐ Black
- ☐ Faucet\*:  
☐ Faucet Finish:  
☐ Supplies:  
☐ 1-1/4" Trap:

\* See faucet section for additional models available

STD Master Ensuite Undermount SINGLES


SEE REVERSE FOR ROUGHING-IN DIMENSIONS

G.A

American Standard  
Style That Works Better

Barrier Free


OVALYN™  
UNDERCOUNTER SINK  
VITREOUS CHINA




NOTES:  
USE ENCLOSED TEMPLATE FOR COUNTER TOP CUTOUT. FITTINGS NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.  
\* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P" TRAP ARE SUGGESTED.  
▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.  
PLEASE NOTE MINIMUM INTERIOR CLEARANCE DIMENSION (K). SEALING COMPOUND SUPPLIED BY OTHERS.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages

MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.  
Countertop 864mm (34") from finished floor. Lavatory installed 51mm (2") from front edge of countertop.  
Countertop thickness to be 25mm (1") maximum.




C.A



COLONY™  
COUNTERTOP SINK  
VITREOUS CHINA

COLONY COUNTERTOP SINK




- Vitreous china
- Self-rimming
- Front overflow
- Supplied with template
- Faucet deck  
(Faucet shown not included)



- ☐ 0346 803  
Faucet holes on 203mm (8") centres
- ☐ 0346 403 (Illustrated)  
Faucet holes on 102mm (4") centres
- ☐ 0346 001  
Centre hole only

Nominal Dimensions:  
521 x 448mm (20-1/2" x 17-5/8")

Bowl sizes:  
422mm (16-5/8") wide, 279mm (11") front to back, 143mm (5-5/8") deep



COMPLIANCE CERTIFICATIONS –  
Meets or exceeds the following Specifications:  
• ASME A112.19.2M for Vitreous China Fixtures.  
• CAN/CSA B45 Series.

- To Be Specified
- ☐ Colour: ☐ White ☐ Bone ☐ Silver Gray  
☐ Linen
  - ☐ Faucet\*:
  - ☐ Faucet Finish:
  - ☐ Supplies & Stops:
  - ☐ Trap 1-1/4" (32 mm):


NOTES:  
\* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAP ARE SUGGESTED. FOR COUNTERTOP CUTOUT AND INSTALLATION INSTRUCTIONS USE TEMPLATE SUPPLIED WITH SINK.  
FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.  
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2.  
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

\* See faucet section for additional models available

GA



DEMI™  
Product Specification Sheet



Two Piece Freestanding Collection


|        |                                              |
|--------|----------------------------------------------|
| CF2007 | Two Piece Freestanding Soaker                |
| Size:  | 60" x 32" x 22"<br>1524 mm x 813 mm x 559 mm |

PRODUCT FEATURES & BENEFITS


- Vacuum formed acrylic reinforced with fiberglass
- Scratch, stain and fade resistant high gloss finish
- Installation friendly two piece design
- Accepts deck mounted faucet
- Includes integral pop up drain and rectangular overflow
- Includes levelling feet

TWO PIECE ASSEMBLY


FRONT VIEW



END VIEW



TOP VIEW



| GENERAL SPECIFICATIONS        |                |               |
|-------------------------------|----------------|---------------|
| Average Weight                | 90 lb          | 41 kg         |
| Bathing Well at bottom        | 43"x 20"       | 1092 x 508 mm |
| Capacity Drain to Overflow    |                | 195 litres    |
| Water Depth Drain to Overflow | 16"            | 406 mm        |
| Drain Opening (dia.)          | 2"             | 51 mm         |
| Overflow Opening              | 2 1/4"x 1 1/2" | 57 x 13 mm    |
| Drain to Floor Clearance      | 3 1/4"         | 83 mm         |

NOTES: Please confirm measurements on actual product to ensure proper identification. Bathtub to be installed on the floor supported by 5 self levelling feet. Adjust if required to level the bathtub for adequate drainage. Refer to installation instructions for additional information.

IMPORTANT: Dimensions of fixtures are nominal and may vary  $\pm 1/4"$  (6 mm). Weight may vary  $\pm 5$  lb (2.3 kg). Drawing is not to scale. These measurements are subject to change at manufacturer's discretion.

Compliance Certifications -  
Meets or Exceeds the following Specifications:  
• CAN/CSA - B45 Series



G.A

*American Standard*  
Style That Works Better

FloWise™ DUAL FLUSH  
ELONGATED TOILET

VITREOUS CHINA

FloWise™ DUAL FLUSH ELONGATED TOILET

- 2476 216
  - Vitreous china
  - Low-consumption Dual Flush
    - Full flush 6.0 Lpf/1.3 gpf,
    - Partial flush 3.0 Lpf/0.66 gpf.
  - Elongated wash down bowl
  - Internal trapway fully-glazed,  
2-1/4" (57mm) ballpass
  - Concealed trapway bowl
  - Chrome-plated top mounted  
push button actuator
  - Easy to clean sanitary dam on bowl
  - Includes Elongated Slow Close Seat
  - 100% factory flush tested
  - 2 bolt caps

Separate Component Parts:

- 3067 316 Elongated Bowl with Slow Close Seat
- 4035 216 Unlined Tank




- 2476 516 Same as above with Lined tank
  - 3067 316 Elongated Bowl
  - 4035 516 Lined Tank

Nominal Dimensions:  
794 x 432 x 765mm  
(31-1/4" x 17" x 30-1/8")

Compliance Certifications -  
Meets or Exceeds the Following Specifications:  
• ASME A112.19.2M (and 19.6M)  
• CAN/CSA B45 series

To Be Specified

- Colour: 020 White
- Supply with stop:




NOTES:  
THIS TOILET IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12") FROM FINISHED WALL TO C/L OF OUTLET.  
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.  
\* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED.  
FOR ADDITIONAL INFORMATION REFER TO INSTALLATION INSTRUCTIONS SUPPLIED.  
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2  
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

UPGRADED VALUE ADDED FEATURES AT NO EXTRA CHARGE

GA

## Specifications

**NOTE:** THIS FAUCET IS DESIGNED TO BE  
INSTALLED THRU 3-1" DIA. HOLES, 2" ON CENTER



FOR MORE INFORMATION CALL: 1-800-BUY-MOEN  
www.moen.com



Buy it for looks. Buy it for life.®

There is more than 1 version of this model.  
Page down to identify the version you have.

## DESCRIPTION

- Metal construction with various finishes identified by suffix
- Includes non-metallic showerhead, arm, flange and non-metallic diverter tub spout

## OPERATION

- Handle operates counterclockwise through a 270° arc with off at 6 o'clock and maximum hot at the 9 o'clock position. Shut off in clockwise direction
- Adjustable temperature limit stop to control maximum hot water temperature
- Pressure balancing mechanism maintains selected discharge temperature to  $\pm 3^\circ$

## FLOW

- Showerhead is limited to 2.5 gpm (9.5 L/min) at 80 psi
- EP suffix models are limited to 1.75 gpm (6.6 L/min) at 80 psi
- NH suffix models contain no showerhead

## CARTRIDGE

- 1222 cartridge design
- Accommodates back to back installations
- Nonmetallic/nonferrous and stainless steel material

## STANDARDS

- Third party certified to meet ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein
- EP suffix models are third party certified to WaterSense®

- ADA for lever handle

## WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations


## Specifications



### CHATEAU® POSI-TEMP® Single-Handle Tub/Shower Trim Kit

**Models:** TL181 series - valve trim only  
(Bulk Packed 12 per carton)  
TL182 series - shower trim only  
(Bulk Packed 12 per carton)  
TL183 series - tub/shower trim  
(Bulk Packed 12 per carton)

**Valves:** 62300 series  
2500 series





## Specifications

### DESCRIPTION

- Metal construction with various finishes identified by suffix

### OPERATION


- Lever style handles with hot and cold color indicator
- Rotate hot side handle counterclockwise to open (clockwise to close) and the cold side handle (clockwise to open) and (counterclockwise to close)

### STANDARDS

- Third party certified to: ASME A112.18.1/CSA B-125.1, and all applicable requirements referenced therein
- ADA  for lever handles

### WARRANTY



- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
  - 10 year limited warranty when used in a multi-family installation
  - 5 year limited warranty when used in a commercial installation
- Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations



**CHATEAU®**  
Two-Handle Garden Tub Trim

Models: T994 series


Valves: 4792, 4793, 4794, 4796, 4797, 4798



### CRITICAL DIMENSIONS

(DO NOT SCALE)

SC(B)519 | ALITO Collection



Wall Mount

Strong and sturdy with attractive lines and an imposing frame, the SC(B)519 is fitted with a time-delay OFF feature up to nine minutes, a 550 CFM fan, two bright front mounted LED lights and a digital three-speed push button control panel.

Green Features



3 Speed Push Button Control Panel




Long-Lasting LED Lights



Time-Delay OFF Feature



Grease Cup



| Model | Colour | Ducting | Filters | Size | CFM |
|-------|--------|---------|---------|------|-----|
|-------|--------|---------|---------|------|-----|

|          |                 |    |        |     |     |
|----------|-----------------|----|--------|-----|-----|
| SCB51930 | Stainless Steel | 6" | Baffle | 30" | 550 |
| SCB51936 | Stainless Steel | 6" | Baffle | 36" | 550 |

G.A

Cyclone Range Hoods Inc.



1361 Huntingwood Drive, Unit 16: Toronto, ON: M1S 3J1, Canada.  
Toll Free: 1-888-293-5662 Tel: (416) 293-0933 Fax: (416) 293-4793 Website: [www.CycloneRangeHoods.com](http://www.CycloneRangeHoods.com)

SC(B)519 | ALITO Collection



Features

- Wall mount range hood
- 6" round duct adapter
- Non-stick aluminum fan blades
- 3 speed push button control
- 2 LED lights (2 x 1.4W, 4000K)
- Quick release aluminum mesh filters
- Standard chimney fits up to 9 ft. ceiling
- Up to 9 minutes time-delay OFF feature
- Plug-in connection



Options

- Filters:  
  
SCB519 - Quick Release Stainless Steel Baffle Filters
- Chimney Flues:  
A1.CH10 - short (7'-8' ceilings)  
A1.CH18 - standard (8'-9' ceilings)  
A1.CH30 - extended (9'-11' ceilings)
- Widths: 24", 30", 36"

Specifications

- |                                      |                                |                                             |
|--------------------------------------|--------------------------------|---------------------------------------------|
| • Air Flow Volume: 550 CFM           | • Current: 2.5 Amps            | • Finishes: Stainless Steel                 |
| • Electrical Connection: 120 V/60 Hz | • Fan Speed: 1599 RPM          | • Ducting: 6" Round                         |
| • Power Consumption: 300 Watts       | • Fan Type: Centrifugal Blower | • Noise Level: Min. 2 Sones<br>Max. 6 Sones |



G.A

RF23BB8600

SAMSUNG

Bespoke Counter Depth 4-Door French Door Refrigerator  
(23 cu. ft.) with Beverage Center™



Signature Features


- Customizable Door Colors**  
Customize the design of your refrigerator with changeable color door panels. Choose from 12 colors and 2 finishes to create a space that fits your style – the options are endless.
- Beverage Center™**  
Quick access to refreshingly cool, filtered water two ways. Choose from an internal dispenser or a built-in pitcher that automatically refills, with the option to infuse with a flavor.

**Dual Ice Maker with Ice Bites**  
Enjoy your favorite beverage with your choice of ice. Select from cubed ice or Ice Bites that chill your drink faster. Makes up to 5.4 lbs per day, stores up to 7.3 lbs total.


Bespoke 4-Door Refrigerator Standard Color Models




Stainless Steel - All Panels




White Glass - All Panels



Morning Blue Glass Top Panel with White Glass Middle and Bottom Panels



Custom Panel-Ready



Design

- Customizable Door Colors
- Modern Design
- Recessed Handle

Technology

- Beverage Center™
- Wi-Fi Enabled

Performance

- Dual Ice Maker with Ice Bites
- FlexZone™ Drawer
- Metal Cooling
- 23 cu. ft. Capacity
- Twin Cooling Plus

Rating

ENERGY STAR® rated:  
621 kWh/yr

ADA Compliant

RF23BB8600

SAMSUNG


Bespoke Counter Depth 4-Door French Door Refrigerator  
(23 cu. ft.) with Beverage Center™

Installation Specifications


- 1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- 3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at [samsung.com](https://www.samsung.com).



Dimensions



Total Capacity: 22.8 cu. ft.

Refrigerator: 13.5 cu. ft.

- 4 Tempered Glass Spill-Proof Shelves
- 2 Clear Drawers, Including Crisper+
- 6 Door Bins
  - Right: 1 Gallon Bin, 2 Regular Bins
  - Left: 3 Regular Bins
- Surface Lighting

FlexZone™ Drawer: 2.5 cu. ft.

- 5 Temperature Zones
  - Soft Freeze (23°F)
  - Meat/Fish (30°F)
  - Cold Drinks (34°F)
  - Deli/Snacks (37°F)
  - Wine/Party Dishes (41°F)
- 2 Drawer Dividers
- High Efficiency LED Lighting

Freezer: 6.8 cu. ft.

- Dual Ice Maker in Freezer (Cubed Ice AND Ice Bites)
- Ice Bucket with Cover and 1 Scoop
- Produces up to 5.4 lbs ice/day, stores up to 7.3 lbs
- High Efficiency LED Lighting

Accessories

Water Filter: HAF-QIN

Warranty

One (1) Year Parts and Labor on Refrigerator  
Five (5) Years Parts and Labor on Sealed Refrigeration System Only\*  
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor  
\*Compressor, evaporator, condenser, drier and connecting tubing.

Product Dimensions

Dimensions (WxHxD with hinges and doors):  
35 3/4" x 70" x 28 3/4"

Dimensions (WxHxD without hinges and door):  
35 3/4" x 68 7/8" x 24"

Shipping Dimensions (WxHxD)

Dimensions: 38 1/4" x 76 3/4" x 30 5/8"

| Color                                                                  | Model #      | UPC Code     | Product & Shipping Weight (lbs) |       |
|------------------------------------------------------------------------|--------------|--------------|---------------------------------|-------|
| Stainless Steel - All Panels                                           | RF23BB8600QL | 887276624211 | 330.6                           | 352.7 |
| White Glass - All Panels                                               | RF23BB860012 | 887276639734 | 341.7                           | 363.8 |
| Morning Blue Glass Top Panel with White Glass Middle and Bottom Panels | RF23BB86004M | 887276639741 | 341.7                           | 363.8 |
| Custom Panel-Ready                                                     | RF23BB8600AP | 887276624204 | 313.1                           | 335.1 |

NA36N7755TS

SAMSUNG

36" Gas Cooktop



Signature Features

22K True Dual-Power Burner

- Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

Analog Controls with Digital Wi-Fi and Bluetooth® Technology

- The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

Cast Iron Griddle

- Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

Available Colors



Stainless Steel (shown)



Fingerprint Resistant  
Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

Features

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
  - Right Front: 13K BTU
  - Left Front: 9.5K BTU
  - Right Rear: 5K BTU
  - Left Rear: 9.5K BTU
  - Center: True Dual, 22K BTU (Brass)

- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On/Off Monitoring
- ADA Compliant

Convenience

- Wok Grate
- LP Conversion Kit




ADA Compliant

**SAMSUNG**

NQ70M7770DS

SAMSUNG

30" Microwave Combination Wall Oven



Signature Features

Steam Cook (Oven)

- Delivers moisture at precise times for a crisp, browned outside and tender inside.

Speed Cook (Microwave)

- Cook food faster and more evenly by using power convection.

Flex Duo™ (Oven)

- Cook two dishes at different temperatures simultaneously with the Smart Divider.


Available Colors



Stainless Steel (shown)



Black Stainless Steel



Steam Cook



Flex Duo™

Features

- Digital-Analog Controls
- 1.9/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)
- Easy View Window
- 3 Heavy-Duty Racks including a Gliding Rack (Oven)
- Soft-Close Door (Oven)
- Ceramic Plate (Microwave)
- Rapid Preheat (Oven)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design
- LCD Display

Convenience

- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock
- Convection Conversion

NQ70M7770DS

SAMSUNG


30" Microwave Combination Wall Oven

Cabinet Dimensions


Combination Oven Installed in Cabinet

\*Junction Box

\*\*Allow a minimum of 22" for clearance to adjacent corners, drawers, walls, etc. when door is open.



Product Dimensions



Total Capacity: 1.9/5.1 cu. ft.

- Microwave: 1.9 cu. ft.
- Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.
- Hidden Bake Element
- Bake: 175°F–550°F
- Convection Bake: 175°F–550°F
- Convection Roast: 175°F–550°F
- Broil: Low-High
- Steam Bake: 230°F–550°F
- Steam Roast: 230°F–550°F
- Proofing
- Sabbath Mode

Warranty

One (1) Year All Parts and Labor  
Ten (10) Years Parts Warranty for Magnetron

Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions:  
29 7/8" x 43 1/4" x 25 11/16"

Combination Oven Cut-Out Dimensions:  
28 1/2" x 42 1/4" x 23 1/2"

Weight: 119 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:  
33 5/8" x 48 3/16" x 29 51/64"

Weight: 132.5 lbs.

Color

Stainless Steel  
Black Stainless Steel

Model #

NQ70M7770DS  
NQ70M7770DG

UPC Code

887276195186  
887276195162

| RATING       |         |
|--------------|---------|
| 240V         | 9.5 kW  |
| 208V         | 7.2 kW  |
| BREAKER SIZE |         |
| 240V         | 40 Amps |
| 208V         | 40 Amps |

DW80B7070

SAMSUNG

Smart Dishwasher with StormWash+™ 42dBA with Smart Dry



Signature Features

Smart Dry with AutoRelease™ Door

- The Smart Dry with AutoRelease™ Door system circulates warm air to deliver 2.5x better drying performance<sup>1</sup> without damaging plastic ware.

StormWash+™

- The new dual wash arms and rotating spray jet delivers more intense cleaning performance, and cleans at every angle to cover 1.5x more space.<sup>2</sup>

Whisper Quiet 42 dBA

- So quiet you don't even know its on with Whisper Quiet 42dBA operation.<sup>3</sup>

<sup>1</sup>Based on internal testing, compared to Samsung's conventional dishwashers with AutoRelease™ doors.

<sup>2</sup>Based on internal testing compared to conventional StormWash™ models.

<sup>3</sup>Based on internal testing. Results may vary depending on the actual usage conditions.


Available Colors

Standard Finishes


-  Fingerprint Resistant Stainless Steel (shown)
-  Fingerprint Resistant Black Stainless Steel

BESPOKE Finishes

- White Glass  
(panel sold separately)



Smart Dry with AutoRelease™ Door



StormWash+™

Features

- Smart Dry with AutoRelease™ Door
- StormWash+™ with Dual Wash Arms
- Whisper Quiet 42 dBA
- SmartThings App
- 3rd Rack
- Smart Reorder
- Pre Blast Cycle
- Fingerprint Resistant Finishes and BESPOKE Glass Finishes
- FlexLoad™ Rack System

Convenience

- Wi-Fi Connectivity
- LED Time Remaining Display
- Control Lock
- Delay Start
- Digital Leak Sensor

Rating


 Most Efficient  
**2022**  
www.energystar.gov  
239 kWh/yr

DW80B7070


Smart Dishwasher with StormWash+™ 42dBA with Smart Dry

SAMSUNG

Installation Specifications



Dimensions



Features

- 7 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Pre Blast, Download Cycle
- 8 Options: Half load (Lower Rack), StormWash+™ Hi-Temp Wash, Sanitize (NSF Certified), Delay Start, Control Lock, Smart Control (Wi-Fi), Smart Dry
- AutoRelease™ Door
- Stainless Steel Interior Tub

Convenience

- Control Lock
- Digital Water Leakage Sensor
- 3rd Rack
- One-Touch Adjustable Racking System
- Silverware Basket
- Upper Rack: Foldable Cup Shelves, Adjustable Tines
- Lower Rack: Fold-Down Tines

Warranty

One (1) Year Parts and Labor  
Five (5) Years, Printed Circuit Board, Racking and Stainless Door Liner & Tub for leakage (Parts Only)

Product Dimensions & Weight (WxHxD)

Dimensions (height is adjustable):  
23 7/8" x 33 7/8" – 35" x 25"

Weight: 91.5 lbs

Shipping Dimensions & Weight (WxHxD)


Dimensions:  
26" x 34 3/4" x 29 3/4"

Weight: 98.1 lbs

| Standard Finishes                           | Model #     | UPC Code     |
|---------------------------------------------|-------------|--------------|
| Fingerprint Resistant Stainless Steel       | DW80B7070US | 887276609706 |
| Fingerprint Resistant Black Stainless Steel | DW80B7070UG | 887276616414 |
| BESPOKE Finishes                            |             |              |
| Custom Panel-Ready                          | DW80B7070AP | 887276609690 |
| White Glass Panel (sold separately)         | DW-T24PNA12 | 887276622255 |

**WF46BG6500AV**  
**4.6 cu. ft. Large Capacity AI Smart Dial Front Load Washer**  
**with Auto Dispense and Super Speed Wash**

**SAMSUNG**



**Available Color**



**Features**

- Auto Dispense System
- Super Speed Wash
- AI Smart Dial
- MultiControl™
- ENERGY STAR® Most Efficient
- Shallow Closet-Depth Fit¹
- Large 4.6 cu. ft. Capacity
- Flexible Installation
- Wi-Fi Connectivity²
- Steam
- Antimicrobial Technology³
- Self Clean+
- Premium Tempered Glass Door
- Vibration Reduction Technology+
- Swirl+ Drum Interior
- ADA Compliant⁴
- Direct Drive Motor
- 1200 RPM Maximum Spin Speed
- Internal Water Heater
- 24 Total Washing Cycles
- 17 Options

**Convenience**

- Child Lock
- Dispenser Trays: Main Wash, Softener, Bleach, Auto Detergent, Auto Softener

**Ratings**



CEE Tier 3  
IMEF = 3.1  
IWF = 2.9  
95 kWh/yr

**Electrical Requirements**

120 V / 60 Hz  
15 Amps

**Specifications**

- 24 Total Washing Cycles:**  
Normal, Heavy Duty, Bedding, Permanent Press, Delicates, Activewear, Wool, Towels, Eco Cold, Rinse + Spin, Self Clean+, Small Load, Colors, Power Rinse, Spin Only, Outdoor, Denim, Super Speed, Steam Sanitize, Steam Allergen, Steam Normal, Power Steam, Steam Whites, Steam Bulky
- 17 Additional Washing Options:**  
Presoak, Extra Rinse, My Cycles, Delay End, Smart Control, Super Speed, Dose per Wash, Dose per Rinse, Child Lock, Detergent Concentration Level, Softener Concentration Level, AI Pattern, Alarm, Calibration, Wi-Fi, Language, Factory Reset
- 5 Temperature Settings:**  
Extra Hot, Hot, Warm, Cold, Tap Cold
- 7 Spin Settings:**  
Extra High, High, Medium, Low, Extra Low, No Spin, No Drain

- 5 Soil Settings:**  
Extra Heavy, Heavy, Normal, Light, Extra Light
- Warranty**  
One (1) Year Parts and Labor  
Three (3) Years Stainless Tub Part (Part Only)  
Washing DIT (Digital Inverter Motor) Motor Part (Part Only):  
Ten (10) Years  
Twenty (20) Years Limited to "U.S.-Assembled" Washers Only
- Product Dimensions & Weight (WxHxD)**  
Dimensions: 27" x 38<sup>3</sup>/<sub>4</sub>" x 31<sup>3</sup>/<sub>8</sub>"  
Weight: 200.6 lbs
- Shipping Dimensions & Weight (WxHxD)**  
Dimensions: 29<sup>3</sup>/<sub>8</sub>" x 42<sup>3</sup>/<sub>8</sub>" x 34<sup>1</sup>/<sub>8</sub>"  
Weight: 205 lbs

| Washer                  | Model #      | UPC Code     | Optional Accessories               | Model # | UPC Code     |
|-------------------------|--------------|--------------|------------------------------------|---------|--------------|
| Brushed Black           | WF46BG6500AV | 887276659794 | Brushed Black Pedestal             | WE402NV | 887276310145 |
| Matching Electric Dryer |              |              | Brushed Black Riser                | WE272NV | 887276197630 |
| Brushed Black           | DVE46BG6500V | 887276660073 | MultiControl™ Kit and Stacking Kit | SKK-8MC | 887276597959 |
| Matching Gas Dryer      |              |              |                                    |         |              |
| Brushed Black           | DVG46BG6500V | 887276660172 |                                    |         |              |

¹ Designed to fit a 39" installation depth.  
² Requires wireless network, Samsung account and Samsung SmartThings App. The Samsung SmartThings App supports Android OS 4.0 (ICS) or later which is optimized for Samsung smartphones (Galaxy S and Galaxy Note series). This app also supports iOS 7 or later for iPhone models. Samsung SmartThings App available in App Store and Play Store.  
³ Antimicrobial treatment does not protect users or other items against bacteria, viruses, germs, or other disease organisms.  
⁴ ADA Compliant when using 27" wide riser. (Riser model codes: WE272NV, WE272NW, WE272NC)


WF46BG6500AV

SAMSUNG

4.6 cu. ft. Large Capacity AI Smart Dial Front Load Washer  
with Auto Dispense and Super Speed Wash

Dimensions


Required dimensions for  
installation with pedestal:



Installation Specifications – Side-by-Side


If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch<sup>2</sup>. Your washer alone does not require a specific air opening.

Alcove or closet installation  
Minimum clearance for  
closet and alcove installations:



Connection Dimensions

Back view of washer



LEGEND:  
● Cold Water Connection  
● Hot Water Connection

Actual color may vary. Design, specifications,  
and color availability are subject to change without  
notice. Non-metric weights and measurements are  
approximate.

©2022 Samsung Electronics America, Inc.,  
85 Challenger Road, Ridgefield Park, NJ 07660.  
Tel: 800-SAMSUNG, samsung.com. Samsung is a  
registered trademark of Samsung Electronics Co., Ltd.


WF46BG6500AV

SAMSUNG

4.6 cu. ft. Large Capacity AI Smart Dial Front Load Washer  
with Auto Dispense and Super Speed Wash

Installation Specifications – Stacked Pair

Clearances indicated are for stacked pairs. The closet front must have two unobstructed air openings for a combined minimum total area of 72-inch².



Connection Dimensions

Back and side views of stacked pair

- LEGEND:
- Cold Water Connection
  - Hot Water Connection
  - ⊕ Gas Connection

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2022 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

