

Sales Selection Sheet  
Checklist

1 of 65

LOT 693    Model: 39-3611 A BEECHFIELD  
PURCHASERS: INVENTORY HOME\_693/  
VENDOR:        Heathwood Homes (Whitby) Limited

GREAT ROOM WAFFLE CEILING

- ☒ WOB
- ☐ DECK
- ☒ FINISHED BASEMENT
- ☐ COLD CELLAR

UPGRADED / MODIFIED ELEVATION

- ☐ CORNER UPGRADE
- ☒ REAR UPGRADE (REVISED COLOUR CHART)
- ☒ SIDE UPGRADE (REVISED COLOUR CHART)

CEILING UPGRADE - SMOOTH

- ☒ MAIN FLOOR (STD FOR SINGLES)
- ☒ SECOND FLOOR (REVISED COLOUR CHART)
- ☒ BASEMENT

ADDITIONAL ROUGH-INS

- ☒ 200 AMP SERVICE (STD 100AMP TOWNS)
- ☐ WET BAR ROUGH-IN
- ☒ HUMIDIFIER (STD FOR SINGLES)
- ☒ AIR CONDITIONING (SITE STD)

GAS ROUGH-IN

- ☒ STOVE
- ☐ DRYER
- ☐ BBQ
- ☐ ADDITIONAL FIREPLACE

KITCHEN: HOODFAN VENTING SIZE

- ☒ 6 IN ROUND DUCT (STD FOR SINGLES)
- ☐ 7 IN ROUND DUCT

|                               |         |
|-------------------------------|---------|
| FULL BASEMENT STAIRS:         | N/A     |
| UPPER BASEMENT STAIRS:        | N/A     |
| LOWER LEVEL STAIRS:           | All Oak |
| MAIN STAIRS:                  | All Oak |
| MEDIA STAIRS (if applicable): | N/A     |
| LOFT STAIRS (if applicable):  | N/A     |

FEB 24/23    MODEL HOME  
Date    Purchaser:

FEB 24/23    MARILYN ROSEN  
Date    Decor Consultant:

~~STATION~~

-02- 24 2023

Date    Purchaser:

Date    Heathwood Homes (Whitby) Limited  
Approved

*M. Rosen*


Locked Date:

Customer Colours

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/7/2025 12:06:47  
Locked:  
Closed:

Kitchen/Breakfast

|                             |      |                                                                                                                                                                                                                   |
|-----------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cabinet Colour/Style        | 6469 | Classic II-MANCHESTER-WINTER WHITE-PAINT MDF<br>***UPG***                                                                                                                                                         |
| Island Cabinet Colour/Style | 6469 | Classic II-MANCHESTER-WINTER WHITE-PAINT MDF<br>***UPG***                                                                                                                                                         |
| Cabinet Hardware            | 9153 | 12805 BN NICKEL-HARDWARE ***2***                                                                                                                                                                                  |
| Countertop                  | 9035 | Group 6-Quartz-Caesarstone-CLOUDBURST -3/4 inch<br>***6***                                                                                                                                                        |
| Island Countertop           | 9035 | Group 6-Quartz-Caesarstone-CLOUDBURST -3/4 inch<br>***6***                                                                                                                                                        |
| Countertop Edge             | 4005 | DOUBLE MITRE 1 1/2 INCH ***UPG***<br>                                                                                            |
| Sink                        | 9492 | BLANCO PRECISION U SUPER SINGLE SS 400472 (min cabinet 36 in)                                                                                                                                                     |
| Crumb Vac Color             | 9482 | Vacuum-Crumb Vac (Dust Pan)-White                                                                                                                                                                                 |
| HoodFan                     | 8896 | <del>SCB51436-CYCLONE 36 inch STAINLESS CANOPY</del><br><del>CHIMNEY HOODFAN-STAINLESS STEEL ***Upg***</del><br>AVN 36" KITCHEN WALL MOUNTED HOODFAN<br>SEE REVISED COLOUR CHART PGS 59-61                        |
| Backsplash                  | 9088 | OV.ET.IGY.02.HEX.MT Eterna Series Imperial Grey 2 HEX Matte ***7***                                                                                                                                               |
| Backsplash Grout            | 7705 | Grout-(01) Alabaster ***UPG***                                                                                                                                                                                    |
| Backsplash Tile Pattern     | 3120 | VERTICAL HEX ***STD***<br>                                                                                                     |
| Flooring                    | 9553 | <del>Red Oak Pearl - Vintage solid sculpted character</del><br><del>TITANIUM 3/4 in x 5 in ***UPG***</del><br>REVISED COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch |
| Floor Tile Grout            | 1111 | N/A *****                                                                                                                                                                                                         |
| Floor Tile Pattern          | 1111 | N/A *****                                                                                                                                                                                                         |

- Purchasers have been advised: standard fridge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline Rough-In is included.
- Standard stove opening is 30 inches and standard dishwasher opening is 24 inches. Any gas stove will require backsplash or stainless steel backing to avoid fire hazards.
- Purchasers acknowledge: Heathwood Homes and its contractors will not be responsible for any kitchen cabinet changes due to appliances dimension changes after sign-off.

Comment

Walk in Pantry

|                    |      |                                                                                                                                                                                                                   |
|--------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flooring           | 9553 | <del>Red Oak Pearl - Vintage solid sculpted character</del><br><del>TITANIUM 3/4 in x 5 in ***UPG***</del><br>REVISED COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch |
| Floor Tile Grout   | 1111 | N/A *****                                                                                                                                                                                                         |
| Floor Tile Pattern | 1111 | N/A *****                                                                                                                                                                                                         |

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD


Created: 2/7/2025 12:06:44  
Locked:  
Closed:




Comment

Servery

|                                    |      |                                                            |
|------------------------------------|------|------------------------------------------------------------|
| Cabinet Colour/Style               | 6469 | Classic II-MANCHESTER-WINTER WHITE-PAINT MDF<br>***UPG***  |
| Cabinet Hardware                   | 9153 | 12805 BN NICKEL-HARDWARE ***2***                           |
| Opt. Cabinet Colour/Style - Uppers | 6469 | Classic II-MANCHESTER-WINTER WHITE-PAINT MDF<br>***UPG***  |
| Opt. Cabinet Hardware - Uppers     | 9153 | 12805 BN NICKEL-HARDWARE ***2***                           |
| Countertop                         | 9035 | Group 6-Quartz-Caesarstone-CLOUDBURST -3/4 inch<br>***6*** |
| Countertop Edge                    | 4005 | DOUBLE MITRE 1 1/2 INCH ***UPG***                          |



|                              |      |                                                                        |
|------------------------------|------|------------------------------------------------------------------------|
| Opt. Sink                    | 9517 | BLANCO PRECISION U 1 SS 400397 (min cabinet 21 in)                     |
| Opt. Backsplash              | 9088 | OV.ET.IGY.02.HEX.MT Eterna Series Imperial Grey 2 HEX<br>Matte ***7*** |
| Opt. Backsplash Grout        | 7705 | Grout-(01) Alabaster ***UPG***                                         |
| Opt. Backsplash Tile Pattern | 3120 | VERTICAL HEX ***STD***                                                 |



|          |      |          |
|----------|------|----------|
| Flooring | 9110 | REDACTED |
|----------|------|----------|



REVISED COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch

|                    |      |           |
|--------------------|------|-----------|
| Floor Tile Grout   | 1111 | N/A ***** |
| Floor Tile Pattern | 1111 | N/A ***** |

Comment

Foyer

|                    |      |                                                                                                      |     |
|--------------------|------|------------------------------------------------------------------------------------------------------|-----|
| Flooring           | 9057 | OV.ET.IGY.1224.PL-Eterna-Imperial Grey Polished-12 x 24<br>See Tile Direction on Sketch Page ***5*** | S 2 |
| Floor Tile Grout   | 7705 | Grout-(01) Alabaster ***UPG***                                                                       |     |
| Floor Tile Pattern | 3050 | SIDE TO SIDE ***STD***                                                                               |     |



Customer Colours

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/7/2025 12:06:44  
Locked:  
Closed:

Comment

Powder Room

Flooring9057OV.ET.IGY.1224.PL-Eterna-Imperial Grey Polished-12 x 24 S 2  
See Tile Direction on Sketch Page \*\*\*5\*\*\*

Floor Tile Grout7705Grout-(01) Alabaster \*\*\*UPG\*\*\*

Floor Tile Pattern3040FRONT TO BACK \*\*\*STD\*\*\*

Plumbing Fixture (Colour)1737Plumbing Fixtures-WHITE \*\*\*STD\*\*\*

Comment

Dining Room and Hall

Flooring9556Red Oak OVI - Vintage Solid Sawm Sculpted Character TITANIUM 3/4 in x 5 in \*\*\*UPG\*\*\*

CommentREVISD COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch

Great Room

Flooring9556Red Oak OVI - Vintage Solid Sawm Sculpted Character TITANIUM 3/4 in x 5 in \*\*\*UPG\*\*\*

CommentREVISD COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch

Great Room Fireplace

Type8869Majestic MERC32 \*\*\*STD\*\*\*

Mantle8892NF-17-Paint Grade Mantle-6 inch Deep Mantle (TV above Fireplace-WHITE) \*\*\*Upg\*\*\*

Surround (STD)88733 pc- 4 inch Marble Surround-Nero Marquina \*\*\*STD\*\*\*

- Purchasers have been advised: heat from the FP can damage TV above a FP and items placed on mantle.

- Heathwood and its contractors will not be liable for any damage on items placed/@installed above a FP after closing.

Comment

Living Room

Flooring9556Red Oak OVI - Vintage Solid Sawm Sculpted Character TITANIUM 3/4 in x 5 in \*\*\*UPG\*\*\*

CommentREVISD COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch

Customer Colours

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/7/2025 12:06:44

Locked:

Closed:

Study

Flooring

9558

Red Oak LIVE Vintage Solid Sawn Sculpted  
Character TITANIUM 3/4 in x 5 in \*\*\*UPG\*\*\*

Comment

REVISED COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch

Mud Room

Flooring

9057

OV.ET.IGY.1224.PL-Eterna-Imperial Grey Polished-12 x 24 S 2  
See Tile Direction on Sketch Page \*\*\*5\*\*\*

Floor Tile Grout


7705

Grout-(01) Alabaster \*\*\*UPG\*\*\*

Floor Tile Pattern

3040

FRONT TO BACK \*\*\*STD\*\*\*



Opt. Bench Cabinet Colour/Style

1111

N/A \*\*\*\*\*

Opt. Bench Cabinet Hardware

1111

N/A \*\*\*\*\*

Comment

Main Hall

Flooring

9558

Red Oak LIVE Vintage Solid Sawn Sculpted  
Character TITANIUM 3/4 in x 5 in \*\*\*UPG\*\*\*

Comment

REVISED COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch

Upper Hall

Flooring

9558

Red Oak LIVE Vintage Solid Sawn Sculpted  
Character TITANIUM 3/4 in x 5 in \*\*\*UPG\*\*\*

Comment

REVISED COLOUR CHART - RED OAK PEARL - Vintage solid sculpted character - PEWTER - 3/4 inch x5 inch

Master Bedroom

Flooring

9504

87354-MINOTAUR-OVERCAST-40 oz Poly \*\*\*STD\*\*\*

Comment

Bedroom 2

Flooring

9504

87354-MINOTAUR-OVERCAST-40 oz Poly \*\*\*STD\*\*\*

Comment

Bedroom 3

Flooring

9504

87354-MINOTAUR-OVERCAST-40 oz Poly \*\*\*STD\*\*\*

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/7/2023 12:06:41  
Locked:  
Closed:

Comment

Bedroom 4

Flooring950487354-MINOTAUR-OVERCAST-40 oz Poly \*\*\*STD\*\*\*

Comment


Master Ensuite

Cabinet Colour/Style6469Classic II-MANCHESTER-WINTER WHITE-PAINT MDF \*\*\*UPG\*\*\*

Cabinet Hardware7672135-HARDWARE \*\*\*STD\*\*\*

Countertop8609Group 4-Quartz-Caesarstone-CLAMSHELL # 4130-3/4 inch with built-up edge \*\*\*5\*\*\*

Countertop Edge4007GROUP 2 TO 7 - DOUBLE MITRE 1 1/2 INCH \*\*\*3\*\*\*

Floor Tile9057OV.ET.IGY.1224.PL-Eterna-Imperial Grey Polished-12 x 24 S 4  
See Tile Direction on Sketch Page \*\*\*5\*\*\*

Floor Tile Grout2225Grout-(27) Silver \*\*\*STD\*\*\*

Floor Tile Pattern3040FRONT TO BACK \*\*\*STD\*\*\*

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |

Shower Wall Tile8638QT.CH.TGR.0412.BR-Chess Bevelled-Tender Grey-4 x 12 \*\*\*3\*\*\*

Shower Wall Tile Grout2226Grout-(00) White \*\*\*STD\*\*\*

Shower Wall Tile Pattern3070HORIZONTAL STACKED \*\*\*STD\*\*\*

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |

Shower Floor Tile8661OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 \*\*\*STD\*\*\*

Shower Floor Tile Grout2225Grout-(27) Silver \*\*\*STD\*\*\*

Shower Floor Tile Pattern3000STANDARD SQUARE \*\*\*STD\*\*\*

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

Shower Jamb(s) and Sill(s)8923Shower Jamb / Sill-Thassos White \*\*\*STD\*\*\*

Plumbing Fixture (colour)1737Plumbing Fixtures-WHITE \*\*\*STD\*\*\*

Comment

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/7/2021 12:06:41  
Locked:  
Closed:

Shared Ensuite


|                      |      |                                                                                     |
|----------------------|------|-------------------------------------------------------------------------------------|
| Cabinet Colour/Style | 6469 | Classic II-MANCHESTER-WINTER WHITE-PAINT MDF ***UPG***                              |
| Cabinet Hardware     | 2084 | 171-HARDWARE ***STD***                                                              |
| Countertop           | 8897 | Group 4-Quartz-Caesarstone-ORGANIC WHITE # 4600-3/4 inch with built-up edge ***5*** |
| Countertop Edge      | 4007 | GROUP 2 TO 7 - DOUBLE MITRE 1 1/2 INCH ***3***                                      |

|                    |      |                                                                                                   |     |
|--------------------|------|---------------------------------------------------------------------------------------------------|-----|
| Floor Tile         | 5691 | NY.RG.SLW.1224.PL.N.-Regal Polished-Shell White-12 x 24 See Tile Direction on Sketch Page ***4*** | S 4 |
| Floor Tile Grout   | 7705 | Grout-(01) Alabaster ***UPG***                                                                    |     |
| Floor Tile Pattern | 3040 | FRONT TO BACK ***STD***                                                                           |     |



|           |      |                                                           |
|-----------|------|-----------------------------------------------------------|
| Wall Tile | 9466 | UN.CT.WHT.0312.MT-City-White Matte-3 x 12 UPG 3 ***UPG*** |
|-----------|------|-----------------------------------------------------------|

|                   |      |                              |
|-------------------|------|------------------------------|
| Wall Tile Grout   | 2226 | Grout-(00) White ***STD***   |
| Wall Tile Pattern | 3070 | HORIZONTAL STACKED ***STD*** |




|                                |      |           |
|--------------------------------|------|-----------|
| Opt. Shower Floor Tile         | 1111 | N/A ***** |
| Opt. Shower Floor Tile Grout   | 1111 | N/A ***** |
| Opt. Shower Floor Tile Pattern | 1111 | N/A ***** |

|                                 |      |                                   |
|---------------------------------|------|-----------------------------------|
| Opt. Shower Jamb(s) and Sill(s) | 1111 | N/A *****                         |
| Plumbing Fixture (colour)       | 1737 | Plumbing Fixtures-WHITE ***STD*** |

Comment

Ensuite 2

|                      |      |                                                                                |
|----------------------|------|--------------------------------------------------------------------------------|
| Cabinet Colour/Style | 9203 | Classic II-MANCHESTER-ORCHID-PAINT MDF ***UPG***                               |
| Cabinet Hardware     | 2076 | 181-HARDWARE ***STD***                                                         |
| Countertop           | 8603 | Group 3-Quartz-Caesarstone-STONE GREY#4030-3/4 inch with built-up edge ***3*** |
| Countertop Edge      | 4007 | GROUP 2 TO 7 - DOUBLE MITRE 1 1/2 INCH ***3***                                 |

|            |      |                                                                                                                                                                          |     |
|------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Floor Tile | 8913 |  UN.BL.BIA.1224-Biel-Bianco (White)-12 x 24 See Tile Direction on Sketch Page ***2*** | S 4 |
|------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                  |      |                             |
|------------------|------|-----------------------------|
| Floor Tile Grout | 2225 | Grout-(27) Silver ***STD*** |
|------------------|------|-----------------------------|

Customer Colours

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/7/2023 12:06:41  
Locked:  
Closed:

|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|----------------------------|------|-----------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| Floor Tile Grout           | 2225 | Grout-(27) Silver ***STD***                                                                                                 |  |  |  |  |  |  |  |  |  |
| Floor Tile Pattern         | 3050 | SIDE TO SIDE ***STD***                                                                                                      |  |  |  |  |  |  |  |  |  |
|                            |      | <table><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
| Shower Wall Tile           | 9455 | JU.FN.DGR.2,8x3,15GL-Fan Series-Dark Grey Glossy-12 x 12 UPG 5 ***UPG***                                                    |  |  |  |  |  |  |  |  |  |
| Shower Wall Tile Grout     | 2225 | Grout-(27) Silver ***UPG***                                                                                                 |  |  |  |  |  |  |  |  |  |
| Shower Wall Tile Pattern   | 3000 | STANDARD SQUARE ***STD***                                                                                                   |  |  |  |  |  |  |  |  |  |
|                            |      | <table><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
| Shower Floor Tile          | 8657 | OD.QU.ATR.0202.FS-Quebec Series Unglazed Mosaic-Antracite FS-1.89 x 1.89 ***2***                                            |  |  |  |  |  |  |  |  |  |
| Shower Floor Tile Grout    | 2225 | Grout-(27) Silver ***STD***                                                                                                 |  |  |  |  |  |  |  |  |  |
| Shower Floor Tile Pattern  | 3000 | STANDARD SQUARE ***STD***                                                                                                   |  |  |  |  |  |  |  |  |  |
|                            |      | <table><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                            |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
| Shower Jamb(s) and Sill(s) | 8925 | Shower Jamb / Sill-Sky Grey (Light Grey) ***STD***                                                                          |  |  |  |  |  |  |  |  |  |
| Plumbing Fixture (colour)  | 1737 | Plumbing Fixtures-WHITE ***STD***                                                                                           |  |  |  |  |  |  |  |  |  |
| Comment                    |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |

Laundry Room

|                                    |                                                                                                      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|------------------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| Flooring                           | 9106                                                                                                 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                                          |  |  |  |  |  |  |  |  |  |
| Floor Tile Grout                   | 2225                                                                                                 | Grout-(27) Silver ***STD***                                                                                                 |  |  |  |  |  |  |  |  |  |
| Floor Tile Pattern                 | 3000                                                                                                 | STANDARD SQUARE ***STD***                                                                                                   |  |  |  |  |  |  |  |  |  |
|                                    |                                                                                                      | <table><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |  |
|                                    |                                                                                                      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                                    |                                                                                                      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                                    |                                                                                                      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
| Opt. Cabinet Colour/Style - Uppers | 9111                                                                                                 | VIKING III SIMCOE ORCHID 3DL ***UPG***                                                                                      |  |  |  |  |  |  |  |  |  |
| Opt. Cabinet Hardware - Uppers     | 2076                                                                                                 | 181-HARDWARE ***STD***                                                                                                      |  |  |  |  |  |  |  |  |  |
| Opt. Cabinet Colour/Style - Base   | 9111                                                                                                 | VIKING III SIMCOE ORCHID 3DL ***UPG***                                                                                      |  |  |  |  |  |  |  |  |  |
| Opt. Cabinet Hardware - Base       | 2076                                                                                                 | 181-HARDWARE ***STD***                                                                                                      |  |  |  |  |  |  |  |  |  |
| Comment                            | GROUP 2 CAESARSTONE CEMENT QUARTZ COUNTERTOP<br>UNDERMOUNT LAUNDRY SINK MODEL QSU1820/10 SPECS PG 35 |                                                                                                                             |  |  |  |  |  |  |  |  |  |

Lower Level Recreation Room

|          |      |                                              |
|----------|------|----------------------------------------------|
| Flooring | 9504 | 87354-MINOTAUR-OVERCAST-40 oz Poly ***STD*** |
| Comment  |      |                                              |

Customer Colours




INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/19/2021 12:06:41  
Locked:  
Closed:

Lower Level Bedroom

|          |      |                                              |
|----------|------|----------------------------------------------|
| Flooring | 9504 | 87354-MINOTAUR-OVERCAST-40 oz Poly ***STD*** |
| Comment  |      |                                              |

Lower Level Bathroom

|                                |      |                                                                                                                                                               |
|--------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cabinet Colour/Style           | 9111 | Viking III-SIMCOE ORCHID 3DL ***STD***                                                                                                                        |
| Cabinet Hardware               | 2084 | 171-HARDWARE ***STD***                                                                                                                                        |
| Countertop                     | 7834 | Group 2-Quartz-Caesarstone-CEMENT # 3040-3/4 inch with built-up edge ***3***                                                                                  |
| Countertop Edge                | 4007 | GROUP 2 TO 7 - DOUBLE MITRE 1 1/2 INCH ***3***                                                                                                                |
| Floor Tile                     | 9104 | <br>GE.MD.ANT.1818.MT Madison Series Antracite Matte 18 X 18 Matte ***1*** |
| Floor Tile Grout               | 7704 | Grout-(19) Pearl Gray ***STD***                                                                                                                               |
| Floor Tile Pattern             | 3000 | STANDARD SQUARE ***STD***<br>                                              |
| Wall Tile                      | 9462 | SO.SB.GRY.0312.GL-Shadebrick-Grey Glossy-3 x 12 UPG 3 ***UPG***                                                                                               |
| Wall Tile Grout                | 2226 | Grout-(00) White ***STD***                                                                                                                                    |
| Wall Tile Pattern              | 3070 | HORIZONTAL STACKED ***STD***<br>                                           |
| Opt. Shower Floor Tile         | 1111 | N/A *****                                                                                                                                                     |
| Opt. Shower Floor Tile Grout   | 1111 | N/A *****                                                                                                                                                     |
| Opt. Shower Floor Tile Pattern | 1111 | N/A *****                                                                                                                                                     |

|                                 |      |                                   |
|---------------------------------|------|-----------------------------------|
| Opt. Shower Jamb(s) and Sill(s) | 1111 | N/A *****                         |
| Plumbing Fixture (colour)       | 1737 | Plumbing Fixtures-WHITE ***STD*** |
| Comment                         |      |                                   |

Main Stairs

|      |      |                      |
|------|------|----------------------|
| Type | 1712 | Oak Stairs ***STD*** |
|------|------|----------------------|

Customer Colours

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/7/2023 12:06:41

Locked:

Closed:

|                               |      |                                                                                |  |
|-------------------------------|------|--------------------------------------------------------------------------------|--|
| Type                          |      | REVISED COLOUR CHART - PEWTER Stain to compliment hardwood                     |  |
| Colour                        | 7048 | [REDACTED]                                                                     |  |
| Handrail/Pickets/Posts Type   | 8148 | Single Collar Alt. Plain w/ Shoes with 3 1/2" Square/Cap Post(s)-BLACK ***2*** |  |
| Handrail/Pickets/Posts Colour | 7048 | [REDACTED]                                                                     |  |
| Custom Stain/Paint            | 1111 | N/A *****                                                                      |  |
| Landing(s)                    | 0000 | [REDACTED]                                                                     |  |
| Opt. Carpet Runner            | 1111 | N/A *****                                                                      |  |
| Comment                       |      |                                                                                |  |

Lower Level Stairs

|                               |      |                                                                              |
|-------------------------------|------|------------------------------------------------------------------------------|
| Type                          | 1712 | Oak Stairs ***STD***                                                         |
| Colour                        | 0000 | [REDACTED]                                                                   |
| Handrail/Pickets/Posts Type   | 9119 | Handrail only on closed walls (one or two sides per building code) ***STD*** |
| Handrail/Pickets/Posts Colour | 7048 | [REDACTED]                                                                   |
| Custom Stain/Paint            | 1111 | N/A *****                                                                    |
| Landing(s)                    | 0000 | [REDACTED]                                                                   |
| Opt. Carpet Runner            | 1111 | N/A *****                                                                    |
| Comment                       |      |                                                                              |

Throughout


|                      |      |                                                                                              |
|----------------------|------|----------------------------------------------------------------------------------------------|
| Switches and Plug    | 5796 | Decora White Switches and Plugs ***STD***                                                    |
| Thresholds           | 2232 | Metal Thresholds ***STD***                                                                   |
| Underpad             | 1079 | 500 Series-Underpad ***STD***                                                                |
| Trim Size            | 8704 | 5 1/4 inch Baseboard and 3 inch Integrated Backbend Casings ***UPG*** / ***STD in Singles*** |
| Trim - Paint Colour  | 1716 | Trim-WHITE ***STD***                                                                         |
| Walls - Paint Colour | 1717 | 22-Wall-WARM GREY ***STD***                                                                  |
| Comment              |      |                                                                                              |

Purchaser: Model Home FEB 24/23 MARILYN ROSEN FEB 24/23  
INVENTORY HOME\_693 Date Decor Consultant Date

Customer Colours

INVENTORY HOME\_693/  
Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD

Created: 2/7/2023 12:06:11  
Locked:  
Closed:

|                             |  |                                                                                                            |  |
|-----------------------------|--|------------------------------------------------------------------------------------------------------------|--|
| <div>Purchaser: _____</div> |  |                                                                                                            |  |
| <div>Date _____</div>       |  | <div>Country Lane </div> |  |
|                             |  | <div>Date Approved _____</div>                                                                             |  |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

ALUMINUM

| Invoice                          | Qty. | Description                                                                                                                                                                    |
|----------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,556<br>24Mar23<br>** | 4    | - ELECTRICAL - 4 INCH EXTERIOR POTLIGHT IN SOFFIT (120 VOLT NON-INSULATED) MODEL #2550WH<br><br>SKETCH # 6<br><b>ALUMINUM-Provide soffit cutout to accommodate potlight(s)</b> |

APPLIANCES

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                              |
|----------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,498<br>24Mar23       | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51436<br><br><b>AVN 36" KITCHEN WALL MOUNTED HOODFAN<br/>SEE REVISED COLOUR CHART PGS 74-76</b><br><b>CABINETRY-Notify; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct Size change t</b> |
| 1311<br>335,619<br>24Mar23<br>** | 1    | KITCHEN - GRANITE - GRANITE CUTOUT w/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP                                                                                                                                                                                       |

CABINETRY

| Invoice                          | Qty. | Description                                                                                                                                                                        |
|----------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,498<br>24Mar23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51436<br><br><b>CABINETRY-Notify; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct Size change t</b> |
| 1311<br>337,333<br>24Mar23       | 1    | Kitchen - Cabinetry - CLASSIC II - Kitchen - UPG                                                                                                                                   |
| 1311<br>337,341<br>24Mar23       | 1    | - Cabinetry - CLASSIC II - Opt. Built-Ins - UPG                                                                                                                                    |
| 1311<br>337,338<br>24Mar23       | 1    | Servery - Cabinetry - CLASSIC II - Opt. Servery Uppers - UPG                                                                                                                       |
| 1311<br>337,336<br>24Mar23       | 1    | Master Ensuite - Cabinetry - CLASSIC II - Master Ensuite - UPG                                                                                                                     |
| 1311<br>337,334<br>24Mar23       | 1    | Main Bathroom - Cabinetry - CLASSIC II - Main Bath 2nd floor - UPG                                                                                                                 |
| 1311<br>337,335<br>24Mar23       | 1    | Ensuite 2 - Cabinetry - CLASSIC II - Ensuite 2 - UPG                                                                                                                               |
| 1311<br>337,313<br>24Mar23       | 1    | - Cabinetry - VIKING II/III - Opt. Laundry Base - UPG                                                                                                                              |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

CABINETRY

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                         |
|----------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>337,312<br>24Mar23       | 1    | Laundry Room - Cabinetry - VIKING II/III - Opt. Laundry Uppers - UPG                                                                                                                                                                                                                                                                |
| 1311<br>337,310<br>24Mar23       | 1    | - Cabinetry - Opt. Light Valance Trim and Luminiz LED Slimline Strip Light - UPG<br><b>ELECTRICAL-Complete Kitchen valaance light including switch (Luminiz LED slimline strip light)</b>                                                                                                                                           |
| 1311<br>337,351<br>24Mar23       | 1    | Servery - Cabinetry - Opt. Light Valance Trim and Luminiz LED Slimline Strip Light for Opt. SERVERY Uppers - UPG<br><b>ELECTRICAL-Complete Servery valance light including switch (Luminiz LED slimline strip light)</b>                                                                                                            |
| 1311<br>342,582<br>24Mar23       | 3    | KITCHEN - CABINETRY-B08-Upgrade levels 1-4, 5-7 drawers from Metabox to soft-close Tandembox drawers per drawer (appliance cabinets may also have drawers to be counted; pull-outs and all drawers in the room must be counted and upgraded) CLASSIC<br>FOR POT AND PAN DRAWERS UNDER COOKTOP AND BOTTOM DRAWER IN MICRO/OVEN TOWER |
| 1311<br>342,318<br>24Mar23       | 1    | - CABINETRY-G02-Upgrade hardware for kitchen in a SINGLE or DETACHED model (stacked upper hardware is an additional charge see line G04 if applicable) CLASSIC                                                                                                                                                                      |
| 1311<br>342,279<br>24Mar23       | 1    | - CABINETRY-B17-45cm wide pull-out door base cabinet waste/recycle centre with soft-close ([2] 35L bins) (available only with 45cm wide cabinet) CLASSIC                                                                                                                                                                            |
| 1311<br>335,619<br>24Mar23<br>** | 1    | KITCHEN - GRANITE - GRANITE CUTOUT w/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP                                                                                                                                                                                                                                                  |
| 1311<br>342,678<br>24Mar23<br>** | 1    | KITCHEN - PLUMBING - KITCHEN SINK UPGRADE - BLANCO PRECISION U SUPER SINGLE SS 400472 (MIN CABINET 36 IN)<br><b>CABINETRY-upgraded kitchen sink; GRANITE-upgraded kitchen sink</b>                                                                                                                                                  |
| 1311<br>336,329<br>24Mar23<br>** | 1    | Kitchen/Servery/Breakfast - Hardwood - 5 in Vintage Sculpted NSS Red Oak UVF-Oil or Pearl - Kitchen/Servery/Breakfast - UPG<br><b>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics</b>                                                                                                                                         |
| 1311<br>338,613<br>24Mar23<br>** | 1    | Master Ensuite - Granite - Countertop upgrade with 4” backsplash - 3/4” GROUP 4 with double edge - Master Ensuite - UPG<br><b>CABINETRY-delete std countertop; GRANITE-see upgraded 8 in faucet and undermount sink</b>                                                                                                             |
| 1311<br>338,615<br>24Mar23<br>** | 1    | Shared Bathroom - Granite - Countertop upgrade with 4” backsplash - 3/4” GROUP 4 with double edge - Shared Bathroom - UPG<br><b>CABINETRY-delete std countertop; GRANITE-see upgraded single hole faucet and undermount sink</b>                                                                                                    |
| 1311<br>338,609<br>24Mar23<br>** | 1    | Ensuite 2 - Granite - Countertop upgrade with 4” backsplash - 3/4” GROUP 3 with double edge - Ensuite 2 - UPG<br><b>CABINETRY-delete std countertop; GRANITE-see upgraded single hole faucet and undermount sink</b>                                                                                                                |
| 1311<br>338,606<br>24Mar23<br>** | 1    | Finished Basement Bathroom - Granite - Countertop upgrade with 4” backsplash - 3/4” GROUP 2 with double edge - Finished Basement Bathroom - UPG<br><b>CABINETRY-delete std countertop; GRANITE-see upgraded single hole faucet and undermount sink</b>                                                                              |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

CABINETRY

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,716<br>24Mar23<br>** | 1    | SERVERY ONLY - PLUMBING - BAR SINK - COMPLETE BAR SINK FOR SERVERY INCLUDES PLUMBING ROUGH-IN AND MOEN ALIGN BAR PREP FAUCET (MODEL: 5965) AND REGINOX NS1813U/7 UNDERMOUNT SINK (INCLUDING GRANITE SINK CUTOUT/POLISH) -<br>SEE UPGRADED BLANCO SERVERY SINK AND ALIGN SPOT RESISTANT STAINLESS FAUCET<br><b>CABINETRY-Complete Bar Sink for Servery; GRANITE-see specs to accommodate undermount bar sink</b> |
| 1311<br>342,273<br>24Mar23       | 8    | - CABINETRY-B04-Dummy door for base finished ends and back panels (each) CLASSIC<br><br>8 x DUMMY DOORS ON ISLAND 4 X FRONT (UNDER BREAKFAST BAR) AND 2 X EACH SIDE OF ISLAND SKETCH # 3                                                                                                                                                                                                                        |
| 1311<br>335,761<br>24Mar23<br>** | 1    | LAUNDRY ROOM - PLUMBING - LAUNDRY SINK UPGRADE - KINDRED SINK STEEL QUEEN UNDERMOUNT #QSU1820/10 (18 INCH X 20 INCH ) UNDERMOUNT SINGLE BOWL 10 INCH DEEP IN STAINLESS STEEL -<br><br><b>CABINETRY-upgraded laundry sink; GRANITE-upgraded laundry sink see specs</b>                                                                                                                                           |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

CERAMICS

| Invoice                          | Qty. | Description                                                                                                                                                                                     |
|----------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>342,052<br>24Mar23       | 1    | Kit. Backsplash - Ceramics - Upgrade 7 Tile - Kit. Backsplash - UPG (Includes Area Behind Chimney)                                                                                              |
| 1311<br>342,617<br>24Mar23       | 1    | - Ceramics - Upgrade 7 Tile - Optional Servery Backsplash - UPG                                                                                                                                 |
| 1311<br>342,069<br>24Mar23       | 1    | Kit. Backsplash - Ceramics - Upgrade Grout - Kit. Backsplash - UPG (Includes Area Behind Chimney)                                                                                               |
| 1311<br>342,618<br>24Mar23       | 1    | - Ceramics - Upgrade Grout - Optional Servery Backsplash - UPG                                                                                                                                  |
| 1311<br>342,079<br>24Mar23       | 1    | Foyer Floor - Ceramics - Upgrade Grout - Foyer Floor - UPG                                                                                                                                      |
| 1311<br>342,070<br>24Mar23       | 1    | Powder Room Floor - Ceramics - Upgrade Grout - Powder Room Floor - UPG                                                                                                                          |
| 1311<br>342,071<br>24Mar23       | 1    | Mud Room Floor - Ceramics - Upgrade Grout - Mud Room Floor - UPG                                                                                                                                |
| 1311<br>342,019<br>24Mar23       | 1    | Powder Room Floor - Ceramics - Upgrade 5 Tile - Powder Room Floor - UPG                                                                                                                         |
| 1311<br>342,020<br>24Mar23       | 1    | Mud Room Floor - Ceramics - Upgrade 5 Tile - Mud Room Floor - UPG                                                                                                                               |
| 1311<br>336,329<br>24Mar23<br>** | 1    | Kitchen/Servery/Breakfast - Hardwood - 5 in Vintage Sculpted NSS Red Oak UVF-Oil or Pearl - Kitchen/Servery/Breakfast - UPG<br><br><b>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics</b> |
| 1311<br>341,987<br>24Mar23       | 1    | Master Ensuite Shower Wall - Ceramics - Upgrade 3 Tile - Master Ensuite Shower Wall - UPG                                                                                                       |
| 1311<br>342,008<br>24Mar23       | 1    | Main/Shared Bath Floor - Ceramics - Upgrade 4 Tile - Main/Shared Bath Floor - UPG                                                                                                               |
| 1311<br>341,990<br>24Mar23       | 1    | Main/Shared Bath Wall - Ceramics - Upgrade 3 Tile - Main/Shared Bath Wall - UPG                                                                                                                 |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

CERAMICS

| Invoice                    | Qty. | Description                                                                       |
|----------------------------|------|-----------------------------------------------------------------------------------|
| 1311<br>342,029<br>24Mar23 | 1    | Ensuite 2 Shower Wall - Ceramics - Upgrade 5 Tile - Ensuite 2 Shower Wall - UPG   |
| 1311<br>341,979<br>24Mar23 | 1    | Ensuite 2 Shower Floor - Ceramics - Upgrade 2 Tile - Ensuite 2 Shower Floor - UPG |
| 1311<br>341,958<br>24Mar23 | 1    | Laundry Floor - Ceramics - Upgrade 1 Tile - Laundry Floor - UPG                   |
| 1311<br>341,966<br>24Mar23 | 1    | Basement Bath Floor - Ceramics - Upgrade 1 Tile - Basement Bath Floor - UPG       |
| 1311<br>341,999<br>24Mar23 | 1    | Basement Bath Wall - Ceramics - Upgrade 3 Tile - Basement Bath Wall - UPG         |
| 1311<br>342,028<br>24Mar23 | 1    | Foyer Floor - Ceramics - Upgrade 5 Tile - Foyer Floor - UPG                       |
| 1311<br>342,023<br>24Mar23 | 1    | Master Ensuite Floor - Ceramics - Upgrade 5 Tile - Master Ensuite Floor - UPG     |
| 1311<br>342,076<br>24Mar23 | 1    | Main/Shared Bath Floor - Ceramics - Upgrade Grout - Main/Shared Bath Floor - UPG  |
| 1311<br>341,981<br>24Mar23 | 1    | Ensuite 2 Bath Floor - Ceramics - Upgrade 2 Tile - Ensuite 2 Bath Floor - UPG     |
| 1311<br>342,080<br>24Mar23 | 1    | Ensuite 2 Shower Wall - Ceramics - Upgrade Grout - Ensuite 2 Shower Wall - UPG    |

DRYWALL

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,583<br>24Mar23<br>** | 1    | - ELECTRICAL - POTLIGHT BUNDLE - 8 X 4 INCH SLIM RECESSED LED DOWNLIGHT WHITE TRIM (3000K)MODEL DWS4303 INCLUDES 2 SWITCHES BASEMENT (SEE LINE VOLTAGE FOR MAIN FLOOR) NOTE: LOCATION MAY VARY FROM REQUEST DEPENDS ON JOIST PLACEMENT<br>6 X RECREATION ROOM ON EXISTING SWITCH DELETE STANDARD LIGHTS AND 2 X MAIN HALL ON EXISTING 3 WAY SWITCH ( WITH FOYER LIGHT AND HALL BY STAIRS) DELETE STANDARD LIGHT IN COFFERED HALL SKETCH # 1 AND 2 <b>REVISED COLOUR CHART - ADD CUTOUT FOR SECOND FLOOR 8 x POT LIGHTS</b> |
| 1311<br>337,745<br>24Mar23       | 1    | - Drywall - Smooth Ceilings - Basement - UPG<br><br><b>REVISED COLOUR CHART - ADD SMOOTH CEILING WITH RESILIENT CHANNELS ON SECOND FLOOR PAINTING-Notify</b>                                                                                                                                                                                                                                                                                                                                                               |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

ELECTRICAL

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,498<br>24Mar23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51436<br><br><b>CABINETRY-Notify; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct Size change t</b>                                                                                                                                                                                                                                                                |
| 1311<br>337,310<br>24Mar23<br>** | 1    | - Cabinetry - Opt. Light Valance Trim and Luminiz LED Slimline Strip Light - UPG<br><br><b>ELECTRICAL-Complete Kitchen valaance light including switch (Luminiz LED slimline strip light)</b>                                                                                                                                                                                                                                                     |
| 1311<br>337,351<br>24Mar23<br>** | 1    | Servery - Cabinetry - Opt. Light Valance Trim and Luminiz LED Slimline Strip Light for Opt. SERVERY Uppers - UPG<br><br><b>ELECTRICAL-Complete Servery valance light including switch (Luminiz LED slimline strip light)</b>                                                                                                                                                                                                                      |
| 1311<br>335,619<br>24Mar23<br>** | 1    | KITCHEN - GRANITE - GRANITE CUTOUT w/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP                                                                                                                                                                                                                                                                                                                                                                |
| 1311<br>335,588<br>24Mar23       | 1    | KITCHEN - ELECTRICAL - RELOCATION OF SWITCHES/LIGHTS (MUST SPECIFY LOCATION) - NOTE: PLUGS CANNOT BE RELOCATED- MUST PURCHASE ADDITIONAL OUTLET.<br><br>RELOCATE STANDARD 240V 40AMP PLUG TO BUILT-IN MICRO/OVEN LOCATION SKETCH # 2 AND 3                                                                                                                                                                                                        |
| 1311<br>335,588<br>24Mar23       | 1    | KITCHEN - ELECTRICAL - RELOCATION OF SWITCHES/LIGHTS (MUST SPECIFY LOCATION) - NOTE: PLUGS CANNOT BE RELOCATED- MUST PURCHASE ADDITIONAL OUTLET.<br><br>RELOCATE STANDARD KITCHEN LIGHT TO BE CAPPED CEILING CENTERED +/- ABOVE KITCHEN ISLAND SKETCH # 2                                                                                                                                                                                         |
| 1311<br>335,583<br>24Mar23       | 1    | - ELECTRICAL - POTLIGHT BUNDLE - 8 X 4 INCH SLIM RECESSED LED DOWNLIGHT WHITE TRIM (3000K)MODEL DWS4303 INCLUDES 2 SWITCHES BASEMENT (SEE LINE VOLTAGE FOR MAIN FLOOR) NOTE: LOCATION MAY VARY FROM REQUEST DEPENDS ON JOIST PLACEMENT<br>6 X RECREATION ROOM ON EXISTING SWITCH DELETE STANDARD LIGHTS AND 2 X MAIN HALL ON EXISTING 3 WAY SWITCH ( WITH FOYER LIGHT AND HALL BY STAIRS) DELETE STANDARD LIGHT IN COFFERED HALL SKETCH # 1 AND 2 |
| 1311<br>335,578<br>24Mar23       | 1    | GREAT ROOM - ELECTRICAL - EXTRA WALL INTERIOR OUTLET ON EXISTING CIRCUIT (DOES NOT INCLUDE KITCHEN OUTLETS)<br><br>INSTALL 70" +/- FROM FLOOR CENTERED ABOVE FIREPLACE SKETCH # 2                                                                                                                                                                                                                                                                 |
| 1311<br>335,683<br>24Mar23<br>** | 1    | KITCHEN - HEATING/AIR - ROUGH-IN GAS LINE FOR GAS STOVE AT MAIN FLOOR (SEE SPECS) (HOOK-UP NOT INCLUDED) LEAVE STANDARD 120 VOLT ELECTRICAL OUTLET ON A SEPARATE CIRCUIT. * SPECIFY IF STANDARD 220V WILL STAY OR BE RELOCATED<br>STANDARD 240V TO BE RELOCATED TO BUILT IN MICRO/OVEN LOCATION SKETCH # 3<br><b>ELECTRICAL-Notify</b>                                                                                                            |
| 1311<br>335,555<br>24Mar23       | 1    | - ELECTRICAL - 200 AMP SERVICE (Upgrade for Singles; Standard for Towns)                                                                                                                                                                                                                                                                                                                                                                          |
| 1311<br>335,556<br>24Mar23       | 4    | - ELECTRICAL - 4 INCH EXTERIOR POTLIGHT IN SOFFIT (120 VOLT NON-INSULATED) MODEL #2550WH<br><br>SKETCH # 6<br><b>ALUMINUM-Provide soffit cutout to accommodate potlight(s)</b>                                                                                                                                                                                                                                                                    |
| 1311<br>335,595<br>24Mar23       | 1    | - ELECTRICAL - 2 INCH CONDUIT WITH 8X8 BOX FOR FUTURE CAR CHARGER                                                                                                                                                                                                                                                                                                                                                                                 |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

ELECTRICAL

| Invoice                      | Qty. | Description                                                                                                                                                                                                                                                                                     |
|------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br><br>24Mar23<br>NoCat | 1    | - 20 POT LIGHTS AS PER SCHEDULE A: 6 X KITCHEN ON SEPARATE SWITCH / 6 X GREAT ROOM ON EXISTING SWITCH / 4 X DINING ROOM ON SEPARATE SWITCH / 4 X LIVING ROOM ON SEPARATE SWITCH<br><br>SKETCH # 2<br>REVISED COLOUR CHART - ADD 8 x SLIM LINE POT LIGHTS SECOND FLOOR SEE Sketch # 8            |
| 1311<br>335,575<br>24Mar23   | 1    | SERVERY ONLY - ELECTRICAL - EXTRA WALL INTERIOR OUTLET (120V/15A) ON A SEPARATE CIRCUIT (ON ARCFault)<br><br>FOR WINE FRIDGE IN SERVERY SKETCH # 3                                                                                                                                              |
| 1311<br>335,558<br>24Mar23   | 1    | - ELECTRICAL - 4 INCH SLIM RECESSED LED DOWNLIGHT WHITE TRIM (3000K) MODEL DWS43 BASEMENT(SEE LINE VOLTAGE FOR MAIN FLOOR) NOTE: LOCATION MAY VARY FROM REQUEST DEPENDS ON JOIST PLACEMENT<br><br>POT LIGHT IN FINISHED BASEMENT FOYER ON EXISTING SWITCH - DELETE STANDARD LIGHT<br>SKETCH # 1 |

FRAMING

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,583<br>24Mar23<br>** | 1    | - ELECTRICAL - POTLIGHT BUNDLE - 8 X 4 INCH SLIM RECESSED LED DOWNLIGHT WHITE TRIM (3000K)MODEL DWS4303 INCLUDES 2 SWITCHES BASEMENT (SEE LINE VOLTAGE FOR MAIN FLOOR) NOTE: LOCATION MAY VARY FROM REQUEST DEPENDS ON JOIST PLACEMENT<br>6 X RECREATION ROOM ON EXISTING SWITCH DELETE STANDARD LIGHTS AND 2 X MAIN HALL ON EXISTING 3 WAY SWITCH ( WITH FOYER LIGHT AND HALL BY STAIRS) DELETE STANDARD LIGHT IN COFFERED HALL SKETCH # 1 AND 2 |
| 1311<br>338,732<br>24Mar23<br>** | 1    | GREAT ROOM - Waffle Ceiling - Install Waffle Ceiling. Coffered ceiling is standard - GREAT ROOM - UPG<br><br>FRAMING-std Coffered Ceiling to accommodate Waffle; PAINTING-Paint mouldings (waffle) in Great Room                                                                                                                                                                                                                                  |

GLASS PRODUCTS / MIRRORS

| Invoice                    | Qty. | Description                                                                                                              |
|----------------------------|------|--------------------------------------------------------------------------------------------------------------------------|
| 1311<br>338,697<br>24Mar23 | 1    | Shared Bath - GLASS PRODUCTS / MIRRORS - Upgrade to Frameless clear glass with D-Ring Handle in chrome - Ensuite 2 - UPG |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

GRANITE

| Invoice                            | Qty. | Description                                                                                                                                                                                                                                                |
|------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>338,622<br>24Mar23         | 1    | Kitchen/Servery - Granite - Countertop - 3/4” GROUP 6 with double edge - Kitchen/Servery - UPG                                                                                                                                                             |
| 1311<br>335,619<br>24Mar23         | 1    | KITCHEN - GRANITE - GRANITE CUTOUT w/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP                                                                                                                                                                         |
| 1311<br>335,620<br>24Mar23         | 1    | SERVERY ONLY - GRANITE - GRANITE CUTOUT WITH STRAIGHT EDGE POLISH TO ACCOMMODATE UNDER MOUNT KITCHEN/LAUNDRY SINK                                                                                                                                          |
| 1311<br>335,621<br>24Mar23         | 4    | - GRANITE - GRANITE CUTOUT WITH STRAIGHT EDGE POLISH TO ACCOMMODATE UNDER MOUNT VANITY SINK<br><br>2 X MAIN/SHARED BATH / 1 X ENSUITE 2 BATH / 1 X LOWER LEVEL BATH                                                                                        |
| 1311<br>342,678<br>24Mar23<br>**   | 1    | KITCHEN - PLUMBING - KITCHEN SINK UPGRADE - BLANCO PRECISION U SUPER SINGLE SS 400472 (MIN CABINET 36 IN)<br><br><b>CABINETRY-upgraded kitchen sink; GRANITE-upgraded kitchen sink</b>                                                                     |
| 1311<br>335,710<br>24Mar23<br>**   | 2    | MASTER ENSUITE - PLUMBING - AMERICAN STANDARD - SINK OPTIONS - UNDERMOUNT SINK - STUDIO - WHITE - MODEL 0614 000 020 ( 21 ” INCH X 15 ” INCH) -<br><br><b>GRANITE-see specs</b>                                                                            |
| 1311<br>338,613<br>24Mar23         | 1    | Master Ensuite - Granite - Countertop upgrade with 4” backsplash - 3/4” GROUP 4 with double edge - Master Ensuite - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded 8 in faucet and undermount sink</b>                                |
| 1311<br>338,615<br>24Mar23         | 1    | Shared Bathroom - Granite - Countertop upgrade with 4” backsplash - 3/4” GROUP 4 with double edge - Shared Bathroom - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded single hole faucet and undermount sink</b>                       |
| 1311<br>338,609<br>24Mar23         | 1    | Ensuite 2 - Granite - Countertop upgrade with 4” backsplash - 3/4” GROUP 3 with double edge - Ensuite 2 - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded single hole faucet and undermount sink</b>                                   |
| 1311<br>338,606<br>24Mar23         | 1    | Finished Basement Bathroom - Granite - Countertop upgrade with 4” backsplash - 3/4” GROUP 2 with double edge - Finished Basement Bathroom - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded single hole faucet and undermount sink</b> |
| 1311<br>335,606<br>24Mar23         | 6    | LAUNDRY ROOM - GRANITE - ADDITIONAL COUNTERTOP PER SQ.FT. - UPGRADE 2<br><br>FOR GROUP 2 COUNTERTOP FOR OPTIONAL BASE LAUNDRY CABINET                                                                                                                      |
| 1311<br>335,709<br>24Mar23<br>**   | 4    | - PLUMBING - AMERICAN STANDARD - SINK OPTIONS - UNDERMOUNT SINK - OVALYN MODEL 0496 221 020” (19 ” INCH X 16 ” INCH) -<br><br>2 X FOR SHARED BATHROOM / 1 X ENSUITE 2 BATHROOM / 1 X FINISHED LOWER LEVEL BATHROOM<br><b>GRANITE - see specs</b>           |
| 1311<br><br>24Mar23<br>**<br>NoCat | 1    | SERVERY ONLY - PLUMBING-SERVERY SINK UPGRADE- BLANCO PRECISION U 3/4 SS 400396 (MIN CABINET 18 IN)<br><br><b>GRANITE - see specs</b>                                                                                                                       |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

GRANITE

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,716<br>24Mar23<br>** | 1    | SERVERY ONLY - PLUMBING - BAR SINK - COMPLETE BAR SINK FOR SERVERY INCLUDES PLUMBING ROUGH-IN AND MOEN ALIGN BAR PREP FAUCET (MODEL: 5965) AND REGINOX NS1813U/7 UNDERMOUNT SINK (INCLUDING GRANITE SINK CUTOUT/POLISH) -<br>SEE UPGRADED BLANCO SERVERY SINK AND ALIGN SPOT RESISTANT STAINLESS FAUCET<br><b>CABINETRY-Complete Bar Sink for Servery; GRANITE-see specs to accommodate undermount bar sink</b> |
| 1311<br>335,761<br>24Mar23<br>** | 1    | LAUNDRY ROOM - PLUMBING - LAUNDRY SINK UPGRADE - KINDRED SINK STEEL QUEEN UNDERMOUNT #QSU1820/10 (18 INCH X 20 INCH ) UNDERMOUNT SINGLE BOWL 10 INCH DEEP IN STAINLESS STEEL -<br><br><b>CABINETRY-upgraded laundry sink; GRANITE-upgraded laundry sink see specs</b>                                                                                                                                           |
| 1311<br>335,620<br>24Mar23       | 1    | LAUNDRY ROOM - GRANITE - GRANITE CUTOUT WITH STRAIGHT EDGE POLISH TO ACCOMMODATE UNDER MOUNT KITCHEN/LAUNDRY SINK                                                                                                                                                                                                                                                                                               |
| 1311<br>335,864<br>24Mar23<br>** | 4    | - PLUMBING - MOEN -VICHY - LAV SINGLE HANDLE FAUCET WITH LIFT ROD DRAIN - CHROME (MODEL: 6710) -<br><br>2 X MAIN/SHARED BATH / 1 X ENSUITE 2 AND 1 X LOWER LEVEL BATHROOMS                                                                                                                                                                                                                                      |

HARDWOOD

| Invoice                          | Qty. | Description                                                                                                                                                                                     |
|----------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>336,329<br>24Mar23       | 1    | Kitchen/Servery/Breakfast - Hardwood - 5 in Vintage Sculpted NSS Red Oak UVF-Oil or Pearl - Kitchen/Servery/Breakfast - UPG<br><br><b>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics</b> |
| 1311<br>335,692<br>24Mar23<br>** | 4    | - PAINT - STAIN STAIR LANDING IN SAMBUCCA. LANDING UNDER 25 SQ.FT. EACH<br><br><b>HARDWOOD-Supply and Install smooth UNFINISHED pre-sanded red oak at stair landing(s)</b>                      |

HEATING / AIR CONDITIONING

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                                                            |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,498<br>24Mar23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51436<br><br><b>CABINETRY-Notify; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct Size change t</b>                                                                                                                                                     |
| 1311<br>335,683<br>24Mar23       | 1    | KITCHEN - HEATING/AIR - ROUGH-IN GAS LINE FOR GAS STOVE AT MAIN FLOOR (SEE SPECS) (HOOK-UP NOT INCLUDED) LEAVE STANDARD 120 VOLT ELECTRICAL OUTLET ON A SEPARATE CIRCUIT. * SPECIFY IF STANDARD 220V WILL STAY OR BE RELOCATED<br>STANDARD 240V TO BE RELOCATED TO BUILT IN MICRO/OVEN LOCATION SKETCH # 3<br><b>ELECTRICAL-Notify</b> |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

PAINTING

| Invoice                          | Qty. | Description                                                                                                                                                                                                             |
|----------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>337,745<br>24Mar23<br>** | 1    | - Drywall - Smooth Ceilings - Basement - UPG<br><br><b>PAINTING-Notify</b>                                                                                                                                              |
| 1311<br>338,732<br>24Mar23<br>** | 1    | GREAT ROOM - Waffle Ceiling - Install Waffle Ceiling. Coffered ceiling is standard - GREAT ROOM - UPG<br><br><b>FRAMING-std Coffered Ceiling to accommodate Waffle; PAINTING-Paint mouldings (waffle) in Great Room</b> |
| 1311<br>335,692<br>24Mar23       | 4    | - PAINT - STAIN STAIR LANDING IN SAMBUCCA. LANDING UNDER 25 SQ.FT. EACH<br><br><b>HARDWOOD-Supply and Install smooth UNFINISHED pre-sanded red oak at stair landing(s)</b>                                              |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

PLUMBING

| Invoice                      | Qty. | Description                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>342,678<br>24Mar23   | 1    | KITCHEN - PLUMBING - KITCHEN SINK UPGRADE - BLANCO PRECISION U SUPER SINGLE SS 400472 (MIN CABINET 36 IN)<br><br><b>CABINETRY-upgraded kitchen sink; GRANITE-upgraded kitchen sink</b>                                                                                                                                                                                                                          |
| 1311<br>335,710<br>24Mar23   | 2    | MASTER ENSUITE - PLUMBING - AMERICAN STANDARD - SINK OPTIONS - UNDERMOUNT SINK - STUDIO - WHITE - MODEL 0614 000 020 ( 21 ” INCH X 15 ” INCH) -<br><br><b>GRANITE-see specs</b>                                                                                                                                                                                                                                 |
| 1311<br>335,789<br>24Mar23   | 1    | SERVERY ONLY - PLUMBING - MOEN -ALIGN - KITCHEN - SINGLE HANDLE BAR/PREP FAUCET SRS SPOT RESIST STAINLESS (MODEL: 5965 SRS) -                                                                                                                                                                                                                                                                                   |
| 1311<br>335,796<br>24Mar23   | 1    | KITCHEN - PLUMBING - MOEN -ALIGN - KITCHEN - SINGLE HANDLE PULLDOWN KITCHEN FAUCET SRS SPOT RESIST STAINLESS (MODEL: 7565 SRS) -                                                                                                                                                                                                                                                                                |
| 1311<br>335,709<br>24Mar23   | 4    | - PLUMBING - AMERICAN STANDARD - SINK OPTIONS - UNDERMOUNT SINK - OVALYN MODEL 0496 221 020”( 19 ” INCH X 16 ” INCH) -<br><br>2 X FOR SHARED BATHROOM / 1 X ENSUITE 2 BATHROOM / 1 X FINISHED LOWER LEVEL BATHROOM<br><b>GRANITE - see specs</b>                                                                                                                                                                |
| 1311<br><br>24Mar23<br>NoCat | 1    | SERVERY ONLY - PLUMBING-SERVERY SINK UPGRADE- BLANCO PRECISION U 3/4 SS 400396 (MIN CABINET 18 IN)<br><br><b>GRANITE - see specs</b>                                                                                                                                                                                                                                                                            |
| 1311<br>335,716<br>24Mar23   | 1    | SERVERY ONLY - PLUMBING - BAR SINK - COMPLETE BAR SINK FOR SERVERY INCLUDES PLUMBING ROUGH-IN AND MOEN ALIGN BAR PREP FAUCET (MODEL: 5965) AND REGINOX NS1813U/7 UNDERMOUNT SINK (INCLUDING GRANITE SINK CUTOUT/POLISH) -<br>SEE UPGRADED BLANCO SERVERY SINK AND ALIGN SPOT RESISTANT STAINLESS FAUCET<br><b>CABINETRY-Complete Bar Sink for Servery; GRANITE-see specs to accommodate undermount bar sink</b> |
| 1311<br>335,788<br>24Mar23   | 1    | LAUNDRY ROOM - PLUMBING - MOEN -ALIGN - KITCHEN - SINGLE HANDLE BAR/PREP FAUCET CHROME (MODEL: 5965) -                                                                                                                                                                                                                                                                                                          |
| 1311<br>335,761<br>24Mar23   | 1    | LAUNDRY ROOM - PLUMBING - LAUNDRY SINK UPGRADE - KINDRED SINK STEEL QUEEN UNDERMOUNT #QSU1820/10 (18 INCH X 20 INCH ) UNDERMOUNT SINGLE BOWL 10 INCH DEEP IN STAINLESS STEEL -<br><br><b>CABINETRY-upgraded laundry sink; GRANITE-upgraded laundry sink see specs</b>                                                                                                                                           |
| 1311<br>335,864<br>24Mar23   | 4    | - PLUMBING - MOEN -VICHY - LAV SINGLE HANDLE FAUCET WITH LIFT ROD DRAIN - CHROME (MODEL: 6710) -<br><br>2 X MAIN/SHARED BATH / 1 X ENSUITE 2 AND 1 X LOWER LEVEL BATHROOMS                                                                                                                                                                                                                                      |
| 1311<br>357,129<br>24Mar23   | 1    | - PLUMBING - MOEN - GLYDE - ROMAN TUB - TWO HANDLE FAUCET CHROME (MODEL T373/4796) -                                                                                                                                                                                                                                                                                                                            |
| 1311<br>357,130<br>24Mar23   | 3    | - PLUMBING - MOEN - GLYDE - LAV- TWO HANDLE ADJUSTABLE WIDESPREAD (8"-16") FAUCET WITH LIFT ROD DRAIN<br><br>2 x MASTER ENSUITE BATHROOM AND 1 X POWDER ROOM                                                                                                                                                                                                                                                    |
| 1311<br>357,128<br>24Mar23   | 1    | - PLUMBING - MOEN - GLYDE - POSI-TEMP SHOWER ONLY WITH 3 FUNCTION TRANSFER VALVE/TRIM AND SLIDE BAR WI TH HAND SHOWER CHROME ( MODEL T2842EP/3372/T4171/62320/3669EP/A725) -                                                                                                                                                                                                                                    |



CONSTRUCTION SUMMARY

Lot: 693  
Model: 39-3611 A BEECHFIELD  
Project/Phase: Country Lane / 6

SECURITY

| Invoice                    | Qty. | Description                                                                                                                                                                    |
|----------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>335,879<br>24Mar23 | 1    | - SECURITY - SECURITY CAMERA ROUGH-IN<br><br>AT REAR OF HOUSE BY PATIO DOORS FROM REC ROOM SKETCH # 1<br>REVISED COLOUR CHART - ADD 5 ADDITIONAL SECURITY R/Is Sketch #6 and 8 |

STRUCTURED WIRING

| Invoice                      | Qty. | Description                                                                                                                                                                 |
|------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br><br>24Mar23<br>NoCat | 1    | - ADDITIONAL LIFT MASTER GARAGE DOOR OPENER WITH LIFT MASTER IINTEGRATION<br><br>IN ADDITION FOR SECOND GARAGE DOOR IN ADDITION TO THE ONE WITH THE TOTAL HOME PLUS PACKAGE |
| 1311<br>335,883<br>24Mar23   | 1    | GREAT ROOM - STRUCTURED WIRING - CONDUIT PIPE TO ABOVE FIREPLACE ROUGH-IN<br><br>70" +/- ABOVE FIREPLACE FROM FLOOR TO STANDARD RG6 CABLE LOCATION SKETCH # 2               |

WAFFLE CEILING

| Invoice                    | Qty. | Description                                                                                                                                                                                                      |
|----------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1311<br>338,732<br>24Mar23 | 1    | GREAT ROOM - Waffle Ceiling - Install Waffle Ceiling. Coffered ceiling is standard - GREAT ROOM - UPG<br><br>FRAMING-std Coffered Ceiling to accommodate Waffle; PAINTING-Paint mouldings (waffle) in Great Room |

The Beechfield


ELEVATION A: 4,485 SQ. FT.

[ Includes 874 sq. ft. of finished Lower Level ]

THE TRAILS OF  
COUNTRY LANE

Sketch #1

39-3611 ELEV. A WOB



LOWER LEVEL - WALK OUT BASEMENT  
ELEV. A

25 of 65

THE TRAILS OF  
COUNTRY LANE

39-3611 ELEV. A WOB




Heathwood Homes  
Country Lane, Whitby

Model:  
39-3611 (4505)  
The Classic Series

Standard Features:

- Tandem Box Soft Close Drawers
- Blumotion Hinges for Doors
- Crown Moulding & fascia
- Top Drawer Construction
- Deep Fridge Upper w/Deep Panel
- Tall upper Cabinets



This sketch is for DESIGN PURPOSES ONLY – It is not meant to be an exact rendition.

27 of 65


THE TRAILS OF  
COUNTRY LANE

# 39-3611 ELEV. A WOB




Project: Country Lane  
Unit: 693, Phase: 6  
Model: 39-3611 A BEECHFIELD


Sketch # 5




Basement Bath



Main/Shared Bath




OPTIONAL BASE  
QUARTZ COUNTER  
Laundry Room



Ensuite 2

QUARTZ  
COUNTERTOPS  
OVALYN UNDERMOUNT  
SINK



Master Ensuite

STUDIO  
UNDERMOUNT  
SINKS





**NFAS NF17 Mantel**

BLANCO

Sink Specifications

|              |        |
|--------------|--------|
| Colour       | SKU    |
| satin polish | 400472 |

Design and planning tips

- Min cabinet size: 36 in ( 915 mm )
- Bowl Depth: 10 in ( 254.0 mm )


Specifications:  
Mounting clips, Template and installation instructions, 3½" (90 mm) premium stainless steel strainer(s), Limited Lifetime Warranty

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer  
Codes/Standards: ASME A112.19.3-2017/ CSA B45.4-17

Optional Accessories

|                        |        |
|------------------------|--------|
| Colander               | 406462 |
| CapFlow Strainer Cover | 517666 |
| Sink Grid              | 406347 |

KITCHEN SINK  
PRECISION U SUPER SINGLE  
Stainless steel satin polish



Warranty  
Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance  
BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

 Need support? Learn more by watching our sink & faucet How-to videos:  
<https://www.blanco.com/ca-en/support/how-to-videos/how-to-videos-for-sinks/>

|                                                                                     |                                                                   |                                                                                                         |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|  | BLANCO Canada Inc<br>100 Corporation Drive<br>Brampton ON L6S 6B5 | Tel & Fax<br>Tel: 905-494-2400 Toll free: 1-877-425-2626<br>Fax: 905-494-2425 Toll free: 1-877-825-2626 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.



SERVERY SINK

Sink Specifications

|              |        |
|--------------|--------|
| Colour       | SKU    |
| satin polish | 400397 |


PRECISION U 1  
Stainless steel satin polish

Design and planning tips

- Min cabinet size: 21 in ( 535 mm )
- Bowl Depth: 10 in ( 254.0 mm )

Specifications:  
Mounting clips, Template and installation instructions, 3½" (90 mm) premium stainless steel strainer(s), Limited Lifetime Warranty

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer  
Codes/Standards: ASME A112.19.3-2017/ CSA B45.4-17



Optional Accessories

|                            |        |
|----------------------------|--------|
| CapFlow Strainer Cover     | 517666 |
| Colander                   | 406462 |
| Mechanical Pop-up Strainer | 401242 |
| Sink Grid                  | 406450 |

Warranty  
Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance  
BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

 Need support? Learn more by watching our sink & faucet How-to videos:  
<https://www.blanco.com/ca-en/support/how-to-videos/how-to-videos-for-sinks/>

|                                                                                     |                                                                   |                                                                                                         |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|  | BLANCO Canada Inc<br>100 Corporation Drive<br>Brampton ON L6S 6B5 | Tel & Fax<br>Tel: 905-494-2400 Toll free: 1-877-425-2626<br>Fax: 905-494-2425 Toll free: 1-877-825-2626 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.

**MOEN®**

There is more than 1 version of this model.  
Page down to identify the version you have.

**FAUCET DESCRIPTION**

- Reflex™ pulldown system offers smooth operation, easy movement and secure docking
- Power Clean™ spray technology
- Metal construction with various finishes identified by suffix
- Duralock™ connect installation
- Pulldown spray with 68" braided hose
- Flexible supply lines with 3/8" compression fittings
- High arc spout provides height and reach to fill or clean large pots while pulldown wand provides the maneuverability for cleaning or rinsing
- 360° rotating spout
- Faucet designed for handle to be mounted on right side only

**OPERATION**

- Lever style handle
- Temperature controlled by 100° arc of handle travel
- Operates with less than 5 lbs. of force
- Operates in stream or spray mode in the pullout or retracted position

**FLOW**

- Flow is limited to 1.5 gpm (5.7 L/min) max at 60 psi

**CARTRIDGE**

- 1255™ Duralast™ cartridge

**STANDARDS**


- Third party certified to IAPMO Green, ASME A112.18.1/CSA B125.1 and all applicable requirements therein including NSF 61/9G & 372
- Meets CalGreen and Georgia SB370 requirements
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- The backflow protection system in the device consists of two independently operating check valves, a primary and a secondary which prevent backflow

- **ADA**  for lever handle

**WARRANTY**

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
  - 10 year limited warranty when used in a multifamily installation
  - 5 year limited warranty when used in a commercial installation
- Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations


KITCHEN SRS  
SPOT RESISTANT STAINLESS  
**Specifications**



**ALIGN™**  
**Single Handle High Arc  
Pulldown Kitchen Faucet**

**Models: 7565 series**

**NOTE:** THIS FAUCET IS DESIGNED TO BE INSTALLED  
THROUGH 1 HOLE, 1-1/2" (38mm) MIN. DIA.  
(OPTIONAL 3-HOLE ESCUTCHEON 141002 AVAILABLE)



**MOEN®**

## Specifications

*There is more than 1 version of this model.  
Page down to identify the version you have.*

### FAUCET DESCRIPTION

- Reflex™ pulldown system offers smooth operation, easy movement and secure docking
- Power Clean™ spray technology
- Metal construction with various finishes identified by suffix
- Duralock™ quick connect
- Pulldown spray with 68" braided hose
- Flexible supply lines with 3/8" compression fittings
- High arc spout provides the perfect height and reach for prep sinks while the pulldown feature provides maneuverability for food preparation tasks
- 360° rotating spout provides ability to install handle on either side
- Faucet designed for handle to be mounted on right side

### OPERATION

- Lever style handle
- Temperature controlled by 100° arc of handle travel
- Operates with less than 5 lbs. of force
- Operates in stream or spray mode in the pullout or retracted position

### FLOW

- Flow is limited to 1.5 gpm (5.7 L/min) max at 60 psi

### CARTRIDGE

- 1255™ Duralast™ cartridge for Single-Handle Faucets

### STANDARDS

- Third party certified to IAPMO Green, ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein including NSF 61/9G & 372
- Meets CalGreen and Georgia SB370 requirements
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- The backflow protection system in the device consists of two independently operating check valves, a primary and a secondary which prevent backflow

- ADA  for lever handle

### WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
  - 10 year limited warranty when used in a multifamily installation
  - 5 year limited warranty when used in a commercial installation
- Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations

SERVERY

SRS  
SPOT RESISTANT  
STAINLESS FINISH




**ALIGN™**

**Single Handle High Arc  
Pulldown Prep/Bar Faucet**

**Models: 5965 series**

**NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED  
THROUGH 1 HOLE, 1-1/2" (38mm) MIN. DIA.  
(OPTIONAL 3-HOLE ESCUTCHEON 141002 AVAILABLE)**





**CRITICAL DIMENSIONS**

(DO NOT SCALE)

Stainless Steel | 122.0202.337

FAMILY : Sinks | SERIES : Steel Queen | MODEL : QSU1820/10 | FINISH : Stainless Steel | INSTALLATION TYPE : Undermount




| TECHNICAL DATA        |                          |
|-----------------------|--------------------------|
| Width overall         | 18 1/8"                  |
| Length overall        | 20 1/8"                  |
| Width of large bowl   | 16"                      |
| Length of large bowl  | 18"                      |
| Depth of large bowl   | 10"                      |
| Cabinet Size          | 21"                      |
| Number of Bowls       | 1                        |
| Waste Outlet Diameter | 3 1/2"                   |
| Cut-Out Template      | Yes                      |
| Faucet Hole           | None                     |
| Type of Material      | 20 Gauge Stainless Steel |
| Surface Finish        | SILK                     |
| Waste Kit Included    | YES                      |

MOEN®

Specifications

LAUNDRY ROOM

CHROME  
FINISH



ALIGN™  
Single Handle High Arc  
Pulldown Prep/Bar Faucet

There is more than 1 version of this model.  
Page down to identify the version you have.

FAUCET DESCRIPTION

- Reflex™ pulldown system offers smooth operation, easy movement and secure docking
- Power Clean™ spray technology
- Metal construction with various finishes identified by suffix
- Duralock™ quick connect
- Pulldown spray with 68" braided hose
- Flexible supply lines with 3/8" compression fittings
- High arc spout provides the perfect height and reach for prep sinks while the pulldown feature provides maneuverability for food preparation tasks
- 360° rotating spout provides ability to install handle on either side
- Faucet designed for handle to be mounted on right side

OPERATION

- Lever style handle
- Temperature controlled by 100° arc of handle travel
- Operates with less than 5 lbs. of force
- Operates in stream or spray mode in the pullout or retracted position

FLOW

- Flow is limited to 1.5 gpm (5.7 L/min) max at 60 psi

CARTRIDGE

- 1255™ Duralast™ cartridge for Single-Handle Faucets

STANDARDS

- Third party certified to IAPMO Green, ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein including NSF 61/9G & 372
- Meets CalGreen and Georgia SB370 requirements
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- The backflow protection system in the device consists of two independently operating check valves, a primary and a secondary which prevent backflow


- ADA  for lever handle

WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
  - 10 year limited warranty when used in a multifamily installation
  - 5 year limited warranty when used in a commercial installation
- Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations

Models: 5965 series

NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED  
THROUGH 1 HOLE, 1-1/2" (38mm) MIN. DIA.  
(OPTIONAL 3-HOLE ESCUTCHEON 141002 AVAILABLE)



CRITICAL DIMENSIONS

(DO NOT SCALE)



BARRIER FREE (ABOVE COUNTER OR DROP-IN ONLY)

**BOULEVARD®**  
**PEDESTAL SINK**  
VITREOUS CHINA

**BOULEVARD® PEDESTAL SINK**

- ☒ **0641.800** Faucet holes on 8" (203mm) centers (Illustrated)
- ☐ **0641.400** Faucet holes on 4" (102mm) centers
- ☐ **0641.100** Center hole only
- Classic styled rectangular pedestal lavatory
  - Vitreous china
  - Rear overflow
  - Supplied with mounting kit
  - Right Height® for greater comfort during use
  - Faucet ledge with large deck area (faucet not included)
  - **Design coordinates with Boulevard® Toilet**
  - Basin has flat bottom to also allow use as an **above counter** sink or a **drop-in** sink (with u-shaped cut out)

**Nominal Dimensions:**

24" x 19" x 35-1/2"  
(610 x 483 x 902mm)

- ☐ **0641.008** Pedestal top-8" (203mm) centers
- ☐ **0641.004** Pedestal top-4" (102mm) centers
- ☐ **0641.001** Pedestal top-center hole only
- ☐ **0010.000** Pedestal only

**Bowl sizes:**

17" (432mm) wide,  
12-1/2" (318mm) front to back,  
5" (127mm) deep

**Compliance Certifications -**

**Meets or Exceeds the Following Specifications:**

- ASME A112.19.2 - 2008/CSA B45.1-08



SEE REVERSE FOR ROUGHING-IN DIMENSIONS

**To Be Specified:**

- ☐ Color: ☐ White ☐ Linen
- ☐ Faucet Finish:
- ☐ Supplies:
- ☐ 1-1/4" Trap:
- ☐ Nipple:


\* See faucet section for additional models available



**BOULEVARD®  
PEDESTAL SINK**  
VITREOUS CHINA



**BARRIER FREE (ABOVE COUNTER OR DROP-IN ONLY)**

**TOP VIEW (ALL THREE CONFIGURATIONS)**



**PEDESTAL CONFIGURATION  
(NOT ADA COMPLIANT)**

**ABOVE COUNTER CONFIGURATION**



**DROP-IN SINK CONFIGURATION**

**ABOVE COUNTER AND DROP-IN SINK CONFIGURATIONS  
MEET THE AMERICANS WITH DISABILITIES ACT GUIDELINES  
AND ANSI A117.1 ACCESSIBLE AND USABLE  
BUILDINGS AND FACILITIES - CHECK LOCAL CODES.**  
Top of sink installed at 34" (864mm) height from finished floor.  
Sink installed 5" (127mm) minimum from front edge of countertop.  
Provide 27" (686mm) knee clearance area.

**NOTES:**  
\* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAPS ARE SUGGESTED.  
▼ PEDESTAL ANCHORING SCREWS NOT INCLUDED.  
■ SUITABLE FOR REINFORCEMENT ONLY. ACTUAL DIMENSIONS MUST BE TAKEN FROM FIXTURE.  
FITTING NOT INCLUDED AND MUST BE ORDERED SEPARATELY.  
PROVIDE SUITABLE REINFORCEMENT FOR ALL WALL SUPPORTS.  
INSTALLATION INSTRUCTIONS SUPPLIED WITH LAVATORY.

**IMPORTANT:** Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2  
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

American Standard

Style That Works Better


 BARRIER FREE

MASTER ENSUITE  
x2

STUDIO™  
UNDERCOUNTER SINK  
VITREOUS CHINA

STUDIO™ UNDERCOUNTER SINK

- Rectangular undercounter mount sink
- Made from vitreous china
- Front overflow
- Supplied with mounting kit (047194-0070A) and template



☐ 0614.000 Unglazed Rim

540 x 387mm  
(21-1/4" x 15-1/4")

☐ 0614.300 Glazed underside

Bowl size:

464mm (18-1/4") wide  
308mm (12-1/8") front to back  
171mm (6-3/4") deep

☐ 0618.000 Unglazed Rim

600 x 422mm  
(23-5/8" x 16-5/8")

☐ 0618.300 Glazed underside

Bowl size:

537mm (21-1/8") wide  
356mm (14") front to back  
152mm (6") deep

Compliance Certifications -  
Meets or Exceeds the  
Following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures
- CAN/CSA B45 series


To Be Specified:

- ☐ Color: ☐ White ☐ Bone  
☐ Linen ☐ Black
- ☐ Faucet\*:
- ☐ Faucet Finish:
- ☐ Supplies:
- ☐ 1-1/4" Trap:

\* See faucet section for additional models available


 MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES  
AND ANSI A117.1 ACCESSIBLE AND USABLE  
BUILDINGS AND FACILITIES - CHECK LOCAL CODES.

- Countertop 864mm (34") from finished floor. Lavatory installed 102mm (4") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.



| FITTING    | A             | B         |
|------------|---------------|-----------|
| CENTER-SET | 1-1/16 (27mm) | 4 (102mm) |
| SPREAD     | 1-1/4 (32mm)  | 8 (203mm) |

▼ DETAIL OF MOUNTING CLIP  
(KIT No. 47194.0070A)



NOTES:

WE RECOMMEND USING BASIN AS A TEMPLATE TO DETERMINE PROPER CONTOUR. CUT COUNTERTOP 38MM (1-1/2") INSIDE BASIN CONTOUR. \* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P" TRAP ARE SUGGESTED.

▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK. FITTINGS NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY. SEALING COMPOUND SUPPLIED BY OTHERS.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

**MOEN®**



## Specifications

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
- 10 year limited warranty when used in a multifamily installation
- 5 year limited warranty when used in a commercial installation

Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations



**NOTE:** THIS FAUCET IS DESIGNED TO BE INSTALLED THROUGH 3 HOLES, 1-1/8" MIN. DIA.




## (DO NOT SCALE)

Glyde™

MASTER ENSUITE


POSI-TEMP®



**Posi-Temp® Tub/Shower Faucet with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower \***

T2843EP / U361CI / UT2721 / 62320 / 3669EP / A725


Chrome \$1,194.70  
Other \$2,203.30



**Posi-Temp® Shower Only with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower \***

T2842EP / U361CI / UT2721 / 62320 / 3669EP / A725

Chrome \$1,194.70  
Other \$2,215.20



**Eco-Performance Posi-Temp® Tub/Shower Faucet\***

T2843EP / 62320

Chrome \$684.70  
Other \$611.70

**Eco-Performance Posi-Temp® Shower Only\***

T2842EP / 62320

Chrome \$261.70  
Other \$527.05



**Eco-Performance Posi-Temp® Tub/Shower Faucet\***

T2743EP / 62320

Chrome \$518.70  
Other \$504.00

**Eco-Performance Posi-Temp® Shower Only\***

T2742EP / 62320

Chrome \$267.70  
Other \$412.95

GLYDE  
FINISH OPTIONS




Chrome, LifeShine® Brushed Nickel (BN), Matte Black (BL)

To order, combine the model number with one of these finish letter(s): LifeShine® Brushed Nickel (BN) & Matte Black (BL). To order Chrome (C) model, use model number only.

\* Refer to the Shower Design Guide for Installation Instructions



DEMI™  
Product Specification Sheet



Two Piece Freestanding Collection


|        |                                              |
|--------|----------------------------------------------|
| CF2007 | Two Piece Freestanding Soaker                |
| Size:  | 60" x 32" x 22"<br>1524 mm x 813 mm x 559 mm |

PRODUCT FEATURES & BENEFITS


- Vacuum formed acrylic reinforced with fiberglass
- Scratch, stain and fade resistant high gloss finish
- Installation friendly two piece design
- Accepts deck mounted faucet
- Includes integral pop up drain and rectangular overflow
- Includes levelling feet

TWO PIECE ASSEMBLY


FRONT VIEW



END VIEW



TOP VIEW



| GENERAL SPECIFICATIONS        |                |               |
|-------------------------------|----------------|---------------|
| Average Weight                | 90 lb          | 41 kg         |
| Bathing Well at bottom        | 43"x 20"       | 1092 x 508 mm |
| Capacity Drain to Overflow    |                | 195 litres    |
| Water Depth Drain to Overflow | 16"            | 406 mm        |
| Drain Opening (dia.)          | 2"             | 51 mm         |
| Overflow Opening              | 2 1/4"x 1 1/2" | 57 x 13 mm    |
| Drain to Floor Clearance      | 3 1/4"         | 83 mm         |

**NOTES:** Please confirm measurements on actual product to ensure proper identification. Bathtub to be installed on the floor supported by 5 self levelling feet. Adjust if required to level the bathtub for adequate drainage. Refer to installation instructions for additional information.

**IMPORTANT:** Dimensions of fixtures are nominal and may vary ± 1/4" (6 mm). Weight may vary ± 5 lb ( 2.3 kg). Drawing is not to scale. These measurements are subject to change at manufacturer's discretion.

Compliance Certifications -  
Meets or Exceeds the following Specifications:  
• CAN/CSA - B45 Series



*American Standard*

Style That Works Better

 BARRIER FREE

**OVALYN™ UNDERCOUNTER SINK**

- Classic oval undermount sink
- Made from vitreous china
- Front overflow
- Supplied with mounting kit (047194-0070A) and template

☐ **0495.221 Unglazed rim**  
435 x 359mm  
(17-1/8" x 14-1/8")

☐ **0495.300 Glazed underside**

**Bowl size:**

382mm (15-1/16") wide  
306mm (12-1/16") front to back  
140mm (5-1/2") deep

☒ **0496.221 Unglazed rim**  
489 x 413mm  
(19-1/4" x 16-1/4")

☐ **0496.300 Glazed underside**

**Bowl size:**

432mm (17") wide  
356mm (14") front to back  
140mm (5-1/2") deep

☐ **0497.221 Unglazed rim**  
546 x 441mm  
(21-1/2" x 17-3/8")

☐ **0497.300 Glazed underside**

**Bowl size:**

483mm (19") wide  
391mm (15-3/8") front to back  
140mm (5-1/2") deep

**Compliance Certifications -**

**Meets or Exceeds the Following Specifications:**


- ASME A112.19.2M for Vitreous China Fixtures
- CAN/CSA B45 series

**To Be Specified:**

- ☐ Color: ☐ White ☐ Bone ☐ Linen  
☐ Silver ☐ Fawn Beige ☐ Black
- ☐ Faucet\*:  
☐ Faucet Finish:  
☐ Supplies:  
☐ 1-1/4" Trap:

\* See faucet section for additional models available

**OVALYN™  
UNDERCOUNTER SINK  
VITREOUS CHINA**




SEE REVERSE FOR ROUGHING-IN DIMENSIONS

American Standard  
Style That Works Better


BARRIER FREE

OVALYN™  
UNDERCOUNTER SINK  
VITREOUS CHINA



0496/0497


DETAIL OF MOUNTING CLIP  
(KIT No. 047194-0070A)



REFER TO INSTRUCTIONS  
PROVIDED WITH KIT FOR  
ADDITIONAL INFORMATION

NOTES:  
\* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P" TRAP ARE SUGGESTED.  
▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.  
**PLEASE NOTE MINIMUM INTERIOR CLEARANCE DIMENSION (K).** FITTINGS NOT INCLUDED AND MUST BE ORDERED SEPARATELY. USE ENCLOSED TEMPLATE FOR COUNTERTOP CUTOUT SEALING COMPOUND SUPPLIED BY OTHERS.

**IMPORTANT:** Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.




| FITTING   | A            | B         |
|-----------|--------------|-----------|
| CENTERSET | 1-1/4 (32mm) | 4 (102mm) |
| SPREAD    | 1-3/8 (35mm) | 8 (203mm) |

| CAT. NO. | E              | F              | G          | H              | C              | D              | J          | K                |
|----------|----------------|----------------|------------|----------------|----------------|----------------|------------|------------------|
| 0496.221 | 489mm (19-1/4) | 413mm (16-1/4) | 432mm (17) | 356mm (14)     | 103mm (4-1/16) | 182mm (7-3/16) | 16mm (5/8) | 500mm (19-11/16) |
| 0497.221 | 546mm (21-1/2) | 441mm (17-3/8) | 483mm (19) | 391mm (15-3/8) | 95mm (3-3/4)   | 191mm (7-1/2)  | 19mm (3/4) | 534mm (21-1/16)  |



MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.

Countertop 864mm (34") from finished floor. Lavatory installed 76mm (3") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.



0495

DETAIL OF MOUNTING CLIP  
(KIT No. 047194-0070A)



REFER TO INSTRUCTIONS  
PROVIDED WITH KIT FOR  
ADDITIONAL INFORMATION

| FITTING   | A            | B         |
|-----------|--------------|-----------|
| CENTERSET | 1-1/4 (32mm) | 4 (102mm) |
| SPREAD    | 1-3/8 (35mm) | 8 (203mm) |


NOTES:  
USE ENCLOSED TEMPLATE FOR COUNTER TOP CUTOUT. FITTINGS NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.  
\* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P" TRAP ARE SUGGESTED.  
▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.  
**PLEASE NOTE MINIMUM INTERIOR CLEARANCE DIMENSION (K).** SEALING COMPOUND SUPPLIED BY OTHERS.

**IMPORTANT:** Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages



MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.

Countertop 864mm (34") from finished floor. Lavatory installed 51mm (2") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.





Buy it for looks. Buy it for life.®

**FAUCET DESCRIPTION**

- Metal construction with chrome finish
- Flexible supply lines with 3/8" compression fittings
- Includes metal pop-up waste assembly
- Optional 3 hole deck plate (escutcheon) available

**OPERATION**

- Lever style handle
- Temperature controlled by 100° arc of handle travel
- Includes hot & cold temperature indicators

**FLOW**

- Flow is limited to 1.2 gpm max (4.5 L/min) at 60 psi

**CARTRIDGE**

- 1255™ Duralast™ cartridge
- Nonmetallic/nonferrous and ceramic material


**STANDARDS**

- Third party certified to WaterSense,® ASME A112.18.1/CSA B125.1, and all applicable requirements referenced therein
- Certified to NSF 61/9 & 372
- Compliant with California water efficiency regulations
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- ADA ♿ for lever handle

**WARRANTY**

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations


**Specifications**



**Vichy™**  
**Single-Handle Lavatory Faucet**

**Model: 6710**

**NOTE:** THIS FAUCET IS DESIGNED TO BE INSTALLED THRU 1 HOLE, 1-1/4" MIN. DIA.



*American Standard*  
Style That Works Better

FloWise™ DUAL FLUSH  
ELONGATED TOILET  
VITREOUS CHINA

FloWise™ DUAL FLUSH ELONGATED TOILET

- 2476 216
  - Vitreous china
  - Low-consumption Dual Flush
    - Full flush 6.0 Lpf/1.3 gpf,
    - Partial flush 3.0 Lpf/0.66 gpf.
  - Elongated wash down bowl
  - Internal trapway fully-glazed, 2-1/4" (57mm) ballpass
  - Concealed trapway bowl
  - Chrome-plated top mounted push button actuator
  - Easy to clean sanitary dam on bowl
  - Includes Elongated Slow Close Seat
  - 100% factory flush tested
  - 2 bolt caps

Separate Component Parts:

- 3067 316 Elongated Bowl with Slow Close Seat
- 4035 216 Unlined Tank




- 2476 516 Same as above with Lined tank
  - 3067 316 Elongated Bowl
  - 4035 516 Lined Tank

Nominal Dimensions:  
794 x 432 x 765mm  
(31-1/4" x 17" x 30-1/8")

- Compliance Certifications -  
Meets or Exceeds the Following Specifications:
- ASME A112.19.2M (and 19.6M)
  - CAN/CSA B45 series

To Be Specified


- Colour: 020 White
- Supply with stop:



NOTES:  
THIS TOILET IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12") FROM FINISHED WALL TO C/L OF OUTLET.  
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.  
\* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED.  
FOR ADDITIONAL INFORMATION REFER TO INSTALLATION INSTRUCTIONS SUPPLIED.  
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2  
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

UPGRADED VALUE ADDED FEATURES AT NO EXTRA CHARGE

SC(B)514 | ALITO Collection



Wall Mount

The SC(B)514 makes a statement of strength and power with a bold frame and 550 CFM fan. Features mesh or baffle filters, two bright LED lights and a three-speed panel for total control. It is also fitted with a time-delay OFF feature up to nine minutes.

Green Features



3 Speed Push Button  
Control Panel




Long-Lasting  
LED Lights



Time-Delay  
OFF Feature



Grease Cup



| Model    | Colour          | Ducting | Filters | Size | CFM |
|----------|-----------------|---------|---------|------|-----|
| SCB51430 | Stainless Steel | 6"      | Baffle  | 30"  | 550 |
| SCB51436 | Stainless Steel | 6"      | Baffle  | 36"  | 550 |

Cyclone Range Hoods Inc.

1361 Huntingwood Drive, Unit 16. Toronto, ON. M1S 3J1. Canada.



Toll Free: 1-888-293-5662 Tel: (416) 293-0933 Fax: (416) 293-4793 Website: [www.CycloneRangeHoods.com](http://www.CycloneRangeHoods.com)

SC(B)514 | ALITO Collection



Features

- Wall mount range hood
- 6" round duct adapter
- Non-stick aluminum fan blades
- 3 speed push button control
- 2 LED lights (2 x 1.4W, 4000K)
- Quick release aluminum mesh filters
- Standard chimney fits up to 9 ft. ceiling
- Up to 9 minutes time-delay OFF feature
- Plug-in connection



Options

- Filters:  
  
SCB514 - Quick Release Stainless Steel Baffle Filters
- Chimney Flues:  
B2.CH16 - short (7'-8' ceilings)  
B2.CH22 - standard (8'-9' ceilings)  
B2.CH32 - extended (9'-11' ceilings)
- Widths: 30", 36"


Specifications

- |                                                                                                                                                                |                                                                                                                                          |                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Air Flow Volume: 550 CFM</li><li>• Electrical Connection: 120 V/60 Hz</li><li>• Power Consumption: 300 Watts</li></ul> | <ul style="list-style-type: none"><li>• Current: 2.5 Amps</li><li>• Fan Speed: 1599 RPM</li><li>• Fan Type: Centrifugal Blower</li></ul> | <ul style="list-style-type: none"><li>• Finishes: Stainless Steel</li><li>• Ducting: 6" Round</li><li>• Noise Level: Min. 2 Sones<br/>Max. 6 Sones</li></ul> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|



Whirlpool®

20 cu. ft. French Door Refrigerator  
WRF540CWH



Fingerprint-Resistant Stainless  
WRF540CWHZ

Also available in:

- ☐ White
- WRF540CWHW
- ☒ Black
- WRF540CWHB
- ☒ Fingerprint-Resistant Black Stainless
- WRF540CWHV

Key Features & Benefits

- Fingerprint Resistant**

Resists fingerprints and smudges with an easy-to-clean finish.
- Counter Depth Design**

Add additional kitchen space with styling that fits virtually flush with the countertop.
- Humidity-Controlled Crispers**

Store fruits and veggies in their ideal environment.

Capacity

|                       |            |
|-----------------------|------------|
| Total Capacity        | 20 cu. ft. |
| Refrigerator Capacity | 14 cu. ft. |
| Freezer Capacity      | 6 cu. ft.  |

General Features & Properties

- Interior Water Dispenser with EveryDrop® Water Filtration
- Full-Width, Temperature-Controlled Drawer
- Frameless Glass Shelves
- Gallon Door Bins
- Accu-Chill™ Temperature Management System
- Adaptive Defrost
- FreshFlow™ Produce Preserver
- LED Interior Lighting
- Designed, Engineered and Assembled in the U.S.A.

Electrical Details

|       |     |
|-------|-----|
| Amps  | 20  |
| Volts | 115 |

Certifications

|                        |     |
|------------------------|-----|
| ENERGY STAR® Certified | Yes |
|------------------------|-----|

Technical Details


|                                         |                       |
|-----------------------------------------|-----------------------|
| Refrigerator Type                       | French Door           |
| Number of Doors                         | 3                     |
| Number of Interior Refrigerator Shelves | 5                     |
| Number of Refrigerator Door Bins        | 2 Fixed, 4 Adjustable |
| Number of Interior Freezer Shelves      | 1 Wire, 1 Plastic     |
| Lighting Type                           | LED                   |
| Ice Maker                               | Factory Installed     |
| Ice Maker Location                      | Freezer               |
| Dispenser Type                          | Interior Water        |

Dimensions

|                                |                                                             |
|--------------------------------|-------------------------------------------------------------|
| Product Dimensions (H x W x D) | 70-1/8" x 35-5/8" x 29 3/8"                                 |
| Depth with Door Open 90°       | 43"                                                         |
| Cutout Dimensions              | Allow extra 1/2" on sides and top<br>Allow extra 1" on rear |

Reference Material

- [Dimension Guide](#)
- [Use & Care Guide](#)
- [Energy Guide](#)
- [Warranty](#)




NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

©/™ © 2020. All rights reserved. Printed in the U.S.A. D200052XXC. WRF540CWH SPECSHEETV01.

Whirlpool®

French Door Bottom Mount Refrigerator  
WRF532SMH, WRF540CWH, WRF535SMH

PRODUCT DIMENSIONS



**⚠ WARNING**

**Electrical Shock Hazard**

Plug into a grounded 3 prong outlet.

Do not remove ground prong.

Do not use an adapter.

Do not use an extension cord.

Failure to follow these instructions can result in death, fire, or electrical shock.

**Electrical:** A 115 V, 60 Hz, AC only 15 A or 20 A fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.

**NOTE:** Before performing any type of installation, cleaning, or removing a light bulb, turn the control (Thermostat, Refrigerator or Freezer Control depending on the model) to OFF and then disconnect the refrigerator from the electrical source. When you are finished, reconnect the refrigerator to the electrical source and reset the control (Thermostat, Refrigerator or Freezer Control depending on the model) to the desired setting. See "Using the Controls."

**Water:** A cold water supply with water pressure between 35 psi and 120 psi (241 kPa and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.

**IMPORTANT:** The pressure of the water coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 35 psi and 120 psi (241 kPa and 827 kPa).

**Reverse Osmosis Water Supply:**  
If a reverse osmosis water filtration system is connected to your cold water supply, the water pressure to the reverse osmosis system needs to be a minimum of 40 psi to 60 psi (276 kPa to 414 kPa).

Whirlpool® French Door Bottom Mount Refrigerator

LOCATION REQUIREMENTS


**⚠ WARNING**



**Explosion Hazard**

Keep flammable materials and vapors, such as gasoline, away from refrigerator.

Failure to do so can result in death, explosion, or fire.



**IMPORTANT:** This refrigerator is designed only for indoor, household use only.


To ensure proper ventilation for your refrigerator, allow for a 1/2" (1.25 cm) space on each side and at the top. Allow for 1" (2.54 cm) of space behind the refrigerator. If your refrigerator has an ice maker, make sure you leave some extra space at the back for the water line connections.

If you are installing your refrigerator next to a fixed wall, leave 2 1/2" (6.3 cm) minimum on the hinge side (some models require more) to allow for the door to swing open.

**NOTE:** This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.

Whirlpool®

36" Gas Cooktop  
WCG97US6H



Stainless Steel  
WCG97US6HS

General Features & Properties

- FlexHeat™ Burner
- AccuSimmer® Burner
- Fifth Burner
- Sealed Burners
- Full-Width Grates
- Dishwasher-Safe Knobs
- Wall Oven Compatible

Electrical Details

|       |     |
|-------|-----|
| Amps  | 15  |
| Volts | 120 |

Certifications

|               |     |
|---------------|-----|
| ADA Compliant | Yes |
|---------------|-----|

Technical Details

|                                |                                                                 |
|--------------------------------|-----------------------------------------------------------------|
| Fuel Type                      | Gas                                                             |
| Number of Burners/<br>Elements | 5                                                               |
| Burner/Element Power           | (1) 18000 BTU<br>(2) 9100 BTU<br>(1) 12,000 BTU<br>(1) 5000 BTU |
| Burner/Element Type/Size       | FlexHeat,<br>Sealed Burner,<br>SpeedHeat™,<br>Simmer            |

Dimensions

|                                   |                          |
|-----------------------------------|--------------------------|
| Product Dimensions<br>(H x W x D) | 4-1/8" x<br>36" x<br>21" |
| Cutout Dimensions<br>(W x D)      | 35-1/4" x<br>20"         |

Reference Material

- [Install Guide](#)
- [Use & Care Guide](#)
- [Warranty](#)

Key Features & Benefits

EZ-2-Lift™ Hinged Cast-Iron Grates


Get quick access to spills on the cooktop with our industry-first EZ-2-Lift™ hinged cast-iron grates. The hinged design lets you wipe up underneath without removing them. For a more thorough clean, the grates are also dishwasher-safe.

Upswept SpillGuard™ Cooktop

Clean up faster with a cooktop that has raised edges to help contain spills.

Griddle

Make pancakes, grill vegetables or sear steaks with the included griddle that lets you cook breakfast, lunch and dinner right on the cooktop.




NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

®/™ © 2020. All rights reserved. Printed in the U.S.A. D200104XXE. WCG97US6HSpecSheetV01.


Product Dimensions

KCGS550ESS and KCGS950ESS Models




- |                                               |                                               |
|-----------------------------------------------|-----------------------------------------------|
| A. 21" (53.3 cm)                              | E. 3 <sup>5</sup> / <sub>16</sub> " (9.2 cm)  |
| B. 30" (76.2 cm)                              | F. 4 <sup>9</sup> / <sub>16</sub> " (11.6 cm) |
| C. 19 <sup>3</sup> / <sub>8</sub> " (49.2 cm) | G. 1 <sup>3</sup> / <sub>8</sub> " (3.4 cm)   |
| D. 28 <sup>3</sup> / <sub>8</sub> " (72.1 cm) |                                               |

KCGS556ESS and KCGS956ESS Models




- |                                               |                                               |
|-----------------------------------------------|-----------------------------------------------|
| A. 21" (53.3 cm)                              | E. 3 <sup>5</sup> / <sub>16</sub> " (9.2 cm)  |
| B. 36 <sup>1</sup> / <sub>4</sub> " (92.0 cm) | F. 4 <sup>9</sup> / <sub>16</sub> " (11.6 cm) |
| C. 19 <sup>3</sup> / <sub>8</sub> " (49.2 cm) | G. 1 <sup>7</sup> / <sub>16</sub> " (3.6 cm)  |
| D. 34 <sup>3</sup> / <sub>8</sub> " (88.1 cm) |                                               |

All Other 30" (76.2 cm) Models




- |                                               |                                              |
|-----------------------------------------------|----------------------------------------------|
| A. 21" (53.3 cm)                              | E. 3 <sup>3</sup> / <sub>8</sub> " (8.6 cm)  |
| B. 30" (76.2 cm)                              | F. 4 <sup>1</sup> / <sub>8</sub> " (10.5 cm) |
| C. 18 <sup>7</sup> / <sub>8</sub> " (48.0 cm) | G. 1 <sup>1</sup> / <sub>2</sub> " (3.8 cm)  |
| D. 28 <sup>3</sup> / <sub>8</sub> " (72.1 cm) |                                              |

All Other 36" (91.4 cm) Models




- |                                               |                                              |
|-----------------------------------------------|----------------------------------------------|
| A. 21" (53.3 cm)                              | E. 3 <sup>3</sup> / <sub>8</sub> " (8.6 cm)  |
| B. 36" (91.4 cm)                              | F. 4 <sup>1</sup> / <sub>8</sub> " (10.5 cm) |
| C. 18 <sup>7</sup> / <sub>8</sub> " (48.0 cm) | G. 1 <sup>1</sup> / <sub>2</sub> " (3.8 cm)  |
| D. 33 <sup>3</sup> / <sub>4</sub> " (85.7 cm) |                                              |

Cabinet Clearances



- A. 13" (33.0 cm) recommended upper cabinet depth.
- B. 30" (76.2 cm) for 30" models; 36" (91.4 cm) for 36" models.
- C. 18" (45.7 cm) minimum clearance from upper cabinet to countertop within minimum horizontal clearances to cooktop.
- D. 30" (76.2 cm) minimum clearance between top of cooktop platform and bottom of uncovered wood or metal cabinet. 24" [61 cm] minimum clearance if bottom of wood or metal cabinet is covered by not less than 1/4" [0.6 cm] flame retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015" [0.04 cm] stainless steel, or 0.024" [0.06 cm] aluminum or 0.020" [0.05 cm] copper.
- E. Gas line opening - Wall: anywhere 5" (12.7 cm) below underside of countertop. Cabinet floor; anywhere within 6" (15.2 cm) of rear wall is recommended.

Cutout Dimensions - Top View



| Cutout (Product Opening) Dimensions                      |                |                |                |                |                |               |
|----------------------------------------------------------|----------------|----------------|----------------|----------------|----------------|---------------|
| 30" (76.2 cm) Models                                     |                |                |                |                |                |               |
| Models                                                   | A              |                |                | B              |                |               |
|                                                          | Min            | Recommended    | Max            | Min            | Recommended    | Max           |
| KCGS550 and KCGS950<br>All Other 30" (76.2 cm)<br>Models | 28½" (72.4 cm) | 28⅞" (73.4 cm) | 29⅝" (74.3 cm) | 19½" (49.5 cm) | 19⅜" (50.2 cm) | 20" (50.8 cm) |
|                                                          | 28½" (72.4 cm) | 28⅞" (73.4 cm) | 29⅝" (74.3 cm) | 19" (48.3 cm)  | 19½" (49.5 cm) | 20" (50.8 cm) |
| 36" (91.4 cm) Models                                     |                |                |                |                |                |               |
| KCGS556 and KCGS956<br>All Other 36" (91.4 cm)<br>Models | 34⅞" (88.4 cm) | 35⅜" (89.4 cm) | 35⅝" (90.3 cm) | 19½" (49.5 cm) | 19⅜" (50.2 cm) | 20" (50.8 cm) |
|                                                          | 33⅞" (86.0 cm) | 34⅜" (87.0 cm) | 35¼" (89.5 cm) | 19" (48.3 cm)  | 19½" (49.5 cm) | 20" (50.8 cm) |

| Side Walls (Combustible Surfaces)             |                                                                                                                   |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Models                                        | H and I                                                                                                           |
| KCGS5 and KCGS9                               | H and I added together must be at least 48" (122.0 cm), with each side individually being at least 8" (20.3 cm).  |
| KCGS350, KCGS356, MGC9536, WCG97US0, WCG97US6 | H and I added together must be at least 48" (122.0 cm), with each side individually being at least 12" (30.5 cm). |
| All Other Models                              | Both have to be 8" (20.3 cm) or more.                                                                             |

| Back Wall and Countertop Front Dimensions |               |              |              |
|-------------------------------------------|---------------|--------------|--------------|
| Models                                    | C             | D            | E            |
| KCGS550 and KCGS950                       | 25" (63.5 cm) | 2⅞" (7.3 cm) | 2¾" (6.9 cm) |
| All Other Models                          |               |              | 3⅞" (7.9 cm) |

**NOTES:** After making the countertop cutout, some installations may require notching down the base cabinet side walls to clear the cooktop base. To avoid this modification, use a base cabinet with sidewalls wider than the cutout.

If cabinet has a drawer, a 4" (10.2 cm) depth clearance from the countertop to the top of the drawer (or other obstruction) in base cabinet is required. The drawer depth may need to be shortened to avoid interfering with the regulator.

**IMPORTANT:** If a built-in wall oven is to be installed below this cooktop, the grounded outlet and gas supply piping must be located in an adjacent cabinet. If installing a range hood or microwave hood combination above the cooking surface, follow the range hood or microwave hood combination installation instructions for dimensional clearances above the cooktop surface.

This cooktop and its gas and electrical supply sources must be installed before the undercounter built-in wall oven is installed.

Whirlpool®

6.4 cu. ft. Smart Combination Wall Oven  
WOC54EC0H



Stainless Steel  
WOC54EC0HS

Also available in:

- ☐ White
- WOC54EC0HW
- ☒ Black
- WOC54EC0HB

Capacity

Oven 6.4 cu. ft.

General Features & Properties

- Frozen Bake™ technology
- Multi-Step Cooking
- Steam Clean option
- Scan-to-Connect Technology
- Remote Start
- Keep Warm Setting
- Party Mode
- Enhanced Troubleshooting
- Guided Service

Electrical Details

Amps 40

Volts 240

Certifications

Connected/Smart Appliance Yes

Star-K Certified/Kosher Yes

Technical Details

Fuel Type Electric

Oven Type Combination

Oven Cooking System Thermal

Number of Oven Racks 2

Cleaning Type Self-Cleaning w/Steam

Dimensions

Product Dimensions (H x W x D) 42-9/16" x 30" x 26-1/2"

Depth with Door Open 90° 46-3/4"

Cutout Dimensions (H x W x D) 41-5/16" x 28-1/2" x 24"

Reference Material

- [Install Guide](#)
- [Use & Care Guide](#)
- [Warranty](#)


Key Features & Benefits

- Smart Appliance**

Care smarter with connected features that let you send cooking instructions to the oven from your smartphone, control your kitchen with voice commands using a compatible voice-enabled device\* or skip preheating.
- Touchscreen**

Get instant access to the settings you use most with a touchscreen that learns, adapts and suggests customized presets based on your family's routines.
- Voice Control with a Compatible Voice-Enabled Device\*\***

Control your kitchen no matter what you've got on your hands with simple voice commands using the Google Assistant or an Alexa-enabled device.



\*Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at [whirlpool.com/connect](http://whirlpool.com/connect). \*\*U.S. Only. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

®/™ © 2020. All rights reserved. Printed in the U.S.A. D200104XXE. WOC54EC0HSpecSheetV01.

Whirlpool®

53 dBA\* Front Control Dishwasher  
WDF540PAD



Monochromatic Stainless Steel  
WDF540PADM

Also available in:

- ☐ White
- WDF540PADW
- ☐ Black
- WDF540PADB

Key Features & Benefits

- Sensor Cycle**

Automatically get the right wash and dry settings for each load with two sensors that measure temperature, soil level and load size during prewash and the wash cycle.
- 1-Hour Wash Cycle**

Clean the dishes you need fast with a cycle that thoroughly takes care of plates, pans and glasses in just an hour.\*\*
- Cycle Memory**


Quickly start your dishwasher with one button. It automatically remembers the last cycle you picked so it's stored and ready to go.

| Capacity                                  |     |
|-------------------------------------------|-----|
| Total Place Settings                      | 15  |
| General Features & Properties             |     |
| Soil Sensor                               |     |
| In-Door Silverware Basket                 |     |
| Sani Rinse Option                         |     |
| Normal Cycle                              |     |
| Heavy Cycle                               |     |
| High Temperature Wash Option              |     |
| Heated Dry Option                         |     |
| ENERGY STAR® Certified                    |     |
| Industry's Best Selling Dishwasher Brand† |     |
| Electrical Details                        |     |
| Amps                                      | 15  |
| Volts                                     | 120 |
| Hz                                        | 60  |
| Certifications                            |     |
| ENERGY STAR® Certified                    | Yes |

| Technical Details     |                  |
|-----------------------|------------------|
| Dishwasher Type       | Built-in         |
| Control Location      | Front            |
| Control Type          | Electronic       |
| Number of Wash Cycles | 5                |
| Number of Options     | 5                |
| dBA*                  | 53               |
| Number of Racks       | 2                |
| Tub Material          | Plastic          |
| Wash System           | Filter           |
| Wash System Type      | Removable Filter |
| Number of Wash Arms   | 3                |

| Dimensions                     |                             |
|--------------------------------|-----------------------------|
| Product Dimensions (H x W x D) | 34-1/2" x 23-7/8" x 24-1/2" |
| Depth with Door Open 90°       | 49-1/2"                     |

| Reference Material                   |  |
|--------------------------------------|--|
| <a href="#">Dimension Guide</a>      |  |
| <a href="#">Install Guide</a>        |  |
| <a href="#">Use &amp; Care Guide</a> |  |
| <a href="#">Energy Guide</a>         |  |
| <a href="#">Warranty</a>             |  |



\*Per IEC standards. \*\*Compared to Normal cycle with lightly soiled loads. †Based on 12-month average of unit sales. TraQline 2018. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice. ©/™ © 2020. All rights reserved. Printed in the U.S.A. D200052XXA. WDF540PADSPECSHEETV01.

**Whirlpool®** Undercounter Dishwasher

PRODUCT MODEL NUMBERS

|           |           |           |
|-----------|-----------|-----------|
| WDF110PAB | WDF310PLA | WDF530PSY |
| WDF111PAB | WDF320PAD | WDF540PAD |
| WDF120PAF | WDF510PAY | WDF730PAY |
| WDF121PAF | WDF520PAD | WDT710PAY |
| WDF310PAA | WDF530PAY | WDT720PAD |
| WDF310PCA | WDF530PLY | WDT770PAY |

**Electrical Requirements:** 120-volt, 60-Hz, AC only, 15- or 20-amp. fused electrical supply. Copper wire only. A time delay fuse or circuit breaker and separate circuit is recommended.

**If direct wiring dishwasher:** Use flexible, armored, or nonmetallic, sheathed copper wire with grounding wire that meets the wiring requirements for your home and local codes and ordinances. Use a UL listed or CSA approved conduit connector.

**If connecting dishwasher with a power supply cord:** Use Power Supply Cord Kit (Part No. 4317824) marked for use with dishwashers. Follow the kit instructions for installing the power supply cord. Power supply cord must plug into a grounded 3 prong, outlet, located in the cabinet next to the dishwasher opening. Outlet must meet all local codes and ordinances.


**Water Supply Requirements:** A hot water line with 20 to 120 psi (138 to 862 kPa) water pressure. Water temperature must be 120°F (49°C) water at dishwasher. Use 3/8" O.D. copper tubing with compression fitting or flexible braided water supply line (1/2" minimum plastic tubing is not recommended). Use a 90° elbow with 3/4"N.P.T. external pipe threads on one end. Do not solder within 6" (15.2 cm) from water inlet valve.

**Drain Requirements:** A new drain hose is supplied with your dishwasher. If this is not long enough, use a new drain hose with a maximum length of 12' (3.7 m) (Part No. 3385556) that meets all current AHAM/IAPMO test standards, is resistant to heat and detergent, and fits the 1" (2.5 cm) drain connector of the dishwasher.


Make sure to connect the drain hose to waste tee or disposer inlet above drain trap in house plumbing and 20" (50.8 cm) minimum above the floor. It is recommended

that the drain hose either be looped up and securely fastened to the underside of the counter or be connected to an air gap. Make sure to use an air gap if the drain hose is connected to house plumbing lower than 20" (50.8 cm) above subfloor or floor.

Use 1/2" (1.3 cm) minimum I.D. drain line fittings. If required, the air gap should be installed in accordance with the air gap installation instructions. When connecting the air gap, a rubber hose (not provided) will be needed to connect to the waste tee or disposer inlet.



PRODUCT DIMENSIONS




CABINET CUTOUT DIMENSIONS


**NOTE:** Shaded areas of cabinet walls show where utility connections may be installed.

\*Measure from the lowest point on the underside of the countertop. May be reduced to 33½" (85.1 cm) by removing the rear leveling legs from dishwasher.


\*\*Minimum, measured from narrowest point of opening.



Wine  
CELL'R<sup>MC</sup>  
PLATINUM



NO TRIM DOOR




PROFESSIONAL  
HANDLE



TOUCH SCREEN  
CONTROL



LOCKABLE DOOR



MODEL  
WC-46 SSPRO

TECHNICAL FEATURES

|              |                                                                     |
|--------------|---------------------------------------------------------------------|
| CAPACITY     | 46 BOTTLES                                                          |
| DIMENSIONS   | W 23 1/2" X H 34 1/4" X D 22 1/2"<br>W 595 mm X H 870 mm X D 570 mm |
| WEIGHT       | 102 lbs / 46 kg                                                     |
| TEMPERATURES | UP 5-12 DEGREES – DOWN 8-19 DEGREES                                 |

SPECIFIC FEATURES

|                                 |                                    |
|---------------------------------|------------------------------------|
| CABINET COLOR                   | BLACK                              |
| DOOR                            | STAINLESS STEEL GLASS DOOR NO TRIM |
| CONTROL                         | ELECTRONIC                         |
| TEMPERATURE ZONE                | 2 ZONES                            |
| CHARCOAL FILTER                 | YES                                |
| OPENING                         | 80%                                |
| SHELVES                         | 5 + 1 HALF                         |
| LIGHTING                        | BLUE LED                           |
| BUILT-IN                        | YES                                |
| SECURITY LOCK                   | YES                                |
| REVERSIBLE DOOR                 | NO (RIGHT AND LEFT AVAILABLE)      |
| EXTENSIBLE BALL-BEARING SHELVES | YES                                |
| VENTILATION GRILL               | INOX                               |
| NOISE dB(A)                     | 39 dB(A)                           |
| PART & LABOR WARRANTY           | 2 YEARS                            |
| COMPRESSOR WARRANTY             | EMBRACO 3 YEARS ON PARTS           |



EXTENSIBLE  
SHELVES



ACTIVATED  
CHARCOAL FILTER



AIR CIRCULATION  
FAN



BLUE LED  
LIGHTING



CAPACITY



CABINET  
COLOR



SECURITY LOCK



EXTENSIBLE  
SHELVES



LED LIGHTING



BUILT-IN

WINE CELL'R

3208 Autoroute Laval Ouest (A440), Laval (Québec) H7T 2H6 T. 450-688-2320 F. 450-688-2324 [winecellr.ca](http://winecellr.ca)

DETAILED PLANNING DIMENSION

2 of 15

WHIRLPOOL® FRONT LOAD WASHER WITH INTUITIVE CONTROLS - 4.3 cu ft


ELECTRICAL REQUIREMENTS

**WARNING:** To reduce the risk of fire, electric shock, or injury to persons, read the IMPORTANT SAFETY INSTRUCTIONS and INSTALLATION INSTRUCTIONS, located in your appliance's Owner's Manual, before installing and operating this appliance.

| Electrical Requirements         |                                        |
|---------------------------------|----------------------------------------|
| WFW560CHW                       | 4.3 cu ft DOE (US)/5.0 cu ft IEC (CAN) |
| Minimum Circuit Amperage Rating | 15 A                                   |
| Maximum Ampere Draw             | 10.36 A                                |
| Operating Voltage               | 120 V AC only                          |
| Operating Frequency             | 60 Hz                                  |

PRODUCT DIMENSIONS

| WFW560CHW              |                                | 4.3 cu ft DOE (US)/5.0 cu ft IEC (CAN) |              |              |
|------------------------|--------------------------------|----------------------------------------|--------------|--------------|
| Unit of Measurement    | in (minimum)                   | mm (minimum)                           | in (maximum) | mm (maximum) |
| Height (with feet) (A) | 38 <sup>5</sup> / <sub>8</sub> | 981                                    | 40           | 1016         |
| Product Width (B)      | 27                             | 686                                    | -            | -            |



**IMPORTANT:** Dimensional specifications are provided for planning purposes only.




DETAILED PLANNING DIMENSION

3 of 15

WHIRLPOOL® FRONT LOAD WASHER WITH INTUITIVE CONTROLS - 4.3 cu ft

PRODUCT DIMENSIONS

| WFW560CHW                        |                                  | 4.3 cu ft DOE (US)/5.0 cu ft IEC (CAN) |              |              |
|----------------------------------|----------------------------------|----------------------------------------|--------------|--------------|
| Unit of Measurement              | in (minimum)                     | mm (minimum)                           | in (maximum) | mm (maximum) |
| Door Width (C)                   | 25 <sup>11</sup> / <sub>16</sub> | 652                                    | -            | -            |
| Product Depth (D)                | 31 <sup>9</sup> / <sub>16</sub>  | 802                                    | -            | -            |
| Product Depth with Door Open (E) | 54 <sup>7</sup> / <sub>8</sub>   | 1393                                   | -            | -            |
| Door Height (F)                  | 25 <sup>11</sup> / <sub>16</sub> | 652                                    | -            | -            |
| Height to Bottom of Door (G)     | 9 <sup>1</sup> / <sub>2</sub>    | 241                                    | -            | -            |



SIDE VIEW

IMPORTANT: Dimensional specifications are provided for planning purposes only.




DETAILED PLANNING DIMENSION

4 of 15

WHIRLPOOL® FRONT LOAD WASHER WITH INTUITIVE CONTROLS - 4.3 cu ft

PRODUCT DIMENSIONS

| WFW560CHW                          |                                 | 4.3 cu ft DOE (US)/5.0 cu ft IEC (CAN) |              |              |
|------------------------------------|---------------------------------|----------------------------------------|--------------|--------------|
| Unit of Measurement                | in (minimum)                    | mm (minimum)                           | in (maximum) | mm (maximum) |
| Position of Power Cord (H)         | 35 <sup>5</sup> / <sub>16</sub> | 897                                    | -            | -            |
| Power Cord Length                  | 72                              | 1830                                   | -            | -            |
| Position of Water Inlet Valves (I) | 35 <sup>5</sup> / <sub>16</sub> | 897                                    | -            | -            |
| Position of Drain Hose (J)         | 8                               | 205                                    | -            | -            |
| Drain Hose Length                  | 52                              | 1321                                   | -            | -            |
| Diameter of Drain Hose             | 1                               | 26                                     | -            | -            |



BACK VIEW

IMPORTANT: Dimensional specifications are provided for planning purposes only.



DETAILED PLANNING DIMENSION


5 of 15

WHIRLPOOL® FRONT LOAD WASHER WITH INTUITIVE CONTROLS - 4.3 cu ft


All Dimensions show recommended spacing allowed, except for closet door ventilation openings which are minimum required. This washer has been tested for installation with spacing of 0" (0 mm) clearance on the sides. Consider allowing more space for ease of installation and servicing, and spacing for companion appliances and clearances for walls, doors, and floor moldings. Add spacing of 1" (25 mm) on all sides of washer to reduce noise transfer. If a closet door or louvered door is installed, top and bottom air openings in door are required.

\*For additional details (or information) specific to your model, refer to your Quick Start Guide.

CUSTOM UNDER COUNTER INSTALLATION



RECESSED AREA OR CLOSET INSTALLATION




**NOTE:** All 27" wide washers should have 19" clearance, while all 29" wide washers should have 22" clearance.

**IMPORTANT:** Dimensional specifications are provided for planning purposes only.



WHIRLPOOL DRYER Model #: YWED5620HW

Whirlpool Brand Canada English | Washer and Dryers | Dryers | Electric Dryers | YWED5620HW



7.4 cu. ft. Front Load Electric  
Dryer with Intuitive Touch  
Controls

Whirlpool 7.4 cu. ft. Front Load Electric Dryer with Intuitive Touch Controls  
Model #: YWED5620HW

Dimensions

|                                |                      |
|--------------------------------|----------------------|
| Depth                          | 78.74 cm, 31.0 in    |
| Depth With Door Open 90 Degree | 138.43 cm, 54-1/2 in |
| Height                         | 98.42 cm, 38-3/4 in  |
| Width                          | 68.58 cm, 27.0 in    |

Configuration and Overview

|           |          |
|-----------|----------|
| Fuel Type | Electric |
|-----------|----------|

Cycles and Options

|                          |     |
|--------------------------|-----|
| Cycle Time Remaining     | Yes |
| Lint Filter Indicator    | No  |
| Number of Dryer Cycles   | 36  |
| Number of Dryness Levels | 3   |

Ventilation System

|                     |                           |
|---------------------|---------------------------|
| Long Vent           | No                        |
| Maximum Vent Length | 64                        |
| Venting Direction   | Left, Right, Bottom, Rear |

Electrical

|                     |     |
|---------------------|-----|
| Hz                  | 60  |
| Power Cord Included | Yes |