Sales Selection Sheet Checklist

Model: 20-1456 B The Hampton

PURCHASERS: GURJEET SINGH SANGHERA/

LOT 3192A-6

VENDOR: Heathwood Homes (Huron) Limited FINISHED BASEMENT COLD CELLAR **UPGRADED / MODIFIED ELEVATION CORNER UPGRADE** REAR UPGRADE **CEILING UPGRADE - SMOOTH** MAIN FLOOR SECOND FLOOR **BASEMENT** ADDITIONAL ROUGH-INS 200 AMP SERVICE WET BAR ROUGH-IN **HUMIDIFIER** AIR CONDITIONING GAS ROUGH-IN STOVE **DRYER** BBQ ADDITIONAL FIREPLACE KITCHEN: HOODFAN VENTING SIZE **6 IN ROUND DUCT** 1 7 IN ROUND DUCT **FULL BASEMENT STAIRS:** N/A **UPPER BASEMENT STAIRS:** All Oak LOWER BASEMENT STAIRS: Carpet Grade MAIN STAIRS: All Oak MEDIA STAIRS (if applicable): N/A LOFT STAIRS (if applicable): N/A **Decor Consultant:** -05- 0 1 2023 Date Purchaser: Date Heathwood Homes (Huron) Limited Approved Locked Date:

GURJEET SINGH SANGHERA/

Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton

Hall



Locked: Closed:

	School Branch Co.	
Cabinet Colour/Style	9111	Viking III-SIMCOE ORCHID 3DL ***STD***
Countertop	9069	MSI Quartz GROUP 1 ICED WHITE ***STD***
Countertop Edge	4010	SINGLE POLISHED STRAIGHT EDGE 3/4 INCH ***STD***
Cabinet Hardware	7667	12881-HARDWARE ***STD***
Island Cabinet Colour/Style	9111	Viking III-SIMCOE ORCHID 3DL ***STD***
Island Countertop	9069	MSI Quartz GROUP 1 ICED WHITE ***STD***
Backsplash	1111	N/A *****
Backsplash Grout	1111	N/A *****
Backsplash Tile Pattern	1111	N/A *****
HoodFan	34	AV1308 Air King 30 STAINLESS STEEL UNDER CABINET RANGE HOOD **STD**
Comment		
Comment		A.
Comment hen/Breakfast		4
	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***
nen/Breakfast	9106	
hen/Breakfast Flooring		18 Matte ***1***

GURJEET SINGH SANGHERA/ Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton

Locked: Closed:

Flooring	7502	Red Oak Pearl-Vintage Engineered-PEWTER/ECLIPSE-3/4 inch x 3 1/4 inch
Comment	5.153 1	
Foyer		
Flooring	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Comment		
Mud Room		
Flooring	9437	TH.CT.WHT.1212.MT-Construct-White Matte-12 x 12 STD ***STD***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Comment	72.18	
Powder Room		
Flooring	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Plumbing Fixture (Colour)	1737	Plumbing Fixtures-WHITE ***STD***

GURJEET SINGH SANGHERA/ Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton Created: 2/29/2023 15:07:04

Locked:

		Closed.
Comment		
	ř.	
Great Room		
Flooring	7502	Red Oak Pearl-Vintage
Flooring	7502	Red Oak Pearl-Vintage Engineered-PEWTER/ECLIPSE-3/4 inch x 3 1/4 inch
Comment		
	The second secon	
Upper Hall		
Flooring	9506	DY 16611-MINOTAUR-SANDY BEIGE-40 oz Poly
		STD
Comment		
	÷	
Finished Basem	ent (Rec) Room/Hall	
Flooring	9506	DY 16611-MINOTAUR-SANDY BEIGE-40 oz Poly ***STD***
Comment		
	* *	
Master Bedroom		
Flooring	9506	DY 16611-MINOTAUR-SANDY BEIGE-40 oz Poly ***STD***
Comment		
Bedroom 2	ă de la companya de	
Flooring	9506	DY 16611-MINOTAUR-SANDY BEIGE-40 oz Poly
50 0000000000000		***STD***
Comment		
Bedroom 3	Marks of the action of the commence of the control	
Flooring	9506	DY 16611-MINOTAUR-SANDY BEIGE-40 oz Poly ***STD***

GURJEET SINGH SANGHERA/ Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton



Locked: Closed:

Comment		
ter Ensuite		
Cabinet Colour/Style	9111	Viking III-SIMCOE ORCHID 3DL ***STD***
ouzmot coloumotyle	21	
Countertop	8796	6698-46-Countertop-PALOMA POLAR ETCHINGS FINISH-Formica ***STD***
Countertop Edge	1111	N/A *****
Cabinet Hardware	7667	12881-HARDWARE ***STD***
Floor Tile	9104	GE.MD.ANT.1818.MT Madison Series Antracite Matte 1 18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Shower Floor Tile	8661	OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 ***STD***
Shower Floor Tile Grout	2226	Grout-(00) White ***STD***
Shower Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Shower Wall Tile	9020	QT.WV.WHT.0810-Weave-White-8 x 10 ***STD***
Shower Wall Tile Grout	2226	Grout-(00) White ***STD***
Shower Wall Tile Pattern	3070	HORIZONTAL STACKED ***STD***
Shower Jamb(s) and Sill(s)	8923	Shower Jamb / Sill-Thassos White ***STD***
Plumbing Fixture (colour)	1737	Plumbing Fixtures-WHITE ***STD***

GURJEET SINGH SANGHERA/ Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton



Locked:

Closed:

ain Bathroom		194.
Cabinet Colour/Style	9111	Viking III-SIMCOE ORCHID 3DL ***STD***
Countertop	8796	6698-46-Countertop-PALOMA POLAR ETCHINGS FINISH-Formica ***STD***
Countertop Edge	1111	N/A *****
Cabinet Hardware	7667	12881-HARDWARE ***STD***
Flooring	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Tub Wall Tile	9020	QT.WV.WHT.0810-Weave-White-8 x 10 ***STD***
Tub Wall Tile Grout	2226	Grout-(00) White ***STD***
Tub Wall Tile Pattern	3070	HORIZONTAL STACKED ***STD***
Plumbing Fixture (Colour)	1737	Plumbing Fixtures-WHITE ***STD***
Comment	(1-1340	
nished Basement Bathroom	***************************************	
Cabinet Colour/Style	9111	Viking III-SIMCOE ORCHID 3DL ***STD***
Countertop	8796	6698-46-Countertop-PALOMA POLAR ETCHINGS FINISH-Formica ***STD***
Countertop Edge	1111	N/A *****
Cabinet Hardware	7667	12881-HARDWARE ***STD***
Flooring	9437	TH.CT.WHT.1212.MT-Construct-White Matte-12 x 12 STD ***STD***

GURJEET SINGH SANGHERA/ Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton

Locked: Closed:

SCIENTIA AL PILITI I DEPENDADI DI AUTORIA INDERVACANI LICARDI PORRIBA RECORDI I INVIA IN PRESENCIARI SPESIALISMA		
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Shower Floor Tile	8661	OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 ***STD***
Shower Floor Tile Grout	2226	Grout-(00) White ***STD***
Shower Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Wall Tile	9020	QT.WV.WHT.0810-Weave-White-8 x 10 ***STD***
Wall Tile Grout	2226	Grout-(00) White ***STD***
Wall Tile Pattern	3070	HORIZONTAL STACKED ***STD***
Shower Jamb(s)	8923	Shower Jamb / Sill-Thassos White ***STD***
Plumbing Fixture (Colour) Comment	1737	Plumbing Fixtures-WHITE ***STD***
reat Room Fireplace		
Туре	8865	Dimplex-Electric Fireplace-PF3033HL ***STD***
Mantle	8891	NF-17-Paint Grade Mantle- Cabinet (Per Plan)-WHITE ***STD***
Surround Opt.	1111	N/A *****
Comment		

1711

Type

Page 6 of 8

Carpet Grade Stairs ***OPT. FINISHED BASEMENT***

GURJEET SINGH SANGHERA/ Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton



Locked:

Closed:

Colour	7922	Eclipse (Pewter) STAIN TO COMPLIMENT HARDWOOD AND WILL VARY FROM FLOORING ***99***
Carpet Runner	1111	N/A *****
Handrail/Pickets/Post Type	9119	Handrail only on closed walls (one or two sides per building code) ***STD***
Handrail/Pickets/Post Colours	1729	Carpet Grade-Stain handrail, pickets, stringers, nosing _pos
Carpet	9506	DY 16611-MINOTAUR-SANDY BEIGE-40 oz Poly ***STD***
Custom Stain/Paint	1111	N/A *****
Comment		
Basement Stairs Landing(s)	STEERINGS	
Flooring	7502	Red Oak Pearl-Vintage Engineered-PEWTER/ECLIPSE-3/4 inch x 3 1/4 inch ***3***
Comment		17 - 20
Main Stairs		
Туре	1714	Oak Stairs ***STD MAIN STAIRS***
Colour	7922	Eclipse (Pewter) STAIN TO COMPLIMENT HARDWOOD AND WILL VARY FROM FLOORING ***99***
Carpet Runner	1111	N/A *****
Handrail/Pickets/Posts Type	7652	1 5/16 inch Square pickets with 3 1/2? Square/Cap Post(s)-ALL OAK ***STD***
Handrail/Pickets/Posts Colour	1728	Oak Grade-Stain handrail,oak pickets,stringers,treads,risers
Custom Stain/Paint	1111	N/A *****
Comment		
Main Stairs Landing(s)		

Red Oak Pearl-Vintage

7502

Flooring

GURJEET SINGH SANGHERA/ Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton



Locked: Closed:

		0.0004.	
		Engineerea-PEVVTER/ECLIPSE-3/4 II	ncn x 3 1/4 incn
Comment	-81-00140	* .	
Throughout		7	
Walls - Paint Colour	1717	22-Wall-WARM GREY ***STD***	
Underpad	1079	500 Series-Underpad ***STD***	
Thresholds	2232	Metal Thresholds ***STD***	
Switches and Plug	5796	Decora White Switches and Plugs ***	STD***
Trim Size	8705	4 1/4 Baseboard and 2 3/4 Casings **	*STD***
Trim - Paint Colour	1716	Trim-WHITE ***STD***	
Comment			
Purchaser:	Z	Date Decor Consultant	03/01/23 Date
Purchaser:		Date Wallaceton	-05- 0 1 2023 Date Approved

10 of 27



CONSTRUCTION SUMMARY

Lot: 3192A-6 Model: 20-1456 B The Hampton

Project/Phase: Wallaceton / 3

Offer	Five Thousand Dollars (\$5,000) at D?cor. (No Cash Value) Townhomes
Worksheet	Note:
Offer	The Purchaser(s) acknowledge that they have NOT been referred by an existing Heathwood Homeowner and therefor are not
	entitled to a referral fee under Heathwood Homes Referral program.
Worksheet	Note:

DisciplineMS.rpt 13dec21 Page 1 of 3

Printed and Sent: 14-Dec-23

construction summary of 27



Lot: 3192A-6

Model: 20-1456 B The Hampton Project/Phase: Wallaceton / 3

ADMIN FEE

Invoice Qty. Description

CABINETRY

Invoice	Qty.	Description
1319 313,624		KITCHEN - H04-66cm deep fridge enclosure (counter depth) with (1) wall ([1] 66cm deep gable and [1] 66cm deep cabinet) (This is not a zero clearance enclosure. Standard heights and widths will be used.) Viking
01May23		KITCHEN SKETCH # 3
		DRYWAL-Notify; FRAMING-Modify Bulkhead; PAINTING-Notify
1319	1	KITCHEN - A11-Upper angle corner per unit Viking
313,768		
01May23		KITCHEN SKETCH# 3
		DRYWALL-Notify; FRAMING-Modify Bulkhead; PAINTING-Notify

CERAMICS

CEKA	VIIC	
Invoice	Qty.	Description
1319 348,218 01May23	1	KITCHEN / BREAKFAST - CERAMICS - KITCHEN / BREAKFAST - FLOOR - UG 1
1319 348,215 01May23	1	FOYER - CERAMICS - FOYER - FLOOR - UG 1
1319 348,216 01May23	1	POWDER - CERAMICS - POWDER - FLOOR - UG 1
1319 348,220 01May23	1	MASTER ENSUITE - CERAMICS - MASTER ENSUITE - FLOOR - UG 1
1319 348,219 01May23	1	MAIN BATH - CERAMICS - MAIN BATH - FLOOR - UG 1

DRYWALL

Invoice	Qty.	Description
1319 313,624	1	KITCHEN - H04-66cm deep fridge enclosure (counter depth) with (1) wall ([1] 66cm deep gable and [1] 66cm deep cabinet) (This is not a zero clearance enclosure. Standard heights and widths will be used.) Viking
01May23 **		KITCHEN SKETCH # 3 DRYWAL-Notify; FRAMING-Modify Bulkhead; PAINTING-Notify
1319	1	KITCHEN - A11-Upper angle corner per unit Viking
313,768		
01May23		KITCHEN SKETCH # 3 DRYWALL-Notify: FRAMING-Modify Bulkhead: PAINTING-Notify

DisciplineMS.rpt 13dec21 Page 2 of 3

Printed and Sent: 14-Dec-23

12 of 27 construction summary



Lot: 3192A-6 Model: 20-1456 B The Hampton

Project/Phase: Wallaceton / 3

ELECTRICAL

Invoice	Qty.	Description
1319	2	- ELECTRICAL - CEILING ROUGH-IN (CAPPED) INCLUDING SWITCH
314,224		
01May23		1X IN GREAT ROOM CENTERED +/- ON CEILING WITH OWN SWITCH; 1X CENTERED +/- ON ISLAND ON OWN SWITCH. SEE SKETCH # 2
1319	1	GREAT ROOM - ELECTRICAL - EXTRA WALL INTERIOR OUTLET ON EXISTING CIRCUIT (DOES NOT INCLUDE
314,232		KITCHEN OUTLETS)
01May23		TO BE CENTERED +/- ABOVE FIREPLACE APPROX. 70 " +/- FROM FLOOR. SEE SKETCH # 2
1		

FRAMING

Invoice	Qty.	Description
1319 313,624	1	KITCHEN - H04-66cm deep fridge enclosure (counter depth) with (1) wall ([1] 66cm deep gable and [1] 66cm deep cabinet) (This is not a zero clearance enclosure. Standard heights and widths will be used.) Viking
01May23 **		KITCHEN SKETCH # 3 DRYWAL-Notify; FRAMING-Modify Bulkhead; PAINTING-Notify
1319 313,768	1	KITCHEN - A11-Upper angle corner per unit Viking
01May23 **		KITCHEN SKETCH # 3 DRYWALL-Notify; FRAMING-Modify Bulkhead; PAINTING-Notify

PAINT	INC	
Invoice	Qty.	Description
1319 313,624 01May23	1	KITCHEN - H04-66cm deep fridge enclosure (counter depth) with (1) wall ([1] 66cm deep gable and [1] 66cm deep cabinet) (This is not a zero clearance enclosure. Standard heights and widths will be used.) Viking KITCHEN SKETCH # 3
**		DRYWAL-Notify; FRAMING-Modify Bulkhead; PAINTING-Notify
1319 313,768	1	KITCHEN - A11-Upper angle corner per unit Viking
01May23 **		KITCHEN SKETCH # 3 DRYWALL-Notify; FRAMING-Modify Bulkhead; PAINTING-Notify

DisciplineMS.rpt 13dec21 Page 3 of 3

Printed and Sent: 14-Dec-23

20-1456 ELEV. B

Model: 20-1456 B The Hampton

13 of 27


THE HAMPTON

Sketch #1

ELEVATION B | 1,800 SQ. FT.

Includes 329 sq. ft. of Finished Lower Level

WALLACETON



H02

LOWER LEVEL Legal Plan Dec. 3, 2020 ELEVATION B

Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton


14 of 27


THE HAMPTON

ELEVATION B | 1,800 SQ. FT. Sketch #2 Includes 329 sq. ft. of Finished Lower Level

20-1456 ELEV. B

WALLACETON









KITCHENS LIMITED 1350 Shawson Drive, Mississauga, ON LAW 1CS Z

U

WALLACETON, KITCHENER ON **HEATHWOOD HOMES** MODEL: 20-1456 (2002)

STANDARD CONTRACT INCLUDES:

Appliance Openings

- Hood Opening: 30"W Std. hood
- Fridge Opening: 37 3/8 "W X 73 3/8" H
- 30cm deep cabinet over fridge Stove Opening: 30" Freestanding
- Dishwasher Opening: 24"

Standard Kitchens Scope

- 100cm H wall cabinets
- Std. Blumotion Hinges-soft close
- Std. Metabox Drawers- not soft close
- Min 40cm W drawer
- Base pie cut corner cabinets
- Backing on all cabinets
- Countertop by others
- Upgrade applied paneled fridge & dishwashers supply only (appliance hardware by others)

Standard Vanity & Laundry Scope:

- Powder by others, pedestal
- All vanities include laminate counter
- Std. Blum Hinges- not soft close
- Tandem Box Drawers-soft close
- doors at sink) Master Ensuite: Top drawers (Full height
- added if Masters can't accommodate) Mains: Full height doors (top drawers Optional laundry base & wall cabinets


Model: 20-1456 B The Hampton

16 of 27

THE HAMPTON

Sketch #4 ELEVATION - Includes 329 sq. ft. of Finished Lower Level

20-1456 ELEV. B WALLACETON



Legal Plan Dec. 3, 2020

Project: Wallaceton Unit: 3192A-6, Phase: 3 Model: 20-1456 B The Hampton 17 of 27





NFAS NF17 Mantel

HOS

Printed in Canada

Franke Kindred Canada Limited


Project: Wallaceton Unit: 3192A-6, Phase: 3

Model: 20-1456 B The Hampton

18 of 27



ND1831UA/9



















ND1831UA/9 SPECIFICATION

Model ND1831UA/9 is a double (two equal size) bowl undermount sink manufactured by Franke Kindred Canada Limited from 18 gauge stainless steel. Product has silk finished rims and linear brush finished bowls. Sink is fully undercoated. Basket strainer waste fittings (3 1/2", 89 mm) are included. Sink is backed with a limited lifetime warranty.

- O.D. 17 3/4" x 30 7/8" x 8 1/2" (45 x 78 x 22 cm)
- Recommended for minimum 36" cabinet

Franke Kindred Canada Limited

P.O. Box 190, 1000 Franke Kindred Road, Midland, Ontario, Canada, L4R 4K9 Phone: 866-687-7465 Fax: 800-361-8408



Model: 20-1456 B The Hampton

19 of 27

Page down to identify the version you have.

FAUCET DESCRIPTION

Reflex™ pulldown system offers smooth operation, easy movement and secure docking
Power Clean™ spray technology
Metal construction with various finishes identified by suffix
Duralock™ connect installation
Pulldown consequents 6.6% besided boss

Duralock connect installation
Pulldown spray with 68" braided hose
Flexible supply lines with 3/8" compression fittings
High arc spout provides height and reach to fill or clean large
pots while pulldown wand provides the maneuverability for cleaning or rinsing
360" rotating spout
Faucet designed for handle to be mounted on right side only
ERATION

OPERATION

Lever style handle

Temperature controlled by 100° arc of handle travel Operates with less than 5 lbs. of force

Operates in stream or spray mode in the pullout or retracted position FLOW

Flow is limited to 1.5 gpm (5.7 L/min) max at 60 psi CARTRIDGE

1255™ Duralast™ cartridge

STANDARDS

Third party certified to IAPMO Green, ASME A112.18.1/CSA B125.1 and all

applicable requirements therein including NSF 61/9G & 372 Meets CalGreen and Georgia SB370 requirements Complies with California Proposition 65 and with the Federal Safe Drinking

The backflow protection system in the device consists of two independently operating check valves, a primary and a secondary which prevent backflow

ADA (5) for lever handle


WARRANTY

Lifetime limited warranty against leaks, drips and finish defects to the original homeowner

10 year limited warranty when used in a multifamily installation

5 year limited warranty when used in a commercial installation Visit www.moen.com/support for complete details and limitations

Specifications




ALIGN™ Single Handle High Arc **Pulldown Kitchen Faucet**

Models: 7565 series

NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED THROUGH 1 HOLE, 1-1/2" (38mm) MIN. DIA. (OPTIONAL 3-HOLE ESCUTCHEON 141002 AVAILABLE)





FOR MORE INFORMATION CALL: 1-800-BUY-MOEN

www.moen.com



Rev. 6/20

Project: Wallaceton

Unit: 3192A-6, Phase: 3

Model: 20-1456 B The Hampton

20 of 27



BARRIER FREE (ABOVE COUNTER OR DROP-IN ONLY)

BOULEVARD® PEDESTAL SINK VITREOUS CHINA

BOULEVARD® PEDESTAL SINK

O641.800 Faucet holes on 8" (203mm) centers (Illustrated) STD 641.400 Faucet holes on 4" (102mm) centers

- ☐ 0641.100 Center hole only
 - · Classic styled rectangular pedestal lavatory
 - · Vitreous china
 - · Rear overflow
 - · Supplied with mounting kit
 - · Right Height® for greater comfort during use
 - Faucet ledge with large deck area (faucet not included)
 - Design coordinates with Boulevard® Toilet
 - Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with u-shaped cut out)

Nominal Dimensions:

24" x 19" x 35-1/2" (610 x 483 x 902mm)

- ☐ 0641.008 Pedestal top-8" (203mm) centers
- ☐ 0641.004 Pedestal top-4" (102mm) centers
- ☐ 0641.001 Pedestal top-center hole only
- ☐ 0010.000 Pedestal only

Bowl sizes:

17" (432mm) wide, 12-1/2" (318mm) front to back, 5" (127mm) deep

Compliance Certifications -

Meets or Exceeds the Following Specifications:

ASME A112.19.2 - 2008/CSA B45.1-08

To Be Specified:

- ☐ Color: ☐ White ☐ Linen
- ☐ Nipple:

ı	☐ Faucet Finish:
ı	☐ Supplies:
	☐ 1-1/4" Trap:
-1	- N



SEE REVERSE FOR ROUGHING-IN DIMENSIONS

© 2018 AS America Inc.

^{*} See faucet section for additional models available

Model: 20-1456 B The Hampton

21 of 27

American Standard

BARRIER FREE

COLONY™ COUNTERTOP SINK

VITREOUS CHINA

COLONY COUNTERTOP SINK

- · Vitreous china
- · Self-rimming
- · Front overflow
- · Supplied with template
- Faucet deck (Faucet shown not included)



Faucet holes on 203mm (8") centres



346 403 (Illustrated)

Faucet holes on 102mm (4") centres


0346 001


Centre hole only

Nominal Dimensions: 521 x 448mm (20-1/2" x 17-5/8")

Bowl sizes:

422mm (16-5/8") wide, 279mm (11") front to back, 143mm (5-5/8") deep





COMPLIANCE CERTIFICATIONS -

Meets or exceeds the following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures.
- · CAN/CSA B45 Series.

To Be Specified

- ☐ Colour: ☐ White ☐ Bone ☐ Silver Gray Linen
- ☐ Faucet*:
- □ Faucet Finish:
- Supplies & Stops:
- ☐ Trap 1-1/4" (32 mm):

© 2000 American Standard Inc.

NOTES:

* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAP ARE SUGGESTED.
FOR COUNTERTOP CUTOUT AND INSTALLATION INSTRUCTIONS USE TEMPLATE
SUPPLIED WITH SINK.
FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances
established by ANSI Standard A112.19.2.
These measurements are subject to change or cancellation. No responsibility is assumed for us



01/07

^{*} See faucet section for additional models available

Model: 20-1456 B The Hampton

22 of 27



DEMI[™] Product Specification Sheet

Two Piece Freestanding Collection

CF2007

Two Piece Freestanding Soaker

Size:


60" x 32" x 22"

1524 mm x 813 mm x 559 mm




- Vacuum formed acrylic reinforced with fiberglass
- Scratch, stain and fade resistant high gloss finish
- Installation friendly two piece design
- Accepts deck mounted faucet
- Includes integral pop up drain and rectangular overflow
- Includes levelling feet


TWO PIECE ASSEMBLY



TOP VIEW



END VIEW



GENERAL SPECIFICATIONS		
Average Weight	90 lb	41 kg
Bathing Well at bottom	43"x 20"	1092 x 508 mm
Capacity Drain to Overflow		195 litres
Water Depth Drain to Overflow	16"	406 mm
Drain Opening (dia.)	2"	51 mm
Overflow Opening	2 1/4" x 1/2"	57 x 13 mm
Drain to Floor Clearance	3 1/4"	83 mm

NOTES: Please confirm measurements on actual product to ensure proper identification. Bathtub to be installed on the floor supported by 5 self levelling feet. Adjust if required to level the bathtub for adequate drainage. Refer to installation instructions for additional information.

IMPORTANT: Dimensions of fixtures are nominal and may vary \pm %" (6 mm). Weight may vary \pm 5 lb (2.3 kg). Drawing is not to scale. These measurements are subject to change at manufacturer's discretion.

Compliance Certifications -

Meets or Exceeds the following Specifications:

CAN/CSA - B45 Series






mirolin. 60 Shorncliffe Rd., Toronto, Ontario M8Z 5K1
Telephone: 416.231.9030 Fax: 416.231.0929

www.mirolin.com

Customer Service: 416.231.5790 Canada, U.S.A.: 800.MIROLIN(647-6546) Fax, Canada: 800.463.2236

R0084162 25 Sep. 2018





Project: Wallaceton

Unit: 3192A-6, Phase: 3

Model: 20-1456 B The Hampton

23 of 27

American Standard

Style That Works Better

FloWise™ DUAL FLUSH **ELONGATED TOILET**

VITREOUS CHINA

FloWise™ DUAL FLUSH ELONGATED TOILET

2476 216

- · Vitreous china
- Low-consumption Dual Flush Full flush 6.0 Lpf/1.3 gpf, Partial flush 3.0 Lpf/0.66 gpf.
- Elongated wash down bowl
- · Internal trapway fully-glazed, 2-1/4" (57mm) ballpass
- Concealed trapway bowl
- · Chrome-plated top mounted push button actuator
- · Easy to clean sanitary dam on bowl
- · Includes Elongated Slow Close Seat
- · 100% factory flush tested
- · 2 bolt caps

Separate Component Parts:

- 3067 316 Elongated Bowl with Slow Close Seat
- 4035 216 Unlined Tank
- 2476 516 Same as above with Lined tank
 - ☐ 3067 316 Elongated Bowl
 - 4035 516 Lined Tank


Nominal Dimensions: 794 x 432 x 765mm (31-1/4" x 17" x 30-1/8")


Compliance Certifications -Meets or Exceeds the Following Specifications:


- · ASME A112.19.2M (and 19.6M)
- CAN/CSA B45 series

To Be Specified

- Colour: 020 White
- ☐ Supply with stop:







NOTES:
THIS TOILET IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12")
FROM FINISHED WALL TO C/L OF OUTLET.
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.
* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED.
FOR ADDITIONAL INFORMATION REFER TO INSTALLATION INSTRUCTIONS SUPPLIED.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

UPGRADED VALUE ADDED FEATURES AT NO EXTRA CHARGE

TOI-284 © 2008 American Standard 08/08



Model: 20-1456 B The Hampton

24 of 27

MOEN

DESCRIPTION

- Metal construction with various finishes identified by suffix
- 16" long 3/8" tubing connections
- Includes metal or 50/50 pop-up type waste assembly where noted **OPERATION**
- Pivot action lever style handle
- Temperature controlled through 180° degree arc of handle travel

FLOW

Flow is limited to 1.5 gpm max (5.7L/min) at 60 psi

CARTRIDGE

- 1225 cartridge design
- Nonmetallic/nonferrous and stainless steel material
- Can accommodate reversed piping and back to back installations

STANDARDS

- Third party certified to WaterSense*, CSA B-125.1, ASME A112.18.1 and all applicable requirements referenced therein including NSF61/9 Complies with California Proposition 65 and with the Federal Safe
- Drinking Water Act

 ADA for lever handle

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations

Specifications



CHATEAU® Single-Handle Lavatory Faucet

with Metal Waste Assembly Model: L4625 series


L4631BC Bulk Packed (12 per carton): L64624 series

with 50/50 Waste Assembly Bulk Packed (12 per carton): L64625 series

Less Waste Bulk Packed (12 per carton): L64600 series

NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED THRU 3-1" DIA. HOLES, 2" ON CENTER





FOR MORE INFORMATION CALL: 1-800-BUY-MOEN

www.moen.com

Rev 8/15



Model: 20-1456 B The Hampton

25 of 27



Buy it for looks. Buy it for life.®

There is more than 1 version of this model. Page down to identify the version you have.

Metal construction with various finishes identified by suffix

Includes non-metalic showerhead, arm, flange and non-metalic diverter tub spout

OPERATION

Handle operates counterclockwise through a 270° arc with off at 6 o'clock and maximum hot at the 9 o'clock position. Shut off in clockwise direction

Adjustable temperature limit stop to control maximum hot water

Pressure balancing mechanism maintains selected discharge temperature to $\pm\,3^\circ$

Showerhead is limited to 2.5 gpm (9.5 L/min) at 80 psi

EP suffix models are limited to 1.75 gpm (6.6 L/min) at 80 psi NH suffix models contain no showerhead

CARTRIDGE

1222 cartridge design Accommodates back to back installations

Nonmetallic/nonferrous and stainless steel material

Third party certified to meet ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein

EP suffix models are third party certified to WaterSense®

ADA (for lever handle

6.5" (165mm ESC. DIAM.

WARRANTY

Lifetime limited warranty against leaks, drips and finish defects

2°CC (51mm) 1 7/8" IPS (48mm) MAX WALL

FINISHED WALL LINE

7-1/2" (190mm)

TUB RIM

to the original consumer purchaser 5 year warranty if used in commercial installations

Specifications






CHATEAU POSI-TEMP Single-Handle Tub/Shower Trim Kit

Models: TL181 series - valve trim only (Bulk Packed 12 per carton) TL182 series - shower trim only (Bulk Packed 12 per carton) TL183 series - tub/shower trim (Bulk Packed 12 per carton)

Valves: 62300 series 2500 series



THICK WALL APPLICATION CRITICAL DIMENSIONS

FLOOR LINE

2 1/2" MAX, (63mm)

1-3/8" (35mm)

SHOWER 45" (1143mm)/ 48" (1219mm)

32" (813mm) TUB/SHOWER AND TUB ONLY

(DO NOT SCALE)

FOR MORE INFORMATION CALL: 1-800-BUY-MOEN www.moen.com

TL183sp: Rev. 5/13

Project: Wallaceton

Unit: 3192A-6, Phase: 3

Model: 20-1456 B The Hampton

26 of 27

MOEN®

DESCRIPTION

Metal construction with various finishes identified by suffix **OPERATION**

- Lever style handles with hot and cold color indicator
- Rotate hot side handle counterclockwise to open (clockwise to close) and the cold side handle (clockwise to open) and (counterclockwise to close)


STANDARDS

- Third party certified to: ASME A112.18.1/CSA B-125.1, and all applicable requirements referenced therein
- ADA 🖒 for lever handles

WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
- 10 year limited warranty when used in a multi-family installation
- 5 year limited warranty when used in a commercial installation Visit www.moen.com/support for complete details and limitations


Specifications




CHATEAU® Two-Handle Garden Tub Trim

Models: T994 series

Valves: 4792, 4793, 4794, 4796, 4797, 4798





CRITICAL DIMENSIONS

FOR MORE INFORMATION CALL: 1-800-BUY-MOEN

www.moen.com



Model: 20-1456 B The Hampton

27 of 27







180 CFM/7.0 Sones @ 0.10" SP. Horizontal 180 CFM/7.5 Sones @ 0.10" SP. Vertical

Dimensions

Overall bottom projection - 183/8" Overall top projection -12" Height - 6" Available widths: 21", 24", 30", 36" & 42"

Hood Body

Stainless Steel: 24 gauge, grade 430 stainless steel. Painted: 23 gauge cold rolled commercial grade (CRCQ) steel, auto welded, coated with a baked enamel finish.

2 speed, single coil, thermally protected, permanently lubricated. Rated 120 volts, 60 hz. Complete with 200°C lead wires.

Single 60 watt cook light capacity (bulb not included).

Ducting Options


Horizontal ducting: 31/4"x10" (duct adapter and damper included). Vertical ducting: 31/4"x10" (duct adapter and damper included). Vertical ducting: 7" round (duct adapter and damper not included). Ductless: removable front vent (charcoal filter not included).

Fan Blade


One piece polymeric, electronically balanced blade. 65/8" diameter with 5 paddles.

Electrical connection

Hood top - 7/8" knockout hole for use with 1/2" cable clamp Hood back - 7/8" knockout hole for use with 1/2" cable clamp



av series



Filters

UL rated, class 2 filter. Grease Filter: RF35 - 87/8"x103/8" (included). Charcoal Filter: RF34 (not included). Combo Grease/Charcoal: RF55 (not included).

Available Finishes

White, Biscuit, Almond, Black & Stainless Steel.

	gradu eg		EXPA	NDED	PERFO	RMANO	E			
		Stati	c Pressure	(inches o	f w.g.)		Sones	Fan Speed	Power	
Air Flow - CFM	0	0.05	0.1	0.15	0.2	0.25	@ .1 SP	RPM	Watts	Apms
Vertical Ducting High	246	232	218	203	181	147	7.5	2973	87.0	2.1
Horizontal Ducting High	225	210	180	175	155	120	7.0	3024	87.0	2.1

PROJECT				ARCHITECT			
LOCATION				ENGINEER			
CONTRACTOR						ED BY	DATE
FAN MODEL CFM	IN W.C.	RPM	WATTS	AMPS	SONES	QTY	OPTIONAL EQUIPMENT & REMARKS





Air King: 820 Lincoln Avenue West Chester, Pennsylvania 19380-4466 Tel: (610) 692-7400 • 877-304-3785 Fax: (610) 696-8048

Canada: Brampton, Ontario Tel: 905-456-2033 Fax: (905) 456-1015

Updated 2-18

