Sales Selection Sheet Checklist

Model: 28-2444 C THE SOUTHPORT

LOT 3156

1 of 30

PURCHASERS: SUKHD VENDOR: Heathw	EV, SINGH DHA ood Homes (H		L, SINGH CHAHAL	
The National Association and the second				and the second second
WOB				4
☐ DECK				
FINISHED BASEMENT				
COLD CELLAR				
UPGRADED / MODIFIED ELEVATI	ON			
CORNER UPGRADE	CONTRACTOR AND			
REAR UPGRADE				
SIDE UPGRADE				
CEILING UPGRADE - SMOOTH			9	
✓ MAIN FLOOR				
SECOND FLOOR				
BASEMENT				
		9		
ADDITIONAL ROUGH-INS	and the state of t			
200 AMP SERVICE (STD IN	SINGLES)			
WET BAR ROUGH-IN HUMIDIFIER				
☐ HUMIDIFIER ✓ AIR CONDITIONING (SITE:	STD)			
	J. J			
GAS ROUGH-IN STOVE		THE PROPERTY OF THE PROPERTY O		
DRYER				
BBQ			7	
ADDITIONAL FIREPLACE				
KITCHEN: HOODFAN VENTING SI	IZE			
6 IN ROUND DUCT				
7 IN ROUND DUCT				
FULL BASEMENT STAIRS:	N/A			
UPPER BASEMENT STAIRS:	All Oak			
LOWER LEVEL STAIRS:	Paint Grade			
MAIN STAIRS:	All Oak			
MEDIA STAIRS (if applicable):	N/A			
LOFT STAIRS (if applicable):	N/A			
1011 31/22 5		10.10.6	1	E 10
Date Purchaser.	40	JAN 31/23 Date	Decor Consultant:	TUR_
Ca L	le -		Dood Consultant.	
		Tresta		
Date Purchaser:		-01- 21 2009	mka	sen
	·ib	Date Approved	Heathwood Homes (Hu	ıron) Limited
ocked Date:		Approved	200 A 100 A	

SUKHDEV, SINGH DHALIWAL/JASPAL, SINGH CHAHAL Project: Wallaceton Unit: 3156, Phase: 3 Model: 28-2444 C THE SOUTHPORT

Locked: Closed:

chen	-		
Cabinet Colour/Style	9166	Viking III-CHARLESTON-ORCHID-3DL ***STD***	
Island Cabinet Colour/Style	9166	Viking III-CHARLESTON-ORCHID-3DL ***STD***	
Cabinet Hardware	7667	12881-HARDWARE ***STD***	
Countertop	9053	Group 1-Quartz-BAYSHORE SAND ***STD***	
Island Countertop	9053	Group 1-Quartz-BAYSHORE SAND ***STD***	
Countertop Edge	4010	SINGLE POLISHED STRAIGHT EDGE 3/4 INCH ***STD**	
- Please note some islands may	/ require a sean	n as per manufacturer and fabricator discretions.	
Sink	9487	Plumbing-KINDRED Kitchen Sink Collection - Reginox ND1831 U/9-Double (equal size) Bowl Undermount Sink (or equivalent)-Stainless Steel	
HoodFan	34	AV1308 Air King 30 STAINLESS STEEL UNDER CABINET RANGE HOOD **STD**	
Backsplash	1111	N/A *****	
Packanlash Crout	1111	N/A *****	
Backsplash Grout		N/A *****	
Backsplash Tile Pattern	1111	[N/A	
Flooring	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X	
		GE.MD.WHT.1818.MT Madison Series White Matte 18 X	
Flooring	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***	
Floor Tile Grout	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD***	
Flooring Floor Tile Grout	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD***	
Flooring Floor Tile Grout	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD***	
Flooring Floor Tile Grout	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD***	
Flooring Floor Tile Grout Floor Tile Pattern	9106 2225 3000	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD***	
Flooring Floor Tile Grout Floor Tile Pattern - Purchasers have been advised Rough-In is included.	9106 2225 3000 d: standard fridgenches and stan	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** ge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline dard dishwasher opening is 24 inches. Any gas stove will	
Flooring Floor Tile Grout Floor Tile Pattern - Purchasers have been advised Rough-In is included. - Standard stove opening is 30 in require backsplash or stainless started.	9106 2225 3000 d: standard fridg inches and stan steel backing to	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** ge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline dard dishwasher opening is 24 inches. Any gas stove will avoid fire hazards. and its contractors will not be responsible for any kitchen	
Flooring Floor Tile Grout Floor Tile Pattern - Purchasers have been advised Rough-In is included Standard stove opening is 30 in require backsplash or stainless selection.	9106 2225 3000 d: standard fridg inches and stan steel backing to	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** ge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline dard dishwasher opening is 24 inches. Any gas stove will avoid fire hazards. and its contractors will not be responsible for any kitchen	
Flooring Floor Tile Grout Floor Tile Pattern - Purchasers have been advised Rough-In is included Standard stove opening is 30 in require backsplash or stainless should be a cabinet changes due to appliance.	9106 2225 3000 d: standard fridg inches and stan steel backing to	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** ge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline dard dishwasher opening is 24 inches. Any gas stove will avoid fire hazards. and its contractors will not be responsible for any kitchen	
Floor Tile Grout Floor Tile Pattern - Purchasers have been advised Rough-In is included Standard stove opening is 30 in require backsplash or stainless in the comment of the comment	9106 2225 3000 d: standard fridgenches and stansteel backing to athwood Homes ces dimension of	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** ge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline dard dishwasher opening is 24 inches. Any gas stove will avoid fire hazards. and its contractors will not be responsible for any kitchen changes after sign-off.	
Flooring Floor Tile Grout Floor Tile Pattern - Purchasers have been advised Rough-In is included Standard stove opening is 30 in require backsplash or stainless should be a cabinet changes due to appliant Comment	9106 2225 3000 d: standard fridg inches and stan steel backing to	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** ge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline dard dishwasher opening is 24 inches. Any gas stove will avoid fire hazards. and its contractors will not be responsible for any kitchen	

SUKHDEV, SINGH DHALIWAL/JASPAL, SINGH CHAHAL Project: Wallaceton Unit: 3156, Phase: 3 Model: 28-2444 C THE SOUTHPORT

18

Locked: Closed:

Туре	8869	Majestic MERC32 ***STD***
Mantle	8891	NF-17-Paint Grade Mantle- Cabinet (Per Plan)-WHITE ***STD***
Surround (Opt.)		N/A *****
- Purchasers have been advis	ed: heat from the	e FP can damage TV above a FP and items placed on mantle.
- Heathwood and its contracto closing.	ors will not be liab	ole for any damage on items placed/@installed above a FP aft
Comment	-33: 53:	
	20	
n Hall Flooring	9359	Red Oak Pearl-Vintage Engineered-BARISTA-3/4 inch x 3
		1/4 inch ***UPG***
Floor Tile Grout	1111	N/A *****
Floor Tile Pattern	1111	N/A *****
*		
		· E
Comment	-	
Comment		
er		
er Flooring	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X
	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***
	9106 2225	
Flooring		18 Matte ***1***
Floor Tile Grout	2225	18 Matte ***1*** Grout-(27) Silver ***STD***
Floor Tile Grout	2225	18 Matte ***1*** Grout-(27) Silver ***STD***
Floor Tile Grout	2225	18 Matte ***1*** Grout-(27) Silver ***STD***
Floor Tile Grout Floor Tile Pattern	2225	18 Matte ***1*** Grout-(27) Silver ***STD***
Floor Tile Grout	2225	18 Matte ***1*** Grout-(27) Silver ***STD***
Floor Tile Grout Floor Tile Pattern	2225	18 Matte ***1*** Grout-(27) Silver ***STD***
Floor Tile Grout Floor Tile Pattern	2225	Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD***
Flooring Floor Tile Grout Floor Tile Pattern Comment	2225	18 Matte ***1*** Grout-(27) Silver ***STD***
Flooring Floor Tile Grout Floor Tile Pattern Comment	2225	Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** GE.MD.WHT.1818.MT Madison Series White Matte 18 X
Flooring Floor Tile Grout Floor Tile Pattern Comment //der Room Flooring	2225 3000 9106	Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***
Flooring Floor Tile Grout Floor Tile Pattern Comment rder Room Flooring Floor Tile Grout	2225 3000 9106	Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD***
Flooring Floor Tile Grout Floor Tile Pattern Comment der Room Flooring Floor Tile Grout	2225 3000 9106	Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD***
Flooring Floor Tile Grout Floor Tile Pattern Comment Vder Room Flooring Floor Tile Grout	2225 3000 9106	Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD***
Flooring Floor Tile Grout Floor Tile Pattern Comment Vder Room Flooring Floor Tile Grout	2225 3000 9106	Grout-(27) Silver ***STD*** STANDARD SQUARE ***STD*** GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** Grout-(27) Silver ***STD***

SUKHDEV, SINGH DHALIWAL/JASPAL, SINGH CHAHAL Project: Wallaceton Unit: 3156, Phase: 3 Model: 28-2444 C THE SOUTHPORT

rage 3 of 3

Locked:

0001120 2111 0 1112 0 0 0 1111		Closed:
Comment		
		11
Mud Room		GE.MD.WHT.1818.MT Madison Series White Matte 18 X
Flooring	9106	18 Matte ***1***
		To Watte
	0005	O+ (07) Cil ***CTD***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Comment		
Commone		
		E .
lallway and Broom Closet		
Flooring	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X
		18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
	11.	
ė.		
Comment		
Jpper Hall		
Flooring	9507	DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD***
Tiooning	0007	
Comment		
Comment		
Master Bedroom and Walk-in Closet		
Flooring	9507	DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD***
Comment		
200000000000000000000000000000000000000		
Bedroom 2		DV 00440 MINOTALID BLACK IOF 40 B-L. ***OTD***
Flooring	9507	DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD***
20 X F		
Comment		

SUKHDEV, SINGH DHALIWAL/JASPAL, SINGH CHAHAL Project: Wallaceton Unit: 3156, Phase: 3 Model: 28-2444 C THE SOUTHPORT

Page 4 of \$1000

Locked: Closed:

Bedroom 3		
Flooring	9507	DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD***
3 5		5
Comment		
	Tallion of the same	
Bedroom 4 and Walk-in Closet		
Flooring	9507	DY 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD***
· ·	0	11
Comment		
Comment		*
-		
Laundry Room	1	
Floor Tile	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X
		18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
Tioo Tio Talem	3333	
Out Calainst Calain/Style Umpara	4444	N/A *****
Opt. Cabinet Colour/Style - Uppers	1111	JIVA
Opt. Cabinet Hardware - Uppers	1111	N/A *****
Opt. Countertop	1111	N/A *****
W		
Opt. Countertop Edge	1111	N/A *****
Comment		
Comment		
Master Ensuite		
Cabinet Colour/Style	9166	Viking III-CHARLESTON-ORCHID-3DL ***STD***
		Los HADDWADE thtoTDttt
Cabinet Hardware	7672	135-HARDWARE ***STD***
Countertop	9053	Group 1-Quartz-BAYSHORE SAND ***STD***
Countertop Edge	4010	SINGLE POLISHED STRAIGHT EDGE 3/4 INCH ***STD***
Floor Tile	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X
		18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Grout Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
1 Ioor The Fattern	0000	

SUKHDEV, SINGH DHALIWAL/JASPAL, SINGH CHAHAL Project: Wallaceton Unit: 3156, Phase: 3 Model: 28-2444 C THE SOUTHPORT

Locked:

Closed:

的复数形式 的复数电影 医克里克斯氏炎 医	相談機能	
Chauses Wall Tile	5411	QT.SP.WHT.0810-Splendour-White-8 inch x 10 inch
Shower Wall Tile	5411	***STD***
Shower Wall Tile Grout	2226	Grout-(00) White ***STD***
Shower Wall Tile Pattern	3070	HORIZONTAL STACKED ***STD***
		
	79-0-	
Shower Floor Tile	8661	OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 ***STD***
Shower Floor Tile Grout	2226	Grout-(00) White ***STD***
Shower Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
onovor ricor ricor accom	2000	
Shower Jamb(s) and Sill(s)	8923	Shower Jamb / Sill-Thassos White ***STD***
Plumbing Fixture (colour)	1737	Plumbing Fixtures-WHITE ***STD***
Comment	1707	i lambing i ixtares vi ii i 2
		
ared Ensuite		
Cabinet Colour/Style	9166	Viking III-CHARLESTON-ORCHID-3DL ***STD***
Cabinet Hardware	7672	135-HARDWARE ***STD***
Countertop	8801	P-344 LM-Countertop-INUKSHUK GREY-Arborite
3. √3 (1990) (290, 20. •0)		***STD***
Countertop Edge	1111	N/A *****
Floor File	0106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X
Floor Tile	9106	18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
	8	
Shower Wall Tile	5411	QT.SP.WHT.0810-Splendour-White-8 inch x 10 inch ***STD***
		S1D
Shower Wall Tile Grout	2226	Grout-(00) White ***STD***
Shower Wall Tile Pattern	3070	HORIZONTAL STACKED ***STD***
and the contract of the contra	L	
Shower Floor Tile	8661	OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow
Shower Floor file	0001	White Matte-2 x 2 ***STD***

SUKHDEV, SINGH DHALIWAL/JASPAL, SINGH CHAHAL Project: Wallaceton Unit: 3156, Phase: 3 Model: 28-2444 C THE SOUTHPORT

Page ବିତା ଖି

Locked: Closed:

Shower Floor Tile Grout	2226	Grout-(00) White ***STD***
Shower Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
		
Shower Jamb(s) and Sill(s)	8923	Shower Jamb / Sill-Thassos White ***STD***
Plumbing Fixture (colour)	1737	Plumbing Fixtures-WHITE ***STD***
Comment		
nsuite 4	0400	ACLIER III CHARLESTON OROLUD 2DI ***CTD***
Cabinet Colour/Style	9166	Viking III-CHARLESTON-ORCHID-3DL ***STD***
Cabinet Hardware	7672	135-HARDWARE ***STD***
Countertop	8801	P-344 LM-Countertop-INUKSHUK GREY-Arborite
		STD
Countertop Edge	1111	N/A *****
	0.100	OF MD MULT 4040 MT Madison Coving Milita Motto 10 V
Floor Tile	9106	GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***
Floor Tile Grout	2225	Grout-(27) Silver ***STD***
Floor Tile Pattern	3000	STANDARD SQUARE ***STD***
		*
Wall Tile	5411	QT.SP.WHT.0810-Splendour-White-8 inch x 10 inch
vvan Tho	0.,,	***STD***
Wall Tile Grout	2226	Grout-(00) White ***STD***
Wall Tile Pattern	3070	HORIZONTAL STACKED ***STD***
Opt. Shower Floor Tile	1111	N/A *****
Out Observed Floor Tile Out t	4444	N/A *****
Opt. Shower Floor Tile Grout	1111	N/A *****
Opt. Shower Floor Tile Pattern	1111	IN/A
		±
	2	
Opt. Shower Jamb(s) and Sill(s)	1111	N/A *****
Plumbing Fixture (colour)	1737	Plumbing Fixtures-WHITE ***STD***
Comment	VALUE -	nues (C.S.)

SUKHDEV, SINGH DHALIWAL/JASPAL, SINGH CHAHAL

Project: Wallaceton Unit: 3156, Phase: 3

Model: 28-2444 C THE SOUTHPORT

80 f570 3 O

Locked: Closed:

Lower Level Recreation Room (Opt. Finish N/A ***** Flooring 1111 Comment Lower Level Bathroom (Opt. Finished Bas N/A ***** Cabinet Colour/Style 1111 N/A ***** 1111 Cabinet Hardware N/A ***** 1111 Countertop N/A ***** 1111 Countertop Edge N/A ***** 1111 Floor Tile N/A ***** 1111 Floor Tile Grout N/A ***** 1111 Floor Tile Pattern N/A ***** 1111 Shower Wall Tile N/A ***** 1111 Shower Wall Tile Grout N/A ***** 1111 Shower Wall Tile Pattern N/A ***** 1111 Shower Floor Tile N/A ***** Shower Floor Tile Grout 1111 N/A ***** Shower Floor Tile Pattern 1111 N/A ***** 1111 Shower Jamb(s) and Sill(s) N/A ***** Plumbing Fixture (colour) 1111 Comment **Main Stairs** Oak Stairs ***STD*** 1712 Type Sambucca STAIN TO COMPLIMENT HARDWOOD AND 7940 Colour WILL VARY FROM FLOORING ***99*** 7940 Handrail/Pickets/Posts Type

SUKHDEV, SINGH DHALIWAL/JASPAL, SINGH CHAHAL Project: Wallaceton Unit: 3156, Phase: 3 Model: 28-2444 C THE SOUTHPORT

Locked: Closed:

		BLACK METAL - SINGLE COLLAR ALT. PLAIN W/ SHOES WITH 3 1/2 INCH SQUARE/CAP POST(S) AS PER PLAN - UPG
Handrail/Pickets/Posts Colour	7940	Sambucca STAIN TO COMPLIMENT HARDWOOD AND WILL VARY FROM FLOORING ***99***
Custom Stain/Paint	1111	N/A *****
Landing(s)	9059	Red Oak-Vintage 3 1/4 inch Pre-Sanded Smooth Unfinished Red Oak-Unfinished-3/4 inch x 3 1/4inch
Opt. Carpet Runner	1111	N/A *****
Comment	51000 15000	

Туре	1713	Paint Grade Stairs ***STD UNFINISHED BASEMENT STAI
Colour	1111	N/A *****
Handrail/Pickets/Posts Type	1111	N/A *****
Handrail/Pickets/Posts Colour	1111	N/A *****
Custom Stain/Paint	1111	N/A *****
Landing(s)	1111	N/A *****
Opt. Carpet Runner	1111	N/A *****
Comment	200	

Γhroughout		
Switches and Plug	5796	Decora White Switches and Plugs ***STD***
Thresholds	2232	Metal Thresholds ***STD***
Underpad	1079	500 Series-Underpad ***STD***
Trim Size	8705	4 1/4 Baseboard and 2 3/4 Casings ***STD***
Trim - Paint Colour	1716	Trim-WHITE ***STD***
Purchaser: SUKHDEV, SINGH DI	Sh. A	Date Decor Consultant Date

Purchaser: _

Date Approved

10 of 30



Lot: 3156

Model: 28-2444 C THE SOUTHPORT Project/Phase: Wallaceton / 3

Offe	er	Ten Thousand Dollars (\$10,000) At D?cor. (No Cash Value) Singles
Works	heet	Note:
Offe		The Purchaser(s) acknowledge that they have NOT been referred by an existing Heathwood Homeowner and therefor are not
		entitled to a referral fee under Heathwood Homes Referral program.
Works	heet	Note:

DisciplineMS.rpt 13dec21 Page 1 of 3

Printed and Sent: 08-Jan-24

construction summary of 30



Lot: 3156 **Model: 28-2444 C THE SOUTHPORT**

Project/Phase: Wallaceton / 3

ADMIN FEE

Invoice Qty. Description

CABINETRY

Invoice	Qty.	Description
1262	1	- H34-Wall cabinet with shelf for microwave (finished interior) (opening 24 InchW x 13 3/4 InchH x 17 InchD) Viking
314,040		
31Jan23		KITCHEN - SEE SKETCH # 2 AND 3 FOR LOCATION
1	I	

CERAMICS

Invoice		Description
1262 347,421 31Jan23	1	Kitchen/Break - CERAMICS - FLOOR - Kitchen/Break - UG 1 KITCHEN
1262 347,418 31Jan23	1	Foyer Floor - CERAMICS - FLOOR - Foyer Floor - UG 1 FOYER
1262 347,419 31Jan23	1	Powder Floor - CERAMICS - FLOOR - Powder Floor - UG 1 POWDER ROOM
1262 347,420 31Jan23	1	Mud Room - CERAMICS - FLOOR - Mud Room - UG 1 MUD ROOM
1262 347,425 31Jan23	1	M.Ens Bath Floor - CERAMICS - FLOOR - M.Ens Bath Floor - UG 1 MASTER ENSUITE
1262 347,424 31Jan23	1	Shared 2&3 Bath Floor - CERAMICS - FLOOR - Shared 2&3 Bath Floor - UG 1 SHARED BATH
1262 347,423 31Jan23	1	Bath 4 Bath Floor - CERAMICS - FLOOR - Bath 4 Bath Floor - UG 1 ENSUITE 4
1262 347,422 31Jan23	1	Laundry Room - CERAMICS - FLOOR - Laundry Room - UG 1 LAUNDRY ROOM

DRYWALL

Invoice	Qty.	Description
1262	1	MAIN FLOOR - DRYWALL - SMOOTH CEILING IN MAIN FLOOR - UPG
347,865		
31Jan23		
		PAINTING-Paint Smooth Ceiling

DisciplineMS.rpt 13dec21 Page 2 of 3

Printed and Sent: 08-Jan-24

construction summary of 30



Lot: 3156

Model: 28-2444 C THE SOUTHPORT Project/Phase: Wallaceton / 3

ELECTRICAL

Invoice	Qty.	Description
1262 314,224	2	- ELECTRICAL - CEILING ROUGH-IN (CAPPED) INCLUDING SWITCH
31Jan23		1X CENTERED ON GREAT ROOM CEILING; 1X CENTERED ON ISLAND IN KITCHEN SKETCH # 2
1262	1	- ELECTRICAL - EXTRA WALL INTERIOR OUTLET ON EXISTING CIRCUIT (DOES NOT INCLUDE KITCHEN OUTLETS)
314,232 31Jan23		GREAT ROOM - TO BE CENTERED +/- ABOVE FIREPLACE APPROX. 70" FROM FLOORSEE SKETCH # 2
1262	1	- ELECTRICAL - EXTRA WALL INTERIOR OUTLET (120V/15A) ON A SEPARATE CIRCUIT (ON ARCFAULT)
314,229 31Jan23		KITCHEN - TO BE LOCATED AT MICROWAVE SHELF. SEE SKETCH # 2 AND 3

HARDWOOD

Invoice	Qty.	Description
1262	2	- PAINT - STAIN STAIR LANDING IN SAMBUCCA. LANDING OVER 25 SQ.FT. EACH
314,351		
31Jan23 **		HARDWOOD-Supply and Install smooth UNFINISHED pre-sanded red oak at stair landing(s)

INTERIOR RAILINGS

Invoice	Qty.	Description
1262 348,076	1	- Interior Railings - BLACK METAL - SINGLE COLLAR ALT. PLAIN W/ SHOES WITH 3 1/2 INCH SQUARE/CAP POST(S) AS PER PLAN - MAIN AND 2ND FLOOR - UPG
31Jan23		
		PAINTING-Notify

PAINT	INC	
Invoice	Qty.	Description
1262 348,076	1	- Interior Railings - BLACK METAL - SINGLE COLLAR ALT. PLAIN W/ SHOES WITH 3 1/2 INCH SQUARE/CAP POST(S) AS PER PLAN - MAIN AND 2ND FLOOR - UPG
31Jan23 **		PAINTING-Notify
1262	2	- PAINT - STAIN STAIR LANDING IN SAMBUCCA. LANDING OVER 25 SQ.FT. EACH
314,351		
31Jan23		
		HARDWOOD-Supply and Install smooth UNFINISHED pre-sanded red oak at stair landing(s)
1262	1	MAIN FLOOR - DRYWALL - SMOOTH CEILING IN MAIN FLOOR - UPG
347,865		
31Jan23		
**		PAINTING-Paint Smooth Ceiling

DisciplineMS.rpt 13dec21 Page 3 of 3

Printed and Sent: 08-Jan-24

Model: 28-2444 C THE SOUTHPORT

13 of 30

THE SOUTHPORT


Sketch # 1

ELEVATION C | 2,449 SQ. FT.

617 sq. ft. of opt. finished Lower Level

WALLACETON

28-2444 ELEV. C









Model: 28-2444 C THE SOUTHPORT

14 of 30

THE SOUTHPORT


Sketch # 2


ELEVATION C | 2,449 SQ. FT.

617 sq. ft. of opt. finished Lower Level

WALLACETON

28-2444 ELEV. C









U H H.

WALLACETON, KITCHENER ON **HEATHWOOD HOMES** MODEL: 28-2444 (3402)

STANDARD CONTRACT INCLUDES:

Appliance Openings

- Hood Opening: 30"W Builder hood
- Fridge Opening: 37 3/8 "W X 73 3/8"
- Fridge cabinet & gables: 66cm Deep Stove Opening: 30" Freestanding
- Dishwasher Opening: 24"

Standard Kitchens Scope:

- 100cm H wall cabinets
- Std. Blumotion Hinges-soft close
- Std. Metabox Drawers- not soft close
- Min 40cm W drawer
- Base pie cut corner cabinets
- Backing on all cabinets Countertop by others
- Upgrade applied paneled fridge & hardware by others) dishwashers supply only (appliance

Standard Vanity & Laundry Scope:

- Powder by others, pedestal
- Master Ens. Top by others
- Remaining vanities inc. laminate top
- Std. Blum Hinges- not soft close Std. Metabox Drawers- not soft close
- Master Ens: Top drawers(Sink Full height)
- Mains: Full height doors (top drawers Optional laundry base & wall cabinets added if Masters can't accommodate

Model: 28-2444 C THE SOUTHPORT

16 of 30

THE SOUTHPORT


Sketch #4

ELEVATION C | 2,449 SQ. FT.

617 sq. ft. of opt. finished Lower Level

WALLACETON

28-2444 ELEV. C



SECOND FLOOR ELEVATION C



Legal Plan Feb. 17, 2021

^{*} Master Ensuite Shower Door Swing Changed

Model: 28-2444 C THE SOUTHPORT


OPTIONAL

W/D



OPT. LAUNDRY UPPERS $(2^{ND} FLR)$

OPT. BASEMENT BATH





7 of 3

(2ND FLR)

MASTER ENSUITE

(OPT. DBL SIMK V70+V40+V70) (2ND FLR)





STANDARD CONTRACT INCLUDES:

WALLACETON, KITCHENER ON

MODEL: 28-2444 (3402)

HEATHWOOD HOMES

Appliance Openings

Fridge Opening: 37 3/8 "W X 73 3/8" Hood Opening: 30"W Builder hood

Stove Opening: 30" Freestanding Fridge cabinet & gables: 66cm Deep

Dishwasher Opening: 24"




KITCHENS LIMITED 1350 Shawson Drive, Mississauga, ON L4W 1C5

V

Z

U





MAIN BATH

Std. Metabox Drawers- not soft close Std. Blumotion Hinges-soft close Min 40cm W drawer 100cm H wall cabinets

Standard Kitchens Scope

Base pie cut corner cabinets

Backing on all cabinets

dishwashers supply only (appliance Upgrade applied paneled fridge & Countertop by others

Standard Vanity & Laundry Scope:

hardware by others)

Powder by others, pedestal

Remaining vanities inc. laminate top Master Ens. – Top by others

Std. Blum Hinges- not soft close Std. Metabox Drawers- not soft close

Master Ens: Top drawers (Sink Full height) Mains: Full height doors (top drawers

IT IS NOT AN EXACT RENDITION

Optional laundry base & wall cabinets added if Masters can't accommodate Project: Wallaceton Unit: 3156, Phase: 3 Model: 28-2444 C THE SOUTHPORT

18 of 30





NFAS NF17 Mantel - Cabinet




(1)


Imprimé au Canada


Project: Wallaceton Unit: 3156, Phase: 3

Model: 28-2444 C THE SOUTHPORT

19 of 30







MB100

BG10S

CA1W

ND1831UA/9 DONNÉES TECHNIQUES

Le modèle ND1831UA/9 est un évier à montage sous comptoir, à deux cuvettes (identiques), fabriqué par Franke Kindred Canada Limited dans de l'acier inoxydable de calibre 18. Le produit a un rebord à fini soyeux et des cuvettes à fini brossé linéaire. L'évier est revêtu d'un enduit sur toute la surface inférieure. Bondes d'évier à crépine-panier (3 1/2", 89 mm) comprises. L'évier fait l'objet d'une garantie limitée à vie.

- Dimensions hors-tout: 45 x 78 x 22 cm (17 3/4 x 30 7/8 x 8 1/2 po)
- Recommandé pour armoire d'un minimum de 91 cm (36 po)

Franke Kindred Canada Limitée

C.P. 190, 1000 Kindred Road, Midland, Ontario, Canada L4R 4K9 Téléphone: 866-687-7465 Télécopieur: 800-3 €1-8408



Franke Kindred Canada Limitée

Model: 28-2444 C THE SOUTHPORT

20 of 30

Page down to identify the version you have.

FAUCET DESCRIPTION

Reflex™ pulldown system offers smooth operation, easy movement and secure docking Power Clean™ spray technology Metal construction with various finishes identified by suffix

Duralock™ connect installation Pulldown spray with 68" braided hose

Flexible supply lines with 3/8" compression fittings
High arc spout provides height and reach to fill or clean large
pots while pulldown wand provides the maneuverability for cleaning or rinsing
360° rotating spout

Faucet designed for handle to be mounted on right side only

OPERATION

Temperature controlled by 100° arc of handle travel
 Operates with less than 5 lbs. of force
 Operates in stream or spray mode in the pullout or retracted position
 FLOW

Flow is limited to 1.5 gpm (5.7 L/min) max at 60 psi

CARTRIDGE

1255™ Duralast™ cartridge STANDARDS

Third party certified to IAPMO Green, ASME A112.18.1/CSA B125.1 and all

- applicable requirements therein including NSF 61/9G & 372
 Meets CalGreen and Georgia SB370 requirements
 Complies with California Proposition 65 and with the Federal Safe Drinking
- The backflow protection system in the device consists of two independently operating check valves, a primary and a secondary which prevent backflow


ADA (for lever handle

WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to

10 year limited warranty when used in a multifamily installation 5 year limited warranty when used in a commercial installation Visit www.moen.com/support for complete details and limitations






ALIGN™ Single Handle High Arc **Pulldown Kitchen Faucet**

Models: 7565 series

NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED THROUGH 1 HOLE, 1-1/2" (38mm) MIN. DIA. (OPTIONAL 3-HOLE ESCUTCHEON 141002 AVAILABLE)





FOR MORE INFORMATION CALL: 1-800-BUY-MO⊭N www.meen



Model: 28-2444 C THE SOUTHPORT

21 of 30



BARRIER FREE (ABOVE COUNTER OR DROP-IN ONLY)

BOULEVARD® PEDESTAL SINK VITREOUS CHINA

BOULEVARD® PEDESTAL SINK

O641.800 Faucet holes on 8" (203mm) centers (Illustrated) STD 0641.400 Faucet holes on 4" (102mm) centers

□ 0641.100 Center hole only

- · Classic styled rectangular pedestal lavatory
- Vitreous china
- Rear overflow
- · Supplied with mounting kit
- Right Height® for greater comfort during use
- Faucet ledge with large deck area (faucet not included)
- Design coordinates with Boulevard® Toilet
- Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with u-shaped cut out)

Nominal Dimensions:

24" x 19" x 35-1/2" (610 x 483 x 902mm)

- ☐ 0641.008 Pedestal top-8" (203mm) centers
- ☐ 0641.004 Pedestal top-4" (102mm) centers
- ☐ 0641.001 Pedestal top-center hole only
- □ 0010.000 Pedestal only

Bowl sizes:

17" (432mm) wide, 12-1/2" (318mm) front to back, 5" (127mm) deep

Compliance Certifications -

Meets or Exceeds the Following Specifications:

• ASME A112.19.2 - 2008/CSA B45.1-08

To Be Specified:

- ☐ Color: ☐ White ☐ Linen
- ☐ Faucet Finish:
- □ Supplies:
- ☐ 1-1/4" Trap:
- ☐ Nipple:



SEE REVERSE FOR ROUGHING-IN DIMENSIONS

© 2018 AS America Inc.

spec_0641_BoulevardPedSink Rev 2/18





^{*} See faucet section for additional models available

Model: 28-2444 C THE SOUTHPORT

22 of 30



Style That Works Better

BARRIER FREE

OVALYNTM UNDERCOUNTER SINK VITREOUS CHINA

OVALYN™ UNDERCOUNTER SINK

- · Classic oval undermount sink
- · Made from vitreous china
- · Front overflow
- Supplied with mounting kit (047194-0070A) and template
- □ **0495.221 Unglazed rim** 435 x 359mm (17-1/8" x 14-1/8")
- ☐ 0495.300 Glazed underside

Bowl size:

382mm (15-1/16") wide 306mm (12-1/16") front to back 140mm (5-1/2") deep

□ **0496.221 Unglazed rim** 489 x 413mm (19-1/4" x 16-1/4")

0496.300 Glazed underside

Bowl size:

432mm (17") wide 356mm (14") front to back 140mm (5-1/2") deep

□ 0497.221 Unglazed rim 546 x 441mm (21-1/2" x 17-3/8") □ 0497.300 Glazed underside

Bowl size:

483mm (19") wide 391mm (15-3/8") front to back 140mm (5-1/2") deep


Compliance Certifications -

Meets or Exceeds the Following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures
- CAN/CSA B45 series

To	Ве	S	oec	if	ie	d	:

- □ Color: □ White □ Bone □ Linen
 □ Silver □ Fawn Beige □ Black
- ☐ Faucet*:
- ☐ Faucet Finish:
- □ Supplies:
- ☐ 1-1/4" Trap:



STD Master Ensuite Undermount SINGLES

x 2

SEE REVERSE FOR ROUGHING-IN DIMENSIONS

2

J53

Revised 2/08

^{*} See faucet section for additional models available


Model: 28-2444 C THE SOUTHPORT

23 of 30

American Standard

Style That Works Better

OVALYNTM UNDERCOUNTER SINK



NOTES:

* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P"
TRAP ARE SUGGESTED.


▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.
PLEASE NOTE MINIMUM INTERIOR CLEARANCE DIMENSION (K).
FITTINGS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
USE ENCLOSED TEMPLATE FOR COUNTERTOP CUTOUT
SEALING COMPOUND SUPPLIED BY OTHERS.


IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES -CHECK LOCAL CODES.

Countertop 864mm (34") from finished floor. Lavatory installed 76mm (3") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.







NOTES:
USE ENCLOSED TEMPLATE FOR COUNTER TOP CUTOUT.
FITTINGS NOT INCLUDED WITH FIXTURE AND MUST BE
ORDERED SEPARATELY.
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P"
TRAP ARE SUGGESTED.


▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.
PLEASE NOTE MINIMUM INTERIOR CLEARANCE DIMENSION (K).
SEALING COMPOUND SUPPLIED BY OTHERS.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages



MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES -CHECK LOCAL CODES.

Countertop 864mm (34") from finished floor. Lavatory installed 51mm (2") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.



J54

Revised 2/08





Model: 28-2444 C THE SOUTHPORT

American Standard

COLONY™ COUNTERTOP SINK

VITREOUS CHINA

BARRIER FREE

COLONY COUNTERTOP SINK

- · Vitreous china
- · Self-rimming
- · Front overflow
- Supplied with template
- Faucet deck (Faucet shown not included)



Faucet holes on 203mm (8") centres

0346 403 (Illustrated)

Faucet holes on 102mm (4") centres

0346 001

Centre hole only

Nominal Dimensions: 521 x 448mm (20-1/2" x 17-5/8")

Bowl sizes:

422mm (16-5/8") wide, 279mm (11") front to back, 143mm (5-5/8") deep


COMPLIANCE CERTIFICATIONS -Meets or exceeds the following Specifications:


- · ASME A112.19.2M for Vitreous China Fixtures.
- CAN/CSA B45 Series.

To Be Specified

- ☐ Colour: ☐ White ☐ Bone ☐ Silver Gray
 - ☐ Linen
- ☐ Faucet*:
- ☐ Faucet Finish: □ Supplies & Stops:
- ☐ Trap 1-1/4" (32 mm):

* See faucet section for additional models available BAS-198





NOTES:

* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAP ARE SUGGESTED.
FOR COUNTERTOP CUTOUT AND INSTALLATION INSTRUCTIONS USE TEMPLATE
SUPPLIED WITH SINK.
FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances
established by ANSI Standard A112.19.2.
These measurements are subject to change or cancellation. No responsibility is assumed for use
of superseded or voided pages.

Model: 28-2444 C THE SOUTHPORT

25 of 30



DEMI[™] Product Specification Sheet

Two Piece Freestanding Collection

CF2007

Two Piece Freestanding Soaker

Size:


60" x 32" x 22"

1524 mm x 813 mm x 559 mm




- Vacuum formed acrylic reinforced with fiberglass
- Scratch, stain and fade resistant high gloss finish
- Installation friendly two piece design
- Accepts deck mounted faucet
- Includes integral pop up drain and rectangular overflow
- Includes levelling feet


TWO PIECE ASSEMBLY



END VIEW



TOP VIEW



GENERAL SPECIFICATIONS

Drain to Floor Clearance

Average Weight 90 lb 43"x 20" Bathing Well at bottom

Capacity Drain to Overflow Water Depth Drain to Overflow 16' Drain Opening (dia.) Overflow Opening

406 mm 51 mm 2 1/4"x 1/2" 57 x 13 mm 3 1/4" 83 mm

41 kg 1092 x 508 mm

195 litres

NOTES: Please confirm measurements on actual product to ensure proper identification. Bathtub to be installed on the floor supported by 5 self levelling feet. Adjust if required to level the bathtub for adequate drainage. Refer to installation instructions for additional information.

IMPORTANT: Dimensions of fixtures are nominal and may vary \pm %" (6 mm). Weight may vary \pm 5 lb (2.3 kg). Drawing is not to scale. These measurements are subject to change at manufacturer's discretion.

Compliance Certifications -

Meets or Exceeds the following Specifications:
• CAN/CSA - B45 Series





60 Shorncliffe Rd., Toronto, Ontario M8Z 5K1 Telephone: 416.231.9030 Fax: 416.231.0929 Fax: 416.231.0929 www.mirolin.com

© 2018 Mirolin Industries Corp.

Customer Service: 416.231.5790 Canada, U.S.A.: 800.MIROLIN(647-6546) Fax, Canada: 800.463.2236

R0084162 25 Sep. 2018





American Standard

Style That Works Better

FloWise™ DUAL FLUSH **ELONGATED TOILET**

VITREOUS CHINA

FloWise™ DUAL FLUSH ELONGATED TOILET

2476 216

- · Vitreous china
- · Low-consumption Dual Flush Full flush 6.0 Lpf/1.3 gpf, Partial flush 3.0 Lpf/0.66 gpf.
- · Elongated wash down bowl
- · Internal trapway fully-glazed, 2-1/4" (57mm) ballpass
- Concealed trapway bowl
- · Chrome-plated top mounted push button actuator
- Easy to clean sanitary dam on bowl
- · Includes Elongated Slow Close Seat
- 100% factory flush tested
- · 2 bolt caps

Separate Component Parts:

- ☐ 3067 316 Elongated Bowl with Slow Close Seat
- ☐ 4035 216 Unlined Tank
- 2476 516 Same as above with Lined tank
 - ☐ 3067 316 Elongated Bowl
 - 4035 516 Lined Tank


Nominal Dimensions: 794 x 432 x 765mm (31-1/4" x 17" x 30-1/8")


Compliance Certifications -Meets or Exceeds the Following Specifications:

- · ASME A112.19.2M (and 19.6M)
- · CAN/CSA B45 series

To Be Specified

- Colour: 020 White
- Supply with stop:





NOTES:
THIS TOILET IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12")
FROM FINISHED WALL TO C/L OF OUTLET.
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.
* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED.
FOR ADDITIONAL INFORMATION REFER TO INSTALLATION INSTRUCTIONS SUPPLIED.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

UPGRADED VALUE ADDED FEATURES AT NO EXTRA CHARGE

08/08





TOI-284

© 2008 American Standard

Model: 28-2444 C THE SOUTHPORT

27 of 30

MOEN

There is more than 1 version of this model. Page down to identify the version you have.

- Metal construction with various finishes identified by suffix Flexible supplies with 3/8" compression fittings
- Includes metal or 50/50 pop-up type waste assembly where noted

OPERATION

- Pivot action lever style handle
- Temperature controlled through 100° degree arc of handle travel

- Water usage is limited to these maximum flow rates as indicated by the corresponding product markings
- ° 1.2 gpm max (4.5L/min) at 60 psi
- ° 1.5 gpm max (5.7L/min) at 60 psi CARTRIDGE

- 1255™ Duralast™ cartridge
- Nonmetallic/nonferrous and stainless steel material

- Third party certified to WaterSense*, ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein
- Certified to NSF 61/9 & 372
- Products marked with 1.2 gpm are compliant with California water
- efficiency regulations Complies with California Proposition 65 and with the Federal Safe Drinking Water Act

 ADA for lever handle

WARRANTY

Rev. 8/15

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations

Specifications



CHATEAU® Single-Handle Lavatory Faucet

with Metal Waste Assembly

Model: L4625 series L4631BC


Bulk Packed (12 per carton):

L64624 series

with 50/50 Waste Assembly Bulk Packed (12 per carton): L64625 series

Less Waste Bulk Packed (12 per carton): L64600 series

NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED THRU 3-1" DIA. HOLES, 2" ON CENTER



FOR MORE INFORMATION CALL: 1-800-BUY-MOEN



www.moen.com

Model: 28-2444 C THE SOUTHPORT

28 of 30



Buy it for looks. Buy it for life.®

There is more than 1 version of this model. Page down to identify the version you have.

- Metal construction with various finishes identified by suffix
- Includes non-metalic showerhead, arm, flange and non-metalic diverter tub spout

OPERATION

- Handle operates counterclockwise through a 270° arc with off at 6 o'clock and maximum hot at the 9 o'clock position. Shut off in clockwise direction
- Adjustable temperature limit stop to control maximum hot water
- Pressure balancing mechanism maintains selected discharge temperature to $\pm\,3^\circ$

- Showerhead is limited to 2.5 gpm (9.5 L/min) at 80 psi
- EP suffix models are limited to 1.75 gpm (6.6 L/min) at 80 psi NH suffix models contain no showerhead

CARTRIDGE

- 1222 cartridge design Accommodates back to back installations
- Nonmetallic/nonferrous and stainless steel material

- Third party certified to meet ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein
- EP suffix models are third party certified to WaterSense®

ADA (for lever handle

WARRANTY

Lifetime limited warranty against leaks, drips and finish defects

2"CC (51mm) 1 7/8" IPS (48mm) MAX WALL

FINISHED WALL LINE

7-1/2" (190mm)

TUB RIM

to the original consumer purchaser 5 year warranty if used in commercial installations

Specifications






CHATEAU' POSI-TEMP' Single-Handle Tub/Shower Trim Kit

Models: TL181 series - valve trim only (Bulk Packed 12 per carton) TL182 series - shower trim only (Bulk Packed 12 per carton) TL183 series - tub/shower trim (Bulk Packed 12 per carton)

Valves: 62300 series 2500 series



CRITICAL DIMENSIONS

THICK WALL APPLICATION

FLOOR LINE

FACE OF STUD — 1/2" MIN. CC (13mm) 5/8" MIN. IPS (16mm)

2 1/2" MAX, (63mm)

1-3/8" (35mm)

SHOWER 45" (1143mm)/ 48" (1219mm)

32" (813mm) TUB/SHOWER AND TUB ONLY

(DO NOT SCALE)

FOR MORE INFORMATION CALL: 1-800-BUY-MOEN www.moen.co



Model: 28-2444 C THE SOUTHPORT

29 of 30

MOEN®

DESCRIPTION

Metal construction with various finishes identified by suffix

OPERATION

- · Lever style handles with hot and cold color indicator
- Rotate hot side handle counterclockwise to open (clockwise to close) and the cold side handle (clockwise to open) and (counterclockwise to close)


STANDARDS

- Third party certified to: ASME A112.18.1/CSA B-125.1, and all applicable requirements referenced therein
- ADA 🕭 for lever handles

WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
- 10 year limited warranty when used in a multi-family installation
- 5 year limited warranty when used in a commercial installation
 Visit www.moen.com/support for complete details and limitations


Specifications




CHATEAU® Two-Handle Garden Tub Trim

Models: T994 series

Valves: 4792, 4793, 4794, 4796, 4797, 4798





CRITICAL DIMENSIONS (DO NOT SCALE)

FOR MORE INFORMATION CALL: 1-800-BUY-MOEN





Model: 28-2444 C THE SOUTHPORT

30 of 30



SPECIFICATIONS

AV SERIES

RANGE HOODS



180 CFM/7.0 Sones @ 0.10" SP. Horizontal 180 CFM/7.5 Sones @ 0.10" SP. Vertical

Dimensions

Overall bottom projection - 183/8" Overall top projection -12" Height - 6" Available widths: 21", 24(, 30")36" & 42"

Hood Body

Stainless Steel: 24 gauge, grade 430 stainless steel.

Painted: 23 gauge cold rolled commercial grade (CRCQ) steel, auto welded, coated with a baked enamel finish.

Motor

2 speed, single coil, thermally protected, permanently lubricated. Rated 120 volts, 60 hz. Complete with 200°C lead wires.

Lighting

Single 60 watt cook light capacity (bulb not included).

Ducting Options


Vertical ducting: 31/4"x10" (duct adapter and damper included).
Vertical ducting: 31/4"x10" (duct adapter and damper included).
Vertical ducting: 7" round (duct adapter and damper not included).
Ductless: removable front vent (charcoal filter not included).

Fan Blade


One piece polymeric, electronically balanced blade. 65/8" diameter with 5 paddles.

Electrical connection

Hood top - 7/8" knockout hole for use with 1/2" cable clamp Hood back - 7/8" knockout hole for use with 1/2" cable clamp



AV SERIES



Filters

UL rated, class 2 filter. Grease Filter: RF35 - 87/8"x103/8" (included). Charcoal Filter: RF34 (not included). Combo Grease/Charcoal: RF55 (not included).

Available Finishes

White, Biscuit, Almond, Black & Stainless Steel.

			EXPA	NDED	PERFO	RMAN	E	LL J.Jaw. X.		
	4	Stati	c Pressure	(inches o	f w.g.)		Sones	Fan Speed	Power	
Air Flow - CFM	0	0.05	0.1	0.15	0.2	0.25	@ .1 SP	RPM	Watts	Apms
Vertical Ducting High	246	232	218	203	181	147	7.5	2973	87.0	2.1
Horizontal Ducting High	225	210	180	175	155	120	7.0	3024	87.0	2.1

PROJECT								ARCHITECT				
LOCATION							ENGINEER					
CONTRACTOR						24 - 22	SUBMITTED BY DATE					
FAN Number	MODEL NUMBER	CFM	IN W.C.	RPM	WATTS	AMPS	SONES	QTY	OPTIONAL EQUIPMENT & REMARKS			





Air King: 820 Lincoln Avenue West Chester, Pennsylvania 19380-4466 Tel: (610) 692-7400 • 877-304-3785 Fax: (610) 696-8048

Canada: Brampton, Ontario Tel: 905-456-2033 Fax: (905) 456-1015

Updated 2-18

