## HIGHCASTLE HOMES - COLOUR SCHEDULE

\* PLS DELETE PRE COLOUR CHART

Purchasers:

STEPHANIE RITA REBELLO & WILLIAM BERTIE ROXRC Property: 2Phase: 2 of Plan - Draft Plan 21T-9005B

Telephone Res. / Bus:

(647) 867-6871 /

Project: 2073737 Ontario Inc.

Decor Advisor:

Caroline Rajcsanyi

Model and Elevation: Parkhill Elev A

Lv5 - Florence Maple - Noce Nero CL	*POR* Calacatta Nuvo		
NA	N/A		9677 Handle
Lv4 - Kingston Paint - Caviar	- I become and the second		N/A
		A	9671 Handle
Lv2 - Hudson - Coconut		.o.l	9651 Handle
Lv4 - Kingston Paint - Winter White	The state of the s	aı	9661 Handle
		7	9660 Handle
Lv2 - Toronto Maple - Espresso CL			9677 Handle 9677 Handle
		Tallia and the same	
Counter Height/Flush	Kitchen Hood Fan	Purchasor	to cupply office electrodate deal of the state of
			to supply after closing/standard electrical
		100 cm	
•	Lv4 - Kingston Paint - Winter White Lv2 - Toronto Maple - Soapstone CL Lv2 - Toronto Maple - Espresso CL  Counter Height/Flush	Lv4 - Kingston Paint - Caviar  Lv2 - Toronto Maple - Shale Grey CL  Lv2 - Hudson - Coconut  Lv4 - Kingston Paint - Winter White  Lv2 - Toronto Maple - Soapstone CL  Lv2 - Toronto Maple - Espresso CL  Calcutta Marble 4925K-0  Counter Height/Flush  FPOR* Calacatta Nuvo  Lv1 - GR-San Gabriel  Lv1 - GR-San Gabriel  Calcutta Marble 4925K-0  Kitchen Hood Fan  Kitchen Upper Height	Lv4 - Kingston Paint - Caviar  Lv2 - Toronto Maple - Shale Grey CL  Lv2 - Hudson - Coconut  Lv4 - Kingston Paint - Winter White  Lv4 - Kingston Paint - Winter White  Lv2 - Toronto Maple - Soapstone CL  Lv2 - Toronto Maple - Espresso CL  Calcutta Marble 4925K-07  Counter Height/Flush  Kitchen Hood Fan  Purchaser

Count	ter to	p Ed	ige
-------	--------	------	-----

Kitchen Double Edge (1 1/2") Double Bevelled Powder Room Single Edge (3/4") Top Bevelled Single Edge (3/4") Top Bevelled Master Ens Ensuite 2 Single Edge (3/4") Top Bevelled

Single Edge (3/4") Top Bevelled

Opt. Kitchen

\*\*\*DRESSING TABLE IN MASTER WIC - CABINETS - TORONTO, MAPLE, ESPRESSO, COUNTER: CALCUTTA MARBLE 4925K-07, HANDLE 9677

Ensuite 3/4

#### PARQUET / HARDWOOD OR BROADLOOM

Kitchen / Breakfast	N/A	Master Bedroom	*White Oak Lauzon Homestead 5" x 1/2"-Caribou
Great Room	N/A	Bedroom 2	Programme and the second of th
Living / Formal Room	*White Oak Lauzon Homestead 5" x 1/2"-Caribou		*White Oak Lauzon Homestead 5" x 1/2"-Caribou
Dining Room		Bedroom 3	*White Oak Lauzon Homestead 5" x 1/2"-Caribou
Family Room	*White Oak Lauzon Homestead 5" x 1/2"-Caribou	Bedroom 4	*White Oak Lauzon Homestead 5" x 1/2"-Caribou
STATE OF THE CONTRACTOR OF THE STATE OF THE	*White Oak Lauzon Homestead 5" x 1/2"-Caribou		
Main Hall	N/A		The second secon
Main Stairs	Oak	Fin Bsmt Area	*1-Laminate-8mm SF Trend 4 7/8" x 5/16" - Midnight
Upper Hall	*White Oak Lauzon Homestead 5" x 1/2"-Caribou	Utility Stairs	Lv2 - Sweet Dreams1 Lv2 - 738 Amish Linen
Com. Centre/Home Office	N/A	Basement	N/A
Main Stair Landing	*White Oak Lauzon Homestead 5" x 1/2"-Caribou	Basement Landing	the Market and the second control of the sec
Library/Den/Study	*White Oak Lauzon Homestead 5" x 1/2"-Caribou	Basement Stairs	*White Oak Lauzon Homestead 5" x 1/2"-Caribou Oak
In Law Suite	N/Δ	- Justinent Stairs	Oak

Carpet Runner

No

Underpad Main Floor	Underpad 2nd Floor	Underpad Main Stairs
NA	NA NA	NA NA

Opt. Flooring Extras

\*\*\*MUD ROOM\*\*\*\*

FLOOR AND WALL TILES Wall Tile Front Foyer \*5 - 24 x 24 Carrara X White Polished Decor Listello Main Hall \*5 - 24 x 24 Carrara X White Polished Kitchen/Breakfast \*5 - 24 x 24 Carrara X White Polished Kitchen Backsplash NA Powder Room \*5 - 24 x 24 Carrara X White Polished Pwdr Wall if Applicable N/A Laundry \*5 - 24 x 24 Carrara X White Polished

	Floor	Tub Wall	Shower Wall	Deck Skirt	Deck Splash	50001	Listen
Main Bathroom	N/A	N/A	N/A	N/A	NA NA		
Master Ens	24x24CarraraXWhtPol	N/A	12x24CarraraXWhtPol	N/A	NA NA		-19
Ensuite 2	2-13x13, Alabastrino, Grey V	N/A	3-10x13, Alabastrino, Grey/V				
Ensuite 3/4	2-13x13, Kelly, Bronze	3-10x13, Kelly, Bronze	N/A	N/A	NA NA		/ /
	•	STATE OF THE STATE	IV/A	IN/A	NA NA		1
			-				

Shower - Upgrade Floor

Master Ens

(7x7cm)(2.8"x2.8") Bianco Carrara Multi-Textured

Opt. Tile Extras

Master ensuite floor - 24 x 24 Carrara X white polished. Master ensuite shower wall - 12 x 24 Carrara X White Polished - laid stacked horizontal on shower wall

## HIGHCASTLE HOMES - COLOUR SCHEDULE

STEPHANIE RITA REBELLO & WILLIAM BERTIE ROXRC Property: 2Phase: 2 of Plan - Draft Plan 21T-9005B Purchasers: Telephone Res. / Bus: (647) 867-6871 / Project: 2073737 Ontario Inc. Decor Advisor: Caroline Rajcsanyi Model and Elevation: Parkhill Elev A PLUMBING / FAUCETS Powder Room Standard Laundry Standard Main Bath N/A Ensuite 3/4 Standard Master Ensuite Standard 2nd Ensuite Standard R.I. Bath \*3 Piece Kitchen Sink \*Undermount Kitchen Faucet Standard Drain for 2nd floor Laundry Yes No. Waterline for fridge Yes No Supply and install all toilet paper holders, towel bars and soap dishes Yes No No Whirlpool Opt. Plumbing Extras **PAINTING** Wall Colour Trim Colour Railing Colour Pickets Colour Stair Colour 22 Warm Grey Standard \*Stained as Floor \*Wrought Iron \*Stained as Floor Opt. Paint Extras **MISCELLANEOUS** Railing Style RAILING - UPGRADE 1 - 1/2in Wrought iron black square picket with square collar on alternating picket, 3in oak handrail and 3 1/2in oak std. post. Opt. Garage Door \*Yes-Grade Permitting Opt. Side Door NA Stair Type Oak Interior Doors Carrera Int. Door Hardware \*1 - Elite Pewter Lever Ext. Door Hardware \*Pewter Exterior package Trim Style STEP-7 1/4" 1st flr, 5 1/4" 2nd flr base w/3 1/2"casin Cold Cellar Smooth Ceiling 1st Floor Basement Windows Upgrade Yes Yes No Smooth Ceiling 2nd Floor Yes No Supply and Install Standard Mirrors Yes No 8ft doors 1st floor, 7 ft doors 2nd floor **HEATING** Fireplace Type Mantle Surround Hearth Family Room \*Standard \*Stonecast N/A N/A Master Bedroom \*Standard N/A N/A Air Conditioning \*Yes No Gas Provisions for BBQ Yes No Hood Fan Duct 6 inch 8 inch 🌑 10 inch Humidifier Yes No Gas Provisions for Dryer Yes No. Gas Provisions for Stove Yes No Exterior Colour Scheme: Pre-selected By Vendor NOTE: The Purchaser(s) agree(s) that: a) Colours of materials are as close as possible to Vendor's selections, but not necessarily identical due to variances in manufacturing or manufacturers. b) Purchaser(s) has checked and acknowledges accuracy of the above selections. Where omissions occur on the original colour selection sheet Purchaser(s) acknowledge that the Builder's selection will be final. c) Upgrades or extras listed on this schedule will not be deemed part of the Agreement of Purchase and Sale. Any such upgrades or extras shall be null and void unless accompanied by a separate invoice and amendment. Said invoice must be paid in full. The Purchaser(s) further agrees that in the event that the Vendor has preselected colours prior to the purchase of the house, the prescribed colours are final not withstanding that the Purchaser may have completed a colour selection schedule The Purchaser(s) Acknowledges that once this colour schedule is signed and dated, no changes, additions or deletions will be permitted other than re-selection due to availability.

A \$350.00 (Per Occurance) change/administration fee will apply to above exceptions. This Interior Colour Selection is final and approved by:

Signature: Date: Nov 30 16

Printed 11/30/2016 10:27:51

Signature

Date: NW30/14 UH Date 10/30-16



## Highcastle Homes Décor Centre Disclaimers

Lot#: 2 Model:Parkhill Elev A in Riverwalk II - 2073737 Ontario Inc.

PURCHASERS: STEPHANIE RITA REBELLO and WILLIAM BERTIE ROXROY SINCLAIR

TEL: RES.: 647-867-6871

Through years of doing business, we at Highcastle Homes have encountered issues beyond our control. The following disclaimers apply to all instances of Purchaser's Extras forms and all Interior Colour Scheme forms.

**Fireplaces** 

Fireplace Marble: Due to the many variables that can affect the pattern and/or design, frequently the marble installed on the fireplace will not be identical to the samples. We will make every attempt to come as close to the samples as possible, but cannot be responsible for results which differ from the samples.

Ceramic Floor Tile

Many variables including variegation can affect tile colour, pattern and/or design which mean installed tiles may not be identical to the samples. We will make every attempt to come as close as possible, but cannot be responsible for results which differ from the samples.

Hardwood Flooring

The purchaser is advised that cupping and shrinkage are characteristics of hardwood flooring normal appearing some time after installation, and no warranty is provided by the flooring supplier with respect to such cupping and shrinkage. The vendor agrees to install any hardwood flooring ordered by the purchaser in good and workmanlike manner, but shall not be responsible for, and is hereby released by the purchaser from responsibility and liability for cupping and shrinkage of hardwood flooring.

Shrinking and expanding/cupping of the hardwood floors may occur if the humidity levels in the home are not kept at industry recommendations. If the hardwood floors shrink or expand due to the homeowner not complying with these levels, the hardwood floor will no longer be under warranty and it will be the homeowner's responsibility to repair the flooring.

#### Stain Colours

Due to many variables that can affect the outcome of a stain colour on wood, staircases, railings, and fireplaces, will not be identical to samples. Factors such as density, age humidity, air temperature, and the uniqueness of each piece of wood can result in wide variations in darkness or lightness. We will make every attempt to come as close to the sample as possible, but cannot be responsible for results which differ from the samples.

Stain on pre-finished hardwood floors will not be an exact match to the stain colours available on stairs, pickets and rails. The purchaser is responsible for choosing the stain on these areas to their satisfaction.

Appliances

All fridge openings are set to builder's standard width. Please advise Décor Centre at time of colour appointment if custom sizing of cabinets is required for any built - in appliances. The purchaser is responsible for costs and fees associated with changes to pre-manufactured kitchens made subsequent to colour appointments.

#### Kitchen Cabinets

The kitchen you order/purchase will undoubtedly contain slight colour variations. The degree of these variations is virtually impossible to determine before the kitchen is installed in its intended location. The amount of and type of lighting will also affect various highlights in the finish. Note: No two pieces of wood are identical. Variations in colour tone and grain patterns make a perfect colour match virtually impossible. It is generally agreed that these variations add to the natural beauty of a wood kitchen.

Shrinking and expanding of the kitchen cabinets may occur if the humidity levels in the home are not kept at industry recommendations. If the cabinets shrink or expand due to the homeowner not complying with these levels, the cabinets will no longer be under warranty and it will be the homeowner's responsibility to repair the cabinets.

Plaster Mouldings and Medallions


Plaster mouldings will not be installed in open to above areas or areas with 2 storey elements.

**Metal Spindles** 

Due to the characteristics of wrought iron railing production, it is possible for the wrought iron to develop a scale effect. This scale may or may not be totally covered during the painting process. In effect, once the wrought iron picket is painted, the paint may in effect amplify the iron scale depending on the colour chosen. This is a natural effect of wrought iron and should not be constued as a defect or damage.

I hereby acknowledge reading and understanding the above copy and will not hold Highcastle Homes responsible for any issues in relation to above.

Date: 00 18 10



Double Quarter Moon 1.5" thick


Sign Rebett

Double Ogee 1.5" thick


Date Sept 20/16 Date Sept 20/16 **HIGHCASTLE HOMES** 

**RIVERWALK II** 

LOT 2 (65-4, PARKHILL)




Dat Nov 30/16 Date Nov 30/14





RIVERWALK II

LOT 2 (65-4, PARKHILL)

**HIGHCASTLE HOMES** 









## MAIN FLOOR


Sign fatiett

Dane Oct 4/16






Det 16/16 BASEMENT









## \* PLS DELETE PREV CONS SUMMPREY

## CONSTRUCTION SUMMARY

Riverwalk II - 2073737 Ontario Inc.

Nov30

2/2	REG. PLAN# Draft Plan 21T-9005B	Parkhill Elev A	CLOSING DATE 16-Aug-16
ement of Purchase a	and Sale		
ONAL SIDE DOOR	ENTRANCE (WHERE GRADE PERM	IITS, AS PER PLAN).	
sheet Note:			4



Riverwalk II - 2073737 Ontario Inc.

PURCHASERS: STEPHANIE RITA REBELLO and WILLIAM BERTIE ROXROY SINCLAIR

TEL: RES.: 647-867-6871

LOT / PHASE	REG. PLAN#	HOUSE TYPE	 CLOSING DAT
2/2	Draft Plan 21T-9005B	Parkhill Elev A	16-Aug-1

1) CONSTRUCTION	
1 - FAMILY ROOM - CHANGE 12 BOXES FOR WAFFLE TO 9	
30Nov16 Note:	
11,229/32773	*NOTE*
1 - BUILDER DISCOUNT	
18Oct16 Note:	
11,098/32680	
1 - CEILING - SMOOTH FINISH - 2ND FLOOR (65 & 87 MODELS)	
18Oct16 Note:	
11,098/31828	
1 - WAFFLE CEILING (12 SQUARES) WOOD FRAMED, DRYWALLED	WITH PLASTER MOULDINGS (FAMILY ROOM)
09Sep16 Note:	, and an area of the second se
11,213/32338	
1 - OPEN UP MAIN HALL, REMOVE CLOSET AND MAKE LIVING RO	OOM AND DINING ROOM FLUSH
14Jul16 Note:	*
11,133/30285	
1 - SQUARE RAISED COFFERED CEILING (LARGE) ON SECOND FLO	OOR HALL (UPSTAIRS HALL)
14Jul16 Note:	
11,133/30280	
1 - LOCATION OF POSTS IN BASEMENT, IF POSSIBLE OPEN UP REC	CREATION AREA - SEE PLAN ATTACHED
14Jul16 Note:	
11,133/30276	
3) HEATING / AIR CONDITIONING	

1 - BBQ LINE R/I AS PER AGREEMENT - OUTSIDE OF KITCHEN AREA	
18Oct16 Note:	
11,098/32580	
1 - KITCHEN - CENTRE DUCT IF POSSIBLE, FOR PURCHASERS FUTUR	E HOOD FAN.
18Oct16 Note:	
11,098/32579	
1 - AIR CONDITIONING COMPLETE (OVER 4000 SQ. FT.)	
18Oct16 Note:	
11,098/32576	
1 - UPGRADE STOVE EXHAUST DUCT TO 10" EXHAUST	
18Oct16 Note:	
11,098/32575	
1 - GAS LINE - ROUGH-IN FOR STOVE INCLUDING ELECTRICAL OUTL	ET
18Oct16 Note:	
11,098/31862	
1 - FIREPLACE - GAS - 40 INCH 2 SIDED WITH STANDARD PANT GRAD MASTER ENSUITE 14Jul16 Note:	E MANTLE ON EACH SIDE - (NO MARBLE SURROUND) -
11,133/30572	

## 4) PLUMBING

6 - SINK - VANITY - UNDERMOUNTED - RECTANGULAR PORCELAIN	
18Oct16 Note:	
11,098/32586	
1 - SINK - KITCHEN - UNDERMOUNTED (RECTANGULAR SQUARE - SINGL	E LARGE BOWL)
18Oct16 Note:	
11,098/32417	
1 - WATER LINE - FRIDGE - ROUGH IN ONLY	
18Oct16 Note:	
11,098/31864	
1 - MASTER ENSUITE SHOWER - ADD 10" RAIN HEAD (CHROME) S112	
14Jul16 Note:	
11,133/31488	



Riverwalk II - 2073737 Ontario Inc.

PURCHASERS: STEPHANIE RITA REBELLO and WILLIAM BERTIE ROXROY SINCLAIR

TEL: RES.: 647-867-6871

	2/2	Draft Plan 21T-9005B	Parkhill Elev A	16-Aug-16
LOT/PHASE REG. PLAN# HOUSE TYPE	2/2		HOUSE I YPE	CLOSING DATE

4) PLUMBING - MASTER ENSUITE - FREESTANDING TUB TO HAVE FREESTANDING FAUCET - ARRIS (CHROME) T550100 & S93005 (DOES NOT MATCH RIZON FAUCETS) 14Jul16 11,133/31487 1 - MASTER ENSUITE - CHANGE STANDARD TUB TO FREESTANDING TUB 14Jul16 11,133/31486 1 - 3/4" PIPING THROUGHT ENTIRE HOME - PLEASE NOTE THE IT WILL TAKE LONGER TO GET THE HOT WATER AND WANTED TO ADVISE YOU OF THIS Note: 14Jul16 11,133/30284 1 - ENSUITE 2 - CHANGE STANDARD TUB TO FRAMELESS GLASS SHOWER FRONT, TILED CEILING AND SHOWER LIGHT 14Jul16 11,133/30277

5) ELECTRICAL - POT LIGHT - 4 INCH POTLIGHT WITH LED ENERGY STAR BULB ( 10 MINIMUM - PRICE IS EACH) SEE REAR ELEVATION PICTURE FOR LOCATION 30Nov16 Note: 11,229/32776 1 - RELOCATE 3 POTLIGHTS FROM FAMILY ROOM TO MUD/LAUNDRY ROOM (SEE PLAN) AND RELOCATE 1 POTLIGHT FROM KITCHEN TO SECONDARY STAIR LANDING 30Nov16 Note: 11,229/32774 3 - KITCHEN AND SERVERY - PUCK (POTLIGHT) LIGHTS IN UPPER GLASS CABINETS (SEE KITCHEN LAYOUT FOR LOCATION) 180ct16 11,098/32650 1 - ENSURE STANDARD CEILING LIGHT IN BOTH OPEN TO BELOW ON 2ND FLOOR 180ct16 Note: 11,098/32416 28 - POT LIGHT -4 INCH POTLIGHT W/LED ENERGY STAR BULB ( 10 MINIMUM - PRICE EACH) 2ND FLOOR - 14 X MASTER INCL WIC (LEAVE STANDARD CEILING LIGHT IN MASTER BEDROOM AND WIC. 7 X MASTER ENSUITE (DELETE STD CEILING LIGHT), 7 UPPER HALL (DELETE STD CEILING LIGHTS 180ct16 11.098/32415 27 - POT LIGHT - 4 INCH POTLIGHT WITH LED ENERGY STAR BULB ) 8 X BREAKFAST AREA (LEAVE STD CEILING LIGHT), 6 X KITCHEN (DELETE STND CEILING LIGHT, 1 X SERVERY, 8 X MAIN HALL (DELETE STD CEILING LIGHT), 4 X FOYER (LEAVE OPEN TO ABOVE STD CEILING LIGHT) 180ct16 11.098/32414 1 - MASTER ENSUITE - RELOCATE STANDARD CEILING LIGHT (CAPPED) TO OVER FREESTANDING TUB 180ct16 11,098/32413 1 - PLUG - INTERIOR RECEPTICAL FOR WINE FRIDGE (IN SERVERY, SEE PLAN) 180ct16 Note: 11,098/32410 1 - POT LIGHT - WATERPROOF SHOWER POTLIGHT WITH LED ENERGY STAR BULB (MASTER ENSUITE) 180ct16 Note: 11,098/31852 3 - POT LIGHT - EXTERIOR 4 INCH POTLIGHT WITH LED ENERGY STAR BULB IN PORCH CEILING (2 MINIMUM - PRICE IS EACH) (SEE PLAN FOR LOCATION) 180ct16 Note: 8 - POT LIGHT - EXTERIOR 4 INCH POTLIGHT WITH LED ENERGY STAR BULB ( 2 MINIMUM - PRICE IS EACH) (SEE ATTACHED DRAWING FOR LOCATION) Note: 180ct16 11,098/31850 30 - POT LIGHT - 4 INCH POTLIGHT WITH LED ENERGY STAR BULB ( 10 MINIMUM - PRICE IS EACH) - 12 X FAMILY ROOM (DELETE STD CEILING LIGHT), 6 X DINING ROOM (LEAVE STD CAPPED CEILING LIGHT), 6 X LIVING ROOM, 6 X DEN (LEAVE

STD CEILING LIGHT), 18Oct 16 Note:

18Oct16 Not 11,098/31849



Riverwalk II - 2073737 Ontario Inc.

PURCHASERS: STEPHANIE RITA REBELLO and WILLIAM BERTIE ROXROY SINCLAIR

TEL: RES.: 647-867-6871

LOT / PHASE	REG. PLAN#	HOUSE TYPE	CLOSING DATE
2/2	Draft Plan 21T-9005B	Parkhill Elev A	16-Aug-16

5) ELECTRICAL

2 - PLUG - INTERIOR RECEPTICAL - MAIN FLOOR FAMILY ROOM ADD ABOVE FIREPLACE AT 5 1/2 FT FOR FUTURE WALL
MOUNT TV (SEE PLAN), 2ND FLOOR ADD ABOVE FIREPLACE AT 5 1/2 FT IN MASTER BEDROOM FOR FUTURE WALL MOUNT
TV

18Oct16 Note:

11,098/31848

2 - LIGHT - ROUGH-IN ONLY - ON SEPARATE SINGLE SWITCH (2 X R/I FOR PENDANT LIGHTS)

18Oct16 Note:

11,098/31846

1 - CENTRAL VAC - CONNECT DROPS AND PIPE TO GARAGE

18Oct16 Note:

11,098/31841

1 - KITCHEN - UNDERCOUNTER LIGHTING FOR VALANCE

18Oct16 Note:

11,098/31812

6) FLOORING & WALL TILE

1 - MASTER ENSUITE SHOWER FLOOR - MULTI TEXTURED MOSAIC, 7 x 7cm (2.8" x 2.8") BIANCO CARRARA MULTI-TEXTURED	1
FOR SHOWER FLOOR 30Nov16 Note:	
11,229/32770	
1 - LEVEL 3 - LISTELLO FOR TUB ON WALL OF TUB AT 6FT HEIGHT	├
180ct16 Note:	
11,098/32657	
1 - LEVEL 3 - LISTELLO FOR SHOWER IN ENSUITE #2 AT 6 FT HEIGHT	_
18Oct16 Note:	
11,098/32655	
1 - KITCHEN AND SERVERY - DO NOT SUPPLY OR INSTALL BACKSPLASH	
18Oct16 Note:	
11,098/32577	
1 - LEVEL 5 - WALL TILE FOR SHOWER INCLUDING CEILING - LAID STACKED HORIZONTAL IN SHOWER	_
18Oct16 Note:	
11,098/32419	
1 - CERAMIC - UPGRADE LEVEL 5 MASTER ENSUITE	
18Oct16 Note:	
11,098/32418	
I - TOWEL BAR/SOAP DISHES/TOILET PAPER HOLDERS - DO NOT SUPPLY AND INSTALL ALL TOILET PAPER HOLDERS, SOAP DISHES AND TOWEL BARS THROUGHOUT  18Oct16 Note:	
11,098/31835	
1 - CERAMIC - UPGRADE FROM LEVEL 3 TO LEVEL 5 POWDER ROOM	
18Oct16 Note:	
11,098/31834	
1 - CERAMIC - UPGRADE FROM LEVEL 3 TO LEVEL 5 MAIN STAIR HALL	
18Oct16 Note:	
11,098/31833	
1 - CERAMIC - UPGRADE FROM LEVEL 3 TO LEVEL 5 LAUNDRY / MUD ROOM / CLOAK ROOM	
18Oct16 Note:	
11,098/31832	
1 - CERAMIC - UPGRADE FROM LEVEL 3 TO LEVEL 5 KITCHEN & BREAKFAST	
18Oct16 Note:	
11,098/31831	
1 - CERAMIC - UPGRADE FROM LEVEL 3 TO LEVEL 5 FOYER	
18Oct16 Note:	
11,098/31830	
1 - MASTER ENSUITE - ADD SHOWER CADDY IN MARBLE (BIANCO CARRERA) 12"W X 16" H (OPPOSITE SIDE OF PLUMBING)	
18Oct16 Note:	
11 098/31806	1



Riverwalk II - 2073737 Ontario Inc.

PURCHASERS: STEPHANIE RITA REBELLO and WILLIAM BERTIE ROXROY SINCLAIR

TEL: RES.: 647-867-6871

LOT / PHASE	REG. PLAN#	HOUSE TYPE	 CLOSING DAT
2/2	Draft Plan 21T-9005B	Parkhill Elev A	16-Aug-16

## 8) FINISHING

2 - STAIN STAIR & RAILING PER FLOOR

180ct16 Note:

11,098/31870

9) CABINETRY

9) CABINETRY	
1 - INCREASE IN ISLAND SIZE FOR COUNTER (SEE PLAN ATTACHED)	
30Nov16 Note:	
11,229/32777 *** NOTEX	
2 - KITCHEN ISLAND - 2 X FLUTED POSTS WITH CORBELS (SEE KITCHEN LAYOUT) *** NOTE, POSTS MINIMAL FROM SIDED (1"	
1 AOM LEGIES	
11,229/32772	
6 - BASE CABINETS- BASE CABINET 30 CM ( 12 INCH) DEEP PRICE PER FOOT-LEVEL 5	
30Nov16 Note:	
11,229/32769 A NOTE X	
1 - KITCHEN - ISLAND HAS BEEN REVERSED TO ORIGINAL LOCATION WITH CABINETRY DIMENSION CHANGES	
30Nov16 Note:	
11,229/32768 * NOTE *	
1 - PANTRY-PANTRY 66 CM DEEP ( IN LIEU OF UPPER/BASE PER FOOT)-LEVEL 5	
30Nov16 Note:	
11,229/32724	
1 - CABINETS - MASTER ENSUITE - LEVEL 4 - KINGSTON, CAVIAR MAPLE	
18Oct16 Note:	
11,098/32658	
1 - CABINETS - POWDER ROOM - LEVEL 4	
18Oct16 Note:	
11,098/32654	
1 - KITCHEN - DO NOT SUPPLY OR INSTALL CABINETS ABOVE RANGETOP FOR PURCHASERS FUTURE HOOD FAN	-
18Oct16 Note:	
11,098/32578	
1 - UPPER CABINETS-WINE RACK FULL HEIGHT LATTICE ( WITHOUT DOORS, MAX 60CM WIDE, AVAILABLE ONLY IN STAINS & PAINTS) IN SERVERY ABOVE WINE EDIDGE (SEE DI AND	
& PAINTS) IN SERVERY ABOVE WINE FRIDGE (SEE PLAN)  18Oct16 Note:	
11,098/32574	
1 - BASE CABINETS-TOP DRAWER PRICE PER DRAWER AND DUMMY DRAWER FRONTS-LEVEL 5 - SERVERY (SEE PLAN)	
18Oct16 Note:	
11,098/32409	
2 - UPPER CABINETS-MATCHING INTERIOR PER CABINET FOR GLASS DOOR CABINETS (UPPERS AT EACH END OF KITCHEN)	
18Oct16 Note:	
11,098/31826	
2 - UPPER CABINETS-GLASS DOOR CLEAR (WHITE CABINET INTERIOR) SEE PLAN  180ct16 Note:	
1000110	
11,098/31824	
1 - UPPER CABINETS-UPPER ANGLE CORNER CABINET WITH CLEAR GLASS DOOR & MATCHING INTERIOR PER UNIT-LEVEL 5  180ct16 Note:	
11,098/31823	
CONTRACT AND ADDRESS OF THE PARTY OF THE PAR	
1 - ACCESSORIES - WASTE CENTER PULL OUT DOOR ONLY AVAILABLE IN 45CM CABINET (2) 35L BINS 180ct16 Note:	
11,098/31815	
10 - ACCESSORIES - CONVERT KITCHEN/VANITY FROM METABOX TO TANDEMBOX DRAWERS WITH BLUMOTION (SOFT CLOSE) PER DRAWER	
18Oct16 Note:	
11,098/31814	
1 - ACCESSORIES - BLUMOTION (SOFT CLOSE) FOR DOORS - KITCHEN	
18Oct16 Note:	
11,098/31813	



Riverwalk II - 2073737 Ontario Inc.

PURCHASERS: STEPHANIE RITA REBELLO and WILLIAM BERTIE ROXROY SINCLAIR

TEL: RES.: 647-867-6871

REG. PLAN#	HOUSE TYPE	CLOSING DATE
Draft Plan 21T-9005B	Parkhill Elev A	16-Aug-16

9) CABINETRY	
1 - RANGETOP CABINET (MODIFIED HEIGHT) WITH DRAWERS BELOW (ELECTRICAL INCLUDED) - LEVEL 5	
18Oct16 Note:	
11,098/31810	
1 - BUILT IN DOUBLE APPLIANCE CABINET AT 66 CM WITH WARMING DRAWER BELOW. (TRIMKIT REQUIRED)(ELECTRICAL ROUGH IN ONLY) - LEVEL 5***NOTE - APPLIANCE TO BE BUILT IN AS MICRO/OVEN/WARMING DRAWER (SEE SPECS)  18Oct16 Note:	
11,098/31809	
1 - ACCESSORIES - ACCOMMODATE BUILT IN DESIGNED REFRIDGERATOR	
18Oct16 Note:	
11,098/31808	
1 - CABINETS - KITCHEN - LEVEL 5	
18Oct16 Note:	
11,098/31807	
1 - TURN ISLAND WITH BREAKFAST BAR FACING THE BREAKFAST AREA AND REDUCE SIZE TO FIT - IF WE TURN THE ISLAND, WE CAN DO 4 TO 5 FT ONLY, RIGHT NOW IT IS 7  14Jul16 Note:	
11,133/30287	
	Spirit State

#### **CABINETRY - LAUNDRY**

1 - LAUNDRY CABINETS-RAISE LAUNDRY BASES TO ACCOMMODATE UNDER COUNTER WASHER/DRYER (38 INCH HEIGHT)
PER CABINET
18Oct16 Note:
11,098/31819

Countertop & INCREASE IN ISLAND SIZE & SEE KITCHEN LAUDUT * SP P
1 - UPGRADE LAMINATE COUNTERTOP - LEVEL 1 MARBLE ENSUITE 3/4
18Oct16 Note:
11,098/32656
1 - UPGRADE LAMINATE COUNTERTOP - LEVEL 1 GRANITE POWDER ROOM  18Oct16 Note:
11,098/32585
1 - UPGRADE LAMINATE COUNTERTOP - CAESARSTONE "PRICING ON REQUEST" CALACATTA NUVO MASTER ENSUITE
18Oct16 Note:
11,098/32583
1 - UPGRADE LAMINATE COUNTERTOP - LEVEL 1 GRANITE ENSUITE 2
18Oct16 Note:
11,098/32582
1 - UPGRADE GRANITE COUNTERTOP - FROM LEVEL 1 TO "PRICING ON REQUEST" CALACATTA NUVO KITCHEN
18Oct16 Note:
11,098/32581

### Hardwood

1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM CARPET BEDROOM 4 (UPGRADE FROM CARPET)  18Oct16 Note:
11,098/32653
1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM CARPET BEDROOM 3 (UPGRADE FROM CARPET)
18Oct16 Note:
11,098/32652
1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM CARPET BEDROOM 2 (UPGRADE FROM CARPET)
18Oct16 Note:
11,098/32651
1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM 3/4" X 3 1/8" OAK NATURAL UPPER HALL (UPGRADE FROM 3/4"x3 1/4" NATURAL HARDWOOD))  18Oct16 Note:
11,098/31861
1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM 3/4" X 3 1/8" OAK NATURAL MASTER (UPGRADE FROM 3/4" X 3 1/4" NATURAL HARDWOOD))  18Oct16 Note:
11,098/31860



Riverwalk II - 2073737 Ontario Inc.

PURCHASERS: STEPHANIE RITA REBELLO and WILLIAM BERTIE ROXROY SINCLAIR

TEL: RES.: 647-867-6871

LOT / PHASE	REG. PLAN#	HOUSE TYPE	CLOSING DATE
2/2	Draft Plan 21T-9005B	Parkhill Elev A	16-Aug-16

Hardwood

1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM 3/4" X 3 1/8" OAK NATURAL - - LIVING ROOM (UPGRADE FROM 3/4"x3 1/4" NATURAL HARDWOOD)) 180ct16 Note:

11,098/31859

1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM 3/4" X 3 1/8" OAK NATURAL - - FAMILY ROOM (UPGRADE FROM 3/4"x3 1/4" NATURAL HARDWOOD)) 18Oct16 Note:

11,098/31858

1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM 3/4" X 3 1/8" OAK NATURAL - - DINING ROOM (UPGRADE FROM 3/4"x3 1/4" NATURAL HARDWOOD))

180ct16 Note:

11,098/31857

1 - HANDSCRAPED OAK - 1/2" X 5" ENGINEERED - UPGRADE FROM 3/4" X 3 1/8" OAK NATURAL - - DEN 7 OFFICE (UPGRADE FROM 3/4"x3 1/4" NATURAL HARDWOOD))

180ct16 Note:

11,098/31856

WINDOWS AND DOORS

1 - BASEMENT WINDOW SIZES - 48 X 48 ON EACH SIDE OF FIREPLACE, 96 X 48 AND 60 X 48 WITH DOOR, SIDE WINDOWS 30 X 12

14Jul16

11,133/30275

WINDOWS AND DOORS - EXTERIOR

1 - ADD GARAGE SIDE DOOR TO EXTERIOR GARAGE WALL WITH 3FT ALUMINUM RAILING

30Nov16 Note:

11,229/32723

2 - WINDOW - BASEMENT -ENLARGE STANDARD TO 36 INCH (W) X 24 INCH (H) - EACH ADDITIONAL (CHANGE 2 SIDE WINDOWS TO 36"W X 24"H), SEE PLAN

09Sep16 Note:

11,213/32312

This Document is Extremely Time Sensitive - Printed 30 Nov 16 at 10:35



36" INTEGRATED OVER-AND-UNDER REFRIGERATOR/FREEZER WITH INTERNAL DISPENSER AND ICE MAKER -

SUB-ZERO







#### **FEATURES**

Dual refrigeration keeps food fresher longer

Air purification system fights spoilage, odors

Internal water dispenser works with seamless design

Every Sub-Zero integrated refrigerator or freezer comes ready to be fitted with custom panels and handles for seamless installation with surrounding cabinetry

Over-and-under refrigerator/freezer storage

Water-filtration system reduces contaminants, chlorine taste and odor

Automatic ice maker with "max ice" feature

Rigorously tested in our U.S. manufacturing facilities to ensure at least 20 years of heavy use

Exceptional 24/7 support from our Customer Care team based in Madison, Wisconsin and just footsteps from our factory

#### ACCESSORIES

Air Purification Cartridge

Egg Container

Dual installation kits

Stainless steel front panels with tubular or pro handles.

Stainless steel kickplate

Stainless steel side enclosure

Stainless steel top enclosure


Reduced toe kick divider for toe kicks from 3.875" to 2"

Stainless steel tubular handles

Stainless steel pro handles

Replacement water filter

Accessories are available through an authorized Sub-Zero dealer. For local dealer information visit subzero-wolf.com/locator.



## PRO

## TUBULAR

#### PRODUCT DETAILS

#### REFRIGERATOR


- · 3 Adjustable glass shelves
- 1 Stationary shelf
- · Crisper drawer with 2 adjustable dividers
- · Adjustable dairy compartment
- · 2 Adjustable door shelves
- · 1 Stationary door shelf

### FREEZER

- 3 Adjustable drawer dividers
- · Removable ice container
- · Automatic ice maker




## 36" INTEGRATED OVER-AND-UNDER REFRIGERATOR/FREEZER WITH INTERNAL DISPENSER AND ICE MAKER - PANEL READY



### PRODUCT SPECIFICATIONS

Model	IT-36CIID
Dimensions	36"W x 84"H x 24"D
Door Clearance	34 1/2"
Drawer Clearance	18 3/8"
Weight	460 lb
Refrigerator Capacity	13.3 cu ft
Freezer Capacity	6.4 cu ft
Electrical Supply	115 VAC, 60 Hz
Electrical Service	15 amp dedicated circuit
Plumbing Supply	1/4" OD copper, braided stainless steel or PEX tubing
Plumbing Pressure	35–120 psi
Receptacle	3-prong grounding-type

#### ELECTRICAL





### INTERIOR VIEW




This illustration is intended for interior reference only and may not represent the exterior of the model being specified.

### DIMENSIONS





## STANDARD INSTALLATION








### Pro Wall Chimney Hood Specifications


## Overall Dimensions

### PRO WALL CHIMNEY HOODS



## Installation Specifications

## PRO WALL CHIMNEY HOODS



6




### Pro Wall Chimney Hood Specifications

wolfappliance.com/specs

#### Installation Specifications

The illustration below provides dimensions critical for proper installation of the pro wall chimney hood. Dimensions A and B in the illustration will vary with the width of the hood. Refer to the chart below.

Pro Wall Chimney Hoods			
WIDTH OF HOOD	A	В	
36" (914)	18" (457)	9" (228)	
42" (1067)	24" (610)	12" (304)	
48" (1219)	30" (762)	15" (381)	
54" (1371)	36" (914)	18" (457)	



Pro wall chimney hoods.

#### **Electrical Requirements**

Wolf pro ventilation hoods require a separate, grounded 120 V AC, 60 Hz power supply. The service should have its own 15 amp circuit breaker. Locate the electrical supply through the top of the hood, within the shaded area shown in the installation specifications illustration on the previous page.

IMPORTANT NOTE: You must follow all National Electrical Code regulations. In addition, be aware of local codes and ordinances when installing your service.

#### A WARNING

Risk of electrical shock. This ventilation hood must be properly grounded. Electrical service for the hood must be installed by a qualified electrician in accordance with all applicable national and local electrical codes.

7

### 36" SEALED BURNER RANGETOP - 6 BURNERS

#### SRT366



#### **FEATURES**

6 dual-stacked, seamless burners

Dual-stacked burners go from 20,000 Btu down to a mere breath of flame

Continuous cast-iron grates for easy movement of pots and pans

Heavy-gauge stainless steel

Rigorously tested in our U.S. manufacturing facilities for decades of use

Exceptional 24/7 support from our Customer Care team in Madison

Signature red infinite control knobs

Spark ignition system re-ignites when flame goes out

#### **ACCESSORIES**

Stainless steel, brass or chrome bezels


High altitude conversion kit

Cast iron S-grates and wok grate

Signature red. black or stainless steel control knobs

5" and 10" stainless steel risers, and 20" riser with shelf

Accessories available through an authorized Sub-Zero dealer. For local dealer information, visit subzero-wolf.com/locator.










### TOP CONFIGURATION



#### RANGETOP SPECIFICATIONS

- 1 9,200 Btu Burner
- 2 15,000 Btu Burners
- · 2 18,000 Btu Burners
- 1 20,000 Btu Burner



#### PRODUCT SPECIFICATIONS

Model

Dimensions

35 7/8"W x 8 1/2"H x 28 1/2"D

Weight

220 lb

Electrical Supply

110/120 VAC, 60 Hz

15 amp dedicated circuit

Electrical Service Gas Supply

3/4" rigid pipe


Gas Inlet

1/2" NPT female


Receptacle

3-prong grounding-type


#### **ELECTRICAL AND GAS**



#### DIMENSIONS



#### STANDARD INSTALLATION



untertop to combustible materials, 44\* (118) for charbroiler.

NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area. Electrical and gas supply located through bottom of platform. For island installation, 12\*(305) minimum clearance back of range to combustible rear wall above.

MOLF

### 30" M SERIES PROFESSIONAL BUILT-IN SINGLE OVEN

#### SO30PM/S/PH



#### **FEATURES**

10 cooking modes for predictably delicious results (Convection, Roast, Bake, Broil, Convection Roast, Stone, Gourmet, Warm, Proof and Dehydrate)

Advanced Dual VertiCross convection system for faster preheats and consistent cooking across all racks

Gourmet feature has menu of presets that automatically controls cooking of popular meals

5.1 cubic feet capacity to handle multiple dishes at once

interactive color touchscreen for advanced cooking control

Enhanced interior views with triple-pane glass and three halogen lights

Choose from signature red, black or stainless control knobs

Quiet-close doors with spring-and-damper door hinge system

Can be installed flush with surrounding cabinetry for integrated look

Rigorously tested in our U.S. manufacturing facilities for decades of use

Exceptional 24/7 support from our Customer Care team in Madison

#### ACCESSORIES

30" Premier Baking Sheet

Bake stone kit (stone, rack and peel)

Dehydration kit (racks and door stop)


Full-extension easy-glide oven racks

Temperature probe

Set of three standard oven racks

Signature red, black or stainless steel control knobs

Accessories available through an authorized Sub-Zero dealer. For local dealer information, visit subzero-wolf.com/locator.










Built in Double appliance w warming drawer - Su next pages -

### Flush Inset Tower Installation

#### INSTALLATION WITH STANDARD MICROWAVE AND E SERIES OVEN



\*Platform must support 250 lbs (113 kg).

NOTE: Location of electrical supply within oven opening may require additional cabinet depth. Dashed line represents profile of unit.



## PRODUCT SPECIFICATIONS

Model SO30PM/S/PH

Dimensions 29 7/8"W x 28 1/2"H x 23"D

Oven 1 Interior 25 1/4"W x 17 1/2"H x 19 7/8"D

Dimensions

Overall Capacity 5.1 cu ft

Usable Capacity 3.3 cu ft

Door Clearance 21 3/8"


Weight 273 lb

Electrical Supply 240/208 VAC, 60 Hz


Electrical Service 30 amp dedicated circuit

Conduit Length 4 feet


### ELECTRICAL



#### DIMENSIONS



### FLUSH INSTALLATION



<sup>&</sup>quot;1" (25) minimum depth. Shaded areas will be visible and should be finished to match cabinetry.

NOTE: Location of electrical supply within opening may require additional cabinet depth

## 30" M SERIES PROFESSIONAL DROP-DOWN DOOR MICROWAVE OVEN

### MDD30PM/S/PH

### FEATURES

Integrates into any kitchen

Matches M series ovens, coffee systems, convection steam oven

900 watts of power

Generous 1.6. cu. ft. capacity

Quick-start controls for popular items

Gourmet mode cooks automatically from preset recipes

"Keep Warm" mode

Rigorously tested in our U.S. manufacturing facilities for decades of use

Exceptional 24/7 support from our Customer Care team in Madison



## 30" M SERIES PROFESSIONAL DROP-DOWN DOOR MICROWAVE OVEN



#### PRODUCT SPECIFICATIONS

Model MDD30PM/S/PH

Dimensions 29 7/8"W x 17 7/8"H x 20"D

Door Clearance 14 3/16"

Weight 80 lb

Electrical Supply 120 VAC, 60 Hz


Electrical Service 15 amp dedicated circuit

Overall Capacity 1.6 cu ft

Power Cord Length 4 feet

Receptacle 3-prong grounding-type

#### DIMENSIONS




### ELECTRICAL

ELECTRICAL SUPPLY WITHIN OPENING OR IN ADJACENT CABINET WITHIN REACH OF POWER CORD

E

## FLUSH INSTALLATION



\*Will be visible and should be finished to match cabinetry
\*\*Dimension provides minimum reveals.

## 24" Pocket Handle Dishwasher

500 Series DLX - Stainless Steef SHP651L5UC





SHP65TL5UC Stainless Steel

Also available in:

White Black SHP65TL2UC SHP65TL6UC

The new 3rd rack now offers 30% more loading area. Perfect for ramekins, cooking utensils and extralong silverware.

#### Features & Benefits

44 dBA - Quietest dishwasher brand.

New 3rd rack adds versatility and offers 30% more loading capacity.

Detergent tray optimizes detergent dissolving.

InfoLight® shines on the floor so you know the dishwasher's running.

RackMatic® offers 3 height levels, for 9 possible rack positions.



#### **General Properties** Number of wash cycles 5 Number of options 5 dBA 44 Third rack Standard RackMatic® Rack adjustability Tub material Stainless steel **Buttons** Control type Concealed heating Yes element Leak protection system 24/7 AquaStop® Water softener No Five-level wash Yes ChildLock InfoLight®, Duo-Flex Silverware Special features Basket, SpeedPerfect™


	opecul criect
Efficiency	
Water usage per cycle	2.9
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	259
Total annual water consumption (g)	624

#### Capacity

Number of place settings 16









Cassette

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


## 24" Pocket Handle Dishwasher


500 Series DLX - Stainless Steel SHP65TL5UC





#### Installation Details











For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


## 24" Pocket Handle Dishwasher

500 Series DLX - Stainless Steel SHP651L5UC



#### Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79 (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 20" (50 cm) and max. 43" (110 cm) above the cabinet floor.

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST
Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right
to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product
warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic
defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days
from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as
differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.







# A new generation of Avantgarde products!

#### **FEATURES**

Interior Control : reversible opening 1 temperature zones: 2-18° C

Beverage Center with 16 bottle and approx. 77 cans capacity

### **ACCESSIBILITY**

2 easy, smooth gliding, ball bearing, vinyl coated shelves with wood front trim that provide visibility and quick access

2 glass shelves for beverages Energy-efficient white LED light

#### LOOK

Stainless Steel Frame Tubular handle Tinted door glass Stainless steel Kick plate


#### **DETAILS**

Built-in unit

Size: 23 ¾" W x 24 1/8" D x 33 ¾" H Cabinet depth without door: 21 7/8"

2 year warranty on parts and labor, 3 years on sealed system

# PRYMO



PMB76SS