HIGHCASTLE HOMES - COLOUR SCHEDULE Purchasers: BHAVIN ASHOKBHA PATEL & YAKSHA BHAVIN PATEL Property: Block 56 Unit 4Phase: Orchards of Plan - 40M-2627 Telephone Res. / Bus: Project: 2174372 Ontario Ltd. Decor Advisor: Caroline Rajcsanyi Model and Elevation: Scarlett Oak (T-4) Elev A4 KITCHEN AND VANITIES Cabinet Counter Hardware Kitchen Lv1 - Camden Oak - Shale Grey Cl Lv1 - GR-San Gabriel 12881 Handle Main Bathroom Lv1 - Manchester Oak - Poppyseed Italian White Di Pesco 4954K-22 12881 Handle Ensuite Bathroom Lv1 - Manchester Oak - Poppyseed Italian White Di Pesco 4954K-22 12881 Handle Opt. Breakfast Bar Counter Height/Flush Kitchen Hood Fan Standard Kitchen Upper Height 77 cm - Standard Stove opening - if not specified will be set to builders standard opening of approximately 30 in width Fridge Opening – if not specified will be set to builders minimum opening of approximately 33 x71 height (townhouses) - if not specified will be set to builders minimum opening of approximately 36 x 71 height (singles) Counter top Edge Kitchen Single Edge (3/4") Top Bevelled Opt. Kitchen PARQUET / HARDWOOD OR BROADLOOM Kitchen / Breakfast Master Bedroom N/A Lv1 -TXP135 Lv1 - T15 **Great Room** *Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Graphite Lv1 -TXP135 Lv1 - T15 Lv1 -TXP135 Lv1 - T15 Bedroom 2 Living / Formal Room *Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Graphite Bedroom 3 Dining Room N/A Bedroom 4 N/A Family Room N/A Main Hall N/A Lv1 -TXP135 Lv1 - T15 Main Stairs Upper Hall Lv1 -TXP135 Lv1 - T15 Com. Centre/Home Office N/A Basement N/A Main Stair Landing Lv1 -TXP135 Lv1 - T15 Lv1 -TXP135 Lv1 - T15 **Basement Landing** Library/Den/Study N/A Basement Stairs NA In Law Suite N/A Carpet Runner Yes No **Underpad Main Floor** Underpad 2nd Floor **Underpad Main Stairs** Lv1 Underpad-standard Lv1 Underpad-standard Opt. Flooring Extras FLOOR AND WALL TILES Floor Tite Wall Tile Front Foyer 1-13x13, Serpentine White Decor Listello Main Hall 1-13x13, Serpentine White Kitchen/Breakfast 1-13x13, Serpentine White Kitchen Backsplash Powder Room 1-13x13, Serpentine White Pwdr Wall if Applicable П Laundry 1-13x13, New Reeds, Brown Decor Listello Floor Tub Wall Shower Wall Deck Skirt Deck Splash Main Bathroom 1-13x13, New Reeds, Brown 1-8x10, New Reeds, Brown N/A N/A NA Master Ens 1-13x13, New Reeds, Brown N/A 1-8x10, New Reeds, Brown N/A NA] [Shower - Upgrade Floor Opt. Tile Extras

	HIGHCAST	LE HOMES - C			
Purchasers: Telephone Res. / Bus: Decor Advisor:	BHAVÎN ASHOKBHA PA / Caroline Rajcsanyi	TEL & YAKSHA BHAVIN F		174372 Ontario Lt	
PLUMBING / FAUC	ETS				
Powder Room Jain Bath Jaster Ensuite and Ensuite R.I. Bath	Standard Standard Standard N/A	Laur	ndry	Standard	
Citchen Sink Citchen Faucet	(*Undermount				
rain for 2nd floor Laundry /aterline for fridge	Upgrade Y C Yes No Yes No				
upply and install all toilet	paper holders, towel bars and soap	dishes Yes	○ No		
Whirlpool					
pt. Plumbing Extras					
The second secon		THE THE PROPERTY OF THE PARTY O			
PAINTING Wall Colour 22 Warm Grey	Trim Colour Standard	Railing Colour	Pickets *Stained as Floor		Stair Colour Carpet On Stair
Opt. Paint Extras					SAPEC OFF CITI
MISCELLANEOUS Railing Style RAILING Dot Garage Door	- STANDARD - 1 5/16in oak picket, 2 1/2in oak	for any and the second			
Railing Style RAILING Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floor Supply and Install Standar	es-Grade Permitting Opt. Side Int. Door F Trim Style () Yes No () Yes No	Door No Hardware *Pewter Kno *1 - 2 3/4in (and the same of th	air Type Standar t. Door Hardware	d Pewter Exterior package Cold Cellar
Railing Style RAILING Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floor Supply and Install Standar	res-Grade Permitting Opt. Side Int. Door Form Style () Yes No	Door No Hardware *Pewter Kno *1 - 2 3/4in (bb Ex Case & 4in Baseboard	t. Door Hardware	*Pewter Exterior package
Railing Style RAILING Opt. Garage Door	res-Grade Permitting Opt. Side Int. Door Form Style () Yes No	Door No Hardware *Pewter Kno *1 - 2 3/4in (bb Ex Case & 4in Baseboard	t. Door Hardware	*Pewter Exterior package
Railing Style RAILING Opt. Garage Door Tye Interior Doors Sta Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floor Supply and Install Standar Risc. HEATING	res-Grade Permitting Opt. Side Int. Door Frim Style () Yes No () Yes No () No () No () Type Type	Door No Hardware Pewter Kno 1 - 2 3/4in 0 Basement V	Surround	t. Door Hardware	Pewter Exterior package Cold Cellar
Railing Style RAILING Popt. Garage Door Tye Interior Doors Sta Remooth Ceiling 1st Floor Remooth Ceiling 2nd Floor Bupply and Install Standard Alisc. HEATING	se-Grade Permitting Opt. Side Int. Door Int. D	Door No Hardware Pewter Kno 1 - 2 3/4in 0 Basement V	ob Ex Case & 4in Baseboard Windows Upgrade Ye	t. Door Hardware	Pewter Exterior package Cold Cellar
Railing Style RAILING Opt. Garage Door Tye Interior Doors Sta Import Celling 1st Floor Import Celling 2nd Floor Imply and Install Standard Ilisc. HEATING Fireplace In Conditioning Ilood Fan Duct Gas Provisions for Dryer	Type Type Type A finch () 8 inch () 10 inch () Yes () No	Door No Hardware Pewter Kno 11 - 2 3/4in 0 Basement V	Surround Gas Provisions for Humidifier	t. Door Hardware	Pewter Exterior package Cold Cellar Hearth Ses No
Railing Style RAILING Opt. Garage Door Tye Interior Doors Sta Immooth Ceiling 1st Floor Immooth Ceiling 2nd Floor Immooth Ceiling 3nd Floor Immooth	Type Type *Yes No Sinch 8 inch 10 inch Yes No Exterior Colour Stare(s) agree(s) that: s are as close as possible to Vendor's thecked and acknowledges accuracy.	Door No Hardware Pewter Kno 1 - 2 3/4in 0 Basement V Mantle Scheme:	Surround Surround Gas Provisions for Humidifier Pre-selecter ly identical due to variances	t. Door Hardware S No No Or BBQ Y O Y d By Vendor in manufacturing or	Pewter Exterior package Cold Cellar Hearth es No res No manufacturers.
alling Style RAILING pt. Garage Door Tye sterior Doors Sta mooth Ceiling 1st Floor mooth Ceiling 2nd Floor upply and Install Standard isc. HEATING ireplace ir Conditioning lood Fan Duct las Provisions for Dryer las Provisions for Stove NOTE: The Purcha a) Colours of material b) Purchaser(s) has c acknowledge that the c) Upgrades or extras	Type Type *Yes No Sinch 8 inch 10 inch Yes No Sinch 8 inch 10 inch Yes No Exterior Colour Since No Exterior Colour Sinc	Door No Hardware Pewter Kno 1 - 2 3/4in (Basement V Mantle Scheme: Selections, but not necessaril of the above selections. Where	Surround Surround Gas Provisions for Humidifier Pre-selecte y identical due to variances omissions occur on the original for the content of the content	t. Door Hardware S No No Or BBQ Y Or BBQ Y d By Vendor in manufacturing or ginal colour selection	Pewter Exterior package Cold Cellar Hearth es No res No manufacturers. I sheet Purchaser(s)
Railing Style RAILING Opt. Garage Door Interior Doors Sta Remooth Ceiling 1st Floor Remooth Ceiling 2nd Floor Remooth Ceiling 3nd Floor Remooth Ceiling 1st Floor Remooth Ceiling 2nd Floor Remooth Cei	Type Type *Yes No Sinch 8 inch 10 inch Yes No Exterior Colour Stare(s) agree(s) that: s are as close as possible to Vendor's thecked and acknowledges accuracy.	Mantle Mantle Scheme: Selections, but not necessarily of the above selections. Where emed part of the Agreement of Said invoice must be paid in few Vendor has preselected colors.	Surround Surround Gas Provisions for Humidifier Pre-selected of the original selection of the original selection of the original selection. The original selection of the original selection of the original selection of the original selection. The original selection of the origi	t. Door Hardware No No No Representation of the properties of	Hearth Ses No Manufacturers. Sheet Purchaser(s) as shall be null and void
Railing Style RAILING Opt. Garage Door Interior Doors Statemonth Ceiling 1st Floor Import Ceiling 2nd Floor Imply and Install Standard Risc. HEATING Fireplace Air Conditioning Rood Fan Duct Ras Provisions for Dryer Ras Provisions for Stove NOTE: The Purcha a) Colours of material b) Purchaser(s) has c acknowledge that the c) Upgrades or extras unless accompanied by d) The Purchaser(s) A unavailability.	Type Type Yes No Yes No A Mirrors Yes No Sinch Sinch 10 inch Yes No Sexterior Colour Sexer(s) agree(s) that: s are as close as possible to Vendor's hecked and acknowledges accuracy on the Builder's selection will be final. Sister(s) agrees that in the event that the at the Purchaser may have completed acknowledges that once this colour so	Mantle Scheme: Selections, but not necessaril of the above selections. Where emed part of the Agreement of Said invoice must be paid in first evendor has preselected color a colour selection schedule hedule is signed and dated, not a colour selection schedule hedule is signed and dated, not a colour selection schedule hedule is signed and dated, not a colour selection schedule hedule is signed and dated, not a colour selection schedule hedule is signed and dated, not a colour selection schedule hedule is signed and dated, not a colour selection schedule hedule is signed and dated, not a colour selection schedule hedule is signed and dated, not a colour selection schedule is signed and dated, not a colour selec	Surround Surround Gas Provisions for Humidifier Pre-selecte by identical due to variances a omissions occur on the original full. Pre-selected on the purchase of the changes, additions or delegate to Changes	t. Door Hardware No No No Residual Services of the service	Pewter Exterior package Cold Cellar Hearth Ses No Fes No manufacturers. Isheet Purchaser(s) Is shall be null and void tribed colours are final
Railing Style RAILING Opt. Garage Door Interior Doors State Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floor Supply and Install Standard Risc. HE:ATING Fireplace Air Conditioning Hood Fan Duct Gas Provisions for Dryer Gas Provisions for Dryer Cas Provisions for Stove NOTE: The Purcha a) Colours of material b) Purchaser(s) has c acknowledge that the c) Upgrades or extras unless accompanied by d) The Purchaser(s) A unavailability. A \$350.00 (Per Occura	Type Type *Yes No A sinch 8 inch 10 inch Yes No Exterior Colour Stare(s) agree(s) that: s are as close as possible to Vendor's hecked and acknowledges accuracy to Builder's selection will be final. Listed on this schedule will not be deady a separate invoice and amendment. Jurther agrees that in the event that the at the Purchaser may have completed acknowledges that once this colour school change/administration fee will not be deady a separate invoice and amendment.	Mantle Mantle Scheme: Selections, but not necessaril of the above selections. Where emed part of the Agreement of Said invoice must be paid in figure a colour selection schedule thedule is signed and dated, not apply to above exceptions.	Surround Surround Gas Provisions for Humidifier Pre-selecte by identical due to variances a omissions occur on the original full. Pre-selected on the purchase of the changes, additions or delegate to Changes	t. Door Hardware No No No Residual Services of the service	Pewter Exterior package Cold Cellar Hearth Ses No Fes No manufacturers. Isheet Purchaser(s) Is shall be null and void tribed colours are final
Railing Style Opt. Garage Door Interior Doors State Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floor Supply and Install Standard Aisc. HEATING Fireplace Air Conditioning Hood Fan Duct Gas Provisions for Dryer Gas Provisions for Stove NOTE: The Purcha a) Colours of material b) Purchaser(s) has c acknowledge that the c) Upgrades or extras unless accompanied by d) The Purchaser(s) for not withstanding the d) The Purchaser(s) A unavailability. A \$350.00 (Perroccura	Type Type Yes No Yes No A Mirrors Yes No Sinch Sinch 10 inch Yes No Sexterior Colour Sexer(s) agree(s) that: s are as close as possible to Vendor's hecked and acknowledges accuracy on the Builder's selection will be final. Sister(s) agrees that in the event that the at the Purchaser may have completed acknowledges that once this colour so	Mantle Mantle Scheme: Selections, but not necessarily of the above selections. Where example a colour selection schedule is signed and dated, not apply to above exceptions. It by:	Surround Surround Gas Provisions for Humidifier Pre-selecte by identical due to variances a omissions occur on the original full. Pre-selected on the purchase of the changes, additions or delegate to Changes	d By Vendor in manufacturing or ginal colour selection ch upgrades or extra the house, the prescritions will be permitte	Hearth Hearth



Highcastle Homes Décor Centre Disclaimers

Lot#: Block 56 Unit 4 Model: Scarlett Oak (T-4) Elev A4 in Northglen (H) - 2174372 Ontario Ltd.

PURCHASERS: BHAVIN ASHOKBHA PATEL and YAKSHA BHAVIN PATEL

TEL:

Through years of doing business, we at Highcastle Homes have encountered issues beyond our control. The following disclaimers apply to all instances of Purchaser's Extras forms and all Interior Colour Scheme forms.

Fireplaces

Fireplace Marble: Due to the many variables that can affect the pattern and/or design, frequently the marble installed on the fireplace will not be identical to the samples. We will make every attempt to come as close to the samples as possible, but cannot be responsible for results which differ from the samples.

Ceramic Floor Tile

Many variables including variegation can affect tile colour, pattern and/or design which mean installed tiles may not be identical to the samples. We will make every attempt to come as close as possible, but cannot be responsible for results which differ from the samples.

Hardwood Flooring

The purchaser is advised that cupping and shrinkage are characteristics of hardwood flooring normal appearing some time after installation, and no warranty is provided by the flooring supplier with respect to such cupping and shrinkage. The vendor agrees to install any hardwood flooring ordered by the purchaser in good and workmanlike manner, but shall not be responsible for, and is hereby released by the purchaser from responsibility and liability for cupping and shrinkage of hardwood flooring.

Shrinking and expanding/cupping of the hardwood floors may occur if the humidity levels in the home are not kept at industry recommendations. If the hardwood floors shrink or expand due to the homeowner not complying with these levels, the hardwood floor will no longer be under warranty and it will be the homeowner's responsibility to repair the flooring.

Stain Colours

Due to many variables that can affect the outcome of a stain colour on wood, staircases, railings, and fireplaces, will not be identical to samples. Factors such as density, age humidity, air temperature, and the uniqueness of each piece of wood can result in wide variations in darkness or lightness. We will make every attempt to come as close to the sample as possible, but cannot be responsible for results which differ from the samples.

Stain on pre-finished hardwood floors will not be an exact match to the stain colours available on stairs, pickets and rails. The purchaser is responsible for choosing the stain on these areas to their satisfaction.

Appliances

All fridge openings are set to builder's standard width. Please advise Décor Centre at time of colour appointment if custom sizing of cabinets is required for any built - in appliances. The purchaser is responsible for costs and fees associated with changes to pre-manufactured kitchens made subsequent to colour appointments.

Kitchen Cabinets

The kitchen you order/purchase will undoubtedly contain slight colour variations. The degree of these variations is virtually impossible to determine before the kitchen is installed in its intended location. The amount of and type of lighting will also affect various highlights in the finish. Note: No two pieces of wood are identical. Variations in colour tone and grain patterns make a perfect colour match virtually impossible. It is generally agreed that these variations add to the natural beauty of a wood kitchen.

Shrinking and expanding of the kitchen cabinets may occur if the humidity levels in the home are not kept at industry recommendations. If the cabinets shrink or expand due to the homeowner not complying with these levels, the cabinets will no longer be under warranty and it will be the homeowner's responsibility to repair the cabinets.

Plaster Mouldings and Medallions

Plaster mouldings will not be installed in open to above areas or areas with 2 storey elements.

Metal Spindles

Due to the characteristics of wrought iron railing production, it is possible for the wrought iron to develop a scale effect. This scale may or may not be totally covered during the painting process. In effect, once the wrought iron picket is painted, the paint may in effect amplify the iron scale depending on the colour chosen. This is a natural effect of wrought iron and should not be constued as a defect or damage.

I hereby acknowledge reading and understanding the above copy and will not hold Highcastle Homes responsible for any issues in relation to above.


Purchasers Signature(s): Date: 16 - June 2020

Block 56.4.


Orchards

STONE EDGE PROFILES


Approx 2CM or 3/4" Standard Edge



1st UPGRADE
Approx 4CM or 1.5" - SEAMS WILL BE VISIBLE



2nd UPGRADE
Approx 4CM or 1.5" - SEAMS WILL BE VISIBLE



Sign gurst

Date 16 Jun-2020 Date 16 Jun-2020

BIK56.4 Drchards




Bhavin Patel

Highcastle - Orchard

Prepared by FRANK DE ROSE COAST APPLIANCES fderose@coastappliances.com



KitchenAid[®]




Available Finishes/Colours

KRFC300EBS Black Stainless Steel with PrintShield™ Finish KRFC300ESS Stainless Steel

KRFC300EWH

Manuals & Literature:





20 cu.ft. 36-Inch Width Counter-Depth French **Door Refrigerator with Interior Dispense**

KRFC300ESS

This 20 cubic foot refrigerator has a counter-depth design that gives it a built-in look. But the beauty of this French door refrigerator goes beyond the exterior. The ExtendFresh $^{\text{TM}}$ Temperature Management System and Produce Preserver help keep food fresh. LED lighting throughout the refrigerator makes food easy to find on every level.

ExtendFresh™ Plus Temperature Management System

Ensures ingredients remain fresh for maximum taste and texture using a sensor-controlled system with a variable-capacity compressor. There is one thermistor in the freezer and one thermistor in the refrigerator.

Interior Water Dispenser provides easy access to filtered water inside the refrigerator

Humidity Controlled Crispers
Provide a dedicated storage option with adjustable humidity levels to keep fresh food in an optimal environment.

Absorbs ethylene gas emitted by many fruits and vegetables, causing them to over ripen. By removing ethylene, the produce preserver helps extend freshness.


Dimensions		Details	
Depth	29 3/8	Cooling Type	Single Evaporator
Height	70 1/8	C	
Width	35 3/4	Counter Depth	Yes
Configuration and Overvice	9W	Controls	
Advance Foam Insulation	99.9% lower	Control Type	Electronic
	Global Warming Potential and	Air Filter Indicator/Reset	No
	Better Energy Performance	Automatic Defrost	Yes
Counter Depth	Yes	Verrouillage des commandes	No
Number of Doors	3	LCD Touch Screen	No
20 / 10/20 mm, 1/4 mm (20/20 mg); refr rij (ha 10/20 mg); refresens an on on on on on one of the section of the		Door Ajar/Open Alarm	Yes
Compatibility		Control Location	Interior Up Front
Connectivity	No		
Works With	No		
Details			
Advance Foam Insulation	99.9% lower Global Warming Potential and Better Energy Performance		

COAST APPLIANCES FRANK DE ROSE fderose@coastappliances.com #1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 2 of 6



KitchenAid®




Available Finishes/Colours



KSGG700EBS Black Stainless Steel with PrintShield™ Finish KSGG700ESS Stainless Steel

Manuals & Literature:





30-Inch 5-Burner Gas Convection Front Control Range

KSGG700ESS

This beautiful gas range produces flawless cooking results thanks to Even-Heat™ True Convection; the unique bow-tie design and convection fan ensure the inside of the entire oven is heated to, and stays at, the perfect temperature. This range also features a Steam Rack that offers the ability to add additional moisture to the inside of the oven, enhancing cooking results. The oven is 5.8 cu ft.

Top Features

Even-Heat™ True Convection

Produces flawless results. The unique bow-tie design and convection fan ensure the inside of the entire oven is heated to, and stays at, the perfect temperature.

Steam Rack
Offers the ability to provide additional moisture to the inside of the oven, enhancing cooking results.

5.8 cu ft. Oven Capacity

This gas slide-in range provides a large cooking capacity that's perfect for multiple dishes at once.

5 burners (5k, 8k, 9.2k, 15k and 17k)
Provides the perfect range of cooking power from 5,000 to 17,000 BTU, so you can go from a rolling boil to a delicate simmer.


Dimensions		Exterior	
Height	-36	Handle Type	Towel Bar
Width	29 7/8	Handle Color	Stainless Steel
e Paris er 1800 es 1800 es en recentrar de la recentrar de 1800 de 1800 en recentrar de contrar de 1800 de 180 Branche de 1800 de 180	tion (India) - 1 (India) - 1 (India) (Handle Material	Metal
Configuration and Over	view		Tättävättä 4 minetään mittä kunt oli kunteita kunteita kunteita mittää mittää mittää kullanni olikuusta saksuu Tättävättä kunteita
Fuel Type	Gas	Misc.	
Range Type	Slide-in	Accessory Relationships	Yes
Size (IN,inches)	30	Home Delivery	Yes
LP Convertible	Yes	Will Call	Yes
Configuration		Appearance	
Range Configuration	Slide-In	Oven Door	Metal & Glass
Oven Configuration	Single Oven	Handle Material	Metal
Exterior		Oven Details	- 1970 -
Drawer Type	Storage Drawer	Drawer Type	Storage Drawer
Oven Door	Metal & Glass	Automatic Convection	Yes
Oven Window Size	Large	Conversion Temperature Adjust	

COAST APPLIANCES FRANK DE ROSE fderose@coastappliances.com #1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 3 of 6



KitchenAid[®]



Available Finishes/Colours



KDFM404KBS Black Stainless Steel with PrintShield™ Finish



KDFM404KPS Stainless Steel with PrintShield™ Finish

Manuals & Literature:



Dimension Guide



Energy Guide Warranty

44 dBA Dishwasher in PrintShield™ Finish with FreeFlex™ Third Rack

KDFM404KPS

Keep up with the tools you use from prep to table with this dishwasher's three racks of versatile loading possibilities and complete wash coverage. The FreeFlex™ Third Rack fits glasses, mugs, bowls, silverware and cooking tools, freeing up room below for pots, plates and mixing bowls. The Advanced Clean Water Wash System circulates clean water to dishes in all three racks.

Top Features

FreeFlex™ Third Rack

The largest third rack available has a deep, angled design that fits 6" glasses, mugs and bowls. It features rotating wash jets to clean items in the rack, a drying bar with tabs that help wick moisture off glasses and a removable utensil tray for cooking

Provides quiet cleaning without compromising performance, so there's no need to wait to run a wash cycle while entertaining and enjoying meals, even in open concept kitchens.

Advanced Clean Water Wash System
Uses microfiltration to continuously remove food particles during the wash and rinse cycles and circulates clean water to dishes in all three racks. This allows dirty cookware and delicate glassware to be washed together in the same load,

Dimensions		Controls	
Depth	24 1/2	End of Cycle Signal	Yes
Height	34 1/2	, where is such a proof a distribution and requirement of the distribution of the di	ing algin a little girt relle in hjest for de method och det de skriktlinde hill blanken somme
Width	23 7/8	Misc.	
		Accessory Relationships	Yes
Configuration and Overv	iew	Home Delivery	Yes
Dishwasher Type	Built-In	Will Call	Yes
Decibel Level dBA	44	numerical control of the control of	والمرافق
n in the state of		Features	
Controls		Rinse Aid Dispenser Level	Yes
Automatic Temperature Controls	Yes		
		Sound Package	Yes
Control Type	Tap Touch	Number of Wash Levels	7
Control Location	Front	An in-William (And And Strategick) and asserting from the Control of Andrew (And Andrew Control of And	tta tirkkun kunist – Principion I Pilan in Nighungs (II), still principion aptear easymptis, interchasses ass
Sensor	Yes	Details	
Status Light	White	Dispenser	Detergent and Rinse Aid


COAST APPLIANCES FRANK DE ROSE fderose@coastappliances.com

#1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 4 of 6







Available Finishes/Colours



WFW6620HC



Manuals & Literature:



Energy Guide



Installation Instructions

Warranty

5.2 cu. ft. I.E.C. Closet-Depth Front Load Washer with Load & Go™ XL Dispenser

WFW6620HC

Skip adding detergent to every load with a Whirlpool® closet-depth front load washing machine. The Load & Go^{TM} XL dispenser holds enough laundry soap for 40 loads and automatically adds the right amount. Intuitive Controls let you create customized washing machine cycles, and the ENERGY STAR® certified front load washer will even help you save on your utility bills.

Top Features

Load & Go™ XL Dispenser Skip steps with the Load & Go™ XL dispenser. Simply add detergent once and skip refills for 40

ENERGY STAR® Certified

ENERGY STAR® certified models exceed government standards to help conserve natural resources and save money on your utility bills.

5.2 cu. ft. I.E.C. CapacityWash over three baskets of clothing in a single load and finish laundry fast with 5,2 cu. ft. I.E.C. washer capacity that offers enough space to handle larger loads.

Let the washer guide you to the right cycle combinations or customize up to 35 of your own to get the right type of fabric care for whatever you're weeking


right type of fabric care for	whatever you're washin	ng.	
Dimensions		Controls	
Depth	31 9/16	End of Cycle Signal	Yes
Width	27	LCD Touch Screen	No
		LED Color	Blue
Exterior			
Lid/Door Lock	Yes	Compatibility	
Lid/Door Swing	Left	Connectivity	No
Window	Yes	Works With	No
Controls		Appearance	
Automatic Temperature Controls	Yes	Window	Yes
Control Type	Tap Touch	LCD Touch Screen	No
Control Location	Front	and a final control and an analysis of the control and analysis of the control and an analysi	
Electronic Display Type	Cycle Indicator	Details	
	Lights with Digital Time Remaining	Advanced Vibration Control™	No
		Automated Dispenser	Load&Go™

COAST APPLIANCES FRANK DE ROSE fderose@coastappliances.com #1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 5 of 6







Available Finishes/Colours



YWED6620HC

YWED6620HW White

Manuals & Literature:

Installation Instructions Use and Care



யன் Warranty

7.4 cu. ft. Front Load Electric Dryer with Steam Cycles

YWED6620HC

Give your family's clothes the care they deserve with a front load electric dryer with the Wrinkle Shield™ Plus option with Steam. Advanced Moisture Sensing helps prevent overdrying by using three moisture sensors to end the cycle at just the right time. The ENERGY STAR® certified electric dryer even includes a Static Reduce option to help decrease static after drying.

Top Features

Wrinkle Shield™ Plus Option with Steam

Help keep wrinkles from setting into clean, dry fabrics. The Wrinkle Shield™ Plus option with Steam uses tumbling and steam for up to 150 minutes after the cycle ends or until you open the dryer door for improved wrinkle-fighting performance.

7.4 cu. ft. Capacity
Get plenty of room to dry the large loads you washed in the matching front load washer. This 7.4 cu. ft. dryer easily handles bulky items like comforters and sleeping bags.

Let the dryer guide you to the right cycle combinations or customize up to 36 of your own to get the right type of fabric care for whatever you're drying.

Steam Refresh Cycle

Release wrinkles and reduce odors with the Steam Refresh cycle. It uses water and heat to get clothes ready to wear without rewashing.


	-		
Dimensions		Controls	
Depth	31 ************************************	Electronic Display Type	Cycle Indicator Lights
Height	38 3/4	Feedback-Status Indicators	Check Vent Coo
Width	27	r cousact states indicators	Down, Damp, Se
Configuration and Ov	verview	End of Cycle Signal	Yes
Fuel Type	Electric	Control Type	Electronic Touch
Appearance		Misc.	
Door Style	Side Swing	Accessory Relationships	Yes
Window	Yes	Home Delivery	Yes
Reversible Door	Yes	Will Call	Yes
Exterior		Details	
Door Style	Side Swing	Maytag Commercial	No
Window	Yes	Components	
Door Opening	Right	propher included the end of the e	от се то во 11 мет в добого на бито и поторожного его од на ветрит онценовно става у с
Reversible Door	Yes		
Controls		The state of the s	
Control Location	Front	of earliest of ear	

COAST APPLIANCES FRANK DE ROSE fderose@coastappliances.com

#1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 6 of 6






MitchenAid'

WHRLPOOL **OWNER SUPPORT**

Whirlpool is dedicated to providing resources and tools that will make sure you love your appliances and know how to get the most out of them when you get home.



RESOURCES AVAILABLE TO ALL OWNERS

We've ensured that you can easily access info related to your appliances when and where you need it.



WEBSITES:

Our sites are constantly updated with relevant content and resources to help answer questions. The Product Help section is a great tool to help you drill down on FAQs and DIY.











KitchenAid product help >




YOUTUBE:

Our videos help you with unboxing, installation and early use of your appliances, and we are working to add more! Check out our Youtube channels - we've organized our playlists to help you find what you need!









MitchenAid

CUSTOMIZED INFO & TIPS SENT DIRECTLY TO YOUR INBOX

Register your appliance today. It only takes 3 minutes, and when you opt-in to receive emails, we'll send you personalized content based on your new appliance. You'll also gain exclusive access to great promotions. Click below to get started.

Wateholderalace

Maytag register >

KitchenAid register >

BUILDING AN OWNER PROFILE:

Upon signing up for emails, we will ask you to take a short, fun quiz (if you'd like). This helps us know what appliances you own, the type of content you want / don't want to receive and how often.



Check out the experience >









ONBOARDING EMAILS:

Our Onboarding program helps you with early use of the appliance, provides ongoing tips as well as points you to where you can find great videos, FAQs and resources on our websites.



ONGOING PERSONALIZED CONTENT:

Based on your profile preferences, we'll make sure to send only what is relevant and helpful to you. These emails range from promos, cooking and cleaning tips, to recipes and more.







OUR GOAL IS TO HELP YOU HAVE THE BEST EXPERIENCE WITH YOUR APPLIANCE AND BE HERE WHEN YOU NEED US!

REMEMBER TO REGISTER YOUR APPLIANCE AND OPT-IN TO RECEIVE PERSONALIZED CONTENT BY EMAIL.

B10ck56-4 Orchards 6' PATIO DOOR Cable
Pendant 1/1 **BREAKFAST** 11'-3" x 10'-0" **GREAT ROOM** Pak + Pans 12'-0" x 16'-6" REAKFAST B HIW Microshelf **KITCHEN** 10'-2"x 10'-6" MWZ elpfridge Upper LEDGE W/2 gables LANDING & STAIRS AS REQ'D BY GRADE PWR Waterline **FOYER** SUNKEN LIVING ROOM AS REQ'D 8'-1" x 10'-0" HALF WALI **GARAGE COVERED PORCH** 9'-11" x 24'-0"

GROUND FLOOR - ELEV A & B


Sign gyrsh

Date 16- Jun-2020 Deve 16- Jun. 2020


Block56-4 Orchards B Bell Obk MASTER BEDROOM 11'-3" x 15'-0" FREESTANDING TUB MASTER **ENSUITE** LAUNDRY OPT. TUPPERS LINEN BATH **BEDROOM 3** 9'-4" x 11'-5" BEDROOM 2 10'-0"x 11'-4"


SECOND FLOOR - ELEV A1 & A2

Date 16- Jun-2020 Date 16 Jun-2020



SECOND FLOOR - ELEV A3 & A4






SECOND FLOOR - ELEV B2

Sign gukstr

Date 16- Jun-2020 Date 16- Jun-2020

Block 56-4 Orchards



BASEMENT - ELEV A & B

Sign Just

Date 16- Jun-2020 Date 16- Jun-2020



Agreement of Purchase and Sale

CONSTRUCTION SUMMARY

Orchards - 2174372 Ontario Ltd.

PURCHASERS: BHAVIN ASHOKBHA PATEL and YAKSHA BHAVIN PATEL

TEL:

LOT / PHASE	REG. PLAN#	HOUSE TYPE		
		HOOSE LABE	1	CLOSING DATE
Block 56 Unit 4 / Orchards	40M-2627	Scarlett Oak (T-4) Elev A4	1	05 1 20
				05-Aug-20

BONUS: 5 APPLIANCE PACKAGE - INCLUDES STAINLESS STEEL: FRIDGE, STOVE, BUILT-IN DISHWASHER: WHITE:
WASHER/DRYER-BUILDERS STANDARD PACKAGE
Worksheet Note:

BONUS: GRANITE KITCHEN COUNTER TOP - AS PER PLAN (FROM BUILDERS STANDARD SAMPLES)

Worksheet Note:

BONUS: 2 1/4 INCH NATURAL HARDWOOD FLOORING ON MAIN FLOOR (EXCLUDING TILE AREAS) - AS PER PLAN (FROM BUILDERS STANDARD SAMPLES).

Worksheet Note:

BONUS: 1ST UPGRADE COLONIAL TRIM - AS PER PLAN (FROM BUILDERS STANDARD SAMPLES)

Worksheet Note:

BONUS: \$5,000.00 IN UPGRADES - TO BE USED AT BUILDERS DECORE CENTRE AT TIME OF COLOUR SELECTIONS (INCLUSIVE OF HST)
Worksheet Note:



CONSTRUCTION SUMMARY

Orchards - 2174372 Ontario Ltd.

PURCHASERS: BHAVIN ASHOKBHA PATEL and YAKSHA BHAVIN PATEL

TEL:

LOT / PHASE	REG. PLAN#	HOUSE TYPE	CLOSING DATE
Block 56 Unit 4 / Orchards	40M-2627	Scarlett Oak (T-4) Elev A4	05-Aug-20
via via medina			05-Aug-20

3)	HEATING /	AIR	CONDITIONING
----	-----------	-----	--------------

1 - GAS LINE - ROUGH-IN FOR STOVE INCLUDING ELECTRICAL OUTLET

16Jun20

11,453/35529

4) PLUMBING

1 - WATER LINE - FRIDGE - ROUGH IN ONLY

16Jun20 Note:

11,453/35533

1 - KITCHEN - ALIGN 7565 CHROME, 1 HOLE APPLICATION

16Jun20 Note:

11,453/35531

1 - SINK - KITCHEN - UNDERMOUNTED (RECTANGULAR SQUARE - SINGLE LARGE BOWL)

16Jun20 Note:

11,453/35530

5) ELECTRICAL

2 - LIGHT - ROUGH-IN ONLY - ON SEPARATE SINGLE SWITCH CAPPED FOR FUTURE PENDANT LIGHTS

16Jun20

11,453/35532

6) FLOORING & WALL TILE

1 - OAK - 3/4" X 3 1/8" ENGINEERED - STAINED - UPGRADE FROM 3/4X 2 1/4 NATURAL OAK - - LIVING ROOM (UPGRADE FROM

HARDWOOD)

16Jun20 Note: 11,453/35526

1 - OAK - 3/4" X 3 1/8" ENGINEERED - STAINED - UPGRADE FROM 3/4X 2 1/4 NATURAL OAK - - GREAT ROOM (UPGRADE FROM

HARDWOOD)

16Jun20 11,453/35525

9) CABINETRY

1 - BASE CABINETS - DRAWERS - POTS AND PANS DRAWERS (WIDTH MIN. 60CM/MAX. 90 CM) (SIZE SUBJECT TO FLOOR PLAN)

- GROUP 1 - 4

16Jun20 Note:

11,453/35524

I - APPLIANCE CABINETS - MICROWAVE - WALL CABINET WITH SHELF FOR MICROWAVE (FINISHED INTERIOR) (OPENING

24"W X 13-3/4"H X 17"D) - GROUP 1 - 4 (BESIDE FRIDGE, SEE PLAN) Note:

16Jun20

11.453/35522

1 - APPLIANCE CABINETS - FRIDGE - 66CM DEEP FRIDGE ENCLOSURE (COUNTER DEPTH) WITH NO WALLS ([2] 66CM DEEP GABLES AND [1] 66CM DEEP CABINET) (THIS IS NOT A ZERO CLEARANCE ENCLOSURE. STANDARD HEIGHTS AND WIDTHS

WILL BE USED.) Note 16Jun20

11,453/35521

STAIR AND RAILING

1 - STAIN HANDRAIL AND PICKETS AND STRINGERS ONLY PER FLOOR

16Jun20 Note:

11,453/35534

This Document is Extremely Time Sensitive - Printed 16 Jun 20 at 12:21