



CONSTRUCTION SUMMARY

Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 87 Phase/Building: 1 Model/Floor Plan: Belmont(22-1)

CABINETRY ACCESSORIES

Inv.3466	3 - LIGHT VALANCE - NOT APPLICABLE FOR THERMOVISION - PRICE PER 8 FOOT LENGTH	
Line 45310	Note:	
9Jan16 / 30Jan16		

CABINETRY HARDWARE

Inv.3466	1 - BASE WASTE / RECYCLE CENTER PULL OUT DOOR - ONLY AVAILABLE IN 45 CM CABINET (2) 35L BINS - PRICE IS PER UNIT	
Line 45322	Note:	
9Jan16 / 30Jan16		

CABINETRY HOOD FANS

Inv.3466	1 - ACCOMMODATE FOR MICROWAVE HOOD FAN COMBO - PURCHASER MUST SUPPLY SPECS	
Line 45304	Note:	
9Jan16 / 30Jan16		

CABINETRY MICROWAVE OVEN STOVE COOKTOP

Inv.3466	1 - COOKTOP CABINET (FULL HEIGHT) WITH FALSE TOP DRAWER AND POT & PANS DRAWERS BELOW - PURCHASER MUST SUPPLY SPECS - STANDARD LINE	
Line 45870	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - BUILT IN SINGLE APPLIANCE CABINET WITH POTS & PANS DRAWERS BELOW - TRIM KIT REQUIRED - PURCHASER MUST SUPPLY SPECS - UPGRADE 1	
Line 45867	Note:	
9Jan16 / 30Jan16		

CABINETRY VANITY

Inv.3466	1 - VANITY BANK OF DRAWERS - 55 CM MAXIMUM	
Line 45329	Note:	
9Jan16 / 30Jan16		

CABINETRY WALL AND HUTCH

Inv.3466	1 - UPPER ANGLE CORNER - PRICE IS PER UNIT - UPGRADE 1	
Line 45318	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - KITCHEN - GLASS DOOR CLEAR - WITH MATCHING INTERIOR IN UPPER ANGLE CORNER CABINET	
Line 45319	Note:	
9Jan16 / 30Jan16		

COUNTER TOP - ACCESSORIES

Inv.3466	1 - COOKTOP PROVISION	
Line 45866	Note:	
9Jan16 / 30Jan16		

ELECTRICAL



CONSTRUCTION SUMMARY

Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 87 Phase/Building: 1 Model/Floor Plan: Belmont(22-1)

Inv.3466	1 - SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE (NOT SEPARATE CIRCUIT) -X1 FOR FUTURE MICROWAVE OVER THE RANGE	
Line 45305	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL LIGHT VALANCE ROUGH IN (INCLUDES 1 SWITCH)	
Line 45309	Note: LOCATION AS PER SKETCH ATTACHED.	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH -X1 IN THE KITCHEN WITH ADDITONAL SECOND LIGHT ON SAME SWITCH ABOVE THE ISLAND EQUALLY SPACED	
Line 45311	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON EXISTING SWITCH -X1 IN THE KITCHEN WITH ADDITONAL SECOND LIGHT ON SAME SWITCH ABOVE THE ISLAND EQUALLY SPACED	
Line 45312	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - ELECTRICAL - RELOCATE STANDARD CONNECTION FOR BUILT-IN OVEN	
Line 45868	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE (NOT SEPARATE CIRCUIT) - IN FAMILY ROOM ABOVE THE FIREPLACE AT APPROX 5' 5" FROM THE FLOOR FOR FUTURE WALL HUNG T.V	
Line 45865	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - ELECTRICAL - CONNECTION OF COOK TOP UNIT	
Line 45869	Note:	
9Jan16 / 30Jan16		

HARDWOOD

Inv.3466	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 3 - VINTAGE - SOLID SAWN - WHITE OAK 5 INCH X 3/4 INCH - HAND - - BREAKFAST	
Line 45289	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 3 - VINTAGE - SOLID SAWN - WHITE OAK 5 INCH X 3/4 INCH - HAND - - FORMAL ROOM	
Line 45290	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 3 - VINTAGE - SOLID SAWN - WHITE OAK 5 INCH X 3/4 INCH - HAND - - KITCHEN	
Line 45291	Note:	
9Jan16 / 30Jan16		



CONSTRUCTION SUMMARY

Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 87 Phase/Building: 1 Model/Floor Plan: Belmont(22-1)

Inv.3466	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 3 - VINTAGE - SOLID SAWN - WHITE OAK 5 INCH X 3/4 INCH - HAND - - GREAT ROOM	
Line 45292	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 3 - VINTAGE - SOLID SAWN - WHITE OAK 5 INCH X 3/4 INCH - HAND - - LANDING 1ST TO LOWER	
Line 45293	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 3 - VINTAGE - SOLID SAWN - WHITE OAK 5 INCH X 3/4 INCH - HAND - - LANDING 1ST TO 2ND	
Line 45294	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 3 - VINTAGE - SOLID SAWN - WHITE OAK 5 INCH X 3/4 INCH - HAND - - UPPER HALL	
Line 45295	Note:	
9Jan16 / 30Jan16		

HEATING AND AIR CONDITIONING

Inv.3466	1 - GAS LINE - ROUGH-IN ONLY - FIRST CONNECTION- FOR BBQ	
Line 45308	Note:	
9Jan16 / 30Jan16		

MISCELLANEOUS

Inv.3466	1 - OPTIONAL LOWER LEVEL LAYOUT WITH BEDROOM VENDOR TO INCLUDE OPTIONAL DOOR TO BEDROOM FROM BATH -INCLUDED IN A.P.S - SEE SKETCH	
Line 45303	Note:	
9Jan16 / 30Jan16		

PLUMBING

Inv.3466	1 - MASTER ENSUITE - SUPPLY AND INSTALL VOSS POSI-TEMP WITH 3 FUNCTION DIVERTER VALVE, SLIDE BAR WITH HANDHELD AND SHOWERHEAD - MODEL 62320/3372/T4611/T2692EP/3669EP/A725 - IN CHROME FINISH	
Line 45306	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - MAIN BATH - SUPPLY AND INSTALL VOSS POSI-TEMP WITH 3 FUNCTION DIVERTER VALVE, SLIDE BAR WITH HANDHELD AND SHOWERHEAD - MODEL 62320/3372/128284/T4611/T2692EP/3669EP/A725 - IN CHROME FINISH	
Line 45307	Note:	
9Jan16 / 30Jan16		
Inv.3466	1 - SUPPLY AND INSTALL WATERLINE ROUGH-IN TO THE FRIDGE LOCATION (NO HOOK UP)	
Line 45315	Note: LOCATION AS PER SKETCH ATTACHED.	
9Jan16 / 30Jan16		



CONSTRUCTION SUMMARY

Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 87 Phase/Building: 1 Model/Floor Plan: Belmont(22-1)

EXTRAS AS PER OFFER

Stainless Steel Fridge, Stove and Dishwasher and front loading washer and dryer in white from Vendors standard samples, no cash value, not transferable. (Supplied only not installed) ** to - arrange delivery call: The Brick commercial sales division at <i>Worksheet</i> Note:	
Rogers Free Services Package includes 6 months of: Highspeed home phone, TV service, and highspeed internet <i>Worksheet</i> Note:	

This Document is Extremely Time Sensitive - Printed 25 Feb 16 at 12:06

Page 4 of 4



INTERIOR COLOUR SCHEME

Purchasers: Jordan Paul Ender & Yael Soglowek-Ender

Property: 87 of Plan -

Telephone Res. / Bus: (416) 716-7050 /

Project: Teefy Developments Limited

Decor Advisor: Nicole Soares

Model and Elevation: Belmont(22-1)

Layout Changes: ☐ Yes ☒ No

Sketch Attached: ☒ Yes ☐ No

Exterior Colour Scheme:

1. Cabinetry

	Style and Colour	Counter Top	Hardware
Kitchen / Breakfast	MAPLE: SOAPSTONE - <u>Boston</u>	9141 - STD SQ EDGE	9671
Kitchen Island	PAINT: WINTER WHITE - <u>Boston</u>	9141 - STD SQ EDGE	9671
Laundry Room	MAPLE: SHALE GREY - <u>MANCHESTER</u>	N/A	9661
Powder Room	PAINT: WINTER WHITE - <u>MANCHESTER</u>	WHITE CARRARA 4924-38	9671
Main Bathroom	MAPLE: SHALE GREY - <u>MANCHESTER</u>	INUKSHUK TAUPE P-345 LM	9671
Master Ensuite Bathroom	MAPLE: SOAPSTONE - <u>MANCHESTER</u>	CALCUTTA MARBLE 4925-07	9671
Second Ensuite Bathroom (If Applicable)			
Lower Level Bath	MAPLE: SHALE GREY - <u>MANCHESTER</u>	INUKSHUK GREY P-344 LM	9661

Appliances

Custom Size Fridge

☐ Yes ☒ No

Valance Lighting

☒ Yes ☐ No

Microwave / Range Hood

☒ Yes ☐ No

Cooktop / Rangetop

☒ Yes ☐ No

Built in Wall Oven

☒ Yes ☐ No

Slide-in Range

☐ Yes ☒ No

Comment

2. Flooring

	Selection
Foyer	COSTA MATTE 13x13: WHITE
Main Hall	*VINTAGE 5" HANDSCRAPED ENG. WHITE OAK HARDWOOD CHARACTER PEARL: OTHELLO
Back Hall	
Breakfast	*VINTAGE 5" HANDSCRAPED ENG. WHITE OAK HARDWOOD CHARACTER PEARL: OTHELLO
Laundry Room	ALPES 13x13: WHITE
Kitchen	*VINTAGE 5" HANDSCRAPED ENG. WHITE OAK HARDWOOD CHARACTER PEARL: OTHELLO
Powder Room	NEW REEDS 13x13: BROWN
Main Bathroom	NEW REEDS 13x13: SILVER
Master Ensuite	NEW REEDS 13x13: GREY / SHOWER FLOOR ONTARIO 2x2 MOSAIC MATTE: TENDER GREY
Bathroom (If Applicable)	Lower Level- ALPES 13x13: WHITE
Mud Room	ALPES 13x13: WHITE
Formal Room	*VINTAGE 5" HANDSCRAPED ENG. WHITE OAK HARDWOOD CHARACTER PEARL: OTHELLO
Living Room	
Dining Room	
Family / Great Room	*VINTAGE 5" HANDSCRAPED ENG. WHITE OAK HARDWOOD CHARACTER PEARL: OTHELLO
Den / Library / Study	
Basement Landing (If Applies)	
Lower Landing (If Applicable)	*VINTAGE 5" HANDSCRAPED ENG. WHITE OAK HARDWOOD CHARACTER PEARL: OTHELLO
Upper Landing	*VINTAGE 5" HANDSCRAPED ENG. WHITE OAK HARDWOOD CHARACTER PEARL: OTHELLO
Upper Hall	*VINTAGE 5" HANDSCRAPED ENG. WHITE OAK HARDWOOD CHARACTER PEARL: OTHELLO
Master Bedroom	PAPILO: NEWFOUNDLAND SAND 18674
Bedroom #2	PAPILO: NEWFOUNDLAND SAND 18674
Bedroom #3	PAPILO: NEWFOUNDLAND SAND 18674
Bedroom #4	PAPILO: NEWFOUNDLAND SAND 18674
Bedroom #5	
Recreation Room	PAPILO: NEWFOUNDLAND SAND 18674

Flooring Continued on Page 2

Initial: JS

Page 1 of 3



INTERIOR COLOUR SCHEME

Purchasers:

Jordan Paul Ender & Yael Soglowek-Ender

Telephone Res. / Bus:

(416) 716-7050 /

Decor Advisor:

Nicole Soares

Property: 87 of Plan -

Project: Teefy Developments Limited

Model and Elevation: Belmont(22-1)

2. Flooring - Continued -

Upgrade Underpad	Type	Area
Carpet on Stairs	Capped	Runner - *Upgrade
Comment		

3. Plumbing Fixtures / Faucets

Kitchen	STD	Second Ensuite		Powder Room	STD
Master Ensuite	STD			Other Room	
Main Bathroom	STD				
Comment					

4. Wall Tile

	Tile Selection	Listello	Insert	Insert Selection
Main Bathroom	WEAVE 8x10 GLOSSY: WHITE	☐	☐	
Master Ensuite				
Tub Deck		☐	☐	
Tub Apron		☐	☐	
Tub Surround		☐	☐	
Shower Stall	BRICK 8x12 GLOSSY: WHITE	☐	☐	
Second Ensuite		☐	☐	
Lower Level	VENUS 8x10: ANTHRACITE	☐	☐	
		☐	☐	
Kitchen Backsplash		☐	☐	
Complete Backsplash		☐	☐	
Comment	MASTER ENSUITE WALL TILE TO BE INSTALLED IN A HORIZONTAL STACKED			

5. Fireplace

	Living Room			Family Room			Other Room - Specify		
	Purchased	As Per Plan	N/A	Purchased	As Per Plan	N/A	Purchased	As Per Plan	N/A
Fireplace Type	☐	☐	☐	☐	☒	☐	☐	☐	☐
Mantle Type				STD 50" LINEAR					
Over Mantle									
Colour / Stain									
Surround				STANDARD					
Hearth									
Comment									

Initial:

INTERIOR COLOUR SCHEME


9130 87

BELMONT

2190 SQ.FT. / 2021 SQ.FT. WITH OPTIONAL TANDEM GARAGE

TV, TELEPHONE + DATA
COMPLETED WITH GRAND
ALARMS.

* FIREPLACE TO BE
LOWERETS WITH BASE
APPROX 18" FROM
FLOOR
OUTLET 5'5" OFF FLOOR



with optional
Decor
included.
al.

Lot 87

SENATOR
HOMES

Renderings are artist's concept. Some elevations may vary from those shown. Actual usage and space may vary from that stated herein. Some floorplans and elevations are preliminary. © 2015 S.O.E. 22-1

DATE: JAN 30 2015
INITIALS: [Signature]


GRAND ALARM'S
DRAWINGS APPROVED
BY G.A + H.O

[illegible]

BELMONT - TH-22-1

SENATOR HOMES - TEEFY


STD. LAYOUT



OPTIONAL CABINETRY (STANDARD ELEVATION)



OPTIONAL CABINETRY (ALTERNATE & OPTIONAL ELEVATION)



9130
87

SENATOR HOMES
DECOR CENTRE

DATE: JAN 30 2016
INITIALS: [Signature]

French Door Refrigerator

E23BC781PS Professional Series



Custom Temp Drawer™

Enjoy the ultimate in versatility with 9 preset selections including White/Sparkling Wine, Fish/Shellfish, Cheese plus three customizable settings that ensure foods stay at the ideal temperature for serving and maintaining freshness.

Custom-Design™ Organization System

With our flexible Tri-Level freezer organization system you can keep your freezer well organized. The three Smooth-Glide® baskets with removable dividers and top removable baskets allow you to configure the space to neatly fit large and small items.

Theatre Lighting

Transition LED lighting gradually illuminates the interior with soft but ample light as you open the door.

PureAdvantage® Filtration Systems

Our filtration system keeps clear, filtered air circulated throughout to prevent odor transfer and keeps fresh, clean water and ice at your fingertips.

23 CU. FT. COUNTER-DEPTH FRENCH DOOR REFRIGERATOR

CAPACITIES

Total Capacity	22.6 Cu. Ft.
Fresh Food Volume	15.7 Cu. Ft.
Freezer Volume	6.9 Cu. Ft.
Total Shelf Area	29.45 Sq. Ft.
Fresh Food Shelf Area	18.72 Sq. Ft.
Freezer Shelf Area	7.7 Sq. Ft.

EXTERIOR

Professional Doors and Handle Design	Yes
Wave-Touch® Electronic Controls	Yes
Door Hinge Covers	Yes
Ice/Water Dispenser	Yes
Custom Set™ Temperature Control System and Display	Yes
Crushed/Cubes/Water	Yes
Air and Water Filter Indicator/Reset	Yes
Ice Maker On/Off	Yes
Fast Freeze™	Yes
Lock/Dispenser Light Control	Yes/Yes

FRESH FOOD CONVENIENCES

PureAdvantage® Water & Ice / Air Filtration	Yes
Water Filter Location	Bottom Left
Temp Alarm System / Door Ajar Alarm / Power Failure Alarm	Yes
Custom-Design™ Glass Shelves	3 Half Width 1 Quarter Width
Smooth-Glide® Humidity-Controlled Left Crisper	Yes
Smooth-Glide® Humidity-Controlled Right Crisper	Yes
Custom Temp Drawer™	Yes
Wine Rack	Yes
Clear Gallon Adjustable Door Bins	1
Clear 1/2-Gallon Adjustable Door Bins	1
Clear 2-Liter/1 1/2-Gallon Removable Door Bins	2
Locking Clear Utility Bin	Yes
Tilt-Out Can Rack	2
Theatre Ramp-Up Multilevel Lighting – LED	Yes
Automatic Ice Maker	Yes

FREEZER CONVENIENCES

Soft-Closing Drawer	Yes
Sliding Full-Width Freezer Baskets	3 Smooth-Glide® (2 with Dividers)
Plastic Basket Tray	1
Tilt-Out Wire Door Racks	1
Theatre Ramp-Up Multilevel Lighting – LED	Yes

ADDITIONAL FEATURES

ENERGY STAR®	Yes
Sabbath Mode (Kashruth Certified)	Yes

ACCESSORIES

Collar Kit – PN # ECK23CDS*	Optional
Louvered Trim Kit – PN # 241733201*	Optional
Water Filter Replacement Cartridge – PN # EWF21	Optional
Air Filter Replacement Cartridge – PN # EAFCBF	Optional

SPECIFICATIONS

Overall Exterior Dimensions –	
Height (with Hinges and 3/8" Rollers)	69-1/2"
Cabinet Width/Door Width	30-5/8"/36"
Depth (including Handle)	29-1/2"
(with 90° Doors Open)	42-5/16"
(with Drawer Fully Extended)	44-1/2"
Power Supply Connection Location	Right Bottom Rear
Water Inlet Location	Left Bottom Rear
Voltage Rating	120V/60Hz/15 or 20A
Connected Load (kW Rating) @ 120 Volts ¹	1.02
Minimum Circuit Required (Amps)	15
Shipping Weight (Approx.)	340 Lbs.

* For detailed Louvered Trim Kit and Collar Kit installation instructions, refer to Product Installation Guides on the web at electroluxicon.ca.

¹ An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.

NOTE: Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at electroluxicon.ca. Specifications subject to change.

electroluxicon.ca

SENATOR HOMES
DECOR CENTRE

DATE: JAN 30 2016

INITIALS: *[Signature]*

French Door Refrigerator


E23BC76IP9 professional series

9130

87


Electrolux

Icon





"Built-In Look" Cutout Dimensions

(A) 70 1/4" (B) 36" (C) 25"



Standard Refrigerator Depth vs. Counter Depth



Note: Optional Louvered Trim Kit and Collar Kit available for French Door Counter-Depth Refrigerator. For specifications, refer to Louvered Trim Kit (241723001) Installation page or Collar Kit (ECK23CDS) Installation page on web.

Counter-Depth French Door Refrigerator Specifications

- Product Weight – 339 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NEPA 70) and local codes & ordinances.
- Voltage Rating – 120V/60Hz/15 or 20 Amps
- Connected Load (kW Rating) @ 120 Volts = 1.02 kW
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120" to 180" door swing, providing complete drawer/crisper access and removal. (Absolute 4-1/2" minimum clearance will ONLY allow for 90" door swing which will provide drawer/crisper access with restricted removal.)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure – Cold water line must provide between 30 and 100 pounds per square inch (psi).

- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kit available.
- Adjustable front rollers to assist with door alignment.
- If optional Collar Kit (PN# ECK23CDS) is to be used, different cutout dimensions are required. (Refer to Collar Kit ECK23CDS Installation Specifications page on web.)
- If optional Louvered Trim Kit (PN# 241723001) is to be used, different cutout dimensions are required. (Refer to Louvered Trim Kit 241723001 Installation Specifications page on web.)

"Built-In Look" Specifications

- Minimum opening of 70-1/4"H x 36"W x 25"D required to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- Remove all wall/floor molding prior to installation.

Note: For planning purposes only. Refer to Product Installation Guide on the web at electroluxicon.ca for detailed instructions.

Optional Accessories

- Collar Kit – (PN# ECK23CDS).
- Louvered Trim Kit – (PN# 241723001).
- PureAdvantage® Water Filter Replacement Cartridge – (PN# EWF01).
- PureAdvantage® Air Filter Replacement Cartridge – (PN# EAPCBF).



Electrolux Major Appliances, N.A.

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxicon.ca

E23BC76IP9 01/12

© 2012 Electrolux Major Appliances, NA

High standards of quality at Electrolux Major Appliances, N.A. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Printed in Canada

SENATOR HOMES
DECOR CENTRE
DATE: JAN 30 2016
INITIALS:



Electrolux


ICON

9130 87

Single Wall Oven

professional series

E30EW75PPS




Signature Features

**Perfect Taste™ Dual Convection**

For consistently delicious taste and texture, home chefs rely on our dual-fan convection heat, which circulates air evenly with two variable speeds that work in tandem with three heating elements.

**Multi-Stage Cooking**

Create great taste with ease. With Multi-Stage Cooking, an Electrolux ICON® oven is a built-in sous chef, helping you conquer delicious by adjusting between seven professionally inspired cooking modes, including Bake, Broil, Convection Bake, Convection Roast, Convection Broil, Keep Warm and Slow Cook.

**Perfect Taste™ Temp Probe**

The Perfect Taste™ Temp Probe does more than measure temperature — it keeps an active eye on your dishes by alerting you when food is at the peak of perfection and automatically adjusting to the Keep Warm setting.

**Self-Cleaning Porcelain Racks**

Bake, roast, broil, savor — the cleaning's on us. Our porcelain racks are safe to stay inside of the oven during the self-clean cycle, eliminating the mess and inconvenience of removing and cleaning racks by hand.

PRODUCT DIMENSIONS

Height	29"
Width	30"
Depth	24-3/4"

MORE EASY-TO-USE FEATURES

Large Capacity

Coordinate an entire meal — our ovens feature 4.8 cu. ft. of cooking space with three adjustable baking racks.

Flat Oven Door Design

Our unique flat oven door is sleekly designed with fewer bumps and ridges — so it not only looks great but is easier to clean.

Smooth-Glide® Oven Racks

With a ball bearing system, the oven racks are so smooth they extend effortlessly.

Rapid Preheat

Savor sooner, with Rapid Preheat.

Precise Baking Options

Includes Defrost, Dehydrate, Bread Proof, My Favourites, Multi-Stage Cooking, Temperature Probe, Fast Preheat, Delay Bake and Convection Convert.

Platinum Star® Limited Warranty

Our exclusive limited warranty that includes a 3-year coverage on parts and one year on labour without charge.

*Eligibility based on product registration with BestBuy North America within 60 days of purchase.

electroluxicon.ca

SENATOR HOMES
DECOR CENTRE

JAN 30 2016

DATE:

INITIALS:

EXPENSE APPS: [TIME-SAVING TIPS](#)

9130 87



Electrolux Icon

OVEN FEATURES

OVEN FEATURES	
Green Country	4.8 Cu. Ft.
Double Blue Interior	Yes
Dead Fan Convection System	Yes
Hidden Slave Element	Yes
Conversion Conversion	Yes
Preheat Control	Yes
Rapid Preheat	Yes
Keep Warm	Yes
Light Clock/Timed with Clean/Heavy Clean	Yes
Self-Cleaning with Auto-Sp-Eject™	Yes
Self-Cleaning Cycle	Yes
Smooth-Gate™ Self-Clean Porcelain Oven Racks	Yes
Standard Self-Clean Porcelain Oven Racks	1
Thermostat Control	Yes
Procedural Reminder (On with Off)	Included

Electronic Oven Control

Electronic Oven Control	Yes
Electronic Cook/Timer	Yes
Electronic Temperature Display	Yes
Basic Wave Touch™ Control with Blue LED Display	Yes
Automatic Clean – Delay, Cool-Off	Yes
Electronic Lockout	Yes
Any Feature Self-Test	Yes
Custom Set™ Options with Temperature Probe	Yes
Automatic Oven Shut-Off – 12 Hour	Yes
Programmable for F or C	Yes
Integrated Halogen Oven Light – Touch Pad	Yes

Removable Door

Removable Door	Yes
Extra-Large Window	Yes
All Glass Inner Door	Yes
Glassless Door Handle	Yes


Sabbath Mode (Etar-K)-Control

SPECIFICATIONS

SPECIFICATIONS

Power Supply Location	Left Bottom Rail
Approved for Under Counter Installation*	Yes
Amps @ 240 Volts	18.8/16.3
Connection Element (Watts @ 240 Volts)	4,573.4
Main Element (Watts @ 240 Volts)	2,030
Dist Element (Watts @ 240 Volts)	4,000
Connection Element (Watts @ 240 Volts)	2,500
Approved Electrical Cable	Included
Standard Warranty (Months)	168 (1 Yr)

bioRxiv preprint doi: <https://doi.org/10.1101/2019.05.20.256662>; this version posted May 20, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.



NOTE: Always consult local and national electric codes. Refer to Product Installation Guide for detailed installation instructions on the web at electrification.ca.

PRODUCT DIMENSIONS

Height

Width	30"
Depth (Including Door)	24-3/4"
(with Door Open 90°)	45-3/4"

Height

Width	24-1.0'
Depth	10-1.0'



The authors thank the referees for their constructive comments and suggestions.

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxicon.ca

E30E'W75PPS 08/15

© 2015 Electrolux Major Appliances, N.A.

Printed in Canada

SENATOR HOMES
DECOR CENTRE
DATE: JAN 30 2016
INITIALS: *[Signature]*




Electrolux

9130 B7

ELECTRIC COOKTOP

EI30EC45KS



PRODUCT DIMENSIONS

Width	30-3/4"
Depth	21-3/4"
Height (Extreme Bottom to Underside of Cooktop)	6-5/8"

MORE EASY-TO-USE FEATURES

PLATINUM STAR® LIMITED WARRANTY

Our exclusive limited warranty that includes a 3-year coverage on parts and one year on labour without charge.¹

PERFECT OVER A WALL OVEN

Mounts above a single wall oven for additional installation options.

Available in:

Stainless
(S)

SIGNATURE FEATURES



GLIDE-2-SET® CONTROL PANEL

At the touch of a button adjust temperature so dishes come out perfectly.



FLEX-2-FIT® ELEMENTS

Elements adjust up to three sizes, so the element fits the cookware, not the other way around.



TRIPLE ELEMENT

An element that offers the versatility of three element sizes for ultimate flexibility, so it fits your cookware.



DIGITAL PRESET TOUCH SETTINGS

Up to 15 preset touch settings makes adjusting heat up or down a snap.

ELEMENT	WATTS
9" to 9" to 12" Triple Expandable Element	200W/2000W/3000W
9" Electric Element	1200W
6" Electric Element - Right Hand	1200W
9" Electric Element - Centre Hand	1200W

*Excludes limited warranty coverage with Electrolux. Void where prohibited. All days of operation. Product must have been purchased on or after July 1, 2012. Coverage includes covered parts for 3 years per burner for 1 year.


ELECTROLUXAPPLIANCES.CA

SENATOR HOMES
DECOR CENTRE

DATE: JAN 30 2016

INITIALS: /

ELECTRIC COOKTOP
EI30EC45KS



9130 87

30" ELECTRIC COOKTOP

FEATURES

Slide 2-Set™ Electronic Touch Controls	Yes
Ceramic Smoothing Glass Surface	Yes
8" to 9" to 12" Triple Radiator Element	1
5" Radiator Element	1
5" Electric Element - Right Rear	1
5" Electric Element - Centre Rear	1
Hot Surface Indicator Lights	Yes
Keep Warm Setting	Yes
Smooth Mode (Slide™ Control)	Yes

ACCESSORIES


Granite Countertop Installation Kit - PK# D03061-8010	Optional
Cleaning Sponge	Included

SPECIFICATIONS

Colour -	Stainless Steel
Power Supply Connection Location	Right Centre Rear
Connected Load (kW Rating) @ 240 / 208 Volts	8.6 / 6.8
Amps @ 240 / 208 Volts	36.2 / 30.8
Minimum Circuit Required (amps)	40
Electrical - Single phase 4-wire cable (120/240 Volts or 120/208 Volts, 60 Hz, fused on both sides of line with ground)	Required
Removable Electrical Cable	Included
Approved for Single Oven Combination Installation*	Yes
Shipping Weight (Approx.)	58 Lbs

*ULC: Listed as a combination cooktop and electric oven, made in Canada. Installation must be done by a qualified electrician.

*ULC: Listed as a combination cooktop and electric oven, made in Canada. Installation must be done by a qualified electrician.



PRODUCT DIMENSIONS

Width	30-3/4"
Depth	21-3/4"
Height (Extreme Bottom to Underside of Cooking)	6-5/8"

Electrolux Major Appliances, N.A.

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

EI30EC45K 10/15

© 2015 Electrolux Major Appliances, NA



High standards of quality of Electrolux Home Products, Inc. mean we are constantly making improvements to our products. We reserve the right to change specifications or discontinue models without notice.

Printed in Canada

SENATOR HOMES
DECOR CENTRE
DATE: JAN 30 2016
INITIALS: [Signature]



Electrolux |

ICON

9130 87


Built-In Dishwasher

professional series

E24ID740PS



Signature Features



30-Minute Fast Wash Cycle

Quick Wash Cycle allows you to thoroughly wash dishes in half the time.



Largest Usable Capacity

Largest usable capacity in its class, so even your dinner party dishware fits.



SatelliteSpray™ Arm

An innovative rotating wash zone gives you 400% more water coverage, targeting virtually every spot in your dishwasher for a truly professional-level clean.



Perfect Stemware™ Cycle

Ensures your stemware comes out spotless and clean.

PRODUCT DIMENSIONS

Height	33-3/4" - 35-3/4"
Width	23-8/4"
Depth	24-1/4"

MORE EASY-TO-USE FEATURES

IQ-Touch™ Controls

For those who like to have their options always visible on their dishwasher, the IQ-Touch™ control panel displays all of your options, at all times.

Easy-Lift Adjustable Racks

Versatile racking system easily adjusts to provide the perfect place for all your dishware — no pinching, pulling, or toggling required.

Auto Wash Feature

A Smart Soil Sensor technology that determines how long the wash cycle should run, for a more effective operation.

AquaLux™ Wash System

A unique washing system that uses alternating wash arms, for a quieter and more efficient operation.

Luxury Soft Grip Racks

Luxury Soft Grip Racks hold plastics and dishware in place, and prevent flipping, for a more thorough clean.

Perfect Stemware™ Grips

Six flexible grips gently hold stemware and other delicate items for a secure wash, every time.

Luxury-Glide® Racks

With our Luxury-Glide® technology, upper and lower racks are so smooth they extend effortlessly.

Sure-2-Fit® Racking System

The most versatile and adjustable racking system — there's a perfect place for over 150 items, from chopsticks to stockpots to stemware. In its lowest position, you can fit 10" dinner plates in the top rack and 12" dinner plates in the bottom.

More Cycles

With up to ten cycles — including Heavy, Normal, Fast Wash, Auto, Upper Rack Only, Eco Wash, Stemware, Rinse Only, Delicate, and "My Favourite" — you can choose the perfect wash for any occasion.

"My Favourite" Settings

A programmable setting that lets you customize the wash for your unique cleanup needs.

electroluxicon.ca

SENATOR HOMES
DECOR CENTRE

DATE:

JAN 30 2016

INITIALS:

/L

E241D740PS

9130 87



Before UX Icons

FEATURES

FEATURES	
Stainless Steel Interior	Yes
Easy-Load™ Door	Yes
Customize™ Options	Yes
Theatre LED Lighting	Yes
Integrated iQ-Touch™ Controls	Yes
LED Indicator Lights	No
Tall-Tub Design	Yes
ProClean™ Wash System	Yes
Sanitizedgrip™ Arm	Yes
Luxury Clean™ Technology	Yes
Luxury Clean™ Service Package (Approx. \$8A)	Yes/45.0
Wash Levels	6
Auto-Luc™ Wash System	Yes
Leak-Detection System	Yes
Adjustable Flood Aid Dispenser with Indicator	Yes
ENERGY STAR	Yes

CYCLES

Auto Wash	Yes
Defogger	Yes
Exo. Wash	Yes
Favourite	Yes
Heavy	Yes
Nocturne	Yes
Perf. Act. Shattering	Yes
Sh. Win. Exo. Wash	Yes
Raise Only	Yes
Upper Rack	Yes

OPTIONS

RF Day	Yes
NSF Certified Sanitize Option	Yes
Deliver Start	30 Min. 24 Hrs.



BACK SYSTEM

Upper Rack -	
Sure 2-Pin® Rack System	Yes
Adjustable Hanger	Yes
Cup Clips	4
Cup Shelf/Spillproof Padded	2/Yes
Fold Down Trays	4 Power
Rack Handle	Yes
Wine Tray	Yes
Lower Rack -	
Fold-Down Trays	6 Flows
Wine Huber	Yes
Utility Tray/Shell	Yes
Swing-out Champagne Glass Holders	4
Silverware Basket	3-Piece Split
Special Items Glass / Multi Small Items Box	Full Set

SPECIFICATIONS

SPECIFICATIONS	
Power Supply Connection Location	Right Bottom Front
Water Inlet Location	Left Bottom Front
Leaving Legs	Yes
Water (Boiler/Cooling) - Nominal Cycle	4.0 - 5.0
Water Pressure (PSI)	15 - 120
Integral Air Gap on Supply	Yes
Voltage Rating	120V/60Hz
Connected Load (kW Rating @ 120V/60Hz)	1.44
Amps @ 120V/60Hz	9.0
Shipping Weight (Approx.)	115 lbs.

THE COMPANY'S STOCK IS LISTED ON THE NEW YORK STOCK EXCHANGE AND THE NASDAQ STOCK EXCHANGE. THE COMPANY'S STOCK IS NOT LISTED ON THE LONDON STOCK EXCHANGE.



PRODUCT DIMENSIONS

Height (Adjustable)	33-3/4" - 35-3/4"
Width	23-5/8"
Depth (Including Door)	24-1/4"
Depth (Excluding Door)	20-1/4"



High standards of quality at the University of Cambridge, the United Kingdom, and the University of the Pacific, the Philippines, are being used to help the United Nations and the World Bank to improve the quality of education in the developing world.

Electrolux Major Appliances, N.A.

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxicon.ca

E24ID74QPS 03/15

© 2015 Electrolux Major Appliances, N.A.

Printed in Canada

SENATOR HOMES
DECOR CENTRE

DATE: JAN 30 2016

INITIALS:

9130-87

Voss

Traditional | Transitional | Modern



Posi-Temp® with 3 Function Diverter Valve,
Slide Bar with Hand Held, Showerhead and
Tub Spout**

Model 62320 / 3372 / 128284 / T4611+ /
T2693EP+ / 3669EP+ / A725+

↓
**MAIN BATH
TUB/SHOWER
(2ND FLOOR)**

Posi-Temp® with 3 Function Diverter Valve,
Slide Bar with Hand Held and Showerhead **

Model 62320 / 3372 / T4611+ / T2692EP+ /
3669EP+ / A725+

↓
**MASTER ENSUITE
SHOWER**

**Please refer to Vertical Spa Guide for installation

Matching tub drain assembly available. Please see *Bath Hardware and Home Care* Section.

* To order, combine the model number with one of these finish letters



Chrome
(use faucet
number only)

MOEN
Buy it for looks. Buy it for life.*

**SENATOR HOMES
DECOR CENTRE**

DATE: JAN 30 2016

INITIALS: [Signature]