

CONSTRUCTION SUMMARY

Carrville Investments Ltd. / Richvale

Lot/Unit: 59 Phase/Building: 1 Model/Floor Plan: The Birch (20-1) Elev A

AUDIO AND SECURITY

CABINETRY

Inv.3962

1 - LOCATION: KITCHEN

ADJUST UPPER CABINETS ABOVE STOVE TO ACCOMODATE THE INSTALLATION OF FUTURE CHIMEY HOOD FAN THAT WILL BE SUPPLIED AND INSTALLED BY PURCHASER AFTER CLOSING. FINISH SIDE OF CABINETS.

Line 50840

Note: SEE SPECS ATTACHED.

CABINETRY APPLIANCE - FRIDGE

CABINETRY BASE CABINETS

CABINETRY VANITY

ELECTRICAL

Inv. 3962	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT TO ACCOMMODATE FUTURE CHIMNEY HOOD FAN THAT WILL BE SUPPLIED AND INSTALLED BY PURCHASER AFTER CLOSING. SEE SPECS ATTACHED.	
Line 50839	Note:	
17Jan17 / 17Jan17		

HARDWOOD FLOORING

HEATING AND AIR CONDITIONING

MISCELLANEOUS

EXTRAS AS PER OFFER

Worksheet Note:	
-----------------	--

This Document is Extremely Time Sensitive - Printed <u>1 Feb 17</u> at <u>10:31</u>

Page 1 of 1

mmarySQL.rpt 05nov15 Printed and Sent: 01-Feb-17

SPEC SHEET , OR30SDPWGX1 , 30" Dual Fuel Range



OR30SDPWGX1

30" Dual Fuel Range

functioncombined with a 4-burner gas cooktop. The unique complement the style and elegance of any modern kitchen design and clean lines in black glass and stainless steel This 30in Freestanding Range gives you the flexibilty to prepare several courses simultaneously with an extra large oven, that offers Pyrolytic Self Clean

Brushed Stainless Steel with black glass



24 Hours 7 Days a Week Customer Support T 1.888.936.7872 W fisherpaykel.com A PEACE OF MIND SALE

Dimensions

24 7/32"	© 35 21/32 - 36 11/32"	3 29 7/8"
	S 35 2	
Depth	pht	£

			1
N.	0 0 0		
	ŏ		
100	ŏ III		

Features & Benefits

Perfect Results

burners on the cooktop and eight oven functions - perfect Professional performance is delivered by powerful gas for any culinary requirements.

Precise Control

interface are positioned on a full stainless steel control panel Generous metal control dials with a simple, functional for precise control over cooking temperatures.

Sized to Suit

Our 30" Ranges are spacious, with 3.6 cu.ft of total capacity. A five position shelving system allows ample space for larger

steel that contains spills to be simply wiped away, while the solf-cleaning oven function and easily removable oven door The gas cooktop is made from a single piece of stainless make cleaning easy.

Safe and Sound

oven door is safe to touch externally. Streamlined cast iron A CoolTouch door and built-in cooling system ensure the trivets let you slide pots and pans without lifting them.

Designed to Match

This Range is designed to complement the Fisher & Paykel kitchen product family with clean lines of black glass and stainless steel.

Specifications

Accessories Broll pan and rack	-
Flat Shelf	•
Step down oven shelf	-
Step down shelf	•
Wok stand	•
Burner ratings	
Dual wok burner cuter/inner	17000 BTU (2)
Semi-rapid burner	600 - 8000 BTU
Capacity	
Coaktop	4 Gas burners
Shelf positions	10
Total capacity	3.6 cu. ft



HC30DTX1

30" Ventilation Hood

control panel responds to the touch of your finger. Halogen lights rangehoods offer a selection of fan speeds and clever features that quietly and efficiently remove tham all. The soft touch provide superb illumination over the entire cooking surface. Banish steam, smoke and lingering smells. Fisher & Paykel

Stainless Steel



24 Hours 7 Days a Week Customer Support A PEACE OF MIND SALE

Dimensions

Depth			.91/11 61
Neight			A 23 3/4 - 41 9/64"
Wadth			B 29 11/16"
•	•	0	
-			
9			
•			

Features & Benefits

Effective and Quiet

Odors can linger in the kitchen well after cooking is finished. The practical timer feature keeps the Ventilation Hood working for up to 15 minutes before it automatically turns itself off.

Precise Control

The sleek touch-control panel responds to the touch of your finger. Halogen lights provide superb illumination over the entire cooking surface.

Easy Cleaning

filters trap grease effectively. Designed for simple removal, the filters are An interior, wipeable plate makes cleaning effortless and multi-layered casy to clean and dishwasher safe.

Designed to Match

These Ventilation Hoods are finished in stainless steel, which matches the rest of Fisher & Paykel's family of kitchen appliances.

Specifications

Otshwasher sate filters	2
Controls	
Timer function	•
Details	
UPC Code	9415112886632
Fan ratings	4.
Maximum air mayement	615 CFM
Maximum decibel rating	67 dBA
Installation	
Air oudet	.9
Two-Piece Height Adjustable Fluc	•
Optional accessories	
Ducting solution	•
Recirculation earbon filter	•
Recirculation divorter	
Power requirement	
AMP draw	5.2 A
Supply Prequency	P 09 Hz
Supply vertage	110 - 120 V
Watranty	
Warianty	2 years
SKU	88663

Fisher&Paykel

SPEC SHEET > OR30SDPWGX1 > 30" Dual Fuel Range

Cleaning		Performance	
Acid resistant graphite enamel	•	Bake	2950W
Removable oven door/s	•	Broil	2850W
		Cast iron trivets	•
Controls		Combined Warming/Storage Drawer	•
Automatic cooking/minute timer	•	Convection bake	2450W
Electronic clock	•	Electronic ignition	•
Indicator Light	•	LPG/Natural gas compatible	•
Stainless steel dials	•	Lights	2 (Rear)
Cooking modes		Open Venting	•
Bake	•	Warmer drawer	500W
Broil	•	Power requirement	
Convection Grill	•	AMP draw	14.8 A
Convection bake	•	Supply Frequency	60 Hz
Defrost	•	Supply voltage	240 V
Fan Bake	•	Safety	
Oven functions	7 + self clean	Advanced cooling system	•
Self-clean function	•	Anti-tilt bracket	•
Warm	•	CoolTouch door	•
Details		Door and cavity cooling system	•
UPC Code 83	822843886593	Flame failure	•
		Glazed door	•

The product climensions and specifications in this page apply to the specific product specifications may change at any time. You should therefore check with Fisher 8 Paykels Customer Care Centre to ensure this page correctly describes the model currently available. © © Fisher & Paykel Appliances Ltd 2016 and model. Under our policy of continuous improvement, these dimensions and

Other product downloads available at fisherpaykel.com fisherpaykel.com

PDF

Range - OR30SDPWGX1 - Data Sheet

Fisher&Paykel

2 years


Non-tip shelves

Warranty Warranty 88659

SKU







Features & Benefits

36" French Door Integrated

with ice - 72" Tall

ActiveSmart™ Refrigerator

RS36A72J1

Fresher Food for Longer

ActiveSmartⁱⁿ Foodcare helps keep you food fresher for longer by constantly monitoring how you use your refrigerator and adapting to maintain a controlled environment and optimum temperature.

Seamless Integration

The integrated series minimizes gaps through heavy-duty inline hinges and adjustable doors, creating consistent lines throughout your kitchen. The series fits flush with cabinetry to reduce disruption and deliver design freedom through stainless or custom panel options.

technology. Stainless steel door panel set sold separately

while providing excellent food care with ActiveSmart"

size refrigerators offer a seamless look to the kitchen

refrigeration. With new flush-fit design and the ability

to easily slide into existing kitchen spaces or be integrated behind kitchen cabinetry, these family-

Introducing the next generation in Fisher & Paykel

Sized to Suit

The spacious 36" French Door refrigerators are designed for family life, with double doors for easy access to uninterrupted refrigerator space.

Removable, spill-safe cantilevered glass shelves are designed to contain drips and spills that can be simply wiped away, while leaving the interior walls completely smooth and easy to clean. Storage bins and EZkleen stainless steel doors just need a wipe to keep spotless.

Flexible Living

These refrigerators adapt to sult your lifestyle by streamlining food preparation and organization with SmartTouch controls, flexible shelving and storage options, and slide-out bins and trays. LED lighting illuminates all shelves, bins and trays.

ficient

These ActiveSmart** refrigerators intelligently adapt to daily use to help save energy, cooling and defrosting only when they need to without compromising on food care. As a result, Fisher & Paykel's integrated series carries an Energy Star Most Efficient rating.

Specifications

Part number 839041	Water filter
RD3672	Stainless Steel Door Panel Set 72
door panels)	פפר כן סומסויפת וופוסו ייטיוקים
24624 (for custom made	Cat of 2 bearings and 1 march lac
81099	Replacement water fifter
	handle kit
2013E73	EZKieen stainless steel door panel &
	Accessories

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 W fisherpaykel.com

Stainless Steel Built-In Refrigerator - RSS6A72.II - Dafa Shaet

Other product downloads available at fisherpaykel.com

fisherpaykel.com

PDF

Panel Ready Bulk-In Refrigerator - R536472J1 - Data Sheet

PDF

SPEC SHEET > R536A72J1 > ActiveSmart" Refrigerator 36" French Door Integrated with ice - 72" Tall

Capacity		Refrigerator	
Freezer	5.1 cu ft	Adjustable door shelves	ø
Refrigerator	11.7 cu ft	Adjustable glass shelves	M
Fotal	16.8 cu ft	Cantilevered Shalves	•
Consumption		Covered door shelves	2
Energy Star Certified	Yes	Doll storage	
Energy usage	S61 kWh/year	Deli storage bins	-
		Door narm	٠
Details		Fruit and vegetable bins	2
UPC Code	822843343372	LED lighting	•
Freezer		Smart Touch control panel	•
Bottle chill	89-8	Soft-close doors	٠
Bullt-in ice maker		Stackable bottle holders	4
Door alarm	•	Warranty	
Fast freeze		Parts & Labor	2 years
LED lighting	*	Sealed system parts	5 years
Large plastic bin	•		
Slide Out Pastry Tray		SKU	24337
Small plastic bins	-	Executed if year of to the age of the control of the second of the secon	Fe predict
Performance		and madel. Untak cut policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Flahse &	rs and Fisher &
ActiveSmart* Foodcare	*	Physics Customer Gare Centre to ensure this page correctly describes the model currently evaluable, 8: 8: Figner & Paykel Applances, Ltd 2016	e model
Adaptive defrost	٠		
Frost free freezer	٠		
Humidity control system	•		
Sabbath mode	•		