

CONSTRUCTION SUMMARY

Kingsmen (Thames) Inc. / Havelock Corners (Kingsmen)

Lot/Unit: 94 Phase/Building: 4B Model/Floor Plan: Louis (4203) Elev A 4 Bed - 4+1 Bath

CABINETRY APPLIANCE - FRIDGE

Inv. 4930	1 - To supply & install the 66CM DEEP FRIDGE ENCLOSURE - COUNTER DEPTH WITH - 1 WALL - 1 66CM DEEP GABLE AND 1 66CM DEEP CABINET - THIS IS NOT A ZERO CLEARANCE ENCLOSURE. STANDARD HEIGHTS AND WIDTHS WILL BE USED CLASSIC SERIES in the kitchen	
Line 63428 5Mar21 / 9Mar21	Note: See sketch # 1	

CABINETRY BASE CABINETS

Inv. 4930	1 - To supply & install an additional BANK OF DRAWERS CABINET - 45 CM MAXIMUM -		
	SIZE SUBJECT TO FLOOR PLAN - CLASSIC SERIES in the kitchen see sketch # 1		
Line 63429	Note:		
5Mar21 / 9Mar21			

CABINETRY MICROWAVE OVEN STOVE COOKTOP

Inv. 4930	 1 - To accommodate for the future BUILT-IN TALL APPLIANCE CABINET WITH DRAWER - S BELOW FOR PANEL-MOUNT - PROUD - OR TRIM KIT INSTALLATIONS - TRIM KIT REQUIRED - SUPPLY ALL SPECS AND INSTALLATION GUIDES - COUNTER DEPTH - CLASSIC in the kitchen. see spec's 	
Line 63426	Note: See sketch #1	
5Mar21 / 9Mar21		
Inv.4930	1 - To accomodate for the future 36" COOKTOP CABINET WITH FALSE TOP DRAWER AND POTS AND PANS DRAWERS BELOW - SUPPLY SPECS CLASSIC SERIES in the kitchen see spec's see sketch #1	
Line 63424	Note:	
5Mar21 / 9Mar21		

CABINETRY VANITY

Inv. 4930	1 - To supply & install the VANITY BANK OF DRAWERS CLASSIC SERIES in the master ensuite see sketch #2	
Line 63430	Note:	
5Mar21 / 9Mar21		
Inv.4930	2 - To supply & install two VANITY TOP DRAWERS - CLASSIC SERIES in ensuite #3	
IIIV.7230	see sketch # 2	
Line 63431		

COUNTER TOP

Inv. 4930	1 - To accomodate for a future 36" cook top see spec's	
Line 63425	Note:	
5Mar21 / 9Mar21		

ELECTRICAL

Inv. 4930	1 - The Purchaser has upgraded to a 36" opening see cooktop spec's	
Line 63416	Note:	
5Mar21 / 9Mar21		

This Document is Extremely Time Sensitive - Printed $\underline{17\ Mar\ 21}$ at $\underline{17:14}$

Page 1 of 3

Printed and Sent: 17-Mar-21



CONSTRUCTION SUMMARY

Kingsmen (Thames) Inc. / Havelock Corners (Kingsmen)

Lot/Unit: 94 Phase/Building: 4B Model/Floor Plan: Louis (4203) Elev A 4 Bed - 4+1 Bath

Inv. 4930	1 - To supply and supply a 36" standard style hoodfan in lieu of the 30" standard hoodfan see	
T: (2410	spec's	
Line 63418	Note:	
5Mar21 / 9Mar21		
Inv. 4930	1 - To relocate the standard light from upper stair laniding to open to below area on the upper	
	hallway/staircase see sketch	
Line 63423	Note:	
5Mar21 / 9Mar21		
Inv. 4930	1 - To supply and install the standard Phone (CAT 5) rough-in, in the Greatroom, Master	
	Bedroom and Bedroom #4 see sketch #1 and #2	
	To supply and install the standard T.V Rough-in, in the Greatroom and Master Bedroom see	
	sketch #1 and #2	
Line 63412	Note:	
5Mar21 / 9Mar21		
Inv. 4930	1 - To supply & install a capped ceiling elec.on a sep. switch in the kitchen see sketch # 1	
Line 63413	Note:	
Line 03413	Trote.	
5Mar21 / 9Mar21		
Inv. 4930	1 - To SUPPLY AND INSTALL EXTRA 240 STOVE PLUG at wall tower for future built in	
	microwave and wall oven see spec's.	
Line 63427	Note:	
5Mar21 / 9Mar21		
HARDWOO	OD .	
Inv. 4930	1 - To supply and install KENTWOOD PROGRESSIVES OAK 3 1/2" UPPER HALL in lieu of the standard carpet	
Line 63433	Note:	
5Mar21 / 9Mar21		
HEATING.	AND AIR CONDITIONING	
Inv.4930	1 - As per schedule "PE": Vendor to install capped gas line (rough in only) at rear of home for	
· · · · · · · · · · ·	future BBQ location. Location to be finalized at vendors sole discretion.	
Line 63383	Note:	
5Mar21 / 9Mar21		
Inv. 4930	1 - As per schedule "PE": Vendor to supply & install air conditioning unit, sized accordingly,	
Line 63384	from vendors standard samples. Note:	
Line 05584	NOIE.	
5Mar21 / 9Mar21		
Inv. 4930	1 - To supply & install a HUMIDIFIER to the furnace	
Line 63435	Note:	
5Mar21 / 9Mar21		
PLUMBIN(
Inv. 4930	1 - To supply a WATERLINE ROUGH-IN TO THE FRIDGE LOCATION (NO HOOK UP)	
Line 63415	Note:	

This Document is Extremely Time Sensitive - Printed <u>17 Mar 21</u> at <u>17:14</u>

Printed and Sent: 17-Mar-21



CONSTRUCTION SUMMARY

Kingsmen (Thames) Inc. / Havelock Corners (Kingsmen)

Lot/Unit: 94 Phase/Building: 4B Model/Floor Plan: Louis (4203) Elev A 4 Bed - 4+1 Bath

Inv. 4930	1 - To supply & install MOEN soap dispencer model # 3994 in CHROME in the kitchen see	
	spec's See sketch # 1	
Line 63432	Note:	
5Mar21 / 9Mar21		

RAILING

Inv. 4930	1 - To supply and install RAILING - UPGRADE 1 - METAL HANDRAIL 3 INCH OVAL IN OAK - PICKETS STEEL ½ INCH SQUARE, PLAIN, WITH SHOES IN FLAT BLACK - POSTS 3½ INCH SQUARE, WITH CAP OAK IN OAK in lieu of the standard railing see colour chart	
Line 63434	Note:	
5Mar21 / 9Mar21		

EXTRAS AS PER OFFER

VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION. Worksheet Note:	
VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES. Worksheet Note:	

Printed and Sent: 17-Mar-21

KINGSI^IIEN

2. Flooring

INTERIOR COLOUR SCHEME

MAR 1 0 2021

Purchaser:	MOHINDER S CHOHA	.N	Property	y: 94 of Plan - Draft A	pproval SB17-03-08
Telephone Res. / Bus:	1		Projec	t: Kingsmen (Thames) Inc.
Decor Advisor:	Barbara Coccia	Model	and Elevation	1: Louis (4203) Elev A	4 Bed - 4+1 Bath
Layout Changes: O	res No Sketci	h Attached: Yes	○ No Ex	terior Colour Scheme	
1. Cabinetry	Style and Colour		Counter Top		Hardware
Kitchen / Breakfast	#3 Simcoe Moonlight		#1 C/S #914	11 Ice Snow 3cm	12881 Handle
Kitchen Island	#3 Simcoe Moonlight		#1 C/S #914	11 Ice Snow 3cm	12881 Handle
Laundry Room	/		V	1	7
Powder Room	#3 Simcoe Rain Cloud		Calcutta Ma	rble 4925K-07	135 Knob
Main Bathroom	1		y		7
Master Ensuite Bathroom	#3 Charleston 3DL Orchi	d	White Carra	ra 4924-38	9671 Handle
Second Ensuite Bathroom (If Applicable)	#2 Slab LPL Stainless		White Carra	ira 4924-38	135 Knob
Ens. #3 bathroom	#2 Slab LPL Stainless		Paloma Pok	ar 6698-46	135 Knob
Ens. #4 bathroom	#3 Simcoe Rain Cloud		Calcutta Ma	rble 4925K-07	9671 Handle
Appliances	Custom Size Fridge	Valance L	ighting	Microwave	/ Range Hood
	Yes No.		No	○ Yes	No No
	Cooktop / Rangetop	Built in W	all Oven	Slide-in	Range
Comment	Yes No	Yes	○ No	○ Yes	● No
/					
				90	
	**				
	*				
		4		76	

Z. Flooring	Selection
Foyer	13x13" Keaton Ice
Main Hall	13x13" Keaton Ice
Back Hall	
Breakfast	13x13" Keaton Ice (Including Pantry)
Laundry Room	13x13" Keaton Ice
Kitchen	13x13" Keaton Ice
Powder Room	13x13" Keaton Ice
Main Bathroom	Ens. #2 Bathroom: 13x13" Malena Ice Shower floor: 2x2" Soho White Matte .
Master Ensuite	13x13" Cinq Grey Shower Floor: 2x2" Soho White Matte
Bathroom (If Applicable)	Ens. #3 Bathroom: 13x13" Malena Ice
Mud Room	13x13" Keaton Ice
Ens. #4 bathroom	13x13" Keaton Ice
Living Room	(Sitting Room)- 13x13" Keaton Ice
Dining Room	1
Family / Great Room	3 1/2" Elements Oak Sturgeon
Den / Library / Study	
Basement Landing (If Appl	ies)'
Lower Landing (If Applicab	le)3 1/2" Elements Oak Sturgeon
Upper Landing	3 1/2" Elements Oak Sturgeon
Upper Hall	**3 1/2" Elements Oak Sturgeon
Master Bedroom	Stylish Story 1: 919 Early Frost
Bedroom #2	Stylish Story 1: 919 Early Frost
Bedroom #3	Stylish Story 1: 919 Early Frost
Bedroom #4	Stylish Story 1: 919 Early Frost
Bedroom #5	V
Shower jamb/sill:	Master ens: Anatolia Marmiline SNOW Ens #2: Anatolia Marmiline SNOW

Flooring Continued on Page 2

Page 1 of 3

KINICCILIENI

INTERIOR COLOUR SCHEME

irchaser: dephone Res. / Bu ecor Advisor: Flooring - Contin	Barbara Coccia		Proje	rty: 94 of Plan - Draft App ect: Kingsmen (Thames) Ir on: Louis (4203) Elev A 4 I	nc.
Upgrade Underpad	Type Standard			rea	#2 and #4
				laster Bedroom, Bedroom #2,	#3 and #4
Carpet on Stairs Comment	Capped /		R	unner - *Upgrade	1010
/					
Plumbing Fixtures	Standard	Second Ensuite	Standard	Powder Room	Standard
Master Ensuite	Standard	J GOOGHA EHIGANA	Otalidai	Other Room	Januaru
Main Bathroom	/	Ens. #3 & #4 bathroo	m Standard	1	
Comment	2.00		Landau and American		
/					
	•	į.			
ub Surround hower Stall cond Ensuite is. #3's bathroom is. #4's bathroom itchen Backsplash implete Backsplash Comment To supply and insta #2, #3 and #4 bath	8x10" Cinq Grey 8x10" Malena Carbon 8x10" Malena Ice 8x10" Keaton Ice / / / all all wall tiles in all bath room) on the 10" side h	nooms (Master, Bedro orizontally stacked.	om		
Fireplace		*	horizorral docks		
	Living Room Purchased As Per Plan	Family R N/A Purch	oom ased As Per Plan	Other Room - Si N/A Purchased A	pecify Great room as Per Plan N/A
	0 0	• 0	0	• C	• 0
				Front Facing	
전 전에 11명이 보이면 모든 11명이 12명이 보다.				NF-8	
Mantle Type				1	
Mantle Type Over Mantle				White	
Mantle Type Over Mantle Colour / Stain				White /	
Mantle Type Over Mantle Colour / Stain Surround Hearth				White /	
Fireplace Type Mantle Type Over Mantle Colour / Stain Surround Hearth Comment				White //	
Mantle Type Over Mantle Colour / Stain Surround Hearth				White /	

KINGSIIEN

INTERIOR COLOUR SCHEME

MAR 1 II 2021

GR	OUP INC.					MAR 1 0 2021
urchaser:	MOHINDER S CHO	HAN	Prope	erty: 94 of	Plan - Draft	Approval SB17-03-0
lephone Res. / Bus		100,000			men (Thame	
cor Advisor:	Barbara Coccia					A 4 Bed - 4+1 Bath
AND THE CONTRACTOR OF THE CONT	Dai Dai a Goodia		moder and Lievat	ion. Louis	(4200) LIEV	A 4 Ded - 41 Datil
Trim Carpentry					Inte	rior Doors
	andard Handle					
Interior Trim St Comment	andard					Panel Arch Top
/					0.2	Panel Square Top
					0.6	Panel
						6
					Initial for Do	or Style
Balliage and Dieke						
Railings and Picke Railing Package	*Upgrade #1 Metal Packa	ige				
Railing Colour	Elements Sturgeon	30	Picket Colour	Black Meta	1	
Wood Stairs	○ No		Tread Colour	Elements S		
Comment						
/						
						2 2
Plaster Mouldings	and Medallions					
Foyer	/ /		Kitchen/Breakfas	t /		V
Main Hall	/		Den/Library	1		V
Living Room	/		Lower Landing	1		/
Dining Room	/ /			1		7
Family Room	/					
Comment						
Wall Paint						
Kingsmen White			Smooth Ceili	ngs () Fir	st Floor	
				Ŏ Fir	st Floor incl.	Second Floor Hall
				\simeq	st and Secon	nd Floor
				=	roughout t Applicable	
			Trim Pa	int Kingsm		
				in rangon	CII VVIIIC	
. Additional Comm	ents					
. Disclaimers and N					W	
	als are as close as possible to					
	we are null and void unless a pwiedges that after interior s to unavailability.		is signed and dated, no			
 The Purchaser acknowledge of the miscellaneous 	wledges reading and accept disclaimers.	ng the "Kingsmen G	roup Décor Centre Disc	laimers" form	. This documen	t contains
This Interior Colour Se	lection is final and approve	d by:				
Purchaser:	dellapora	Date: Marc	1 9/21			2
Signature: MM	m (Mol &	Date:	101		/	


Kingsmen (Thames) Inc.

Lot 94 Phase 4B

Model: Louis (4203) Elev A 4 Bed - 4+1 Bath

Standard






BASEMENT EL. A

+ Moliner Clocks

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

Initials:



GROUND FLOOR EL. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE *B-1" - Page 3 of 3


MAR 1 U 2021

SCHEDULE "B-1" Floor Plan

Phase 4B Model: Louis (4203) Elev A 4 Bed - 4+1 Bath

Standard

Lot 94



SECOND FLOOR EL. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3

Initials:

MAR 1 8 2021

THAMES 4B: LOT 94 RE: 36" COOKTOP SPEC'S

Dimensions 52.23 cm, 20-9/16 in **Cutout Depth Max** Cutout Depth Min Cutout Width Max 51.75 cm, 20-3/8 in 90.33 cm, 35-9/16 in **Cutout Width Min** 87.79 cm, 34-9/16 in Depth 55.24 cm, 21-3/4 in Height 13.34 cm, 5-1/4 in 13.34 cm, 5-1/4 in Maximum Height Width 92.23 cm, 36-5/16 in Cooktop Type Standard Fuel Type Installs Over Built-In Oven Electric Yes LP Convertible No Power Boost Size 91.44 cm, 36 in Control Location Front Infinite Heat Controls Yes Knob Color Black Dishwasher-Safe Plastic Knob Type No 6"" Automatic Pan Detection Center Rear Element-Burner Size All Burners Cooktop Configuration Cooktop Element Style Cooktop Surface Color Radiant Black Downdraft Vent Heating Element On Indicator LightYes Hot Surface Indicator Light Yes

Molise Cholia

Whirlpool 36-inch Electric Ceramic Glass Cooktop with Two Dual Radi ... Model: WCE77US6HB


Features	Reviews	Specs & Manuals	Where To Buy	Manuals & Guides	
Dimensions					
Cutout Depth Ma:		26-9/16 in		Cutout Cepth Min	20-348 ri
Cutout Wicth Max		35-9/10 in		Cutout Width Min	34-9/16 in
Depth		2:-3:4 n		Height	5-1/4 in
Maximum Height		5-1/4 in		Width	36-5:16 in

THAMES 4B: LOT 94 RE: 36" COOKTOP SPEC'S


- The cooktop should be installed away from strong draft areas, such as windows, doors, fans or strong heating vents. The cooktop should be located for convenient use in the kitchen.
- Use the countertop opening dimensions that are given with these Installation Instructions. Given dimensions are minimum clearances and provide 0" (0 cm) clearance.
- Grounded electrical supply is required. See "Electrical Requirements" section.

IMPORTANT: To avoid damage to your cabinets, check with your builder or cabinet supplier to make sure that the materials used will not discolor, delaminate, or sustain other damage.

Product Dimensions




- A. Glass depth black and white models 21 %" (55.2 cm) Glass depth stainless steel models 22 %" (56.4 cm) B. Glass width 24" (60.9 cm) models 23 13/16" (60.5 cm) Glass width 30" (76.2 cm) models 30 13/16" (78.4 cm) Glass width 36" (91.4 cm) models 36 5/16" (92,3 cm) C. Frame depth 20 ½" (51.6 cm)
- D. Frame width 24" (60.9 cm) models 21 ⁵⁹/sa" (55.7 cm) Frame width 30" (76.2 cm) models 29" (73.7 cm) Frame width 36" (91.4 cm) models 34 ⁷/se" (87.5 cm)
- E. Cooktop height with bottom heet shield 3 % (9.8 cm) Cooktop height lighted knobs 4 15/16 (12.55 cm)
- F. Cooktop height including conduit (located at rear of cooktop, right side) 5" (12.7 cm) Cooktop height lighted knobs, including conduit (located at rear of cooktop, right side) - 6 1/16" (15.4 cm)



Location of Power Cord (length of power cord is 48" (121.9 cm), including the conduit)

Cabinet Dimensions

IMPORTANT: If installing a range hood or microwave hood combination above cooking surface, follow the range hood or microwave hood combination installation instructions for dimensional clearances above the cooktop surface.



- A. 24" (60.9 cm) on 24" models; 30" (76.2 cm) on 30" models; 36" (91.4 cm) on 36" models
- B. Combustible area above countertop (shown by dashed box above)
- C. 30" (76.2 cm) minimum clearance between top of cooktop platform and bottom of uncovered wood or metal cabinet (24" [61 cm] minimum clearance if bottom of wood or metal cabinet is covered by not less than ½"[0.6 cm] flame retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015" [0.04 cm] stainless steel, or 0.024" [0.06 cm] aluminum or 0.020" [0.05 cm] copper)
- D. 13" (33 cm) recommended upper cabinet depth
- E. 2" (5.1 cm)
- 20½" (52.0 cm) recommended cutout. Will fit in cutout from 20%"-20%" (51.8-52.2 cm).
- G. 18" (45.7 cm) minimum clearance from upper cabinet to countertop within minimum horizontal clearances to cooktop
- H. Junction box or outlet: 7° (17.8 cm) minimum from top of countertop
- Junction box or outlet: 9° (23.0 cm) maximum from right side of cabinet
- 29%" (74.9 cm) recommended cutout on 30" (76.2 cm) models. Will fit in cutout from 29 %e"-29 %e" (73.8-75.1 cm) on 30" Will fit in cutout from 28 7% - 26 7% (91.4 cm) models. 35% (90.2 cm) recommended cutout on 36° (91.4 cm) models. Will fit in cutout from 34 % -35 % (87.8-90.3 cm) on 36° (91.4 cm) models. 22° 4 cm (86.67 cm) recommended cutout on 24° (61.0 cm) Will fit in cutout from 22° 1/4 - 22° 3/7 (56.4 - 57.0 cm) on 34′ 51° 0 cm) models.
- K. 2 ½ (6.35 cm) minimum distance to nearest left and right side combustible surface above cooktop
- 1 1/2" (3.81 cm) minimum clearance between back wall and countertop

NOTES: After making the countertop cutout, some installations may require notching down the base cabinet side walls to clear the cooktop base. To avoid this modification, use a base cabinet with sidewalls wider than the cutout.

If cabinet has a drawer, a 51/2" (14.0 cm) depth clearance from the top of the countertop to the top of the drawer (or other obstruction) in base cabinet is required.

+ Nolisa Chola

THAMES 4B: LOT 94 RE: WALL OVEN COMBINATION

Whirlpool* 6.4 cu. ft. Smart Combination Wall Oven

6.4 cu. ft.



Stainless Steel WOC75EC0HS

Also available in:

Black Stainless

○ White WOC75EC0HW Black WOC75ECOHR

Frozen Bake" technology Multi-Step Cooking True Convection Cooking Convection Conversion Steam Clean option Scan-to-Connect Technology Electrical Details Amps 40 240 Certifications Connected/Smart Yes Star-K Certified/Kosher WOC75EC0HV Yes

Capacity

Touchscreen

General Features & Properties

Voice control with a compatible voice-enabled device Fingerprint Resistant

Technical Details	
Fuel Type	Electric
Oven Type	Combination
Oven Cooking System	True Convection
Number of Oven Racks	3
Cleaning Type	Self-Cleaning
Dimensions	
Product Dimensions (H x W x D)	42-9/16" x 30" x 23-1/4"
Depth with Door Open 90°	46-3/4"
Cutout Dimensions (H x W x D)	41-5/16" x 28-1/2" x 24"
Reference Material	
nstall Guide	
Use & Care Guide 5	
Enargy Guide	
Warranty	

Key Features & Benefits

Smart Appliance


Care smarter with connected features that let you send cooking instructions to the oven from your smartphone, control your kitchen with voice commands using a compatible voice-enabled device" or skip preheating.

Scan-to-Cook Technology

Get the right settings every time. Scan a frozen food barcode with your smartphone or tablet and send recommended or customized cooking instructions straight to your oven or microwave for dinner done the way your family wants it.

Yummly® Guided Cooking"

Prompts in the app even send cooking instructions straight to your Whirlpool* smart wall oven* at the right times, so dinner's ready when your family's hungry.



"Appliance must be set to remote enable, WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. **U.S. Only, †Select recipes only. Compatible smart appliance required. Appliance must be set to remote enable. Features subject to change. For details and privacy statements, visit whirlpool.com/connect and yummly.com/privacy. NOTE: Dimensions are for planning purposes only. For complete details, see

+ Moline Clock

THAMES 4B: LOT 94 RE: FRIDGE SPEC'S

Whirlpool 20 cu. ft. French Door Refrigerator



Fingerprint-Resistant Stainless WRF550CDHZ

Capacity	
Total Capacity	20 cu. ft.
Refrigerator Capacity	16 cu. ft.
Freezer Capacity	5 cu. ft.
General Features & Prope	rties
Humidity-Controlled Cris	pers
Fingerprint Resistant	
Two-Tier Freezer Storage	
Spillproof Glass Shelves	
Factory-Installed Idemak	er
Exterior Ice and Water Di EveryDrop® Filtration	spenser with
LED Interior Lighting	
Fast Cool Option	
Adaptive Defrost	
Electrical Details	
Amps	20
Volts	115

Technical Details		
Refrigerator Type	French Door	
Number of Doors	3	
Number of Interior Refrigerator Shelves	5	
Number of Refrigerator Door Bins	2 Adjustable, 4 Fixed	
Number of Interior Freezer Shelves	3 Plastic	
Lighting Type	LED	
Ice Maker	Factory Installed	
Ice Maker Location	Refrigerator	
Dispenser Type	Exterior Ice and Water	
Dimensions		
Product Dimensions (H x W x D)	70-1/8" x 35-7/8" x 30-3/4"	
Depth with Door Open 90°	43"	
Cutout Dimensions	Allow extra 1/2" on sides and top	
	Allow extra 1' on rear	

Reference Material

Dimension Guide

Use & Care Guide Energy Guide

Warranty

Key Features & Benefits

Counter Depth Design


Add additional kitchen space with styling that fits virtually flush with the countertop.

Adjustable Gallon Door Bins

Move these adjustable bins anywhere in the door for increased loading flexibility.

Temperature-Controlled Full-Width Drawer

Store wide items like party platters and sheet cakes or preserve large amounts of meat and cheese at just the right temperature.



* Molive Olich

KITCHEN


THAMES 4B: LOT 94 RE: UPG. SOAP DISPENSER

- Moline Clar

Soap or Lotion Dispensers

Traditional Transitional Modern

However you define your faucet's style, you can assure a coordinated look with Moen soap dispensers.



Transitional Soap or Lotion Dispenser

Model 3944 Chrome