## Energy Efficiency Design Summary (Part 9 Residential)

This form is used to summarize the energy efficiency design of the project. Information on completing this form is on the reverse

		For use by Pr	incipal Authority			
Application No:			Model/Certification Number			
A. Project Information						
Building number, street name Gosford 2	, B, C		Unit number	LovCon A7		
#AA TILLSOMBURG ST			Reg. Plan number / other descr	1ption AM	- 1415	
B. Compliance Option						
■ SB-12 Prescriptive [SB-12 - 2.1.1.] Tab			able: 2.1.1.2A Package: A B C D E F G H I J K L M			
☐ SB-12 Performance* [SB-12 - 2.1.2.]		* Attach energy performance calculations using an approved software				
☐ <i>ENERGY STAR</i> <sup>®</sup> * [SB-12 - 2.1.3.]		* Attach BOP form				
☐ EnerGuide 80*		* House must be evaluated by NRCan advisor and meet a rating of 80				
C. Project Design Conditions						
Climatic Zone (SB-1): Heating Equipment Efficiency			Space Heating Fuel Source			
■ Zone 1 (< 5000 degree days) ■ ≥ 9	0% AFUE		■ Gas	□ Propane	□ Solid Fuel	
	<u></u>		n Oil	□ Electric	□ Earth Energy	
	ws+Skylights+Glass Doors			Other Building Conditions  □ ICF Basement ■ Walkout Basement □ Log/Post&Beam		
Gross Wall Area = 233.34 m <sup>2</sup> Gross Window+ Area = 21.27 m <sup>2</sup>	% Windows	+ <u>9.12</u> %	☐ ICF Basement ☐ Walkout Basement ☐ Log/Post&Beam ☐ ICF Above Grade ☐ Slab-on-ground			
D. Building Specifications [provide values and ratings of the energy efficiency components proposed, or attach Energy Star BOP form]						
Building Component RSI / R values Building Component Efficiency Ratings						
Thermal Insulation			Windows & Doors <sup>1</sup>			
Ceiling with Attic Space 8.81			Windows/Sliding Glass Doors		1.8	
Ceiling without Attic Space 5.46			Skylights			
Exposed Floor 5.46			Mechanicals			
Walls Above Grade	Valls Above Grade 3.87		Space Heating Equip. <sup>2</sup>		92%	
Basement Walls 3.52			HRV Efficiency (%)		60%	
Slab (all >600mm below grade)			DHW Heater (EF)		0.62	
Slab (edge only ≤600mm below grade) 1.76			NOTES			
Slab (all ≤600mm below grade, or heated) 1.76			1. Provide U-Value in W/m2.K, or ER rating     2. Provide AFUE or indicate if condensing type combined system used		e combined system used	
E. Performance Design Verification [complete applicable sections if SB-12 Performance, Energy Star or EnerGuide80 options used]						
SB-12 Performance: The annual energy consumption using Subsection 2.1.1. SB-12 Package is Gj (1 Gj =1000Mj) The annual energy consumption of this house as designed is Gj The software used to simulate the annual energy use of the building is: The building is being designed using an air leakage of air changes per hour @50Pa.						
ENERGY STAR: BOP form attached. The house will be labeled on completion by:						
ENERGY STAR and EnerGuide80: Evaluator/Advisor/Rater Name:			Evaluator/Advisor/Rater Licence #:			
F. Designers (names of designers who are responsible for the building code design and whose plans accompany the permit application)						
Architectural Mechanical Santos Dolormente, BCIN 21715 Date: April 4, 2012						