




KitchenAid® 4-Cycle Dishwasher with ProScrub® Option

Send Page to Printer Close Window



KUDS30IXSS

AVAILABLE COLORS

- ☒ **Black**
Model: KUDS30IXBL
- ☐ **Biscuit**
Model: KUDS30IXBT
- ☒ **Stainless Steel**
Model: KUDS30IXSS
- ☐ **White**
Model: KUDS30IXWH

Handwritten signature

Handwritten initials

DIMENSIONS

Maximum Height	34 1/2 inches
Minimum Height	33 3/4 inches
Height	34 1/2 inches
Depth	24 1/2 inches
Width	23 7/8 inches

Dimensions shown are for planning purposes only. For complete information, see installation instructions packed with product.

SPECIFICATIONS

Performance

Wash System	Point Chopper w/ Dynamic Fills
Wash Sensor	Optimum Wash Sensor
Number of Cycles	4
One Hour Wash Cycle	One Hour Wash

KEY FEATURES

- The ProScrub® Option helps eliminate soaking or pre-scrubbing by removing stubborn messes like seared or baked-on foods.
- The full stainless steel tub resists streaks, stains, and odors while providing optimum heat transfer for exceptional drying.
- The Heat Dry option delivers faster and more complete drying by activating a recessed heating element during the drying cycle.
- Fold-down tines in the lower rack improve cleaning performance by keeping tines out of the way, allowing water to clean inside deep or wide dishes.
- Premium adjusters make it easy to raise or lower the upper rack for optimal loading space, and the SatinGlide® System allows the rack to move effortlessly.
- Four durable stainless steel wash arms improve cleaning performance by distributing water precisely and powerfully around the dishwasher.
- ENERGY STAR® Qualified - Tier II

Light/China Cycle	Yes
Normal Cycle	Yes
Heavy Duty Cycle	Yes
Number of Options	6
Heated Dry Option	Yes
Hi Temp Wash Option	Yes
Sanitize Option	Yes
Delay Wash Option	Yes
Control Lockout Option	Yes
Built-In Hard Food Disposer	Yes
Rinse Aid Dispenser	Yes
Quality Construction	
Tub Material	Stainless
Tub Design	Tall Tub
Rack Glides	Satin Glide
Rack Material	Nylon
Sound Tested DBA	49
Loading Features	
Capacity	14 Place Settings
Adjustable Upper Rack	Premium - 2 Position
Upper Rack	2 Fold-Down Tines
Lower Rack	2 Fold-Down Tines
General	
ENERGY STAR® Qualified	Yes
ELECTRICAL	
288 kWh per Year.	

CABINET CUTOUT DIMENSIONS

NOTE: Shaded areas of cabinet walls show where utility connections may be installed.

- D. Measured from the lowest point on the underside of countertop. May be reduced to 33% (36 cm) by removing wheels from dishwasher, or 33% (85.7 cm) by removing wheels AND perforated section in the insulation blanket.
- E. Minimum, measured from narrowest point of opening.

