

LOT 30 FC

ENSURE WATER CLOSET



see what Delta can do™

Classic Single Handle Centerset Lavatory Faucet - Less Pop-Up

Model Number: 500-DST



Features & Benefits

- Sensible styling that complements any home.
- Classically styled faucets and accessories handle the toughest of tasks with ease.
- Single lever handle for ease of control
- Fast, tool free installation and increase mounting depth to 2.5
- A hidden cache aerator adds an aesthetic element to the enhanced design of the faucet
- Fits standard 4 installation

Smart Features



ADA Compliant
DIAMOND™ Seal Technology
WaterSense® Labeled Product
Water-Efficient
Legislation Compliant

This product meets EPA criteria for WaterSense.

CADET™ PEDESTAL SINK

- Classic vitreous china lavatory and pedestal
- Rear overflow
- Faucet ledge with generous shelf area
- Supplied with mounting kit

- ☐ **0236.411** Faucet holes on 4" (102mm) centers (illustrated)
- ☐ **0236.811** Faucet holes on 8" (203mm) centers
- ☐ **0236.111** Center hole only

Nominal Dimensions:

622 x 508 x 889mm
(24-1/2" x 20" x 35")

Separate Components:

- ☐ **0236.004** Pedestal top - 4" (102mm) centers
- ☐ **0236.008** Pedestal top - 8" (203mm) centers
- ☐ **0236.001** Pedestal top - Center hole only
- ☐ **731100-400** Pedestal base only

Bowl Sizes:

508mm (20") wide
305mm (12") front to back
152mm (6") deep




Compliance Certifications -

Meets or Exceeds the Following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures

To Be Specified:

- ☐ Color: ☐ White ☐ Bone ☐ Linen
- ☐ Silver ☐ Fawn Beige ☐ Black
- ☐ Faucet:
- ☐ Faucet Finish:
- ☐ Supplies:
- ☐ 1-1/4" Trap:



NOTES:
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAPS ARE SUGGESTED.
▲ PEDESTAL ANCHORING SCREWS NOT INCLUDED.
■ SUITABLE FOR REINFORCEMENT ONLY. ACTUAL DIMENSIONS MUST BE TAKEN FROM FIXTURE.
FITTING NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
PROVIDE SUITABLE REINFORCEMENT FOR ALL WALL SUPPORTS.
INSTALLATION INSTRUCTIONS SUPPLIED WITH LAVATORY.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.




see what Delta can do[®]

LOT 30 FC

ENSUITE

Arzo Monitor® 14 Series Shower Trim

Model Number: T14286-SHQ



Features & Benefits

- Angular shape and complete suite of products provides sought-after urban sophistication for a contemporary lifestyle.
- Arzo is for individuals who seek affordable contemporary styled product with unique design throughout the bath
- Single function operation - Single lever handle for ease of temperature control.
- Monitor® Scald-Guard® valve keeps water temperature within $\pm 1-3^{\circ}\text{F}$.
- For use with MultiChoice Universal rough valve body. Solid brass construction ensures quality and reliability.
- 8 Touch-Clean® gravity-fed raincan shower head

Smart Features

-  ADA Compliant
-  MultiChoice® Universal Valve Monitor
-  Touch Clean

Product Specifications

Valve Type: Single function pressure balance cartridge

Flow Rate: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

Spray Settings:



see what Delta can do™

Arzo Roman Tub Trim

Model Number: T2786



Features & Benefits

- Angular shape and complete suite of products provides sought-after urban sophistication for a contemporary lifestyle.
- Designed for individuals who seek affordable contemporary styled product with unique design throughout the bath
- Perfectly matches other Arzo bath and tub/shower faucets
- Solid brass construction ensures quality and reliability
- Flexible deck or ledge mount

Smart Features

 ADA Compliant

Product Specifications

VALVE TYPE: Washerless stem cartridge

FLOW RATE: 18.0 gpm @ 80 psi, 68.1 L/min @ 550 kPa

LOT 30 FC
ENSUITE

TOWN SQUARE™ COUNTERTOP SINK

- Historic American classic design
- Clean straight lines with classic ogee curves
- Tapered interior bowl with flat bottom design, provides dramatic look
- Self-rimming fireclay countertop sink (Faucet shown not included)
- Front overflow
- Supplied with template
- Made from fine fireclay



- ☐ **0700 004** Faucet holes on 102mm (4") centres (illustrated)
- ☐ **0700 008** Faucet holes on 203mm (8") centres
- ☐ **0700 001** Centre Hole Only

Nominal Dimensions:
584 x 470mm
(23" x 18-1/2")

Bowl Sizes:
470mm (18-1/2") wide,
267mm (10-1/2") front to back,
159mm (6-1/4") deep

COMPLIANCE CERTIFICATIONS –

Meets or exceeds the following Specifications:

- ASME A112.19.2M for China Fixtures.
- CAN/CSA B45 Series.

To Be Specified

☐ Colour:

☐ Town Square Faucet & Finish:

☐ Centreset Sink Faucet: 2555 201 (shown)


☐ Widespread Sink Faucet: 2555 801

☐ Other Sink Faucet & Finish:

☐ Supplies & Stops:

☐ Trap 1-1/4" (32 mm):

* See faucet section for additional models available



NOTES:
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAPS ARE SUGGESTED. FOR COUNTERTOP CUTOUT AND INSTALLATION INSTRUCTIONS USE TEMPLATE SUPPLIED WITH SINK.
FAUCET NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
INSTALLATION INSTRUCTIONS SUPPLIED WITH SINK.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

STUDIO UNDERCOUNTER SINK

- Vitreous china
- Rectangular undercounter mount sink
- Unglazed rim
- Front overflow
- Supplied with mounting kit (047194-0070A) and template (Faucet shown not included)

0614 000 Unglazed Rim
540 x 387mm (21-1/4" x 15-1/4")

Bowl size:
464mm (18-1/4") wide,
308mm (12-1/8") front to back,
171mm (6-3/4") deep

0618 000 Unglazed Rim
600 x 422mm (23-5/8" x 16-5/8")

Bowl size:
537mm (21-1/8") wide,
356mm (14") front to back,
152mm (6") deep

COMPLIANCE CERTIFICATIONS –

Meets or exceeds the following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures.
- CAN/CSA B45 Series.

To Be Specified

- Colour:
- Faucet*:
- Faucet Finish:
- Supplies & Stops:
- Trap 1-1/4" (32 mm):

* See faucet section for additional models available




- Countertop 864mm (34") from finished floor. Sink installed 102mm (4") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.


MEETS THE AMERICAN DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.

NOTES:
WE RECOMMEND USING SINK AS A TEMPLATE TO DETERMINE PROPER CONTOUR. CUT COUNTERTOP 38MM (1-1/2") INSIDE SINK CONTOUR. FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAP ARE SUGGESTED.


UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



DETAIL OF MOUNTING CLIP
(KIT No. 047194-0070A)



REFER TO INSTRUCTIONS PROVIDED WITH KIT FOR ADDITIONAL INFORMATION



FAUCET	A	B
CENTRESET	1-1/8 (29mm)	4 (102mm)
SPREAD	1-3/8 (35mm)	8 (203mm)

CAT. NO.	E	F	G	H	C	D
0614 000	540mm (21-1/4)	387mm (15-1/4)	464mm (18-1/4)	308mm (12-1/8)	114mm (4-1/2)	209mm (8-1/4)
0618 000	600mm (23-5/8)	422mm (16-5/8)	537mm (21-1/8)	356mm (14)	108mm (4-1/4)	209mm (8-1/4)



see what Delta can do™

LOT 30 FC

X2 ENSWITE

X1 POWDER ROOM

Arzo Single Handle Centerset Lavatory Faucet

Model Number: 586LF-MPU



Features & Benefits

- Angular shape and complete suite of products provides sought-after urban sophistication for a contemporary lifestyle.
- Arzo is for individuals who seek affordable contemporary styled product with unique design throughout the bath
- Available in either Chrome and Brilliance Stainless finish
- Lever handle for ease of operation with wet hands.
- Includes optional escutcheon for three hole mounting
- Complete suite of matching bath accessories available

Smart Features



ADA Compliant



WaterSense® Labeled Product



Water-Efficient



Legislation Compliant

This product meets EPA criteria for WaterSense.

LOT 30 FC
POWDER ROOM

MAAX SUBMITTAL SPECIFICATIONS

Carlton I

MODEL NUMBER 100961

DIMENSIONS: 48" x 35" x 75" Fiberglass



Project :

Contractor :

MAAX Representative :

Date :

Tel :

www.maax.com

Vivez l'expérience
MAAX[®]
Enjoy the experience

STANDARD FEATURES

- 1-piece shower without roof cap
- Integrated shelf and seat
- Center drain

OPTIONS

- ABS shower drain with Chrome stainless steel grid
- PVC shower drain with Chrome stainless steel grid
- ABS shower drain with ABS grid, white or bone

UNIQUE FEATURES

- None

SYSTEMS


- None

DOOR SELECTION

Combine with MAAX's complete shower door offering visit www.maax.com

CERTIFICATIONS

Maax products adhere to one or more of the following certifications:




2013-02-26

MAAX SUBMITTAL SPECIFICATIONS

Carlton I

MODEL NUMBER 100961

TECHNICAL DRAWINGS



All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

LOT 30 FC
ENSUITE #2

MAAX SUBMITTAL SPECIFICATIONS

Session 2-Panel 54 - 59 1/2 IN.

MODEL NUMBER 105411

DIMENSIONS: 59 1/2" x 57 3/8" Glass



Project :

Contractor :

MAAX Representative :

Date :

Tel :

www.maax.com

Vivez l'expérience
MAAX[®]
Enjoy the experience

STANDARD FEATURES

- 2-panel 1/4 in. (6 mm) frameless sliding door for alcove tub shower

OPTIONS

- None

UNIQUE FEATURES

- None

SYSTEMS

- None

CERTIFICATIONS

Maax products adhere to one or more of the following certifications:



2014-02-21



see what Delta can do™

LOT 30 FC
KITCHEN

Fuse Single Handle Pull-Down Kitchen Faucet

Model Number: 9158-SW-DST



Features & Benefits

- Inspired by the emerging trend of color in unexpected places and soft contemporary style.
- Fuse spices up the kitchen with colorful finish options
- EZ Anchor mounting assembly allows the faucet to be installed from above the sink
- For three hole, 8 installation, order optional escutcheon RP47274
- High-arc spout swivels 360° for complete sink access
- MagnaTite® docking system secures sprayer to spout. Two function spray wand toggles from spray to stream

Smart Features

-  ADA Compliant
-  DIAMOND™ Seal Technology
-  MagnaTite® Docking
-  Water-Efficient
-  Touch Clean
-  Legislation Compliant