

LOT 43 FC

ENSUITE

MAAX SUBMITTAL SPECIFICATIONS

Reveal 75 pivot door 56" - 59"

MODEL NUMBER 136881

DIMENSIONS: 59" x 75" Glass



Project :
Contractor :
MAAX Representative : Tel :
Date :

www.maax.com

Vivez l'expérience

MAAX®

Enjoy the experience

STANDARD FEATURES

- 75" high luxury clear glass panel for tile wall installation
- 8mm (5/16") tempered glass with chrome hardware
- Unique MAAX Patent hinge - allows for 3" lateral adjustment. Ideal for non-plumb walls
- 48" & 60" reversible door for left or right opening
- Also available in a corner configuration

OPTIONS

- None

UNIQUE FEATURES

- 3" Lateral Adjustment

SYSTEMS

- None

CERTIFICATIONS

Maax products adhere to one or more of the following certifications:



2013-08-12

MAAX SUBMITTAL SPECIFICATIONS



Vivez l'expérience
MAAX[®]
 Enjoy the experience

Reveal 75 pivot door 56" - 59"

MODEL NUMBER 136881

TECHNICAL DRAWINGS

STANDARD



Code	Description	H	M	L Adjustable	F	D Adjustable	Door Opening	Wall Adjustment	Support Bar
136678	Reveal 75 x 32.5" - 35.5"	75"	79 3/4"	32.5" - 35.5"	6 1/4"		23" - 26"	3/4"	
136682	Reveal 75 x 38" - 41"	75"	79 3/4"	38" - 41"	11 3/4"		23" - 26"	3/4"	
136880	Reveal 75 x 44" - 47"	75"	79 3/4"	44" - 47"	17 1/4"	9" - 15"	23" - 26"	3/4"	X
136881	Reveal 75 x 56" - 59"	75"	79 3/4"	56" - 59"	30"	9" - 15"	23" - 26"	3/4"	X

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

LOT 43 FC
ENSUITE #2

MAAX SUBMITTAL SPECIFICATIONS

Kleara 1-Panel 23 1/2 - 25 1/2 IN.

MODEL NUMBER 136445

DIMENSIONS: 25 1/2" x 69" Glass



Vivez l'expérience
MAAX[®]
Enjoy the experience

STANDARD FEATURES

- 1-panel, 1/4 in./6 mm, frameless pivot door for alcove shower
- Exclusive pivot hinge 2-inch (76-mm) lateral adjustment
- Clear seals keep the door watertight
- Clear sealing joint around the door, preventing water leak
- MAAX shower doors are equipped with a number of parts and systems to ensure the optimal watertight performance of your shower door!

OPTIONS

- Lifter kit for Kleara (discontinued)

UNIQUE FEATURES

- None

SYSTEMS

- None

CERTIFICATIONS

Maax products adhere to one or more of the following certifications:



Project :
Contractor :
MAAX Representative : Tel :
Date :

www.maax.com

2014-01-13

CADET™ BIDET

- ☐ **5023.100** For deck-mounted fitting
- Vitreous china
 - Flushing rim and vertical cleansing spray
 - Integral overflow
 - Two bolt caps

Shown with 7391.723 Hampton Bidet Fitting with metal cross handles (not included)


Nominal Dimensions:

654 x 381 x 368mm
(25-3/4" x 15" x 14-1/2")

Compliance Certifications -

Meets or Exceeds the Following Specifications:


- ASME A112.19.2M for Vitreous China Fixtures



To Be Specified:

- ☐ Color: ☐ White ☐ Bone ☐ Linen ☐ Silver
- ☐ Fawn Beige ☐ Black
- ☐ Bidet Fitting*:
- ☐ Fitting Finish:
- ☐ Trap:
- ☐ Supplies with Stops:

* See faucet section for additional models available



NOTES:

* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES ARE SUGGESTED.

"P" TRAP AND FITTINGS NOT FURNISHED WITH BIDET AND MUST BE ORDERED SEPARATELY. BIDET FITTING HAS TRANSFER VALVE FEATURE.

PROVISIONS MUST BE MADE FOR THE INSTALLATION OF TRAP IN FLOOR.

● REFER TO INSTALLATION INSTRUCTIONS SUPPLIED WITH BIDET AND FITTING FOR ADDITIONAL INFORMATION.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided leaflet.



see what Delta can do™

LOT 43 FC

ENSUITE 1 ENSUITE #2

Classic Roman Tub with Hand Shower Trim

Model Number: T4705



Features & Benefits

- Sensible styling that complements any home.
- Classically styled faucets and accessories handle the toughest of tasks with ease.
- Rigid, slip-on spout
- Hand held shower included
- 5 7/8 long, 5 3/16 high spout
- Order rough valve separately

Smart Features

 ADA Compliant

Product Specifications

FLOW RATE: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa



see what Delta can do™

LOT 43 FC

ENSUITE

Delta Wall-Mount Hand Shower

Model Number: 55013



Features & Benefits

- Elegant simplicity for the entire home.
- Classically styled faucets and accessories handle the toughest of tasks with ease.
- Single-setting hand shower
- 69 long hose for a long reach within the shower.
- Wall mounting bracket included
- Dual check valves

Smart Features



WaterSense® Labeled Product



Water-Efficient

This product meets EPA criteria for WaterSense.

Product Specifications

FLOW RATE: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa maximum water usage

SPRAY SETTINGS:  Full Body Spray



see what Delta can do™

LOT 43 FC

ENSUITE

Delta 3 Setting Diverter Trim

Model Number: T11800



Features & Benefits

- For use with R11000 diverter rough-in
- Includes valve cartridge
- Available in five finishes

Smart Features

 ADA Compliant

Product Specifications