



☐ BRICK PATTERN




☒ STACKED PATTERN

FIREPLACE / ENSUITE SHOWER




☐ HERRINGBONE PATTERN 90




☒ STAGGERED PATTERN

ENSUITE FLOOR



☒ HERRINGBONE PATTERN 45

MAIN BATH SHOWER



TILE PATTERN SELECTION FOR LOT 117 PW

NOTES:

LOT 117 PW

PRODUCT NAME : B926 Undermount Sink w/ 15mm Radius Corners

MODEL : B926

PRICE : \$980.00

SKU : B926

WEIGHT : 35lbs.

DESCRIPTION

Single Bowl Undermount Sink with 15mm radius corners

Outside dimensions: 32 x 19 x 10"

Minimum Cabinet Size: 33"

Stainless Steel Single Bowl Sink


16 Gauge Type 304 Stainless Steel

Stone Guard undercoating over rubber pad


3 1/2" drain opening

Supplied with installation clip, template and strainer

cUPC certified



ADDITIONAL IMAGES





TRINSIC® Single Handle Pull-Down Kitchen Faucet

LOT 117 PW



Model #: 9159-BL-DST
What does this model number mean?

Finish Shown: Matte Black

Own this product?

Registering it helps us
provide the best service.

Want to save this
product so you can
quickly find it later?

Need help with your product?

Product Features and Benefits

- MagnaTite Docking uses a powerful integrated magnet to snap your faucet spray wand precisely into place and hold it there so it stays docked when not in use and doesn't droop over time
- Soft, rubber Touch-Clean spray holes allow you to easily wipe away calcium and lime build-up with the touch of a finger
- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- 1 or 3-hole 8" installation
- Optional escutcheon available for purchase separately
- ADA Compliant
- The high-arc, gooseneck design swivels 360 degrees with a 20-in. retractable hose for added convenience during everyday kitchen tasks
- Lifetime Faucet and Finish Warranty

Featured Smart Features:

ADA Compliant ?

MagnaTite® Docking ?

DIAMOND™ Seal Technology ?

CORE

OMBRA

WALL

Ombra is the perfect combination of form and function with its capacitive touch controls and optional hybrid baffle filters. Ombra features a powerful 600 CFM blower with our exclusive Airflow Control Tech-

nology™ (ACT™) to meet local code requirements. Available in sleek black stainless steel and stainless steel.

ZEPHYR
ZEPHYRONLINE.COM

ACT™

LOT 117 PV

	INTERNAL BLOWER STANDARD	INTERNAL BLOWER with ACT™ AIRFLOW CONTROL TECHNOLOGY™*	
Min. - Max. CFM	200 - 600	200 - 390	200 - 290
Min. - Max. Sones	1 - 6	1 - 4	1 - 3


*AIRFLOW CONTROL TECHNOLOGY™ (ACT™)
is an exclusive feature built into specific Zephyr hoods which can
limit the maximum blower CFM to meet local code requirements.




Shown in Black Stainless Steel




Shown in Stainless Steel



FRONT



SIDE



TOP

CORE

OMBRA

WALL

ZEPHYR

ZEPHYRONLINE.COM



MODEL

Stainless Steel	ZOM-E30AS	ZOM-E36AS
Black Stainless Steel	ZOM-E30ABS	ZOM-E36ABS

Size	30"	36"
Blower CFM (Min. - Max.)	200 - 600	200 - 600
Sones (Min. - Max.)	1 - 6	1 - 6
ACT 390 CFM (Min. - Max.)	200 - 390	200 - 390
ACT 390 Sones (Min. - Max.)	1 - 4	1 - 4
ACT 290 CFM (Min. - Max.)	200 - 290	200 - 290
ACT 290 Sones (Min. - Max.)	1 - 3	1 - 3

FEATURES

ACT™ Technology	Yes	Yes
Controls	Capacitive Touch	Capacitive Touch
Speed Levels	4*	4*
Auto Delay-Off	Yes	Yes
Lighting	Halogen, 35W x2	Halogen, 35W x2
Dual-Level Lighting	Yes	Yes
Filters	Aluminum Mesh x2	Aluminum Mesh x2
Recirculating Option	Yes	Yes
Duct Cover Extension Option	Yes, Up to 12' Ceiling	Yes, Up to 12' Ceiling

DUCT SPECIFICATIONS

Vertical Internal Blower	6" Round	6" Round
Horizontal Internal Blower	NA	NA
AC POWER	120V, 60Hz at Max. 3.5A	120V, 60Hz at Max. 3.5A

OPTIONAL ACCESSORIES

Recirculating Kit	ZRC-01OM	ZRC-01OM
Duct Cover Extension	Z1C-01OMS (ss) Z1C-01OMBS (black ss)	Z1C-01OMS (ss) Z1C-01OMBS (black ss)
Bloom™ GU10 LED	ZOB0040	ZOB0040
Hybrid Baffle Filter Kit	ZOF-B002	ZOF-B002
Make-Up Air Kit	MUA006A	MUA006A

MOUNTING HEIGHT RANGE**	26" - 34"	26" - 34"
-------------------------	-----------	-----------

WARRANTY	3 years parts, 1 year labor	3 years parts, 1 year labor
----------	-----------------------------	-----------------------------

CEILING HEIGHT		8'	8.5'	9'	9.5'	10'	10.5'	11'	12'
STANDARD DUCT COVER	Ducted Mounting Height**	26" - 33.5"	26" - 34"	29.5" - 34"	NA	NA	NA	NA	NA
	Recirc Mounting Height**	26" - 28.5"	26" - 34"	29.5" - 34"	NA	NA	NA	NA	NA
DUCT COVER EXTENSION	Ducted Mounting Height**	NA	NA	26" - 30.5"	26" - 34"	26" - 34"	26" - 34"	26" - 34"	28" - 34"
	Recirc Mounting Height**	NA	NA	26" - 26"	26" - 32"	26" - 34"	26" - 34"	26" - 34"	28" - 34"

*When ACT™ is enabled the maximum speed levels will change. ACT 390 CFM = 3 speeds and ACT 290 CFM = 2 speeds.

**Mounting height refers to distance between top of a 36" tall cooking surface and bottom of hood.

ACT™ AIRFLOW CONTROL TECHNOLOGY™ (ACT™)
is an exclusive feature built into specific Zephyr hoods which can limit the maximum blower CFM to meet local code requirements.

Specifications subject to change, check zephyronline.com for up-to-date information.
Zephyr Ventilation | 2277 Harbor Bay Parkway, Alameda, CA 94502 | 888.880.VENT

SEP18.0101



Lot 117 PW

ENSUITE

Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm

Model number:

138997

Dimensions: 56 1/2-59" x 78 3/4"

Installation: Alcove

Door type: Slider



Standard Features:

- Glass panels 5/16 in. (8 mm) with a height of 78 3/4 in.
- Lotus easy clean protection for effortless maintenance
- Ball bearing roller technology for smooth and quiet opening
- 48 in. and 60 in. reversible showers door allowing left or right opening
- Also available in a corner configuration
- Available in 4 finishes: Chrome, Brushed

Product characteristics:

- Ball Bearing Roller System
- Bestseller
- Utile Compatible

Warranty:

10 Years

Certifications

MAAX products adhere to one or more of the following certifications:



Frame Finish(es):



Chrome (084)



Dark Bronze (173)



Brushed Nickel (305)



Matte Black (340)

Glass Pattern(s):



Clear (900)

Recommended products (Visit our website for a complete list of our recommended products)

No	Description
410011	ModulR 6032 Corner left (without armrests)
102003	Rectangular Base 6034 - 3 in.
105055	Rectangular Base 6030 - 5 in.

Jazz (Drop-In)

LOT 117 PW

ENSUITE

Model number:

105509

Dimensions: 66" x 36" x 24"

Installation: Drop-in

Material: Acrylic



Standard Features:

- Deep soak bathing for ultimate relaxation
- Comfortable, ergonomic design with relaxing armrests
- Drop-in installation with center drain
- 4 adjustable leveling legs

Product characteristics:

- Comfortable backrest
- Maximized Bathing Well
- Therapy System Available


Systems:

✧ Aerofeel


Warranty:

25 Years


Standard colors:



White (001)



Bone (004)



Biscuit (007)

Certifications

MAAX products adhere to one or more of the following certifications:



Options (Visit our website for a complete list of our options)

No	Description
<input type="checkbox"/> OPT 10054	Two chromatherapy lights
<input type="checkbox"/> OPT 10119	Metal trim kit for Aerofeel



TRINSIC® Single Handle Bathroom Faucet

LOT 117 PW

ENSUITE X2



Model #: 559HA-BL-DST

[What does this model number mean?](#)

Finish Shown: Matte Black

Own this product?

Registering it helps us
provide the best service.

Want to save this
product so you can
quickly find it later?

[Need help with your product?](#)

Product Features and Benefits

- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- Single hole installation
- Metal push pop-up
- ADA Compliant
- High-arc spout swivels 360degrees
- Water-efficient faucet helps you conserve water and protect one of Earth's most valuable natural resources
- Lifetime Faucet and Finish Warranty

Featured Smart Features:



Product Support, Repair Parts & Tech Specs

SUPPORT INFORMATION:

View Parts for this Product:

[View Parts List](#)

[View Parts Diagram](#)

INSTALLATION INFORMATION



Single hole installation

Number of Handles: 1



TRINSIC® Roman Tub Trim

LOT 117 PW
ENSUITE



Pin it

Share

Model #: T2759-BL
What does this model number mean?

Finish Shown: Matte Black

Own this product?

Registering it helps us
provide the best service.

Want to save this
product so you can
quickly find it later?

Need help with your product?

Product Features and Benefits

- ADA Compliant
- Trim kit only, must purchase rough-in R2707 separately to complete the unit
- Alternative rough options: R2707-PX (pex crimp applications), R2707-MF (memory fitting/cold expansion applications)
- 3-hole 8-16" installation
- Rigid slip-on spout
- Lifetime Faucet and Finish Warranty

Featured Smart Features:

ADA Compliant

Product Support, Repair Parts & Tech Specs

SUPPORT INFORMATION:

View Parts for this Product:

[View Parts List](#)

[View Parts Diagram](#)

[Download/Print Parts Diagram](#)

INSTALLATION INFORMATION



3-hole 8-16" installation

TROUBLESHOOTING RESOURCES



TRINSIC® Monitor 14 Series H₂Okinetic Shower Trim

LOT 117 PW
ENSURE



[Pin it](#)

[Share](#)

Model #: T14259-BL

What does this model number mean?

Finish Shown: Matte Black

Own this product?

Registering it helps us
provide the best service.

Want to save this
product so you can
quickly find it later?

Need help with your product?

Product Features and Benefits

- H₂Okinetic Shower technology sculpts water into a unique wave pattern, forming a powerful drench spray
- Gives you the feeling of more water without using more water
- Monitor pressure balance valve keeps water temperature within a safe +/-3degrees F (+/-1.6degrees C), helping to protect you from sudden changes in hot or cold water pressure
- Spray settings include: H₂Okinetic spray
- H₂Okinetic spray creates a shower with more warmth, coverage and intensity
- Trim kit only, must order MultiChoice Universal Valve separately to complete the unit
- ADA Compliant
- WaterSense labeled shower heads use at least 20% less water than the industry standard without compromising performance
- Lifetime Faucet and Finish Warranty

Featured Smart Features:

ADA Compliant

MultiChoice® Universal Valve

H₂Okinetic® Technology

Monitor

Product Support, Repair Parts & Tech Specs



TRINSIC® Single Handle High-Arc Bathroom Faucet



Model #: 559HA-DST
What does this model number mean?

Finish Shown: Chrome

Own this product?

Registering it helps us
provide the best service.

Want to save this
product so you can
quickly find it later?

Need help with your product?

LOT 117 PW
POWDER RM x1
MAIN BATH x1

Product Features and Benefits

- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- Single hole installation
- Metal push pop-up
- ADA Compliant
- WaterSense labeled faucet uses at least 20% less water than the industry standard without compromising performance
- High-arc spout swivels 360degrees
- Lifetime Faucet and Finish Warranty

Featured Smart Features:



Product Support, Repair Parts & Tech Specs

SUPPORT INFORMATION:

View Parts for this Product:

[View Parts List](#)

[View Parts Diagram](#)

INSTALLATION INFORMATION



Single hole installation

Number of Handles: 1



TRINSIC® Monitor 14 Series H₂Okinetic Tub & Shower Trim

LOT 117 PW

MAIN BATH



Share

Model #: T14459

What does this model number mean?

Finish Shown: Chrome

Own this product?

Registering it helps us provide the best service.

Want to save this product so you can quickly find it later?

Need help with your product?

Featured Accessories



Functional Options

Most of our showers allow you to change the shower function type to suit your needs (This will affect the Trim Model and List price on the left):



Monitor 14 Series H₂Okinetic Tub & Shower Trim (T14459)



Monitor 17 Series H₂Okinetic Tub & Shower Trim (T17459)

Product Features and Benefits

- H₂Okinetic Technology sculpts the water into a unique wave pattern, giving the feeling of more water without using more water
- WaterSense certification promotes water conservation
- Monitor pressure balance valve keeps water temperature within a safe +/-3degrees F (+/-1.6degrees C), helping to protect you from sudden changes in hot or cold water pressure
- Trim kit only, must order MultiChoice Universal rough-in separately to complete the unit
- Single function operation
- Single lever handle for ease of temperature control
- Spray settings include: H₂Okinetic
- Lifetime Faucet and Finish Warranty

Featured Smart Features:



ADA Compliant



MultiChoice® Universal Valve



H₂Okinetic® Technology



Monitor

Product Support, Repair Parts & Tech Specs

SUPPORT INFORMATION:

Valve Type:

Single-function pressure balance cartridge

American Standard



BARRIER FREE

LOT 117 PW
POWDER RM x1
MAIN BATH x1
ENSUITE x2

STUDIO™
UNDERCOUNTER SINK
VITREOUS CHINA

STUDIO UNDERCOUNTER SINK

- Vitreous china
- Rectangular undercounter mount sink
- Unglazed rim
- Front overflow
- Supplied with mounting kit (047194-0070A) and template (Faucet shown not included)

☒ **0614 000 Unglazed Rim** 540 x 387mm (21-1/4" x 15-1/4")

Bowl size:
464mm (18-1/4") wide,
308mm (12-1/8") front to back,
171mm (6-3/4") deep

☐ **0618 000 Unglazed Rim** 600 x 422mm (23-5/8" x 16-5/8")

Bowl size:
537mm (21-1/8") wide,
356mm (14") front to back,
152mm (6") deep

COMPLIANCE CERTIFICATIONS –

- Meets or exceeds the following Specifications:
- ASME A112.19.2M for Vitreous China Fixtures.
 - CAN/CSA B45 Series.



To Be Specified

- ☐ Colour:
- ☐ Faucet*:
- ☐ Faucet Finish:
- ☐ Supplies & Stops:
- ☐ Trap 1-1/4" (32 mm):

* See faucet section for additional models available



• Countertop 864mm (34") from finished floor. Sink installed 102mm (4") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.
MEETS THE AMERICAN DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.



NOTES:

WE RECOMMEND USING SINK AS A TEMPLATE TO DETERMINE PROPER CONTOUR. CUT COUNTERTOP 38mm (1-1/2") INSIDE SINK CONTOUR. FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.

* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAP ARE SUGGESTED.

▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2.

These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

FAUCET	A	B
CENTRESET	1-1/8" (29mm)	4" (102mm)
SPREAD	1-3/8" (35mm)	8" (203mm)

CAT. NO.	E	F	G	H	C	D
0614 000	540mm (21-1/4")	387mm (15-1/4")	464mm (18-1/4")	308mm (12-1/8")	114mm (4-1/2")	209mm (8-1/4")
0618 000	600mm (23-5/8")	422mm (16-5/8")	537mm (21-1/8")	356mm (14")	108mm (4-1/4")	209mm (8-1/4")

#SB22-H
3" Base

HERITAGE POSTS
& SPINDLES



LOT 117 PW

HERITAGE® SERIES


EXPO

ARTISTIC | CONTEMPORARY | SLEEK




NEW
Logan™

HERITAGE®
SERIES




LINCOLN PARK™



new

LOGAN™










WINSLOW™



Crisp lines, precise angles and square details; Electra adds a new dimension to bathroom design. Pure geometric forms emerge from square backplates in this collection of intriguing designs accentuated by our richly plated Polished Chrome or Satin Nickel finish. With its structured shape and the option of a horizontal or vertical paper holder, Electra exudes architectural appeal.


Crisp. Clean. Contemporary.

- › VERSATILE DESIGN TO SUIT ANY BATHROOM
- › CONCEALED SCREW MOUNT ENSURES A SLEEK CONTEMPORARY INSTALLATION
- › INCLUDES MOUNTING HARDWARE FOR EASY SETUP
- › COORDINATES WITH THE TAYMOR EQUINOX OR WELLS RANGE OF DOORWARE
- *WITH OPTIONAL SQUARE ROSE KIT
- › LIMITED LIFETIME WARRANTY

PHOTO	DESCRIPTION	RETAIL PACK	BUILDER PACK
			
	18" TOWEL BAR 24" TOWEL BAR 30" TOWEL BAR	02-D2118SN 02-D2124SN -	04-2118 04-2124 04-2130
	SINGLE ROBE HOOK	02-D2101SN	04-2101
	TOWEL RING	02-D2104SN	04-2104
	PAPER HOLDER	02-D2148SN	04-2148
	VERTICAL PAPER HOLDER	02-D2158SN	04-2158

X1 POWDER RM.
X1 MAIN BATH.

X1 POWDER RM.
X1 MAIN BATH.








The **ultimate in minimalism**, our Allusion bath collection features a seamless, sculptural presence with bold curves. Now available in two contemporary finishes: Polished Chrome and Matte Black.

Strong lines and understated curves in a clean design

- › VERSATILE DESIGN TO SUIT ANY BATHROOM
- › CONCEALED SCREW MOUNT ENSURES A SLEEK CONTEMPORARY INSTALLATION
- › INCLUDES MOUNTING HARDWARE FOR EASY SETUP
- › COORDINATES WITH THE TAYMOR CATANA OR EQUINOX DOOR LEVER WITH SQUARE ROSE



LIMITED LIFETIME WARRANTY

BUILDER PACK			
PHOTO	DESCRIPTION	MATTE BLACK	POLISHED CHROME
	18" TOWEL BAR	04-32518BLK	04-32518
	24" TOWEL BAR	04-32524BLK	04-32524
	SINGLE ROBE HOOK	04-32501BLK	04-32501
	HAND TOWEL BAR	04-32510BLK	04-32510
	PAPER HOLDER	04-32548BLK	04-32548



LOT 117 PW
FRONT DOOR.

ASHFORD

PROFESSIONAL SERIES® HANDLESET



~~MANCHESTER
INSIDE KNOB~~



CAPRI
INSIDE KNOB
FOR MATTE BLACK
FINISH ONLY

GRADE
3

ANSI GRADE 3



EXTENSION KIT AVAILABLE

Optional Extension Kit accommodates doors that are 2-1/4" thick



FULL KEYING SERVICES AVAILABLE

WR5 keyway, packaged in Keyed Different (KD)

SPECIFICATIONS

- › INCLUDES MANCHESTER KNOB (CAPRI KNOB FOR MATTE BLACK OPTION)
- › COMPATIBLE WITH BOTH PREMIER AND PROFESSIONAL SERIES® LOCKSETS
- › UNIVERSAL 6-IN-1 LATCH: DRIVE IN, SQUARE MORTISE AND RADIUS CORNER WITH ADJUSTABLE BACKSET: 2-3/8" (60 mm) – 2-3/4" (70 mm)
- › HIGH TENSILE STEEL ANTI-SAW DEADBOLT WITH 1" THROW
- › STANDARD CENTER TO CENTER BORE DISTANCE: 5-1/2" (140 mm)
- › STANDARD BORE HOLES: 2-1/8" (54 mm)
- › FITS STANDARD DOOR THICKNESS: 1-3/8" TO 1-3/4" (35 mm-45 mm)
- › 4 ADJUSTABLE MOUNTING POSITIONS
- › FULL LIP RADIUS CORNER SPRING LATCH STRIKE WITH ADJUSTABLE TAB
- › HIGH SECURITY DEADBOLT STRIKE
- › LIMITED LIFETIME MECHANICAL WARRANTY
- › 5 YEAR FINISH WARRANTY

RETAIL PACK	AGED BRONZE 10B+	SATIN NICKEL 15	ANTIQUE NICKEL 17A	MATTE BLACK 19	CASE PACK
INSIDE TRIM	MANCHESTER KNOB	MANCHESTER KNOB	MANCHESTER KNOB	CAPRI KNOB	
6-IN-1 ADJUSTABLE LATCH - KD	34-FV0477	34-FV0467	34-FV0457	34-FV0482	6