

Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm

Model number:	138997
---------------	--------

Dimensions: 56 1/2-59" x 78 3/4" Installation: Alcove Door type: Slider



Standard Features:

- Glass panels 5/16 in. (8 mm) with a height of 78 3/4 in.
- Lotus easy clean protection for effortless maintenance
- Ball bearing roller technology for smooth and quiet opening
- 48 in. and 60 in. reversible showers door allowing left or right opening
- Also available in a corner configuration
- Available in 4 finishes: Chrome, Brushed

Product characteristics:

- Ball Bearing Roller System
- Bestseller
- Utile Compatible

Warranty:

10 Years

Certifications

MAAX products adhere to one or more of the following certifications:



Frame Finish(es):

 Chrome (084)

 Dark Bronze (173)

 Brushed Nickel (305)

 Matte Black (340)

Glass Pattern(s):

 Clear (900)





Recommended products (Visit our website for a complete list of our recommended products)

No	Description
410011	ModulR 6032 Corner left (without armrests)
102003	Rectangular Base 6034 - 3 in.
105055	Rectangular Base 6030 - 5 in.



Halo Sliding Shower Door 56 1/2-59 x 78 3/4 in. 8 mm


Model number:	138997
---------------	--------

Dimensions: 56 1/2-59" x 78 3/4"

Installation: Alcove

Door type: Slider

STANDARD



Code	Description	H	L Adjustable	F	P Adjustable	Door Opening	Wall Adjustment
138996	Halo 78 3/4" x 47"	78 3/4"	44 1/2" - 47"	22 1/2"	-	16 1/4" - 18 3/4"	1"
138997	Halo 78 3/4" x 59"	78 3/4"	56 1/2" - 59"	28 5/8"	-	22 1/8" - 24 5/8"	1"
139393	Return Panel 30"	78 3/4"	-	-	27 7/8"	-	1"
138998	Return Panel 32"	78 3/4"	-	-	29 7/8"	-	1"
139395	Return Panel 34"	78 3/4"	-	-	31 7/8"	-	1"
139396	Return Panel 36"	78 3/4"	-	-	33 7/8"	-	1"
139394	Return Panel 42"	78 3/4"	-	-	39 7/8"	-	1"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions:

56 1/2-59 x 78 3/4 in.
(1435-1499 x 2000 mm)

Glass Thickness:

5/16 in. (8 mm)

Weight:

162 lbs (73.47 kg)

Frame type:

Frameless

Opening:

Reversible

Door adjustment:

For out of plumb walls

Minimum access:

22 1/2 (572 mm)

Maximum access:

24 1/2 (572 mm)

Project:

Contractor:

Representative:

Date:

Tel:

Notes:

DS

BL

DS

MA

Sax

Model number:	105797
---------------	--------

Dimensions:	60'' x 32'' x 25''	Installation:	Freestanding	Material:	AcrylX™ Ap-
-------------	--------------------	---------------	--------------	-----------	-------------



Standard Features:
• 2-piece bathtub – Transports and installs easily • Above-the-Floor Rough (AFR) and F² Drain compatible • End drain and 4 adjustable leveling legs • Faucet installation can be deck-mounted or floor-mounted • Unique feature: maximized bathing well with comfortable backrest
Product characteristics:
• Transitional design • Comfortable backrest • Deck Space for Faucet
Warranty:
Lifetime limited

Standard colors:

White (002)

Certifications

MAAX products adhere to one or more of the following certifications:

UL

ICC

ES

PWSS

Options (Visit our website for a complete list of our options)

No	Description
☐ OPT 20137	Cable-operated waste and overflow
☐ OPT 20210	Waste and overflow

DS

Bl

DS

Md




Sax

Model number:	105797
---------------	--------

Dimensions: 60'' x 32'' x 25'' Installation: Freestanding

Material: AcrylX™ Ap-1



 : Recommended faucet area 2 sections of 7" (L) x 3" (W).
Depth recommended for straight pipes 8".

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions:
60 x 32 x 24 7/8 in. (1524 x 813 x 632 mm)
Water capacity:
44 gallons - 168 liters
Weight:
130 lbs - 58.96 kg
Bathing well:
51 3/8 X 27 1/4 in. (1305 X 692 mm)
Deep sump height:
16 7/8 in. - 429 mm
Deck width:
5 in. - 127 mm
Drain location:
End

Project:	
Contractor:	
Representative:	
Date:	
Tel:	
Notes:	