



SC(B)319

Alito Collection | Wall Mount

Our most popular and best-selling model, the SC300, has been redesigned to have the bright dual-setting LED lights on the front of the range hood to better illuminate your cooking surface where you need it most. The relocation of the lights will not only improve illumination over your cooktop it also helps hide any imperfections in your backsplash finish. The lighting being in the front of the hood will help the tortured perfectionists out there to avoid any reminders that even the most skilled tilers cannot always avoid having slight imperfections. This small change may seem superficial but will make a huge difference for all involved and can help keep your project under budget. As they say in the business... "It's all in the finishing!"

Where To Buy

[Features](#)

[Green Features](#)

[Specifications](#)

[Options](#)

[Parts](#)

[Manuals & Literature](#)

Specifications

Air Flow Volume:	300 CFM
Electrical Connection:	120V/60Hz
Power Consumption:	300 Watts
Current:	2.5 Amps
Fan Speed:	1350 RPM
Fan Type:	Centrifugal Blower

Finishes:	Stainless Steel
Ducting:	6" Round
Noise Level:	Min. 2 Sones Max. 6 Sones
Dimensions:	Width: 23 ¾" / 29 ¾" / 35 ¾" Height: 10 ½" Depth: 19 ¼"

Subscribe to Our Newsletter

For news, updates or special offers.

First name

Last name

Email*

Submit

Cyclone Range Hoods Inc. Warranty has recently been updated. Please see it under the [Support](#) Tab For questions regarding the warranty. Please contact us, we are happy to help.

Company

- [About](#)
- [Contact Us](#)
- [Gallery](#)

Support

- [Product Registration](#)
- [Warranty Card](#)
- [FAQ](#)
- [Parts](#)

Products

- [Range Hoods](#)
- [Bath Fans](#)
- [ERV](#)
- [HRV](#)
- [Garage Fans](#)
- [Booster Fans](#)
- Follow us



