

Kitchen / Sink Faucets / Pull-Down



ESSA®

# Single Handle Pull-Down Kitchen Faucet In Arctic Stainless

MODEL#: 9113-AR-DST

★★★★★ 4.7 (359) [Write a review](#) [Ask a question](#)

Arctic Stainless

Standard Finishes



List Price\*:



PRODUCT FEATURES

DOCUMENTS & SPECS

REVIEWS

Q&A

PART LIST

Delta® MagnaTite® Docking uses a powerful integrated magnet to pull your faucet spray wand precisely into place and hold it there so it stays docked when not in use. Delta® faucets with DIAMOND™ Seal Technology perform like new for life with a patented design which reduces leak points, is less hassle to install and lasts twice as long as the industry standard\*. Kitchen faucets with Touch-Clean® Spray Holes allow you to easily wipe away calcium and lime build-up with the touch of a finger. You can install with confidence, knowing that Delta faucets are backed by our Lifetime Limited Warranty. \*Industry standard is based on ASME A112.18.1 of 500,000 cycles.

- MagnaTite® Docking uses a powerful integrated magnet to snap your faucet spray wand precisely into place and hold it there so it stays docked when not in use and doesn’t droop over time
- Soft, rubber Touch-Clean spray holes allow you to easily wipe away calcium and lime build-up with the touch of a finger
- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- 1 or 3-hole 8" installation
- ADA Compliant
- The high-arc, gooseneck design swivels 360 degrees with a 20-in. retractable hose for added convenience during everyday kitchen tasks



Bathroom / Sink Faucets / Single Hole



KAMI

# Single Handle Lavatory Faucet

MODEL#: 581LF

Finish: **Chrome**



## Product Support, Repair Parts & Technical Specifications

- [View Maintenance & Installation Sheet](#)
- [View Technical Specifications](#)
- [View Parts & Accessories Diagram](#)

## Installation Information



1 or 3-hole 4" installation

**Number of Handles :** singlehandle

**Escutcheon :** T

**Fittings Type :** 1/2" IPS connection

**Drain Type :** 50/50 pop-up

## Reviews

★★★★★

Be the first to review this product




Chat with an Expert

Product Specification Sheet



B1607 Undermount Double Bowl Stainless Steel Sink 16 Gauge



**Colour Finish**  
Stainless Steel

**Model No.**  
B1607

- Description**
- Undermount Double Bowl Stainless Steel Sink 16 Gauge
  - Outside dimensions: 31 1/4" x 18 1/8" x 9"
  - Minimum Cabinet Size: 33"
  - Undermount Stainless Steel Single Bowl Sink
  - 16 Gauge Type 304 Stainless Steel
  - Stone Guard undercoating over rubber pad
  - 3 1/2" drain opening
  - Supplied with installation clip, template and strainer
  - CUPC certified

- Available accessories**
- BG1607 Stainless Steel Grid
  - Colander Strainer - Stainless Steel
  - Drying Rack



MAIN LOCATION

**BRISTOL SINKS**  
56 Firestone Blvd  
London, Ontario  
N5W 6E6

WESTERN LOCATION

**BRISTOL SINKS**  
964 72nd Avenue NE  
Calgary, Alberta  
T2E 8V9

CONTACT

Tel: 1 (800) 930-0214  
Fax: 1 (866) 310-7580  
Email: sales@bristolsinks.com

