

DCR/PHOENIX GROUP OF COMPANIES

CONSTRUCTION SUMMARY

${\bf DIAMONDVIEW\ ESTATES\ -\ DCR\ /\ Phoenix\ Development\ Corporation\ Limited}$

PURCHASERS: Irfan Bayram and Zekiye Aripek Bayram

LOT / PHASE STREET HOUSE TYPE CLOSING DATE

LOT / PHASE 19 / 2		STREET	HOUSE TYPE NEWINGTON ELEV F 4 BED	CLOSING DATE						
INV# QTY EXTRA / CHANGE										
Cabinetry										
1 0 20Sep21	1 - Accommodate for 36" chimney hood fan - take 3" off each side or range Note:									
2 0 20Sep21	1 - Accommodate for built-in cook top (add base cabinet) Note:									
3 0 20Sep21	1 - Accommodate for Built-in Wall oven & MW (replace std upper and base cab with tall oven cabinet) NoteSPECS NEEDED									
4 0 20Sep21	1 - Add regular 2" crown moulding to top of upper cabinets Note:									
5 0 20Sep21	1 - Increase depth of fridge upper to 24"d and add side panel Note:									
6 0 20Sep21	1 - Increase fridge space to 38"w x 72"h in lieu of standard spacing Note:									
7 0 20Sep21	1 - Increase height of uppers to reach 96" (42"h uppers installed at 18"above counter) w/ filler to ceiling to create finished look Note:									
8 0 20Apr22	1 - Add pot/pan drawers below cooktop w/ one false top drawer as per plan Note:									
Ceramic										
9 0 20Sep21	1 - S/I - Level B 24x24 Note:	Ceramic floor tile in lieu of standard in Foy	er							
10 0 20Sep21	1 - S/I - Level B 24x24 Ceramic floor tile in lieu of standard in Kitchen Note:									
11 0 20Sep21	1 - S/I - Level B 24x24 Ceramic floor tile in lieu of standard in Master ensuite Note:									
Doors and Windows										
12 0 08Sep21	1 - Addition of (2) 56xx Noteas per B-1	30 basement windows as per plan								
13 0 08Sep21	1 - Relocate (1) existing 48x24 window in basement as per plan Noteas per B-1									
14 0 08Sep21	1 - S/I - 8' wide patio doors in lieu of standard 6' Note:									
15 0 08Sep21	1 - Upgrade existing ba Noteas per B-1	sement windows from (2) 48x24 to (2) 56x3	0 as per plan							



DCR/PHOENIX GROUP OF COMPANIES

CONSTRUCTION SUMMARY

DIAMONDVIEW ESTATES - DCR / Phoenix Development Corporation Limited

PURCHASERS: Irfan Bayram and Zekiye Aripek Bayram

TEL:

LOT / PHASE 19 / 2 NEWINGTON ELEV F 4 BEI	TEL:
16 0 0 Note: Sectrical 17 1 - S/1 - Gas stove line Note: 18 1 - S/1 - (1) Reinforced capped light outlet connected to existing switch - Located in great room as per plan Note: 19 1 - S/1 - (1) Reinforced capped light outlet connected to new switch - Located over main stairs as per plan Note: 20 1 - S/1 - (1) Reinforced capped light outlet connected to new switch - Located over main stairs as per plan Note: 20 20 1 - S/1 - (4) 6" White interior potlights (HALO Slim LED) - connected to existing switch on dimmer - up to 9h dining room as per plan Note: 21 1 - S/1 - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9h - Located Note: 22 1 1 - S/1 - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9h - Located Note: 23 1 - S/1 - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9h - Located Note: 23 1 - S/1 - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9h - Located Note: 24 1 - S/1 - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9h - Located Note: 25 1 - S/1 - Wiring for cooktop - 30 AMP 120/240V Note: 26 1 - S/1 - Wiring for wall oven - 30 AMP 120/240V Note: 26 1 - S/1 - Wiring for wall oven - 30 AMP 120/240V Note: 27 28 - Note: 28 1 - S/1 - Wiring for wall oven - 30 AMP 120/240V Note: 29 20 - Note: 20 1 - S/1 - Cyclone alito SCB31936 36" 300CFM stainless steel chimney hood in lieu of standard Note:	CLOSING DATE
Note: Note	
1. S/I - Gas stove line Note: 1. S/I - (1) Reinforced capped light outlet connected to existing switch - Located in great room as per plan Note: 1. S/I - (1) Reinforced capped light outlet connected to new switch - Located over main stairs as per plan Note: 1. S/I - (1) Reinforced capped light outlet connected to new switch - Located over main stairs as per plan Note: 1. S/I - (1) Reinforced capped light outlet connected to new switch - Located over main stairs as per plan Note: 1. S/I - (4) 6" White interior potlights (HALO Slim LED) - connected to existing switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch on dimmer - up to 9h - located new switch new switch on dimmer - up to 9h - located new switch	
Note: 18	
Note:	
0 Note: 20 1 - S/1 - (4) 6" White interior potlights (HALO Slim LED) - connected to existing switch on dimmer - up to 9'h dining room as per plan Note: 21 1 - S/1 - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9'h - loc great room as per plan Note: 22 1 - S/1 - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9'h - Loc Kitchen as per plan Note: 22 1 - S/1 - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9'h - Loc Kitchen as per plan Note: 23 1 - S/1 - Non-direct conduit for audio/video cables w/ wall plates at both ends and (1) additional standard electrifireplace - Located 70" A.F.F Note: 24 1 - S/1 - Wiring for cooktop - 30 AMP 120/240V Note: 25 1 - S/1 - Wiring for wall oven - 30 AMP 120/240V Note: 26 1 - S/1 - Cyclone alito SCB31936 36" 300CFM stainless steel chimney hood in lieu of standard Note:	
dining room as per plan Note: 1 - S/I - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9'h - log great room as per plan Note: 22	
great room as per plan Note: 1 - S/I - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9'h - Lockitchen as per plan Note: 1 - S/I - (6) 6" White interior potlights (HALO Slim LED) - connected to new switch on dimmer - up to 9'h - Lockitchen as per plan Note: 1 - S/I - Non-direct conduit for audio/video cables w/ wall plates at both ends and (1) additional standard electrification fireplace - Located 70" A.F.F. Note: 24	- located in
Kitchen as per plan Note: 23	cated in
fireplace - Located 70" A.F.F Note: 24	cated in
0 20Sep21 Note: 25 1 - S/I - Wiring for wall oven - 30 AMP 120/240V Note: 26 1 - S/I - Cyclone alito SCB31936 36" 300CFM stainless steel chimney hood in lieu of standard Note:	c outlet at
0 Note: 20Sep21	
0 Note:	
14Oct22	
ireplace	
27	
Granite	
28 0 Note: 1 - S/I - Bristol B1606 Stainless Undermount Sink with 20mm Radius Corners in lieu of standard kitchen sink Note:	
29 1 - S/I - Level D radianz Quartz in lieu of standard granite in Kitchen w/ (1) upgraded undermount sink Note: 20Sep21	

Hardwood



DCR/PHOENIX GROUP OF COMPANIES

CONSTRUCTION SUMMARY

DIAMONDVIEW ESTATES - DCR / Phoenix Development Corporation Limited

PURCHASERS: Irfan Bayram and Zekiye Aripek Bayram

TEL:

PURCHAS	SERS: Irfan Bayram ar	d Zekiye Aripek Bayram		TEL:		
	LOT/PHASE 19/2	STREET	HOUSE TYPE NEWINGTON ELEV F 4 BED	CLOSING DATE		
INV#	QTY	EXTRA / CHANG	FE			
30 0 20Apr22	1 - S/I - Level A engineered hardwood in lieu of standard carpet in Great room, dining/lower hall, office, bedroom#2/inlaw, bonus room/upper hall, master bedroom, bedroom #3, bedroom #4 Note:					
Iiscellan	eous					
31 0 08Sep21	1 - Optional chefs kitchen Noteas per B-1					
32 0 08Sep21	1 - Optional second floor laundry Noteas per B-1					
33 0 08Sep21	1 - S/I - 9' Basement pour Noteas per B-1					
34 0 08Sep21	1 - S/I - 9'h Ceilings o Note:	on second floor				
35 0 20Apr22	1 - Late change fee Note:					
aint						
36 0 20Sep21	1 - S/I - flat ceilings on Main level and upper cathetral ceilings ONLY in lieu of standard stipple Note:					
lumbing						
37 0 08Sep21	_	n in for future tub, toilet and sink sted location as per plan				
38 0 08Sep21	1 - S/I - Ceramic tile shower enclosure w/ 3x3 acrylic base in lieu of standard 3x3 shower stall - w/ Maax pivolok shower door - located in bedroom #4 Ensuite Note:					
39 0 08Sep21	1 - S/I - Ceramic tiled shower enclosure w/ 3x5 acrylic base and Maax Halo sliding doors (chrome handle, no hinges) in lieu of standard bathtub in in-law ensuite Note:					
40 0 08Sep21	1 - S/I - Ceramic tiled shower enclosure w/ 3x5 acrylic base and Maax Halo sliding doors (chrome handle, no hinges) in lieu of standard bathtub in Main bathroom Note:					
41 0 08Sep21	1 - Upgrade to Maax Ariosa 66x36 freestanding tub in lieu of standard Exhibit soaker tub - located in master ensuite Note: W/ Black skirt/ white interior					
42 0 17Sep21	1 - S/I - Ceramic tiled shower enclosure w/ 3x4 acrylic base and Maax Halo sliding doors (chrome handle and hinges) in lieu of standard 3x4 shower stall in Master ensuite Note:					
43 0 20Sep21	1 - S/I - Fridge water Note:	line				

Stairs



CONSTRUCTION SUMMARY

${\bf DIAMONDVIEW\ ESTATES\ -\ DCR\ /\ Phoenix\ Development\ Corporation\ Limited}$

PURCHASERS: Irfan Bayram and Zekiye Aripek Bayram

TEL:

LOT / PHASE		STREET	HOUSE TYPE	CLOSING DATE			
	19 / 2		NEWINGTON ELEV F 4 BED				
INV#	QTY	EXTRA / CHANGE	<u> </u>				
44	1 - Upgrade main staircase to oak						
0	Note:	Note:					
20Apr22							
	•						
1A) 48x24 basement window					
Offer	Note:						
Worksheet							
2A	Upgrade existing basement windows from (2) 48x24 to (2) 56x30						
Offer	Note:						
Worksheet							
3A	Addition of (2) 56x30	basement windows					
Offer		Note:					
Worksheet							
4A	Optional second floor	laundry					
Offer	Note:						
Worksheet							
5A	Optional Chefs Kitche	en					
Offer	Note:						
Worksheet							
6A			des that effect the foundation will be allowed after t	he			
		irchase and Sales Agreement.					
Offer	Note:						
Worksheet							
	9 Foot Foundation Po	ur Height					
Offer	Note:						
Worksheet							

This Document is Extremely Time Sensitive - Printed $\underline{14\ Oct\ 22}$ at $\underline{15:29}$