

in-law ensuite tile
example - for shower



Visit


Ceratec Surfaces. Prisma

Images may be subject to copyright. **Learn More**




Show all images of prisma decor prat...

Related images



Mudroom Tile Pattern - *Border
tiles -Olympia-Marrakesh series
7.32 x 7.32 -Matte Anthracite.
*Center tiles - Marrakesh series
7.32 x 7.32 -matte decor mix 1 -
stacked



DS
MJD
DS
[Signature]

FOR BEP
B.E.P.

9' SECOND FLOOR

two-headed spotlight



Additional - 2-Light cylinder wall sconce

two-headed spotlight

9' FOUNDATION PC

SIDE ELEVATION M

FOR BEP ONLY

9' FLOOR



MS518-2 180 DEGREE OUTDOOR SENSOR

MS518-2 sensor has a 180 degree view and comes with 2 Par holders and mounting plate. Turns lights on from 5 seconds to 12 minutes. Unit can be wired in parallel. Whenever the motion sensor detects motion the floodlights automatically turn on. Tested at -20°C start temperature. Available in black or white.

PHOTOELECTRIC CONTROL Deactivates lights during daylight. Fully adjustable for 24 hour operation or custom applications.

POWER CONSUMPTION 5.3 watts (sensor only).

TIME ADJUSTMENTS 5 seconds to 12 minutes.


PAR HOLDER Injection molded plastic. Maximum 150 watt PAR38 lamp per socket.

MOUNTING PLATE Injection molded plastic with gasket.

DETECTION 180 degrees.

SWITCHING CAPACITY 300 watts maximum. Incandescent @ 120 volts.

VOLTAGE 120 volts AC 60 Hertz.



Catalog Code


MS518-2

BLK - BLACK
WH - WHITE

FINISH



Dimensions



DS
MUL

DS
[Signature]

www.rabdesign.ca

Jazz F 66 x 36 Acrylic Freestanding Bathtub

Model number:	105359
---------------	--------

Dimensions:	66" x 36" x 24"	Installation:	Freestanding	Material:	Acrylic
-------------	-----------------	---------------	--------------	-----------	---------



Standard Features:

- Deep soak bathing for ultimate relaxation
- 2-piece freestanding bathtub with concealed seam
- Comfortable backrest and ample deck space for faucet installation
- MAAX innovative leveling legs for easy installation
- Above-the-Floor Rough (AFR) and F² Drain compatible
- Center drain

Product characteristics:

- Made in North America
- Deck Space for Faucet
- Chromatherapy Available

Systems:

Aerofeel

Warranty:

25 Years

Standard Colors:



White (001)

Certifications

MAAX products adhere to one or more of the following certifications:




MAAX

Jazz F 66 x 36 Acrylic Freestanding Bathtub

Model number:	105359
---------------	--------

Dimensions:	66" x 36" x 24"	Installation:	Freestanding	Material:	Acrylic
-------------	-----------------	---------------	--------------	-----------	---------



Dimensions
66 x 36 x 24 In. (1676 x 914 x 610 mm)
Water Capacity
76 gallons - 286 liters
Weight
149 lbs - 67 1/2 kg
Bathing Well
57 3/4 In. x 24 1/4 In. (1464 mm x 616 mm)
Deep Sump Height
19.25 In. - 489 mm
Deck Width
5.875 In. - 149 mm
Drain location:
Center

Project:	
Contractor:	
Representative:	
Date:	
Tel:	
Notes:	

MAAX

Kitchen / Faucets / Sink Faucets



MONROVIA

Single Handle Pull-Down Bar/Prep Faucet with Touch₂O Technology

MODEL#: 9991T-CZ-PR-DST

- Single-hole or 3-hole installation (deck plate sold separately)
- Delta Touch2O Technology: touch kitchen faucet on, touch it off
- Delta MagnaTite Docking holds pull down sprayer firmly in place

Finish: **Champagne Bronze**



^{DS} MJL ^{DS} [Signature]

DocuSign Envelope ID: F37858FD-15D5-48C6-B5D4-F809DC6C31DB

The Monrovia Kitchen Collection stands out in any space with its statuesque form and striking handle design. Touch it on. Touch it off. Whether you have two full hands or 10 messy fingers, Delta Touch2O Technology helps keep your kitchen faucet clean, even when your hands aren't. A simple touch anywhere on the spout or handle with your wrist or forearm activates the flow of water at the temperature where your handle is set. The Delta TempSense LED light changes color to alert you to the water's temperature and eliminates any possible surprises or discomfort. You can install with confidence, knowing that Delta kitchen faucets are backed by our Lifetime Limited Warranty. Electronic parts are backed by our 5-year electronic parts warranty.

- With Touch₂O Technology, a simple touch anywhere on the spout or handle will start and stop the flow of water
- Helps keep your faucet cleaner, because washing the mess off your hands shouldn't involve making a mess of your faucet
- LED light signals blue when touch mode is active and flashes red when batteries are running low
- Automatic water flow shut-off after four minutes helps conserve water
- Integrated TempSense LED light shows water temperature, changing from blue to magenta to red as temperature increases
- Requires 6 AA (included) or 6 C batteries
- Intuitive Touch₂O Technology can sense the difference between a touch and a grab, reducing the chances of false activation
- Optional A/C adapter EP102157 may be ordered separately
- MagnaTite Docking uses a powerful integrated magnet to snap your faucet spray wand precisely into place and hold it there so it stays docked when not in use and doesn't droop over time
- Lumicoat Finishes easily wipe clean and are guaranteed to resist mineral buildup and hard water stains
- Soft, rubber Touch-Clean spray holes allow you to easily wipe away calcium and lime buildup with the touch of a finger
- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- Fits 1- or 3-hole 8-inch installations with optional deck plate (RP47274CZPR sold separately)
- Coordinating soap dispenser RP101850CZPR available for purchase separately
- ADA compliant
- The high-arc, gooseneck design swivels 360 degrees with a 20-inch retractable hose for added convenience during everyday kitchen tasks
- Backed by Delta Faucet's Lifetime Limited Warranty
- Electronic parts are backed by our 5-year electronic parts warranty

Special Features

-  Brilliance[®] Finish ⓘ
-  ADA Compliant ⓘ



Product Support, Repair Parts & Technical Specifications

- [View Maintenance & Installation Sheet](#)
- [View Technical Specifications](#)
- [View Parts & Accessories Diagram](#)

Installation Information



1 or 3-hole 8" installation

- Number of Handles :** singlehandle
- Flow Rate :** 1,8 gpm @ 60 psi, 6,8 L/min @ 414 kPa
- Spout Height :** 16-5/8"
- Spout Length :** 6-5/8"
- Deck to Outlet :** 10-9/16"
- Fittings Type :** 3/8" compression fittings
- Drain Type :** NA
- Deck Thickness :** 2,5"
- Supply Line :** Included InnoFlex Pex-C Supply Lines

DS
MUL DS



MONROVIA

Single Handle Pull-Down Kitchen Faucet With Touch₂O Technology

MODEL#: 9191T-CZ-PR-DST

- Single-hole or 3-hole installation (deck plate sold separately)
- Delta Touch2O Technology: touch kitchen faucet on, touch it off
- Delta MagnaTite Docking holds pull down sprayer firmly in place

Finish: **Lumicoat Champagne Bronze**



DS
MIL
DS

DocuSign Envelope ID: F37858FD-15D5-48C6-B5D4-F809DC6C31DB


The Monrovia Kitchen Collection stands out in any space with its statuesque form and striking handle design. Touch it on. Touch it off. Whether you have two full hands or 10 messy fingers, Delta Touch2O Technology helps keep your kitchen faucet clean, even when your hands aren't. A simple touch anywhere on the spout or handle with your wrist or forearm activates the flow of water at the temperature where your handle is set. The Delta TempSense LED light changes color to alert you to the water's temperature and eliminates any possible surprises or discomfort. You can install with confidence, knowing that Delta kitchen faucets are backed by our Lifetime Limited Warranty. Electronic parts are backed by our 5-year electronic parts warranty.

- With Touch₂O Technology, a simple touch anywhere on the spout or handle will start and stop the flow of water
- Helps keep your faucet cleaner, because washing the mess off your hands shouldn't involve making a mess of your faucet
- LED light signals blue when touch mode is active and flashes red when batteries are running low
- Automatic water flow shut-off after four minutes helps conserve water
- Integrated TempSense LED light shows water temperature, changing from blue to magenta to red as temperature increases
- Requires 6 AA (included) or 6 C batteries
- Intuitive Touch₂O Technology can sense the difference between a touch and a grab, reducing the chances of false activation
- Optional A/C adapter EP102157 may be ordered separately
- MagnaTite Docking uses a powerful integrated magnet to snap your faucet spray wand precisely into place and hold it there so it stays docked when not in use and doesn't droop over time
- Lumicoat Finishes easily wipe clean and are guaranteed to resist mineral buildup and hard water stains
- Soft, rubber Touch-Clean spray holes allow you to easily wipe away calcium and lime buildup with the touch of a finger
- DIAMOND Seal Technology is less hassle to install and helps your faucet perform like new for life, reducing leak points and lasting twice as long as the industry standard
- Everything you need is together in one convenient box, including integrated InnoFlex PEX supply lines
- Fits 1- or 3-hole 8-inch installations with optional deck plate (RP47274CZPR sold separately)
- Coordinating soap dispenser RP101850CZPR available for purchase separately
- ADA compliant
- The high-arc, gooseneck design swivels 360 degrees with a 20-inch retractable hose for added convenience during everyday kitchen tasks
- Backed by Delta Faucet's Lifetime Limited Warranty
- Electronic parts are backed by our 5-year electronic parts warranty

Special Features

 ADA Compliant ⓘ



 Chat with an Expert

Product Support, Repair Parts & Technical Specifications

- [View Maintenance & Installation Sheet](#)
- [View Technical Specifications](#)
- [View Parts & Accessories Diagram](#)

Installation Information



1 or 3-hole 8" installation

- Number of Handles : singlehandle
- Flow Rate : 1,8 gpm @ 60 psi, 6,8 L/min @ 414 kPa
- Spout Height : 16-5/8"
- Spout Length : 9"
- Deck to Outlet : 9-13/16"
- Fittings Type : 3/8" compression fittings
- Drain Type : NA
- Deck Thickness : 2,5"
- Supply Line : Included InnoFlex Pex-C Supply Lines
- Pull-out/Pull-down : Yes





Roman Tub with Handshower

MODEL#: T3763-BL

Finish: **Matte Black**



Product Support, Repair Parts & Technical Specifications

- [View Maintenance & Installation Sheet](#)
- [View Technical Specifications](#)
- [View Parts & Accessories Diagram](#)

Installation Information



Reviews

★★★★★
Be the first to review this product

Product Specification Sheet



B1926 Undermount Sink with 15mil Radius Corners



Colour Finish
Stainless Steel

Model No.
B1926

- Description**
- Single Bowl Undermount Sink with 15mil radius corners
 - Outside dimensions: 32" x 19" x 10"
 - Minimum Cabinet Size: 33"
 - Stainless Steel Single Bowl Sink
 - 16 Gauge Type 304 Stainless Steel
 - Stone Guard undercoating over rubber pad
 - 3 1/2" drain opening
 - Supplied with installation clip, template and strainer
 - cUPC certified

- Available accessories**
- BG1926 - Stainless Steel Grid
 - Colander Strainer - Stainless Steel
 - Zero Radius Basket
 - Drying Rack



MAIN LOCATION

BRISTOL SINKS
56 Firestone Blvd
London, Ontario
N5W 6E6

WESTERN LOCATION

BRISTOL SINKS
964 72nd Avenue NE
Calgary, Alberta
T2E 8V9


CONTACT

Tel: 1 (800) 930-0214
Fax: 1 (866) 310-7580
Email: sales@bristolsinks.com



Product Specification Sheet

B1614 Stainless Steel Single Bowl 16 Gauge



Colour Finish
Stainless Steel

Model No.
B1614

- Description
- Double Bowl Stainless Steel Sink 16 Gauge
 - Outside dimensions: 18 5/16" x 15 3/8" x 9"
 - Minimum Cabinet Size: 20"
 - Stainless Steel Single Bowl Sink
 - 16 Gauge Type 304 Stainless Steel
 - Stone Guard undercoating over rubber pad
 - 3 1/2" drain opening
 - Supplied with installation clip, template and strainer
 - CUPC certified



Available accessories

- BG1614 - Stainless Steel Grid
- Colander Strainer - Stainless Steel
- Drying Rack

MAIN LOCATION

BRISTOL SINKS
56 Firestone Blvd
London, Ontario
N5W 6E6

WESTERN LOCATION

BRISTOL SINKS
964 72nd Avenue NE
Calgary, Alberta
T2E 8V9

CONTACT

Tel: 1(800) 930-0214
Fax: 1(866) 310-7580
Email: sales@bristolsinks.com



BX212 | CLASSIC Collection



28"/34"
(34" includes 3 filters)

Model	Colour	Ducting	Filters	Size	CFM	Fits Cabinet
BX21228	Stainless Steel	6"	Mesh	28"	300	30"
BX21234	Stainless Steel	6"	Mesh	34"	300	36"

* Only for Decorative Hood Fans *

