



36" Induction Cooktop

Induction Cooktop

Available Products: FPIC3677RF

Available Colors: Stainless Steel

Version: 08/22

### **Product Specifications**

| Cooktop                          |              | Cooktop Performance                 |             |
|----------------------------------|--------------|-------------------------------------|-------------|
| Bridge Element                   | Yes          | Right Front Element Burner Size     | 10"         |
| Bridge Element Location          | Left         | Right Rear Element Burner Size      | 6"          |
| Cooking Surface Type             | Smooth       | Left Front Element Burner Size      | 7"          |
| Hot-Surface Indicator Light      | Yes          | Left Rear Element Burner Size       | 7"          |
|                                  |              | Center Rear Element Burner Size     | 8"          |
| Controls                         |              | Right Front Element Burner          | 3,800 Watts |
| Sabbath Mode                     | No           | Right Rear Element Burner           | 2,000 Watts |
|                                  |              | Left Front Element Burner           | 2,600 Watts |
| Dimensions and Volume            |              | Left Rear Element Burner            | 2,600 Watts |
| Height                           | 3 5/8"       |                                     |             |
| Width                            | 36"          | Display                             |             |
| Depth                            | 20 1/8"      | Display Interface Color             | Blue        |
| ·F                               |              | Display Type                        | Mechanical  |
| Installation                     |              | Control Location                    | Front       |
| Installed Over a Wall Oven       | Yes          |                                     |             |
| Power Supply Connection Location | Right Center | Electrical Specifications           |             |
|                                  |              | Amps @ 240 Volts                    | 50 Amps     |
| Certifications and Approvals     |              | Connected Load @ 240V               | 12 kW       |
| ADA Compliant                    | Yes          | Minimum Circuit Required            | 50 Amps     |
| 71D/1 Compilation                | 163          | Voltage Rating                      | 240 V       |
|                                  |              |                                     |             |
|                                  |              | General Specifications              |             |
|                                  |              | Prop 65 Label                       | No          |
|                                  |              | Warranty - Labor                    | 1 Year      |
|                                  |              | Warranty - Parts                    | 1 Year      |
|                                  |              | ·                                   |             |
|                                  |              | Safety Certifications and Approvals |             |
|                                  |              | UL Listed                           | Yes         |


36" Induction Cooktop

Available Products: FPIC3677RF Available Colors: Stainless Steel

Version: 08/22

### **Installation Diagram**

Induction Cooktop



|                           | <b>Product Dimensions</b> |                           |                  | Required                     | Clearances |          |
|---------------------------|---------------------------|---------------------------|------------------|------------------------------|------------|----------|
| A - Width                 | B - Depth                 | C - Height                | G (min.)         | H (min.)                     | I (min.)   | J (min.) |
| 36"                       | 20-1/8"                   | 2-7/8"                    | 2"               | 2"                           | 2"         | 2-1/2"   |
| Product Cutout Dimensions |                           | K - Cabinet Opening Width |                  | Utility Connection Locations |            |          |
| D - Width (min max.)      | E - Depth (min max.)      | F-Height (min.)*          | (min.) Power Sup |                              | Supply     |          |
| 33-7/8" - 34"             | 19-1/8" - 19-1/4"         | 3-5/8"                    | 36" Right Rear   |                              | t Rear     |          |

Features Spec

Review

Support

## Samsung.com Advantage

In-home Service

Buy Now, Pay Later Free Delivery & Haul Away Extended Warranty

0% FINANCING


### 5.2 Cu.Ft. Washer with Steam Wash and **Super Speed**

WF45B6300AP/US

4.7 (883)

- Eliminate stains without pre-treatment using Steam Wash.
- Finish a full load in 28 minutes using the Super Speed feature.
- Remotely control & monitor via SmartThings

Click to see product dimensions



Colour: Gray






### **Choose your Capacity**

5.2 cu.ft.

Add Extended Warranty to your included 1-year manufacturer's warranty.

Learn more

Surramor Extractor Wire as to provide







ACCEPT

### 5.2 Cu.Ft. Washer with Steam Wash and Super Speed

From \$50.00/mo for 24 mos or \$1,199.99

Features

Spec

Review

Support

Compare

### **Washing Capacity**

Washing Capacity (cu.ft)

4.5

Design

**Body colour** 

Platinum

**Panel Display** 

LED

Door

Black Deco+Tempered Glass

**Performance** 

Cycle time (min)

45 min

**Energy Star Certification** 

Yes

**Energy Consumption (annual)** 

92 kWh/year

IMEF

3.10

IWF

2.9

**Feature** 

**Child Lock** 

Yes

**Delay End** 

Yes

Interior Drum Light

No

Internal Heater

ACCEPT

Yes

### Samsung and Cookies

### 5.2 Cu.Ft. Washer with Steam Wash and Super Speed

From \$50.00/mo for 24 mos or \$1,199.99

Features

Spec

Review

Support

Compare

Yes

**Progress Indicator** 

Self Clean+

Yes

**Smart Care** 

Yes

**Smart Control** 

Yes

Spin Speed

1200 rpm

Steam

Yes

**Super Speed** 

Yes

**VRT** 

**VRT Plus** 

Cycle

Cycle List

Normal, Heavy Duty, Bedding, Quick Wash, Delicates, Towers, Rinse+Spin, Self Clean+, Steam Sanitize, Steam Normal, Steam Whites, Downloads

**Number of Cycle** 

12

**Number of Option** 

8

Option List

Pre Soak, Delay End, Smart Control, SuperSpeed, Smart Care, Sound, Child Lock(Dual Key), Spin Only

ACCEPT

**Physical specifications** & size

Net Dimension (WxHxD)

686 X 984 X 796 mm

**Net Weight** 

91 kg

Gross Dimension (WxHxD)

746 X 1076 X 866 mm

**Gross Weight** 

92 kg

Voltage/Frequency

120V / 60Hz

### Samsung and Cookies



(/)



COOLING FULL SIZE REFRIGERATION (/REFRIGERATION/REFRIGERATORS)

## Café<sup>™</sup> Energy Star 22.2 Cu. Ft. Counter-Depth French-Door Refrigerator with Hot Water Dispenser

Specs



:/cye22tp4mw2/overview)

**Specs** 

(https://www.cafeappliances.ca/appliances/cye22tp4mw2/specs) | (https://www.cafeapplia



CYE22TP4MW2

\$6,649.00 MSRP

FIND A STORE (/APPLIANCES/CYE22TP4MW2/WHERE-TO-BUY)

| Air Clearances Back (in.)           | 2  |
|-------------------------------------|--|
| Air Clearances Each Side (in.)      | 1/8  |
| Air Clearances Top (in.)            | 1  |
| Built-In                            | No   |
| Case Color                          | Dark Grey  |
| Total Capacity (cubic feet)         | 23 cu. ft.   |
| Features                            | <ul> <li>+ Dairy Compartment</li> <li>+ Frost Guard</li> <li>+ Hot Water</li> <li>+ Sabbath Mode</li> <li>+ TwinChill Evaporators</li> <li>+ Wifi Connect</li> </ul> |
| Case Depth with Door Handle (in)    | 30.25  |
| Case Depth without Door (in)        | 24.38  |
| Colour                              | Matte White  |
| Counter-Depth Design                | Yes  |
| Depth                               | 29.1 - 32"   |
| Depth with FF Door open 90 deg (in) | 43.38  |

| Dispenser Colour                 | Molded Colour-Matched  |
|----------------------------------|------------------------|
| Dispenser                        | External Ice and Water |
| Door Swing                       | French Door            |
| Energy Star                      | Yes                    |
| Style                            | French Door            |
| Ice Maker                        | Ice Maker Installed    |
| Water Filter                     | Yes                    |
| Freezer Cabinet Drawers          | 2 Full Width           |
| Freezer Capacity (cubic feet)    | 7.2                    |
| Freezer Configuration            | Pull-Out Drawer        |
| Fresh Food Capacity (cubic feet) | 15                     |
| Fresh Food Door Bins             | 4 Fixed Clear          |
| Height                           | 70" or more            |
| Height to Top of Case (in)       | 69                     |
| Interior Lighting                | + LED<br>+ Yes         |

| Levelling System                                     | 2-Point  |
|--|--|
| Number of Doors                                      | 3  |
| Fresh Food Cabinet Shelves                           | <ul><li>+ 1 Full Width Glass</li><li>+ 4 Half Width Glass</li><li>+ Drop Down Tray</li><li>+ Quick Space</li></ul>     |
| Fresh Food Cabinet Drawers                           | <ul><li>+ 1 Full Width Temperature Controlled Deli</li><li>Drawer</li><li>+ 2 Humidity Controlled Crispers</li></ul>   |
| Controls and Display                                 | Electronic Touch   |
| Defrost Type   | Frost Free   |
| Volts / Hertz / Amps                                 | 120 v / 60 Hz / 15A  |
| Warranty   | <ul><li>+ 1 Year Limited Parts &amp; Labour</li><li>+ 5 Year Limited Parts and Labour, Sealed</li><li>System</li></ul> |
| Width with Door Open 90 deg Including<br>Handle (in) | 44.75  |
| ADA Compliant  | Yes  |
|  |  |

### DIMENSIONS

Overall Width 35.7 inches

Overall Height 69.8 inches

Overall Depth 31.2 inches

Net Weight 365 LB

| CUSTOMER | COMPANY |
|----------|---------|
| OADE     | INIEO   |

CARE INFO

Contact Our Company

(/support/contact- (https://www.geappliances.ca/ge-

us) appliance-story)

FAQ Press Room

(/support/contact- (https://www.geappliances.ca/pressroom)

us)

Jobs

Recalls (https://www.geappliances.ca/en/career)

(https://www.geappliances.ca/en/support/recall-

information) Privacy Policy

(https://www.geappliances.ca/en/privacy-

Lookbook policy)

(/lookbookfall2019)

**Terms** 

Newsletter (https://geappliances.ca/en\_CA/terms)

(/newsletter)

Cookie Disclosure

(https://geappliances.ca/en\_CA/cookies)

Follow Us

f

(https://www.facebook



(https://www.instagran



(https://www.pinterest.



(/)



DISHWASHERS (/CLEANING/DISHWASHERS)

# Café Stainless Interior Built-In Dishwasher with Hidden Controls Matte

White

Specs

**Specs** 

s/cdt875p4nw2/overview) | (https://www.cafeappliances.ca/appliances/cdt875p4nw2/specs) | (https://www.cafeappliances.ca/appliances/cdt875p4nw2/specs) |



CDT875P4NW2

\$2,699.00 MSRP

FIND A STORE (/APPLIANCES/CDT875P4NW2/WHERE-TO-BUY)

| Dishwasher Drying Features | Calrod Heater  |
|----------------------------|--|
| Dishwasher Cycles          | China / Crystal  |
| Colour                     | Matte White  |
| Control Type               | Capacitive Touch   |
| Rack Features              | <ul><li>+ Third Rack</li><li>+ Stem Safe</li><li>+ Upper Rack - Adjustable</li><li>+ Utility Shelf</li></ul> |
| LED Display                | Yes  |
| Energy Star                | Yes  |
| Features                   | Leak Defense with Active Flood Protect   |
| Delay Start                | 1-12 hr.   |
| LED Display Countdown      | Yes  |
| Leveling Legs (4)          | 4  |
| Noise Levels               | 39 dBA   |
| Number of Cycles           | 5  |
| Rack Material              | Nylon  |

|                          | + Automatic Temperature Control           |
|--------------------------|---|
|                          | + Child Lock                              |
|                          | + Cycle Progress Indicator                |
|                          | + Deep Clean Silverware Jets              |
|                          | + Heated Dry                              |
|                          | + Hi-Temp Wash                            |
| Dishwasher Options       | + Presoak                                 |
|                          | + Last Cycle Memory                       |
|                          | + Bottle Wash Jets                        |
|                          | + Rinse Aid with Indicator and Adjustment |
|                          | + Sanitize (NSF)                          |
|                          | + Steam Prewash                           |
|                          | + Wash Zones                              |
|                          |   |
| End-of-Cycle Signal      | Yes                                       |
|                          |   |
| Number of Place Settings | 16 Place Settings                         |
|                          |   |
| Style                    | Built-in                                  |
|                          |   |
| Control Location         | Тор                                       |
|                          |   |
| Sensor                   | Clean Sensor                              |
|                          |   |
| Hard Food Disposer       | Yes                                       |
| ,                        |   |
| Tub and Door Liner       | Stainless Steel                           |
|                          |   |
|                          |   |
| Volts / Hertz            | 120 v / 60 Hz                             |
| Volts / Hertz            | 120 v / 60 Hz                             |
| Volts / Hertz Warranty   | 120 v / 60 Hz<br>1 Year Parts & Labour    |

Wash Arm - Lower Level

Yes

Wash System

3 Level - 800 series

Width

24"

Wifi Connect

Yes

### **DIMENSIONS**

Overall Width 23.7 inches

Overall Height 34 inches

Overall Depth 24 inches

Net Weight 123.4 LB

CUSTOMER COMPANY

CARE INFO

Contact Our Company

(/support/contact- (https://www.geappliances.ca/ge-

us) appliance-story)

FAQ Press Room

(/support/contact- (https://www.geappliances.ca/pressroom)

us)

Jobs

Recalls (https://www.geappliances.ca/en/career)

(https://www.geappliances.ca/en/support/recall-

information) Privacy Policy

(https://www.geappliances.ca/en/privacy-

policy)

Follow Us



(https://www.facebook



(https://www.instagran



(https://www.pinterest.

## Café<sup>™</sup> Professional Series 30" Smart Built-In Convection Double Wall Oven



CTD90DP4NW2



① 1/32

\$5,221.00

Enter ZIP code to check availability

ZIP code

CHECK

**FIND A STORE** 

For personalized shopping help, call us at 1-800-919-6213

Overview Specs Ratings & Reviews For Owners

Product Overview

reedback

### Specifications

#### ACCESSORIES

Optional Kits CXWD0H0PMBT Brushed Black

CXWD0H0PMCU Brushed Copper CXWD0H0PMSS Brushed Stainless CXWD0H0PMBZ Brushed Bronze CXWD0H0PMCG Brushed Brass CXWD0H0PMFB Flat Black

CAMBOTTOT WIT BITTAL BIACT

### APPEARANCE

Color Appearance Matte White

Handle Brushed Bronze

Café Pro Style Customizable

Installation Above Warming Drawer

Side-by-Side

Oven Door Features Big View Oven Window

Soft-Close Hinges

### CAPACITY

Capacity (Cu. Ft.) 5.0 Upper / 5.0 Lower

Total Capacity (cubic feet) 10.00 cu ft

### FEATURES

Cleaning Time Variable with Delay Clean Option

Configuration Double Oven

Connected Capabilities Amazon Alexa

The Google Assistant

IFTTT Fresco Innit Sonos

Control Type 7" Full-Color Touch LCD Screen

Cooking System True European Convection with Direct Air

(Both Ovens)

Cooking Technology Convection

Fuel Type Electric

OU Certified No

Oven Cleaning Type Self-Clean with Steam Clean Option

Oven Control Features 12-Hour Shut-Off Capability

Electronic Clock & Kitchen Timer

Mis-Wire Detection Oven Camera Proof Mode Remote Enabled Scan-to-cook Temperature Probe

Warm Mode

Audible Preheat Signal Auto Recipe Conversion C° or F° Programmable Certified Sabbath Mode Control Lock Capability

Cook Time Dehydration Delay Time

Oven Cooking Modes Convection Bake

Convection Bake Multi-Rack

Convection Roast Convection Broil Hi/Lo Precision Cooking Modes

Thermal Bake Thermal Broil Hi/Lo No Preheat Air Fry Turkey Mode

Oven Features 10-Pass Bake Element

### POWER / RATINGS

| Amp Rating at 208V | 40    |
|--------------------|-------|
| Amp Rating at 240V | 40    |
| Bake Wattage       | 2850W |
| Broiler Wattage    | 4300W |
| Convection Wattage | 2400W |
| KW Rating at 208V  | 6.8   |
| KW Rating at 240V  | 9     |
|                    |       |

### WARRANTY

| Labor Warranty | Limited 1-year entire appliance       |
|----------------|---------------------------------------|
| Parts Warranty | Limited 1-year entire appliance       |
| Warranty Notes | See written warranty for full details |

### WEIGHTS & DIMENSIONS

| Approximate Shipping Weight         | 278 lb                     |
|-------------------------------------|----------------------------|
| Cabinet Width                       | 30 in                      |
| Cutout Dimensions (w x h x d) (in.) | 28-1/2 x 51-13/16 x 23-1/2 |
| Net Weight                          | 260 lb                     |
| Oven Interior Dimensions (lower)    | 25 x 17-3/8 x 20-1/4       |
| Oven Interior Dimensions (upper)    | 25 x 17-3/8 x 20-1/4       |
| Overall Depth                       | 26 3/4 in                  |
| Overall Height                      | 51 1/16 in                 |
| Overall Width                       | 29 3/4 in                  |