



(/)



COOLING / FULL SIZE REFRIGERATION (/REFRIGERATION/REFRIGERATORS)

Café[™] Energy Star[®] 23.1 Cu. Ft. Counter-Depth French-Door Refrigerator

Specs




/cwe23sp4mw2/overview)

Specs

(<https://www.cafeappliances.ca/appliances/cwe23sp4mw2/specs>)

(<https://www.cafeappliances.ca/appliances/cwe23sp4mw2/overview>)



CWE23SP4MW2

\$6,349.00 MSRP

FIND A STORE
(/APPLIANCES/CWE23SP4MW2/WHERE-TO-BUY)



share

FEATURES




Air Clearances Back (in.)	2
Air Clearances Each Side (in.)	1/8
Air Clearances Top (in.)	1
Built-In	No
Case Color	Dark Grey
Total Capacity (cubic feet)	23 cu. ft.
Features	+ Door Alarm
	+ Dairy Compartment
	+ Frost Guard
	+ Ice Storage Bin
	+ Sabbath Mode
	+ TwinChill Evaporators
	+ Wifi Connect
Case Depth with Door Handle (in)	28.75
Case Depth without Door (in)	24.38
Colour	Matte White
Counter-Depth Design	Yes
Depth	29.1 - 32"

Depth with FF Door open 90 deg (in)	43.38
Dispenser	Internal Water
Door Swing	French Door
Energy Star	Yes
Style	French Door
Ice Maker	Ice Maker Installed
Water Filter	Yes
Freezer Cabinet Drawers	2 Full Width
Freezer Capacity (cubic feet)	7.2
Freezer Configuration	Pull-Out Drawer
Fresh Food Capacity (cubic feet)	15.9
Fresh Food Door Bins	4
Height	70" or more
Height to Top of Case (in)	69
Height to Top of Hinge (in)	69.875
Interior Lighting	+ LED

	+ Yes
Levelling System	2-Point
Number of Doors	3
Fresh Food Cabinet Shelves	<ul style="list-style-type: none"> + 1 Full Width Glass + 4 Half Width Glass + Drop Down Tray + Quick Space
Fresh Food Cabinet Drawers	<ul style="list-style-type: none"> + 1 Full Width Temperature Controlled Deli Drawer + 2 Humidity Controlled Crispers
Controls and Display	Electronic Touch
Defrost Type	Frost Free
Volts / Hertz / Amps	120 v / 60 Hz / 15A
Warranty	<ul style="list-style-type: none"> + 1 Year Limited Parts & Labour + 5 Year Limited Parts and Labour, Sealed System
Width	36"
Width with Door Open 90 deg Including Handle (in)	44.75

DIMENSIONS

Overall Width	35.7 inches
Overall Height	70.5 inches
Overall Depth	31.2 inches
Net Weight	332.9 LB

CUSTOMER CARE	COMPANY INFO	Follow Us
Contact (/support/contact-us)	Our Company (https://www.geappliances.ca/ge-appliance-story)	 (https://www.facebook.c
FAQ (/support/contact-us)	Press Room (https://www.geappliances.ca/pressroom)	 (https://www.instagram.
Recalls (https://www.geappliances.ca/en/support/recall-information)	Jobs (https://www.geappliances.ca/en/career)	 (https://www.pinterest.c
Lookbook (/lookbookfall2019)	Privacy Policy (https://www.geappliances.ca/en/privacy-policy)	
Newsletter (/newsletter)	Terms (https://geappliances.ca/en_CA/terms)	
	Cookie Disclosure (https://geappliances.ca/en_CA/cookies)	



(/)



COOKING / RANGES (/COOKING/RANGES)

Café™ 30" Slide-In Front Control Radiant and Convection Double Oven Range

Specs



[cces750p4mw2/overview](#)

Specs

<https://www.cafeappliances.ca/appliances/cces750p4mw2/specs>


<https://www.cafeappliances.ca/appliances/cces750p4mw2/specs>



CCES750P4MW2

\$3,949.00 MSRP

FIND A STORE
(/APPLIANCES/CCES750P4MW2/WHERE-TO-BUY)

 [share](#)

FEATURES




Auto Shut-Off with Override	Yes
Audible Preheat Signal	Yes
Automatic Self-Clean Oven Door Lock	Yes
Bake Wattage	2850_w
Broil Element	6-Pass Upper / 8-Pass Lower
Broil Wattage	3000 W Upper / 3600 W Lower
Total Oven Capacity	6.7 cu ft
Child Lock	Yes
Cleaning Type	Self Clean with Steam Clean
Colour	Matte White
Control Location	Front
Convection	True European Convection with Precise Air
Convection Bake and Roast	Yes
Convection Wattage	2500 W
Cooktop Lock Capability	Yes

Cooktop Type	Smoothtop Radiant
Delay Self-Clean	Yes
Digital Display	Yes
Drawer Type	Non convection
Edge-to-Edge Cooktop	Yes
Element - Centre Rear	6" 80W Warming Zone
Element - Front Left	5"/8" 1900W
Element - Front Right	6"/9"/12" 3600W PowerBoil
Element - Rear Left	8" 2000W
Fuel Type	Electric
Indicator Lights	1
In-Oven Broil	Yes
Delay Start	Yes
Interior Oven Light	Yes
Rack Positions	6
Number of Burners	5

OTR Chef Connect	Yes
Oven "ON" Light	Yes
Oven Racks	2 Self Clean, 1 Roller Rack
Style	Double Oven
Width	30"
C° or F° Programmable	Yes
Timer	Yes
Control Type	Glass Touch and Knobs
Format	Slide-In
Volts / Hertz / Amps	208/240V; 60Hz; 40A
Warranty	1 Year Parts & Labour
Wifi Connect	Yes
ADA Compliant	Yes
No Preheat Air Fry	Yes
Proof Mode Lower Oven	Yes
Warming Mode (Both Ovens)	Yes

DIMENSIONS

Overall Width	29.9 inches
Overall Height	39.3 inches
Overall Depth	27.5 inches
Net Weight	277.6 LB

CUSTOMER CARE	COMPANY INFO	Follow Us
Contact (/support/contact-us)	Our Company (https://www.geappliances.ca/ge-appliance-story)	 (https://www.facebook.c
FAQ (/support/contact-us)	Press Room (https://www.geappliances.ca/pressroom)	 (https://www.instagram.
Recalls (https://www.geappliances.ca/en/support/recall-information)	Jobs (https://www.geappliances.ca/en/career)	 (https://www.pinterest.c
Lookbook (/lookbookfall2019)	Privacy Policy (https://www.geappliances.ca/en/privacy-policy)	
Newsletter (/newsletter)	Terms (https://geappliances.ca/en_CA/terms)	
	Cookie Disclosure (https://geappliances.ca/en_CA/cookies)	



SC301/SCB301

Alito Collection | Wall Mount

A very attractive exhaust fan, the SC(B)301 is the perfect balance of substance and style. The arched glass canopy frames a classic design giving it a modern appeal. The hood features a three-speed digital control panel, two LED lights, two mesh or baffle filters and a quiet, efficient motor. Fitted with a time-delay OFF feature up to nine minutes.

[Where To Buy](#) [Features](#)[Green Features](#)[Specifications](#)[Options](#)[Parts](#)[Manuals & Literature](#)

Specifications

Air Flow Volume:	300 CFM
Electrical Connection:	120V/60Hz
Power Consumption:	200 Watts
Current:	1.8 Amps
Fan Speed:	1350 RPM
Fan Type:	Centrifugal Blower
Finishes:	Stainless Steel
Ducting:	6" Round
Dimensions:	Width: 30" / 36" Height: 44 ½" Depth: 19 ¾"
Noise Level	Min. 2 Sones Max. 4 Sones


Subscribe to Our Newsletter

For news, updates or special offers.

Café™ Smart Stainless Steel Interior Dishwasher with Sanitize and Ultra Wash & Dual Convection Ultra Dry

★★★★★ 4.1 (803)

CDT875P4NW2



1/29



\$1,899.00

Starting at \$66/mo with [affirm](#). [Prequalify now](#)

Feedback

FIND A STORE



Home Delivery

\$99

One flat rate covers your entire order.



Built-In Product Installation

\$150

Covers all services for this appliance, and haul-away of your old appliance. Exclusions apply.


[More about delivery and installation](#)



1-Year Limited Warranty

\$0


For personalized shopping help, call us at [1-800-919-6213](tel:1-800-919-6213)



Loading Flexibility

A dishwasher with fold-down tines for uniquely shaped items and a third rack for extra capacity gives you the loading flexibility to store every dish how you want, and still get perfect results

[Watch Video](#)



Specifications

ACCESSORIES

Optional Kits

CXADTH1PMCU Brushed Copper
CXADTH1PMBT Brushed Black

APPEARANCE

Color Appearance	Matte White
Door Appearance	Full-length flat door
Door Style	Long Door with Top Controls
Handle	Café™
Handle Color	Brushed Bronze
Handle Design	Customizable
Installation	Side Installation or Top Installation Included Built-Up Floor Capable Flush Cabinet Installation

ECONOMICAL / QUIET

Door Insulation	Insulation Mastic
Motor Type	Variable Speed
Outer Wrap	Full-wrap Blanket Bitumen
Quiet Features	Quiet Water Valve Sealed Toe Kick Tub Collar Trim
Quiet Package	39 dBA

FEATURES

Additional Protection	Active Flood Protect Leak Defense with Active Flood Protect
Control Type	Top Controls Cap Touch Controls 12 Touchpads
Cutlery Tray	One piece removable 3rd rack
Dishwasher Control Features	Cycle Countdown with LCD Status Center on door Multi function display Last Cycle Memory Audible End-of-Cycle Signal
Dishwasher Cycles	Auto Pots Normal China Express
Dishwasher Drying Features	Dual Convection Ultra Dry Ultra/Normal/Off Fan Assist Dry
Dishwasher Options	Delay Start 1-12 Hr. Bottle Wash Lock Controls Sabbath Mode Hi-Temp Wash Presoak + Sanitize (Certified to NSF Standard 184) Heated Dry Off Normal Dry Dual Convection Ultra Dry Wash Zone Upper Only Wash Zone Lower Only Start/Reset
Dispenser	Rinse Aid with Indicator and Adjustment Electronic Low Rinse Aid Sensor
Exterior Style	Traditional
Floor Protection	Leak Defense with Active Flood Protect - Leak Pan with Sensor
Latch	Pull with Handle
Leveling System	3 Point Leveling
Lower Rack	Ball-Tip Tines 1/2 fixed tines 1/2 fold down tines

POWER / RATINGS

Calrod Heater Watts	1200/400
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120V; 60Hz; 10.2A

WARRANTY

Labor Warranty	Limited 1-year entire appliance
Parts Warranty	Limited 1-year entire appliance
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	137 lb
Cabinet Width	24 in
Height w/ Legs Retracted - Minimum Height	33 3/8 in
Height w/Legs Extended - Maximum Height	34 5/8 in
Net Weight	124 lb
Overall Depth	24 in
Overall Depth with Handle	27.40 in
Overall Height	34 in
Overall Width	23 3/4 in