

PT7800SH

GE Profile™ Series 30" Built-In Combination Convection Microwave/Convection Wall Oven

Dimensions and Installation Information (in inches)

Note: Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a 194°F temperature rating.



Installation Information: Before installing, consult installation instructions packed with product for current dimensional data.

Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

Electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in accordance with installation instructions.

Note: These ovens are not approved for stackable or side-by-side installations.

KW Rating	
240V	6.8
208V	5.1
Breaker Size	
240V	30 Amps
208V	30 Amps



ATTENTION INSTALLER: All electric wall ovens must be hard-wired (direct-wired) into an approved junction box. A plug and receptacle is NOT permitted on these products.

NOTE: If the cabinet does not have a solid bottom, two braces or runners must be installed to support the weight of the oven. For single ovens, the runners and braces must support 200 lbs (91 kg). For double ovens, the runners and braces must support 375 lbs. (170 kg).

NOTE: If marks, blemishes or the cutout opening are visible above the installed oven, it may be necessary to add wood shims under the runners and front trim until the marks or opening are covered.

NOTE: If the cabinet does not have a front frame and the sides are less than 3/4" (1.9 cm) thick, shim both sides equally to establish the cutout width.

CT9800
PT9800
PT7800
JT3800

Cabinet	30"
A – Overlap of oven at top of cutout	1"
B – Overlap of oven over side of edges of cutout	11/16"
C – Overlap of oven at bottom of cutout	1-1/4"
Oven	
D – Overall depth with handle	27"
Overall depth without handle	23-1/2"
E – Overall height with trim	44"
F – Overall width	29-3/4"



For answers to your Monogram® or GE® appliance questions, visit our website at geappliances.com or call GE Answer Center® service, 800.626.2000.




Listed by
Underwriters
Laboratories

PT7800SH

GE Profile™ Series 30" Built-In Combination Convection Microwave/Convection Wall Oven

Features and Benefits

- 1.7 cu. ft. microwave capacity (975 watts (IEC-705 test procedure))
- Convection microwave (upper oven) - Circulates heat for high-quality results
- 16" turntable (upper oven) - Rotates food throughout the cooking cycle for even cooking results
- True European convection (lower oven) - Achieve delicious results from a third heating element and fan combination
- Self-clean with steam clean option (lower oven) - Clean your oven the way you want
- Self-clean heavy-duty oven racks (lower oven) - Conveniently clean your oven and racks together
- Glass Touch Controls - Set temperatures quickly and clean with little effort
- Halogen interior oven lighting (lower oven) - Easily see how your food is baking
- Ten-pass bake element (lower oven) - Even baking is assured with heat that covers more surface area
- Eight-pass broil element (lower oven) - Get full broil coverage and even browning from edge to edge
- Model PT7800SHSS – Stainless steel



GE Profile 30" Built-in Touch Control Induction Cooktop Black- PHP7030DTBB

Model #: PHP7030DTBB

★★★★★ (0) [Write a review](#)



\$ 2,799.00 ~~\$ 3,049.00~~
Save \$ 250.00 (8%)

Starting at \$130/mo with **affirm**. [Learn more](#)

- Precision Temperature Control
- Built-in WiFi
- Maximum Responsiveness
- Dimensions:
3.25 H x 29.75 W x 21.38 D (in)
8.26 H x 75.57 W x 54.31 D (cm)

ENTER A POSTAL CODE to *BUY NOW*

FEATURES



Precision Temperature Control

Set your burner to an exact degree, not just high, medium or low. Using a smart pan, the cooktop maintains a specific temperature- from 100 to 500 degrees.





Built-in WiFi

This smart cooktop features Built-in WiFi so you can monitor your burners and view power levels, precision temperature , or on/off.

Maximum Responsiveness

19 Heat settings using induction technology and glide touch controls allows burners to quickly adjust and respond, giving you maximum control.



Guided Cooking

Connect a smart pan to your cooktop and your burners will adjust time and temperature based on a video-guided recipe in the app. Pan sold separately.

Power Boil

Boil water faster thanks to induction elements that immediately heat your pan, not the cooktop surface

TECHNICAL DATA



TECHNICAL DATA

SPECIFICATION COOKTOPS

ADA Compliant	Yes
Colour	Black
Melt Setting	Yes
Heating Element "ON" Indicator Light	Yes
Element - Front Left	7" 2500W
Element - Front Right	11" 3700W
Element - Rear Left	6" 1800W
Element - Rear Right	6" 1800W
Frameless	Yes
Hot Surface Indicators	Yes
Width	30"
Timer	Yes
Control Type	Glide Touch



Cooktop Type	Induction
Fuel Type	Electric
Control Location	Front
Volts/Hertz/Amps	208V/40A; 240 V/50A
Warranty	1 Year Limited Parts & Labour
Wifi Connect	Yes
Cutout Depth (in)	19.63
Cutout Width (in)	28.5
Optional Accessory	JXGRIDL1 JXTR32B
WiFi Enabled Features	Chef Connect with Hoods/OTRs Interfaces with SmarthQ App Works with Hestan Cue Pans Works with Precision Cooking Probe
Cooktop Control Features	Control Lock Capability Melt Setting Kitchen Timer Boost (All Elements) Chef Connect Pan Presence Sensor Pan Size Sensor

REVIEWS

>

Reviews


Review this product



Select to rate the item with 1 star. This action will open submission form.



Select to rate the item with 2 stars. This action will open submission form.



Select to rate the item with 3 stars. This action will open submission form.



Select to rate the item with 4 stars. This action will open submission form.



Select to rate the item with 5 stars. This action will open submission form.

Be the first to review this product

OWNER'S SUPPORT

>

OWNER'S SUPPORT



GE Profile™ Stainless Steel Interior Dishwasher with Hidden Controls Stainless Steel - PDT785SYNFS

Model #: PDT785SYNFS

★★★★☆ 4.3 (956) [Write a review](#)



\$ 1,399.00 ~~\$2,249.00~~
Save \$ 850.00 (38%)

Starting at \$65/mo with **affirm**. [Learn more](#)

- Bottle Jets
- WiFi Connect
- Twin Turbo Dry Boost
- Dimensions:
34.00 H x 23.75 W x 24.00 D (in)
86.36 H x 60.33 W x 60.96 D (cm)

ENTER A POSTAL CODE to *BUY NOW*

FEATURES



FEATURES

Bottle Jets

Clean hard-to-reach areas inside tall items with up to 4 dedicated jets integrated into the upper rack that shower water deep inside for the ultimate clean.

WiFi Connect

Wifi Connect allows you to easily check your laundry progress with an app on your phone, simplifying your life and puts control in the palm of your hand.



Twin Turbo Dry Boost

Ensure a complete dry with every cycle, thanks to a dual fan system and inline heater that provide exceptional performance, even with plastics.

TECHNICAL DATA



TECHNICAL DATA

SPECIFICATION DISHWASHERS

Dishwasher Drying Features	Calrod Heater
Dishwasher Cycles	Light Wash
Colour	Fingerprint Resistant Stainless Steel
Control Type	Capacitive Touch
Rack Features	Third Rack Upper Rack - Adjustable
Energy Star	Yes
Features	Leak Defense with Active Flood Protect
Indicator Lights	1 "Sanitized" Light
Delay Start	1-12 hr.
LED Display Countdown	Yes
Leveling Legs (4)	4
Noise Levels	39 dBA
Number of Cycles	5
Rack Material	Nylon
Dishwasher Options	Automatic Temperature Control Child Lock Cycle Progress Indicator Last Cycle Memory Bottle Wash Jets Temp Boost Twin Turbo Dry Boost Wash Zones
End-of-Cycle Signal	Yes
Number of Place Settings	16 Place Settings
Style	Built-in
Control Location	Top
Sensor	Clean Sensor
Hard Food Disposer	Yes



Tub and Door Liner	Stainless Steel
Volts / Hertz	120 v / 60 Hz
Warranty	1 Year Parts & Labour
Wash Arm - Lower Level	Yes
Wash Arm - Mid-Level	Yes
Wash Arm - Upper Level	Nozzle
Wash System	140+ Cleaning Jets
Width	24"
Wifi Connect	Yes
Fingerprint Resistant	Yes

REVIEWS

>

Reviews

Rating Snapshot

Select a row below to filter reviews.

- 5 starsstars

638

638 reviews with 5 stars.
- 4 starsstars

141

141 reviews with 4 stars.
- 3 starsstars

51

51 reviews with 3 stars.
- 2 starsstars

43

43 reviews with 2 stars.
- 1 starstars

83

83 reviews with 1 star.

Overall Rating

4.3



GE Profile 17.5 Cu. Ft. Refrigerator Fingerprint Resistant Stainless Steel - PYE18HYRKFS

Model #: PYE18HYRKFS

★★★★★ (0) [Write a review](#)



\$ 2,099.00 ~~\$ 3,249.00~~
Save \$ 1,150.00 (35%)

Starting at \$97/mo with **affirm**. [Learn more](#)

- APF technology for healthy drinking water
- External Ice and Water Dispenser
- Dimensions:
69.81 H x 32.75 W x 30.19 D (in)
177.324 H x 83.185 W x 76.676 D (cm)

ENTER A POSTAL CODE to *BUY NOW*

FEATURES



FEATURES

APF technology for healthy drinking water

The only pharmaceutical grade filter in the industry that filters a minimum of 94% of the top 5 trace pharmaceuticals for cleaner and tastier water and ice.





External Ice and Water Dispenser

Delivers chilled fresh-tasting water with the push of a button located externally on the appliance.

TECHNICAL DATA



TECHNICAL DATA

SPECIFICATION REFRIGERATORS

Air Clearances Back (in.)	2
Air Clearances Each Side (in.)	1/8
Air Clearances Top (in.)	1
Built-In	No
Case Color	White
Total Capacity (cubic feet)	18 cu. ft.
Features	Adjustable Thermostat Door Alarm Frost Guard Ice Storage Bin Levelling Legs Turbo Cool Water Filter Indicator Light
Case Depth with Door Handle (in)	30.9375
Depth without Door Handle (in)	28.9375
Case Depth without Door (in)	24.375
Colour	Fingerprint Resistant Stainless Steel
Counter-Depth Design	Yes
Depth	Less than 29"
Depth with FF Door open 90 deg (in)	42
Dispenser Colour	Black
Dispenser	External Ice and Water
Door Colour	Stainless Steel
Door Handle Style	GE/GE Profile Standard
Door Swing	French Door
Energy Star	Yes



Style	French Door
Ice Maker	Ice Maker Installed
Water Filter	Yes
Freezer Capacity (cubic feet)	5
Freezer Configuration	Pull-Out Drawer
Fresh Food Capacity (cubic feet)	12.5
Fresh Food Door Bins	4 Adjustable Clear
Height	70" or more
Height to Top of Case (in)	68.625
Height to Top of Door (in)	69.875
Height to Top of Hinge (in)	69.75
Interior Lighting	Yes
Levelling System	2 Adjustable Front Rollers
Number of Doors	3
Fresh Food Cabinet Shelves	4 Half Width Glass
Fresh Food Cabinet Drawers	3 Crispers 1 Full Width Temperature Controlled Deli Drawer 2 Humidity Controlled Crispers
Controls and Display	Electronic Touch
Defrost Type	Frost Free
Volts / Hertz / Amps	120 v / 60 Hz / 15A
Warranty	1 Year Limited Parts & Labour
Width	33"
Width with Door Open 90 deg Including Handle (in)	40.5
ADA Compliant	Yes

REVIEWS



Reviews

Review this product

Select to rate the item with 1 star. This action will open submission form.

Select to rate the item with 2 stars. This action will open submission form.



SUMMARY

CAPACITY	DIMENSIONS (WXHxD)
Washer 5.2 cu. Ft. / Dryer 7.2 cu. Ft.	27" x 74 3/8" x 30 3/8" (55" D with door open)
STEAM TECHNOLOGY	THINQ®
Yes	Yes

SUMMARY

Series	WashTower™
Type	Single Unit Front Load Washer and Dryer
Capacity (cu.ft.)	Washer 5.2 cu. ft./Dryer 7.2 cu. ft.
Colour	Black Steel (B)

APPEARANCE

Touch Buttons	Yes
Full Touch Electronic Control Panel with LED Display	Yes
Unified Centre Control	Yes

ENERGY

ENERGY STAR® Most Efficient	Yes
ENERGY STAR® Certified	Yes

WASHER ENERGY

CEE Tier	Tier 2
IMEF	2.92
IWF	2.9

DRYER ENERGY

ENERGY EFFICIENCY

CEF	8.0
-----	-----

WASHER PROGRAMS

No. of Programs	6
Programs	Normal, Bedding, Delicates, Heavy Duty, SpeedWash®, Downloaded

DRYER PROGRAMS

No. of Programs	6
Programs	Normal, Bedding, Delicates, Heavy Duty, Small Load, Downloaded

WASHER OPTIONS

No. of Options	10
Options	TurboWash®, Steam, Extra Rinse, Pre-wash, Sanitary*, Tub Clean*, Drum Light*, Control Lock*, Signal*, Wi-Fi*/Remote Start*

DRYER OPTIONS

No. of Options	8
Options	Wrinkle Care, More Time, Less Time, Condenser Care, Drum Light*, Control Lock*, Signal*, Wi-Fi* / Remote Start*

WASHER DETAILS

No. of Wash/Rinse Temps	5
Wash/Rinse Temps	Hot, Very Warm, Warm, Cool, Cold
No. of Spin Speeds	5
Spin Speeds	High, Medium/High, Medium, Low, No Spin
Max RPM	1300
Water Levels	Load Sensing
No. of Soil Levels	5

DRYER DETAILS

Drying Levels	Very, More, Normal, Less, Damp
Dry Mode	Energy Saver, Normal, Speed
Manual Dry Times	70 min., 60 min., 50 min., 40 min., 30 min.

WASHER FABRIC CARE FEATURES

AI DD™	Yes
Steam Technology	Yes
Allergiene™ Cycle	Yes
Sanitary Cycle	Yes

DRYER FABRIC CARE FEATURES

Sensor Dry	Yes
Precise Temperature Control with Variable Compressor	Yes

WASHER CONVENIENCE FEATURES

Vibration sensing(Cabinet Vibration sensor)	Yes
TrueBalance™ Anti-Vibration System	Yes
4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener
End of Cycle Signal	Yes
LoadSense	Yes
Control Lock*	Yes
Auto Suds Removal	Yes
Leveling Legs	4 Adjustable Legs
Drum Light	Yes
Remaining Time Display/Status Indicator(s)	Yes

DRYER CONVENIENCE FEATURES

End of Cycle Signal	Yes
---------------------	-----

Drum Light	Yes
LoDecibel™ Quiet Operation	Yes
Wrinkle Care Option	Yes
Control Lock	Yes
4 Adjustable Legs	Yes
Remaining Time Display/Status Indicator(s)	Yes

THINQ® TECHNOLOGY

Smart Diagnosis™	Yes
Wi-Fi	Yes
Remote strat and cycle monitor	Yes
Energy Monitoring	Yes
Tub Clean Coach	Yes

WASHER MOTOR:

Motor Type	Inverter Direct Drive Motor
Axis	Horizontal

MATERIALS AND FINISHES

Washer - NeveRust® Stainless Steel Drum:	Yes
Dryer - NeveRust® Stainless Steel Drum	Yes

WASHER MATERIALS AND FINISHES

Control Panel	Plastic
Top Plate	Steel
Cabinet	Painted Steel
Door/Rim	Large Circle Chrome Rim
Door Cover	Tinted Round Tempered Glass
All Available Colours	Black Steel (B)

DRYER MATERIALS AND FINISHES

Control Panel	Plastic
Top Plate	Steel
Cabinet	Painted Steel
Door/Rim	Large Circle Chrome Rim
Door Cover	Tinted Round Tempered Glass
All Available Colours	Black Steel (B)

WASHER CERTIFICATION

ASC	Yes
-----	-----

WASHER POWER SOURCE

Ratings	CSA Listed
Electrical Requirements	120V, 10 Amps
Type	Electric

DRYER POWER SOURCE

Ratings	CSA Listed
Electrical Requirements	240V, 5 Amps
Type	Heat Pump
BTU Rating	Heat Pump : N/A

DIMENSIONS

Product (WxHxD)	27" x 74 3/8" x 30 3/8"
Depth with Door Open	(55" D with door open)
Carton (WxHxD)	30 1/16" x 79 11/32" x 32"
Weight (Product/Carton)	340 lbs / 369 lbs

WASHER LIMITED WARRANTY

Parts and Labour	1 Year
Direct Drive Motor	10 Years
Drum	3 Years

DRYER LIMITED WARRANTY

Parts and Labour	1 Year
Drum	3 Years
Compressor	10 Years

UPC CODES

WKHC202HBA	195174033517
------------	--------------

Silhouette



PRODUCT DESCRIPTION

What prizes are hidden behind doors 1 and 2? Your expertly preserved beverages of choice. This built-in features double the temperature zones to store your wine and beverages simultaneously and fan-forced cooling assists you in enjoying frost-free luxury.

SPECIFICATIONS

Dimensions

Width	60cm	23.81"
Depth	55cm	21.85"
Height	87cm	34.6"

Shipping Details

Shipping Depth	68cm	26.97"
Shipping Width	67cm	26.57"
Shipping Height	90cm	35.63"

Capacity

Bottle Capacity 750ml	60
Can capacity 330ml	27

Temperature Range

Temperature	Low: 37 °F	High: 64 °F
-------------	------------	-------------

WARRANTY

The Silhouette SBC051D1BSS model comes with a 24-month warranty on parts and labour with convenient in-home service. The installation and yearly maintenance (cleaning) of the fridge are not covered under the warranty.

EMMENTAL

24" French Door Beverage Center - SBC051D1BSS

PRODUCT FEATURES

ELIMINATE STORAGE INCONSISTENCIES

Dual temperature zones bring an end to tough multi-beverage storage decisions. Wine and beverages require customized levels of cool, so two independently controlled sections, accessible through classic French doors, allow proper temps to be set for your distinct selection.

BANISH ICE BUILD UP

The frost-free, fan-forced cooling system in this unit makes unsightly and often damaging ice accumulation obsolete. The efficient defrosting system ensures you'll never deal with over-frozen frustrations.

NEVER BE LEFT IN THE DARK

The true, blue LED track lighting that illuminates the interior of this unit exquisitely displays your wine without any damaging heat. It is 50% brighter than the previous model and now offers 3 lighting options

Where some see room for an appliance;
We see room for an experience

www.silhouetteappliances.com

Danby Products Ltd. PO Box 1778, Guelph, Ontario Canada N1H 2Z9 (519) 837-0920 FAX: (519) 837-0449
We can make elegance look effortless, but it is always evolving. This is why our specifications may also change along the way, so these specifications are subject to change without notice. MSRP is Manufacturer's Suggested Retail Price and may not necessarily be the price at which the product is sold.