



Fireplace Design Studio

Ascent™ Linear 46
(BL46)



Glass Media Kits
Topaz Glass Embers

Safety Barrier
Standard Black

Surround
Classic Black



Kitchen



STRYKE®

Single Handle Pull Down Kitchen Faucet

MODEL#: 9176-CZ-PR-DST

- Single-hole or 3-hole installation (deck plate sold separately)
- Delta MagnaTite Docking holds pull down sprayer firmly in place
- Delta kitchen faucet backed by Delta's Lifetime Limited Warranty


 Chat with an Expert

Finish: **Lumicoat Champagne Bronze**




Product Specification Sheet

Kitchen


Virtuo Granite Farmhouse/Apron Double Bowl Kitchen Sink
B355 - B357 - B359


Colour Finish	Model No.	Description
Ultra White	B355	<ul style="list-style-type: none"> Double equal bowl apron front/farmhouse kitchen sink. Designed to install in a 34" or wider farmhouse sink base cabinet. Made of 80% quartz and acrylic resin. Designed for undermount installation in solid surface, granite, and quartz countertops. Outside dimensions: 34" x 21-1/4" x 9-1/4". Apron height: 9-1/4" Inside bowl dimensions: <ul style="list-style-type: none"> Left bowl - 14-3/4" x 16-3/4" x 9" Right bowl - 14-3/4" x 16-3/4" x 9" Waste opening: 3-1/2". Sink bowl surface has a matte finish. Basket strainers shown are included with sink. cUPC Certified
Slate Grey	B357	
Pearl Black	B359	

**Available accessories**

- Matching Strainer
- Drying Rack
- BG355/357/359 - Stainless Steel Grid

**MAIN LOCATION**

BRISTOL SINKS
56 Firestone Blvd
London, Ontario
N5W 6E6

WESTERN LOCATION

BRISTOL SINKS
964 72nd Avenue NE
Calgary, Alberta
T2E 8V9

CONTACT

Tel: 1(800) 930-0214
Fax: 1(866) 310-7580
Email: sales@bristolsinks.com



STUDIO® CONCEALED TRAPWAY DUAL FLUSH RIGHT HEIGHT® ROUND FRONT TOILET WITH SEAT VITREOUS CHINA

STUDIO® CONCEALED TRAPWAY DUAL FLUSH RIGHT HEIGHT® ROUND FRONT TOILET WITH SEAT

- ❑ **2795.204** Right Height® Round Front Bowl
 - **LXP (Luxury Performance) Toilet in 020 White**
 - Combination dual flush bowl and tank, with seat
 - 12" (305mm) rough-in
 - Siphon action jetted bowl with smooth-sided, concealed trapway
 - High efficiency, low consumption Full Flush 1.6gpf/6.0Lpf Conserving Flush 1.1 gpf/4.1Lpf, utilizes 21% less water
 - **Meets EPA WaterSense® Criteria**
 - EverClean® surface inhibits the growth of stain- and odor-causing bacteria, mold, and mildew on the surface
 - PowerWash® rim scrubs bowl with each flush
 - 16-1/2" (419mm) rim height
 - Fully-glazed 2-1/8" trapway
 - Oversized 3" flush valve
 - Generous 9" x 8" water surface area
 - Includes Duroplast slow close seat and cover with concealed seat ring and easy lift-off feature for simple removal and reattachment for cleaning
 - Chrome-plated top mounted push button actuator
 - 2 color matched bolt hole covers
 - 5 year warranty on entire toilet
 - **Design coordinates with Studio® and Boulevard® lavatories**



SEE REVERSE FOR ROUGHING-IN DIMENSIONS



- ❑ **3053.120** Right Height® Round Front bowl

Nominal Dimensions:

718 x 400 x 780mm (28-1/4" x 15-3/4" x 30-3/4")
Fixture only, seat and supply by others

- ❑ **4000.204** Tank, 1.1/1.6 gpf Dual Flush 12" rough-in complete with coupling components and tank trim
- ❑ **5025B.65G** Preferred Seat: Telescoping Round Front Luxury Seat

Compliance Certifications -

Meets or Exceeds the Following Specifications:

- ASME A112.19.2-2008/CSA B45.1-08 for Vitreous China Fixtures




EPA
WATERSENSE®
CERTIFIED

WATER
EFFICIENT

*American
Standard*

STUDIO® CONCEALED TRAPWAY DUAL FLUSH RIGHT HEIGHT® ROUND FRONT TOILET WITH SEAT VITREOUS CHINA



IMPORTANT: Water supply on the wall is required at 2-1/4" or 8" from centerline of the toilet (see rough-in). First suggested position is hidden behind the toilet. The geometry of the toilet gives space for this installation. The second suggested position is next to the toilet. Between these two positions, the space for the supply between wall and toilet is limited to 4-1/2". In this case, check your supply and hose dimensions.

NOTES:

THIS TOILET IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12") FROM FINISHED WALL TO C/L OF OUTLET. SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.
* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



REAVES

ITEM DETAILS

DIMENSIONS 20¼" W x 17⅜" D x 7½" H

MATERIAL Fine fireclay **COLOUR** Soft white

Rectangular drop-in sink | Rear overflow | Available in single hole, 4" faucet center, or 8" faucet center | Template supplied | Faucet not included

CERTIFICATIONS


- | IAPMO cUPC
- | ASME A112.19.2 / CSA B45.1
- | ANSI A117.1 ADA Guideline
- | NBC and OBC Section 3.8 barrier free design and CSA B651 Standard



SINGLE HOLE
6410STZ

4" CENTER
6440STZ

8" CENTER
6480STZ



ISSUED JULY 2019

Basement Bath




UNIVERSAL SHOWERING

H₂Okinetic In2ition 4-Setting Two-in-One Shower

MODEL#: 58472-SS

- Use showerhead with handheld shower together or separate
- Does not ship to CA, WA, HI, OR, NY, MA, VT, or CO.
- Delta shower heads backed by Delta's Lifetime Limited Warranty

Finish: **Stainless**



Chat with an Expert

Main Bath x2 and Ensuite #2



TRINSIC®

Two Handle Widespread Bathroom Faucet



Agent Offline


MODEL#: 3559-SSMPU-DST

- 3-Hole Installation
- DIAMOND Seal Technology: a lifetime of reliable performance
- Metal drain pop-up assembly in matching finish included



WaterSense® Labeled

Finish: **Stainless**



Main Bath and Ensuite #2



UNIVERSAL SHOWERING

H₂Okinetic In2ition 5-Setting Two-in-One Shower

MODEL#: 58474-SS-PR


- Use showerhead with handheld shower together or separate
- H2Okinetic Technology: 3X the coverage of a standard shower head
- Delta shower heads backed by Delta's Lifetime Limited Warranty

Chat with an Expert



WaterSense® Labeled

Finish: **Lumicoat Stainless**



Halo 56 1/2-59 x 59 in. 8 mm Sliding Tub Door for Alcove Installation

Model number:

139398-900-084-000

Dimensions: 59"

Installation: Tub Door

Material:


Standard Features:

- Glass panels 5/16 in. (8 mm) with a height of 59 in.
- Lotus easy clean protection for effortless maintenance;;
- Ball bearing roller technology for smooth and quiet opening
- Reversible door allowing left or right opening for easy access to faucets
- 4 finishes: chrome, brushed nickel, dark bronze and matte black

Product characteristics:

- Ball Bearing Roller System
- Bestseller
- Utile Compatible



Frame Finish(es):



Chrome (084)



Dark Bronze (173)



Brushed Nickel (305)



Matte Black (340)

Glass Pattern(s):



Clear (900)

Certifications

MAAX products adhere to one or more of the following certifications:



MAAX

Halo 56 1/2-59 x 59 in. 8 mm Sliding Tub Door for Alcove Installation

Model number:

139398-900-084-000

Dimensions: 59"

Installation: Tub Door

Material:

STANDARD



Dimensions

59 In.
(1499 mm)

Glass Thickness

5/16 in.

Weight

118 lbs - 53 1/2 kg

Frame Type

Frameless

Door Adjustment

Frameless

Code	Description	H	L Adjustable	F	Door Opening	Wall Adjustment
139398	Halo TUBDOOR 59" x 59"	59"	56 1/2" - 59"	28 5/8"	24 1/2"	1"

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Project: _____

Contractor: _____

Representative: _____

Date: _____

Tel: _____

Notes: _____



Primary Ensuite x2



STRYKE®

Widespread Faucet

MODEL#: 35776-CZMPU-DST


 Chat with an Expert

- Backed by Delta Faucet's Lifetime Limited Warranty



WaterSense® Labeled

Finish: **Champagne Bronze**



Primary Ensuite

STRYKE®


Four Hole Roman Tub Trim

MODEL#: T4776-CZ




WaterSense® Labeled

Finish: **Champagne Bronze**



Rough Valve

 Chat with an Expert



Two Handle Flexible Mount with Hand Shower


MODEL#: R4707

Primary Esnuite

Monitor 14 Series Contemporary Round Shower Kit

MODEL#: DF-KIT24-PBRCZ-WS

Finish: **Champagne Bronze**



 Chat with an Expert

Powder Room



TRINSEC®

Two Handle Widespread Bathroom Faucet

Chat with an Expert


MODEL#: 3559-CZMPU-DST

- 3-Hole Installation
- DIAMOND Seal Technology: a lifetime of reliable performance
- Metal drain pop-up assembly in matching finish included





WaterSense® Labeled

Finish: **Champagne Bronze**



Product Specification Sheet

B606 Porcelain Vanity Bowl



Colour Finish
Porcelain

Model No.
B606

Description

- White Undermount Porcelain Sink
- Outside Dimensions: 21" x 14-1/2" x 8"
- Inside Dimensions: 18-1/4" x 12" x 6-1/4"
- Minimum Cabinet Size: 22"
- True Vitreous China
- Cardboard Template included
- Mounting Clips Included
- Limited lifetime warranty
- CSA Certified

**Available accessories**

- Pop Up Drain – No Overflow (Brushed Finish)
- Pop Up Drain – No Overflow (Chrome Finish)
- Pop Up Drain – Overflow (Brushed Finish)
- Pop Up Drain – Overflow (Chrome Finish)

MAIN LOCATION

BRISTOL SINKS
56 Firestone Blvd
London, Ontario
N5W 6E6

WESTERN LOCATION

BRISTOL SINKS
964 72nd Avenue NE
Calgary, Alberta
T2E 8V9

CONTACT

Tel: 1(800) 930-0214
Fax: 1(866) 310-7580
Email: sales@bristolsinks.com

