24" Pocket Handle Dishwasher

800 Series - Stainless Steel SHP78CM5N



DV3 LOT 83 - DISHWASHER SHP78CM5N



SHP78CM5N Stainless Steel

Also available in:

SHP78CM2N White Black SHP78CM6N SHP78CM4N Black Stainless

PowerControl[™] spray arm targets your dirtiest dishes with a deeper clean, no matter where you load them on the bottom rack.

Features & Benefits

Patented CrystalDry technology transforms moisture into heat to get dishes, including plastics, 60% drier.

The Flexible 3rd Rack with fold down sides adds 30% more* loading area, perfect for utensils and ramekins.

Enhance your cleaning experience with Wi-Fi enabled Home Connect*. Access additional wash cycles and options or choose the right one for your needs using Smart Cycle.

So quiet at 42 dBA, the InfoLight® bar shines below the handle so you know the dishwasher is running.

General Properties	
Number of wash cycles	5 + 3 additional in Home Connect®
Number of options	4 + 2 additional in Home Connect®
dBA	42
Wash system	PrecisionWash® with PowerControl™
Drying system	CrystalDry™
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Touch Controls
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
Home Connect® (WiFi enabled)	Yes
NSF*-certified** sanitize option	Yes
Water softener	No
Five-level wash	Yes
Child Lock button suspension	No
Anti-Fingerprint Finish	Yes
Special features	CrystalDry [™] Option, InfoLight [®]
Efficiency	
Water usage per cycle	3.2 gal
ENERGY STAR® certified	Yes
Total annual energy consumption	240 kWh
Capacity	
Number of place settings	16

Technical Details	
Watts	1440 W
Current	12 Amps
Volts	120 V
Frequency	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door	Left – 45" Right – 56"
Minimum water pressure	14 lb/sin
Length outlet hose	78 3/4"
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	33 7/8" x 23 9/16" x 23 3/4"
Required cutout size (HxWxD)	33 7/8" x 24" x 24"
Adjustable feet	Yes
Net weight	96 lbs
Accessories-Optional	
Junction Box	SMZPCJB1UC
Junction Box + Supply Hose Kit	SMZ3IN1UC
Supply Hose Kit with Elbow	SMZSH1ABUC
Drain Hose Extension Kit	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC









[†] Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry®. Drying performance may vary by dish type.
*Compared to a Bosch dishwasher with 2 racks.
**Certification to NSF/ANSI Standard 184 for residential dishwashers.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


8/23


24" Pocket Handle Dishwasher


800 Series - Stainless Steel SHP78CM5N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


24" Pocket Handle Dishwasher

800 Series - Stainless Steel SHP78CM5N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.



LG LAUNDRY

DLEX5500_/DLGX5501_

7.4 cu. ft. Capacity Energy Star Smart Front Load Dryer with Al Sensor Dry & TurboSteam®

7.4 cu. ft. Ultra Large Capacity Digital Dial Control with LCD Display & Touch Button Control Panel Al Sensor Dry with Smart Pairing TurboSteam®, SteamFresh®, and SteamSanitary® Technology

Wrinkle Care Option LG ThinQ® Technology with ThinQ Care FlowSense® Duct Clogging Indicator Tempered Glass Door (Reversible) NeveRust® Stainless Steel Drum **ENERGY STAR® Certified**

AVAILABLE COLORS







Proactive Smart Alerts to Keep Your Appliances Running Smoothly

- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
 Avoid preventable repairs and service calls with real-time

 - diagnostics for a hassle-free experience.

 Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.



SUMMARY		FABRIC CARE FEATURES		POWER SOURCE	
Туре	Front Load Dryer	Al Sensor Dry	Yes	Ratings	CSA Listed
Vent Type	Vented	Sensor Dry	Yes	Electrical Requirements	Elec: 120/240V, 60Hz, 26A
DryerType	Elec: DLEX5500V / DLEX5500W Gas: DLGX5501V/ DLGX5501W	Precise Temperature Control with Variable Heater	Yes	Туре	Gas: 120V, 60Hz, 11.5A Electric, Gas
Capacity	7.4 cu. ft.	Steam	TurboSteam®	BTU Rating	Gas: 20,000
Matching Washer	WM5500HVA / WM5500HWA	CONVENIENCE FEATURES		OPTIONS	
Sensor Dry	Yes	3 Minute Installation Check	Yes	LP Conversion Kit	383EEL3002D
Steam	Yes	End of Cycle Signal	Yes	Side Venting Kit	3911EZ9131X
Color	Graphite Steel (V), White (W)	Drum Light (Door Open)	Yes	Drying Rack	3750EL1001A
APPEARANCE		Reversible Door	Yes	Pedestal	WDP6V, WDP6W
LCD Display	Yes	FlowSense® Duct Clogging Indicator	Yes	Pedestal (WxHxD)	27" x 13 5/8" x 28"
Touch Buttons	Yes	Wrinkle Care Option	Yes	DIMENSIONS	(43 7/6 D With door open)
Dial-A-Cycle®	Yes	Control Lock	Yes	Product (WxHxD)	27" v 20" v 20 2/4"
DRYER PROGRAMS			Electric: 4 Way Venting /	Depth with Door Open	
No. of Programs	23	Venting Option	Gas: 3 Way Venting	Carton (WxHxD)	
	Normal, AI Dry, Bedding, Delicates, Towels, Quick Dry,	4 Adjustable Legs	Yes	Carton (WXHXD)	
	Timed Dry, Power Dry, Perm.	Remaining Time Display / Status Indicator(s)	Yes	Product Weight (lbs.)	Gas: 136.0 lbs.
Programs (Sensor Dry)	Press, SteamFresh™, Heavy Duty, Air Dry, Steam Sanitary™, Super	ThinQ® TECHNOLOGY		Carton Weight (lbs.)	
	Dry, Active Wear, Jeans, Blanket	Smart Diagnosis	Yes	LIMITED WARRANTY	0.031 1 10.10 10.01
	Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load,	Wi-Fi	Yes	Parts & Labor	1 Year
	Large Load Dry, X Large Load Dry	ThinQ Care	Yes	Drum	
No. of Options	11	Remote Start and Cycle Monitor	Yes	UPC CODES	
	Cycle Optimization, Damp Dry	Energy Monitoring	Yes	DLEX5500V (Graphite Steel)	195174048580
	Signal, Wrinkle Care, Control	ENERGY		DLGX5501V (Graphite Steel)	195174048894
Options	Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static,	ENERGY STAR® Certified	Yes	DLEX5500W (White)	195174048603
	Remote Start, Drum Light, Signal,	CEF	Electric: 3.94 / Gas: 3.49	DLGX5501W (White)	3911EZ9131X 3750EL1001A WDP6V, WDP6W 27" x 13 5/8" x 28" (43 7/8" D with door open) 27" x 39" x 29 3/4" 51 3/8" 28 7/8" x 46 1/2" x 31 3/8" Electric: 124.3 lbs. / Gas: 136.0 lbs. Electric: 136.5 lbs. / Gas: 146.6 lbs. 1 Year 3 Years seel) 195174048580 19517404894 195174048900
	Cycle Edit List	MATERIALS AND FINISHES			
Temperature Settings	High, Med. High, Medium, Low,	NeveRust® Stainless Steel Drum	Yes		
Temperature Sectings	Ultra Low	Cabinet	Painted Steel	Ds	DS
Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry	Door	Tempered Glass Door	20.	VV
	10 min ~ 100 min	All Available Colors	Graphite Steel (V), White (W)	UM	110
Manual Dry Times	(10 min = 100 min (10 min increments)				

RF23CB99008MAC

SAMSUNG

DV3 LOT 83 - FRIDGE RF23CB99008MAC

Bespoke Counter-Depth 4-Door Flex™ Refrigerator (23 cu. ft.) with Family Hub™+



Available Colours



Charcoal Glass Top and Family Hub™+ Panels with Matte Black Steel **Bottom Panels**

Signature Features

Colour Customization

Customize the design of your refrigerator with changeable door panels. Choose from a variety of colours and two finishes to create a space that fits your style.1

¹ Purchased only as a fixed colour combination (Charcoal Glass/Matte Black Steel). All panels except for Family Hub‴ screen panel remain customizable with current Bespoke colour offering.

Family Hub™+

The Family Hub™ + refrigerator helps you connect to what's most important: your family and home. Family Hub™ + lets you see inside your smart refrigerator, manage calendars, stream music, see who's at the front door² and much more — all right from your fridge. With a huge 32" screen that's 2 x larger than current Family Hub models³, you can enjoy an enhanced and richer user experience.

- 2 Compatible door bell is sold separately. 3 Compared to current Family Hub TM models

Beverage Center™

Enjoy quick access to refreshingly cool, filtered water in two ways. Choose from an internal dispenser or a built-in AutoFill Water Pitcher that automatically refills, with the option to infuse with a flavour.

Dual Ice Maker with Ice Bites™

Select from cubed ice or Ice Bites[™] that chills your drink faster.⁴ ⁴Compared to cubed ice



Beverage Center¹



Dual Ice Maker with Ice Bites™

Design

- Bespoke Design
- Beverage Center[™]
- Counter Depth
- Slide-In Shelf
- LED Lighting
- Gallon Door Bins

Technology

- Family Hub™+
- Wi-Fi Enabled
- UV Deodorizing Filter
- Power Cool & Power Freeze
- Door Alarm
- Water Filter Indicator
- Sabbath Mode

Performance FlexZone™

- Dual Auto Ice Maker with Ice Bites™ and Cubed Ice
- Extra-Large Flexible Storage
- FlexCrisper
- Triple Cooling
- Metal Cooling



Rating

• ENERGY STAR® rated: 631 kWh/yr



RF23CB99008MAC


Bespoke Counter-Depth 4-Door Flex™ Refrigerator (23 cu. ft.) with Family Hub™+

Installation Specifications

- 1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring)
- 2. Refer to illustration below to determine dimensions.
- 3. Allow 11 1/8" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimensions and cutout information is for planning purposes only. For complete installation details, consult manual packed with product or download manual online at samsung.com.



Dimensions 35⁷/₈" 113³/₄" 73" 73" 73" 21/₄" 59" 21/₄" 59"

SAMSUNG

Total Capacity: 22.5 cu. ft.

Refrigerator: 13.7 cu. ft.

- 1 Slide-In Shelf, 3 Tempered Glass Spill-Proof Shelves
- 2 Clear Drawers: FlexCrisper and Crisper
- 6 Door Bins

Right: 1 Gallon Bin, 2 Regular Bins Left: 1 Gallon Bin, 2 Regular Bins

• LED Lighting

Freezer: 8.8 cu. ft.

- Dual Ice Maker in Freezer (Cubed Ice or Ice Bites)
 2 Ice Buckets with Cover and 1 Scoop
- 4 Slide-Out Shelves
- 6 Door Bins
- Wine Rack
- LED Lighting

Accessories

Water Filter: HAF-QIN

Volt/Amps	115v / 3.5A
Power Cord Length:	2 meters

Warranty

One (1) Year Parts and Labour on Refrigerator Ten (10) Years Parts on Digital Inverter Compressor

Product Dimensions & Weight

Dimensions (WxHxD with hinges and doors): $35^{7}/8$ " x 73" x $28^{3}/4$ "

Dimensions (WxHxD without hinges and door):

35⁷/₈" x 70³/₄" x 24" Weight: 350.5 lb (159 kg)

Shipping Dimensions & Weight (WxHxD)

Dimensions: $38^{1}/_{4}$ " x $78^{5}/_{8}$ " x $30^{5}/_{8}$ "

Weight: 372.5 lb (169 kg)

Colour	Model #	UPC
Charcoal Glass Top and Family Hub™+ Panels with Matte Black Steel Bottom Panels	RF23CB99008MAC	887276750279

Actual colour may vary. Design, specifications and colour availability are subject to change without notice. Non-metric weights and measurements are approximate. © 2023 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

36" Gas Cooktop

800 Series - Black w/Black Stainless Knobs NGM8646UC



DV3 LOT 83 - GAS COOKTOP NGM8646UC



NGM8646UC Black w/Black Stainless Knobs

Also available in: Stainless NGM8656UC Steel

Bosch gas cooktops are engineered to perform precisely, offering high heat and low simmer options for optimal cooking flexibility.

Features & Benefits

Powerful 19,000 BTU burner for boiling, searing and stir-frying

OptiSim® Burner – simmer delicate sauces and melt chocolate without scorching

Electronic re-ignition will automatically re-ignite the burner in case the flame goes out

Continuous grates make moving heavy pots easier

Distinctive red LED light indicates burners are on

Knob material	Metal
C1774 R. 1174 R. 1174 R. 1140	
Sealed burners	Yes
Grate material	Cast iron
Element Performance	
Total BTU load (NG / LP)	52,400 / 47,300
Power of front left burner (NG / LP)	9,300 / 9,100
Power of back left burner (NG / LP)	9,300 / 9,100
Power of center burner (NG / LP)	19,000 / 15,000
Power of back right burner (NG / LP)	5,500 / 5,000
Power of front right burner (NG / LP)	9,300 / 9,100
Technical Details	
Watts	360 W
Circuit breaker	15 A
Volts	120 V
Frequency	60 Hz
Plug type	3 prong
Power cord length	60"
Energy source	Gas
Convertible to LP (kit required)	Yes

3 13/16" x 37" x 21 1/4"
3 13/16" x 34 15/16" x 19 1/8"
1 7/8"
3"
39 lbs
LP conversion kit











For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.


Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As is", or "B" stock appliances.


36" Gas Cooktop


800 Series - Black w/Black Stainless Knobs NGM8646UC



Installation Details







For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

36" Gas Cooktop

800 Series - Black w/Black Stainless Knobs NGM8646UC



Installation Details



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

BXB609 | PRO Collection







Insert

Cyclone's newest insert, the BXB609 is discreet and quiet yet powerful enough to leave a distinct impression. Powered at 900 CFM it is well-suited for high heat cooking. Fitted with dishwasher safe stainless steel baffle filters. Comes equipped with three speeds push buttons and two bright LED lights for total control. The sleek BXB609 range hood cannot be seen from eye level, as it is designed to fit into your custom wood canopy.

Green Features



3 Speed Push Button Control Panel



Dishwasher Safe Baffle Filters



Long-lasting LED Light Bulbs



Model	Colour	Ducting	Filters	Size	CFM	Fits Cabinet
BXB60934	Stainless Steel	8″	Baffle	34"	900	36"
BXB60940	Stainless Steel	8"	Baffle	40"	900	42"
BXB60946	Stainless Steel	8″	Baffle	46"	900	48"

Cyclone Range Hoods Inc.

1361 Huntingwood Drive, Unit 16. Toronto, ON. M1S 3J1. Canada.


Toll Free: 1-888-293-5662 Tel: (416) 293-0933 Fax: (416) 293-4793 Website: www.CycloneRangeHoods.com


BXB609 | PRO Collection



Features

- Insert range hood
- · 8" round duct adapter
- · Non-stick aluminum fan blades
- · 3 speed push button control
- · Quick release dishwasher-safe baffle filters
- 3 LED lights (3 x 1.4W, 4000K)
- 3 minutes time-delay OFF feature
- · Plug-in connection





Options

• Widths: 34", 40", 46"

Specifications

- · Air Flow Volume: 900 CFM
- Electrical Connection: 120 V/60 Hz
- Power Consumption: TBD
- · Current: TBD
- Fan Speed:TBD
- Fan Type: Centrifugal Blower
- Finishes: Stainless Steel
- · Ducting: 8" Round
- Noise Level: Min. TBD Max. TBD



30" Speed Combination Oven

800 Series - Black Stainless Steel HBL8743UC



DV3 LOT 83 - WALL OVEN/MICROWAVE HBL8743UC



HBL8743UC Black Stainless Steel

Also available in: Stainless Steel HBL8753UC

Bosch speed combination ovens create an all-in-one cooking center with an upper speed oven and a Genuine European Convection oven below.

Features & Benefits

Bosch black stainless steel helps guard against scratches and fingerprints.

2-in-1 microwave and convection oven with 9 SpeedChef® programs to simplify cooking with fast results.

Lower oven's convection multi-rack mode gives uniform baking results even when using all 3 racks simultaneously.

Download the Home Connect app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.

General Pro	perties	
Home Conne cavity (WiFi		Yes
Cooking modes – upper cavity	(including A Butter, Softe 9 Sensor Co SpeedChef* Broil, Europe	12 Auto Programs uto Defrost, Melt en Ice Cream, Pizza), ok Programs, 9 Programs, Hi & Lo ean Convection, Frozen Foods
Cooking modes – lower cavity	Roast, Warm Dough, Conv Convection Roast, Pizza Genuine Eur Convection	opean Convection,
Cleaning typ	e – lower	Self Clean
Telescopic ra	ack	1
Illumination	type	LED (Upper) / Incandescent (Lower)
Interior light	s	1 Upper / 2 Lower
Oven Perfor	mance	
Microwave p upper cavity	ower –	1000 W
Bake / broil wattages – ι		600 / 1,750 W
Convection of wattages – u		1,700 W
Bake / broil wattages – l		2,400 / 3,800 W
Convection of wattages – I		2,000 W
Technical De	etails	
Watts (W)		9,600 W
Circuit break	ker (A)	40 A
Volts (V); Fre	equency (Hz)	240 / 208 V; 60 Hz
Power cord	length (in)	50"
Plug type		Fixed Connection, No Plug
Energy source	ce	Electric

Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	49" x 29 3/4" x 24 1/2"
Required cutout size - Standard (HxWxD) (in)	48 ⁵ /8" x 28 ¹ /2" x 23 ¹ /2"
Required cutout size – Flush (HxWxD) (in)	49 ¹ /8" x 30" x 24 ¹ /2"
Speed oven cavity size – upper	1.6 cu. ft.
Overall upper speed oven interior dimensions (HxWxD) (in.)	9 ⁷ /8" x 16 ¹ /2" x 16 ¹ /2"
Metal turntable diameter (in)	13 ³ /4" dia.
Turntable – ceramic cookware max. – upper	12 ½" dia.
Rack – rectangular cookware max. – upper	15" x 12"
Oven cavity size - lower	4.6 cu. ft.
Overall lower oven interior dimensions (HxWxD) (in)	17 ¹³ / ₁₆ " x 24 ¹ / ₈ " x 18"
Usable lower oven interior dimensions (HxWxD) (in)	12 ¹ / ₄ " x 23 ¹ / ₄ " x 15 ¹ / ₄ "
Net weight (lbs)	259 lbs

Accessories - Included

Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Meat Probe

Accessories - Optional









Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 @ BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


30" Speed Combination Oven

800 Series - Black Stainless Steel HBL8743UC



Installation Details





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

30" Speed Combination Oven

800 Series - Black Stainless Steel HBL8743UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

HOME APPLIANCES LG LAUNDRY

WM5500HVA

5.2 cu. ft. Capacity Smart Front Load Energy Star Washer with TurboWash® 360° and Al DD® Built-In Intelligence

DocuSign Envelope ID: 3A22904B-0DEA-4C35-A254-051845E8B9A6

5.2 cu. ft. Ultra Large Capacity

Digital Dial Control with LCD Display & Touch Button Control Panel TurboWash® 360° Technology

AI DD®: AI Fabric and Weight Sensors with Smart Pairing

LG ThinQ® Technology with ThinQ Care

Allergiene® Cycle

Cold Wash Technology

NeveRust® Stainless Steel Drum

ENERGY STAR® Certified & ENERGY STAR Most Efficient







No. of Spin Speeds







Proactive Smart Alerts to Keep Your Appliances Running Smoothly

- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
 Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
 Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.





Capacity (cu. ft.) 5.2 Matching Electric Dryer DLE Matching Gas Dryer DLC Color Gra APPEARANCE LCD Display LCD Display Yes Touch Buttons Yes Dial-A-Cycle® Yes ENERGY	
Matching Electric Dryer Matching Gas Dryer Color APPEARANCE LCD Display Touch Buttons Dial-A-Cycle® ENERGY DLC DLC Gra APPEARANCE Yes ENERGY	EX5500V GX5501V phite Steel (V)
Matching Gas Dryer DLC Color Gra APPEARANCE LCD Display Yes Touch Buttons Yes ENERGY	SX5501V phite Steel (V)
Color Gra APPEARANCE LCD Display Yes Touch Buttons Yes Dial-A-Cycle® Yes ENERGY	phite Steel (V)
APPEARANCE LCD Display Yes Touch Buttons Yes Dial-A-Cycle® Yes ENERGY	
LCD Display Yes Touch Buttons Yes Dial-A-Cycle® Yes ENERGY	
Touch Buttons Yes Dial-A-Cycle® Yes ENERGY	
Dial-A-Cycle® Yes ENERGY	
ENERGY	
ENERGY STAR® Most Efficient Yes	
ENERGY STAR® Certified Yes	
CEE Tier Tier	-2
IMEF 2.9	2
IWF 3.0	
DRYER PROGRAMS	
No. of Programs 25	
Del Heas Pre Programs (Sensor Dry) San Har Kidi Car	mal, Al Wash, Bedding, icates, Towels, Quick Wash, wy Duty, Allergiene®, Perm. ss, Tub Clean, Bright Whites™, itary, Rinse+Spin, Spin Only, di/Wool, Active Wear, Swimwear, s Wear, Jeans, Dresses, Color e, Sweat Stains, Small Load, ge Load, X Large Load
No. of Options 15	
Options Pre Options Cor Wa	boWash®, Steam, Fresh Care, -wash, Remote Start, Delay sh, Wi-Fi, Add Item, Extra Rinse, ntrol Lock, Drum Light, Cold sh, Signal, Cycle List Edit, Cycle cimization
WASH DETAILS	
No. of Wash/Rinse Temps 5	
Wash/Rinse Temps Ex.	Hot, Hot, Warm, Cold, Tap Cold

Spin Speeds	Ex. High, High, Medium, Low, No Spin
Max RPM	1300
Water Levels	Load Sensing
No. of Soil Levels	5
FABRIC CARE FEATURES	
AI DD®	Yes
TurboWash® 360° Technology	Yes
Steam Technology	Yes
Allergiene® Cycle	Yes
Sanitary Cycle	Yes
Cold Wash Option	Yes
CONVENIENCE FEATURES	
Vibration Sensing (Cabinet Vibration Sensor)	Yes
TrueBalance® Anti-Vibration System	Yes
4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, FabricSoftener
End of Cycle Signal	Yes
LoadSense	Yes
Control Lock	Yes
Auto Suds Removal	Yes
Leveling Legs	4 Adjustable Legs
Drum Light	Yes
ThinQ® TECHNOLOGY	
Smart Diagnosis	Yes
Wi-Fi	Yes
Energy Monitoring	Yes
Tub Clean Coach	Yes
MOTOR AND AGITATOR	
Motor Type	Inverter Direct Drive Motor
Axis	Horizontal

MATERIALS AND FINISHES		
NeveRust® Stainless Steel Drum	Yes	
Cabinet	Dainted Steel (One unit)	
Control Panel	Painted Steel (One unit)	
Top Plate	Painted Steel	
Door / Rim	Glass / STS Silver	
Door Cover	Tempered Glass Door	
All Available Colors	Graphite Steel (V)	
CERTIFICATION		
Asthma Canada	Yes	
POWER SOURCE		
Ratings	UL Listed	
Electrical Requirements	120V, 10 Amps	
Туре	Electric	
OPTIONS/ACCESSORIES		
Pedestal	WDP6V	
Pedestal (WxHxD)	27" × 13 5/8" × 25 3/8" (43 7/8" D with door open)	
LG Sidekick™ Pedestal Washer	WD300CV	
LG Sidekick™ Pedestal Washer (WxHxD)	27" x 14 1/8" x 30 3/4" (50 1/2 with drawer open)	
Stacking Kit	KSTK4	
DIMENSIONS		
Product (WxHxD)	27" x 39" x 30 1/4"	
Depth with Door Open	55"	
Carton (WxHxD)	29 1/2" x 42 1/8" x 31 1/2"	
Weight (Product/Carton)	200.8 / 214.4 lbs.	
LIMITED WARRANTY		
Parts & Labor	1 Year	
Drum	3 Years	
Direct Drive Motor	10 Years	
UPC CODES		
WM5500HVA (Graphite Steel)	195174052976	



APPLIANCE CHECKLIST

It may seem early to be thinking about appliances, but they are an important part of your kitchen design and may require upgrades to your HVAC, plumbing and electrical plans. It's important that we are provided with your appliance information during the structural and foundation part of the Design Process, so that these upgrades can be included on your invoice, if required.

ITEM	BRAND		MODEL NUMBER
FRIDGE	Samsung		RF23CB99008MAC
DISHWASHER	BOSCH		SHP78CM5N
RANGE			
Type: Gas	Electric	Induction [Waterline Required
Electrical: 15 Amp	40 Amp	50 Amp	
WALL OVEN	BOSCH		HBL8743UC
Type: Gas	Electric 🔽		Waterline Required 🗌
Electrical: 30 Amp	40 Amp 🔽		
WARMING DRAWER			
Electrical: 15 Amp	Other: Specify		
СООКТОР	BOSCH		NGM8646UC
Type: Gas 🗸	Electric	Induction [
Electrical: 15 Amp	40 Amp 🔲	50 Amp	
BUILT IN MICROWAVE	BOSCH		HBL8743UC
Electrical: 15 Amp	20 Amp 🔲	240 Volt 🛂	120 Volt
MICROWAVE TRIM KIT			
OTR MICROWAVE			
WASHING MACHINE	LG		WM5500HVA
DRYER	LG		DLEX5500V
Type: Gas	Electric 🗸		Stacked 🗌
OTHER: 24 INCH WINE FRIDGE (Brand was not finalized yet) STD DETICATED PLUG PROVIDED			
OTHER: HOODFAN	CYCLONE		ZCY-BX60934
OTHER:			

Hood Fans must be purchased through Phoenix Homes, and will require an upgrade to a make up air system for any hood fans above 300CFM. Standard hood fan vent pipe is 6".

A make up air system is a required upgraded for all gas stoves/cooktops.

Any changes from the standard kitchen plan and/or standard electrical, plumbing and electrical specifications/plans may be subject to additional fees.

Community: DIAMONDVIEW (3) Lot #: 83

Purchaser Signature: — Docusigned by: Pur

Yamini Kanaparthy

Purchaser Signature:

Yay Madala