LG Life's Good

HOME APPLIANCES

LG DISHWASHERS

LDFN3432T

Front Control Dishwasher

15 Place Settings

Dynamic Dry™

NeveRust™ Stainless Steel Tub

LoDecibel™ Operation (50 dB)

NSF Certified



CAPACITY	
Total Place Settings	15
Upper Rack Dish Height Limit	9.0"
Lower Rack Dish Height Limit	12.5"
RACKS AND BASKETS	
Cutlery Baskets	Yes
Fold Down Tines	Yes (Half Fold on Upper & Half Fold on Lower)
BPA-Free Nylon Coated Racks and Tines	Yes
Height Adjustable Upper Rack	Yes (Manual)
STYLE AND DESIGN	
Control Panel Location	Front Control
Electronic Controls	Fully Integrated Control Panel
Tub Material	NeveRust™ Stainless Steel
Handle	Pocket Handle
All Available Colors	Stainless Steel
FEATURES	
Inverter Direct Drive Motor	Yes
LoDecibel™ Quiet Operation	50dBA
Number of Wash Cycles	5 (Auto, Heavy, Normal, Turbo, Machine Clean)
Number of Options	6 (Flex Zone, High Temp, Extra Dry, Delay Start, Control Lock, Night Dry)
Number of Spray Arms	3 (Top, Upper, Lower)
SenseClean™ Wash System	Yes
Vario Wash	Yes
Detergent and Rinse-Aid Dispenser	Yes
Drying System	Dynamic Dry
End of Cycle Indicator	Yes (Beeper + END indication on display)
Hidden Water Heater	Yes
Safety Float Switch (Leaks)	Yes
Soil (Turbidity) Sensor	Yes
Tub Insulation (Damping Sheet, Sound Absorbing Material (felt), Base)	Yes
BPA-Free Nylon Coated Racks and Tines	Yes
Anti-Bacterial Treatment (Sump, Inner / Outer filter, Drain pump case, Drain hose)	Yes
Balanced Door	Yes
3-Stage Filtration System	Yes

CERTIFICATIONS	
CERTIFICATIONS	
NSF® Certified	Yes
POWER RATINGS	
ENERGY STAR® Qualified	Yes
CEE Tier	1
Energy Use (kWh/Year)	258 kWh/Year
Water Factor (WF)	2.9
DIMENSIONS / CLEARANCES / WEIGHT	
Product Dimensions (in) (W x H x D)	23 3/4" x 33 5/8" x 24 5/8"
Product Weight (lbs)	75 lbs
Depth with Door Closed with Handle (in)	24 5/8"
Depth with Door Open (in)	49 1/4"
Carton Dimensions (in) (W x H x D)	28" x 34 7/8" x 29 5/8"
Shipping Weight with Carton (lbs)	88.2 lbs
LIMITED WARRANTY	
Labor	1 Year
Parts	1 Year
Control Board and Rack Parts	5 Years
Direct Drive Motor	10 Years
Stainless Steel Door Liner or Tub	Lifetime
UPC CODES	
LDFN3432T (Stainless Steel)	048231341950

© 2020 LG Electronics USA, Inc., All rights reserved. "LG Life's Good" is a registered trademark of LG Corp, All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access, Content and services may vary by product and are subject to change without notice, 1/28/20



DLEX5500_/DLGX5501_

7.4 cu. ft. Capacity Energy Star Smart Front Load Dryer with Al Sensor Dry & TurboSteam®

7.4 cu. ft. Ultra Large Capacity

Digital Dial Control with LCD Display & Touch Button Control Panel Al Sensor Dry with Smart Pairing

TurboSteam®, SteamFresh®, and SteamSanitary® Technology Wrinkle Care Option

LG ThinQ® Technology with ThinQ Care FlowSense® Duct Clogging Indicator Tempered Glass Door (Reversible)

NeveRust® Stainless Steel Drum

ENERGY STAR® Certified





GRAPHITE STEEL





Proactive Smart Alerts to Keep Your Appliances Running Smoothly

- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
 Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
 Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.



Type Front Load Dryer Al Sensor Dry Yes Vent Type Vented Sensor Dry Yes Dryer Type Elec: DLEX5500V / DLEX5500W Gas: DLGX5501V/ DLGX5501W Variable Heater Capacity 74 cu. ft. Steam TurboSteam* Matching Washer WM5500HWA / WM5500HWA CONVENIENCE FEATURES Sensor Dry Yes 3 Minute Installation Check Yes Steam Yes End of Cycle Signal Yes Color Graphite Steel (V), White (W) Drum Light (Door Open) Yes APPEARANCE Flowers Pout Clogging Indicator LCD Display Yes Touch Buttons Yes Dial-A-Cycle* Yes DAVER PROGRAMS No. of Programs Sensor Dry) Air Dry, Bedding, Delicates, Towels, Quick Dry, Timed Dry, Power Dry, Perm. Press, SteamFresh, Low Temp Dry, Overnight Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry, X Large Load Dry, X Large Load Dry, TinyoSteam*, Reduce Static, TurboSteam*, TurboSteam*, Reduce Static, TurboSteam*, TurboSteam*, Reduce Static, TurboSteam*, Reduce Static, TurboSteam*, Tur				
Vent Type Vented Sensor Dry Yes Dryer Type Elec: DLEX5500V/ DLEX5500W Gas: DLGX5501V/ DLGX5501W Precise Temperature Control with Variable Heater Yes Capacity 7.4 cu. ft. Steam TurboSteam® Matching Washer WM5500HWA / WM5500HWA CONVENIENCE FEATURES Sensor Dry Yes 3 Minute Installation Check Yes Steam Yes End of Cycle Signal Yes Color Graphite Steel (V), White (W) Drum Light (Door Open) Yes APPEARANCE Reversible Door Yes LCD Display Yes FlowSense® Duct Clogging Indicator Yes Touch Buttons Yes Wrinkle Care Option Yes Dial-A-Cycle® Yes Venting Option Yes DRYER PROGRAMS Yes Control Lock Yes No. of Programs 23 Venting Option Electric: 4 Way Venting / Gas: 3 Way Venting 4 Adjustable Legs Yes Programs (Sensor Dry) Air Dry, Steam Sanitary™, Super Dry, Dermiph Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry ThinQ** TECHNOLOG** ThinQ** TecHNOLOG** No. of Options 11	SUMMARY		FABRIC CARE FEATURES	
Dryer Type Elec: DLEX5500V / DLEX5500W Gas: DLGX5501W Variable Heater	Туре	Front Load Dryer	Al Sensor Dry	Yes
Dryer lype Gas: DLGX5501W/ DLGX5501W Variable Heater Test Matching Washer 74 cu. ft. Steam TurboSteam® TurboSteam® Sensor Dry Yes 3 Minute Installation Check Yes Steam Yes End of Cycle Signal Yes Color Graphite Steel (V), White (W) Drum Light (Door Open) Yes APPEARANCE LCD Display Yes LCD Display Yes LCD Display Yes Indicator TurboSteam® Yes Wrinkle Care Option Yes Programs (Sensor Dry) Air Dry, Steam Sanitary™, Super Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, Yes Indicator Nesser Sensor Dry Adjustable Legs Yes Press Winkle Care Option Yes Remaining Time Display / Status Indicator(s) Yes Priniq Orer Press Winkle Care ThinQ Care Yes Press Remaining Time Display / Status Indicator(s) Yes Wi-Fi ThinQ Care Yes Press Pre	Vent Type	Vented	Sensor Dry	Yes
Matching Washer WM5500HWA / WM5500HWA CONVENIENCE FEATURES Sensor Dry Yes 3 Minute Installation Check Yes Steam Yes End of Cycle Signal Yes Color Graphite Steel (V), White (W) Drum Light (Door Open) Yes APPEARANCE Reversible Door Yes LCD Display Yes FlowSense® Duct Clogging Indicator Touch Buttons Yes Programs Dial-A-Cycle® Yes Wrinkle Care Option Yes Dial-A-Cycle® Yes Wrinkle Care Option Yes DRYER PROGRAMS Venting Option Delicates, Towels, Quick Dry, Timed Dry, Power Dry, Perm. Press, SteamFresh™, Heavy Duty, Programs (Sensor Dry) Air Dry, Steam Sanitary™, Super Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry No. of Options 11 Remote Static, Damp Dry Signal, Wrinkle Care, Control Lock Yes Energy Monitoring Yes ENERGY STAR® Certified Yes Energy Monitoring Yes ENERGY STAR® Certified Yes Color (Programs Yes Yes Energy Star Diagnosis Yes Energy Monitoring Yes ENERGY STAR® Certified Yes Color (Programs Yes Yes Energy STAR® Certified Yes Energy STAR® Certified Yes Color (Programs Yes Yes Energy Star Diagnosis Yes Energy STAR® Certified Yes Color (Programs Yes Yes Energy STAR® Certified Yes Color (Programs Yes Yes Energy Star Diagnosis Yes Energy STAR® Certified Yes Energy STAR® Certified Yes	Dryer Type			Yes
Sensor Dry Yes 3 Minute Installation Check Yes Steam Yes End of Cycle Signal Yes Color Graphite Steel (V), White (W) Drum Light (Door Open) Yes APPEARANCE Reversible Door Yes LCD Display Yes Touch Buttons Yes Dial-A-Cycle® Yes Dial-A-Cycle® Yes Dial-A-Cycle® Yes Control Lock Yes No. of Programs Sensor Dry) Programs (Sensor Dry) Air Dry, Steam Sanitary™, Super Dry, Dermight Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry No. of Options No. of Options Yes Indicator Wrinkle Care Option Yes Control Lock Yes Wenting Option Gas: 3 Way Venting / Gas:	Capacity	7.4 cu. ft.	Steam	TurboSteam®
Steam Yes End of Cycle Signal Yes Color Graphite Steel (V), White (W) Drum Light (Door Open) Yes APPEARANCE LCD Display Yes FlowSense® Duct Clogging Indicator Touch Buttons Yes Wrinkle Care Option Yes Dial-A-Cycle® Yes Wrinkle Care Option Yes No. of Programs 23 Venting Option Electric: 4 Way Venting / Gas: 3 Way Venting / Yes Programs (Sensor Dry) Arir Dry, Steam Sanitary™, Super Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry, X Large Load Dry No. of Options 11 Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock Yes Energy Monitoring Yes Energy Monitoring Yes Energy Monitoring Yes Energy Monitoring Yes Energy STAR® Certified Yes	Matching Washer	WM5500HVA / WM5500HWA	CONVENIENCE FEATURES	
Color Graphite Steel (V), White (W) Drum Light (Door Open) Yes APPEARANCE LCD Display Yes FlowSense® Duct Clogging Indicator Touch Buttons Yes Indicator Dial-A-Cycle® Yes Wrinkle Care Option Yes PRYER PROGRAMS No. of Programs 23 Normal, Al Dry, Bedding, Delicates, Towels, Quick Dry, Timed Dry, Perm. Press, SteamFresh™, Heavy Duty, Perm. Press, SteamFresh™, Heavy Duty, Large Load Dry, Vovernight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry, X Large Load Dry No. of Options Options Programs (Sensor Dry) Options Options Dry Addiversed Static, Timed Dry, Deem Dry, Overnight Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock Wres Programs (Sensor Dry) Dry Addiversed Static, Timed Care Programs (Sensor Dry) Programs (Sensor Dry) Air Dry, Steam Sanitary™, Super Dry, Covernight Cycle Optimization, Damp Dry, Overnight Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, Programs (Sensor Dry) Programs (Sensor Dry) Programs (Sensor Dry) Adjustable Legs Remaining Time Display / Status Indicator(s) Pres Pres Pres Pres Pres Pres Priniq Care Pres Pres	Sensor Dry	Yes	3 Minute Installation Check	Yes
APPEARANCE LCD Display Yes FlowSense® Duct Clogging Indicator Yes Vers Vers Virikle Care Option Yes Control Lock Yes Remaining Time Display / Status Indicator(s) ThinQ* TECHNOLOGY Smart Diagnosis Yes Wi-Fi ThinQ Care Yes Cycle Optimization, Damp Dry Signal, Wirnkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, FNERGY ENERGY ENERGY STAR® Certified Yes	Steam	Yes	End of Cycle Signal	Yes
LCD Display Yes FlowSense® Duct Clogging Indicator Yes Indicator Yes Indicator Yes Indicator Yes Option Yes Option Yes Octorol Lock Yes Option Yes Octorol Lock Yes Option Yes Option Yes Option Yes Octorol Lock Yes Option Yes Option Yes Option Yes Option Yes Octorol Lock Yes Option Yes	Color	Graphite Steel (V), White (W)	Drum Light (Door Open)	Yes
Touch Buttons Yes Indicator Yes Dial-A-Cycle® Yes Wrinkle Care Option Yes DRYER PROGRAMS No. of Programs 2 23 Venting Option Gas: 3 Way Venting / Gas: 3	APPEARANCE		Reversible Door	Yes
Touch Buttons Page 1	LCD Display	Yes		Yes
DRYER PROGRAMS No. of Programs 23 Normal, Al Dry, Bedding, Delicates, Towels, Quick Dry, Timed Dry, Perm. Press, SteamFresh™, Heavy Duty, Perm. Press, SteamFresh™, Heavy Duty, Programs (Sensor Dry) Air Dry, Steam Sanitary™, Super Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large	Touch Buttons	Yes		
No. of Programs 23 Normal, Al Dry, Bedding, Delicates, Towels, Quick Dry, Timed Dry, Power Dry, Perm. Press, Steamfresh*, Heavy Duty, Programs (Sensor Dry) Air Dry, Steam Sanitary™, Super Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry No. of Options 11 Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, Venting Option 4 Adjustable Legs Remaining Time Display / Status Indicator(s) Smart Diagnosis Yes Wi-Fi ThinQ Care Nemote Start and Cycle Monitor Yes Energy Monitoring Yes Energy Monitoring Yes ENERGY ENERGY ENERGY STAR® Certified Yes	Dial-A-Cycle®	Yes	· · · · · · · · · · · · · · · · · · ·	
Normal, Al Dry, Bedding, Delicates, Towels, Quick Dry, Timed Dry, Power Dry, Perm. Press, SteamFresh*, Heavy Duty, Programs (Sensor Dry) Air Dry, Steam Sanitary**, Super Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry No. of Options 11 Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam*, Reduce Static, Pesting Option Gas: 3 Way Venting Adjustable Legs Yes Remaining Time Display / Status Indicator(s) ThinQ** TECHNOLOGY Smart Diagnosis Yes Wi-Fi ThinQ Care Yes Remote Start and Cycle Monitor Yes Energy Monitoring Yes ENERGY ENERGY ENERGY STAR* Certified Yes	DRYER PROGRAMS		Control Lock	Yes
Delicates, Towels, Quick Dry, Timed Dry, Power Dry, Perm. Press, SteamFresh*, Heavy Duty, Programs (Sensor Dry) Air Dry, Steam Sanitary™, Super Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry No. of Options 11 Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, 4 Adjustable Legs Yes Remaining Time Display / Status Indicator(s) ThinQ* TECHNOLOGY Smart Diagnosis Yes Wi-Fi ThinQ Care Remote Start and Cycle Monitor Yes Energy Monitoring Yes Energy Monitoring Yes ENERGY ENERGY ENERGY ENERGY ENERGY STAR® Certified Yes	No. of Programs		Venting Option	
Timed Dry, Power Dry, Perm. Press, SteamFresh™, Heavy Duty, Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnigh Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry No. of Options Timed Dry, Perm. Press, SteamFresh™, Heavy Duty, Indicator(s) ThinQ*TECHNOLOGY Smart Diagnosis Yes Wi-Fi Yes ThinQ Care Yes ThinQ Care Yes ThinQ Care Yes ThinQ Care Yes Permote Start and Cycle Monitor Yes Energy Monitoring Yes Energy Monitoring Yes ENERGY ENERGY ENERGY ENERGY ENERGY	Delicates, Towels, Quick Dr Timed Dry, Power Dry, Pen Press, SteamFresh™, Heav Programs (Sensor Dry) Air Dry, Steam Sanitary™, Dry, Active Wear, Jeans, Bl Refresh, Low Temp Dry, O Dry, Easy Ironing, Small Lo		4 Adjustable Legs	Yes
Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry No. of Options 11 Remote Start and Cycle Monitor Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static,		Timed Dry, Power Dry, Perm.		Yes
Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry No. of Options 11 Remote Start and Cycle Monitor Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, PREMITED TO STAR® Certified Wi-Fi Wi-Fi Fi Fi Wi-Fi Fi Fi Fi Wi-Fi Fi F			ThinQ® TECHNOLOGY	
Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry, X Large Load Dry, X Large Load Dry Thiol Q Care No. of Options 11 Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, Parkers Reduce Static, Park			Smart Diagnosis	Yes
Large Load Dry, X Large Load Dry No. of Options 11 Remote Start and Cycle Monitor Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static,			Wi-Fi	Yes
Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, TurboSteam®, Reduce Static,			ThinQ Care	Yes
Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, ENERGY	No. of Options	11	Remote Start and Cycle Monitor	Yes
Options Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, ENERGY STAR® Certified Yes		Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver,	Energy Monitoring	Yes
Uptions TurboSteam®, Reduce Static, ENERGY STAR® Certified Yes			ENERGY	
	Options		ENERGY STAR® Certified	Yes
			CEF	Electric: 3.94 / Gas: 3.49
Cycle Edit List MATERIALS AND FINISHES			MATERIALS AND FINISHES	
Temperature Settings High, Med. High, Medium, Low, NeveRust® Stainless Steel Drum Yes	Temperature Settings		NeveRust® Stainless Steel Drum	Yes
Oitra Low Cabinet Painted Steel		Ultra Low	Cabinet	Painted Steel
Drying Levels Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry Very Dry, More Dry, Normal Dry, Door Tempered Glass Door	Drying Levels Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry		Door	Tempered Glass Door
10 min ~ 100 min All Available Colors Graphite Steel (V), White (W)		, , ,	All Available Colors	Graphite Steel (V), White (W)
Manual Dry Times (10 min increments)	Manual Dry Times			

POWER SOURCE	
Ratings	CSA Listed
Electrical Requirements	Elec: 120/240V, 60Hz, 26A Gas: 120V, 60Hz, 11.5A
Туре	Electric, Gas
BTU Rating	Gas: 20,000
OPTIONS	
LP Conversion Kit	383EEL3002D
Side Venting Kit	3911EZ9131X
Drying Rack	3750EL1001A
Pedestal	WDP6V, WDP6W
Pedestal (WxHxD)	27" x 13 5/8" x 28" (43 7/8" D with door open)
DIMENSIONS	
Product (WxHxD)	27" x 39" x 29 3/4"
Depth with Door Open	51 3/8"
Carton (WxHxD)	28 7/8" x 46 1/2" x 31 3/8"
Product Weight (lbs.)	Electric: 124.3 lbs. / Gas: 136.0 lbs.
Carton Weight (lbs.)	Electric: 136.5 lbs. / Gas: 146.6 lbs.
LIMITED WARRANTY	
Parts & Labor	1 Year
Drum	3 Years
UPC CODES	
DLEX5500V (Graphite Steel)	195174048580
DLGX5501V (Graphite Steel)	195174048894
DLEX5500W (White)	195174048603
DLGX5501W (White)	195174048900

2023 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice, Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice, 1/24/23



SUMMARY

WT4 LOT 147 - FRIDGE/FREEZER LRFOC2606S

DIMENSIONS





CAPACITY 26.5 cu.ft.

InstaView®

Yes

MEASUREMENTS (WxHxD) 35 3/4" x 70 1/4" x 31 5/8"

ThinQ®
Yes

All Spec

CAPACITY

Refrigerator (cu.ft.)

16.9

Total Capacity (cu.ft.)

25.5

Freezer (cu.ft.) 8.6

ENERGY

ENERGY STAR® Qualified

Yes

Energy Consumption (kWh/year) 699

WATER & ICE SYSTEM

Dispenser Type

Integrated Tall Ice & Water Dispenser

Daily Ice Production (lbs)

3.5 lbs / 3.8 (IcePlus) 2.5 lbs (F/Cubed)

Dual Ice

Ice System

Slim SpacePlus®

Ice Storage Capacity (lbs)

2.5 + 4.0 lbs



Yes LT1000P

COOLING

Temperature Sensors

9

Fresh Air Filter

Yes

Compressor Type

Smart Inverter Compressor

Evaporator

1

REFRIGERATOR

No. of Shelves

4 Split (4 Fixed)

Shelf Construction

Spill Protector™ Tempered Glass

Glide N' Serve™ Drawer

Yes

No. of Door Bins

8 Total (2 Adjustable Gallon Sized)

Cantilevered Shelves

Hybrid Cantilevered

Crisper Bins

2 Crispers

Handle Type Bar

Door Bin Construction

1 Piece (Clear)

FREEZER

Door Type

Pull Drawer

DuraBase™ Solid Drawer Base

Yes

Freezer Light

LED Lighting

Ice Bin / In-Door Ice

Yes

Drawers/Shelves

2-Tier Organization

Drawer Divider

Yes

Freezer Handle

SmartPull™ Handle

MATERIALS AND FINISHES

Door Type

Flat

Toe Grille **Yes**

Handles

Matching Commercial Handles

Hidden Hinges

Yes

Surface Smooth

All Available Colours

Stainless Steel

DIMENSIONS/CLEARANCES/WEIGHTS

Width

35 3/4"

Depth with Handles

31 5/8"

Case Edge Clearance (Door Fully Open)

21"

Height to Top of Door Hinge

70 1/4"

Width (Door Fully Open without Handle)

40"

Width (Door Open 90° with Handle)

90"

DocuSign Envelope ID: 81E8198B-6447-4CFB-9136-DFB403F37962

Door Edge Clearance with Handle

4 1/4"

Height to Top of Case

68 7/8"

Depth without Door

24 7/8"

Depth (to Hinge Cover)

18 1/4"

Depth (Total with Freezer Drawer) Open

48 7/8"

Weight (Unit/Carton) 278 lbs. / 304 lbs.

Door Edge Clearance without Handle

2 1/4"

Height (Floor to Top of Drawer)

70 1/4"

Depth without Handles

29 1/4"

Depth (Draw Open Fully without Handle)

48 7/8"

Installation Clearance

Sides 1/8", Top 1", Back 2"

Carton Dimensions (WxHxD)

38" x 73" x 32"

UPC

UPC

195174037720

LIMITED WARRANTY

Parts & Labour

1 Year

Compressor (Parts Only)

10 Years

Sealed System (Parts only)

7 Years

WT4 LOT 147 - OVER THE RANGE MICROWAVE MVEL2137F

All Spec

BAR CODE

Bar Code

048231342124

BASIC SPEC

Brand **LG**

Outcase Color

Smudge Resistant Stainless Steel, Black

Stainless Steel

Type

OvertheRange Microwave

EasyClean **Yes**

Oven Capacity (cu.ft.)

2.1

CONTROL FEATURES

Control Display
White LED

Control Type

Glass Touch (SmoothTouch™)

Control Location Bottom

POWER / RATINGS

Required Power Supply (V/Hz)

120/60

CONVENIENCE FEATURES

Completion Beeper

Yes

Child Lock Yes

Kitchen Timer

Yes

Add 30 Seconds

Yes

EasyClean **Yes**

Turntable On/Off

Yes

VENT FEATURES

Exhaust Grease Filter (Ea)

4

Vent Air Flow (CFM)

400

Vent Power Levels

4

Filtration

Charcoal Filter

Vent Grill Type Hidden

COOKING MODES

Auto Cook

Yes

Sensor Cook
Yes (7)

Defrost

Yes (4)

Sensor Reheat

Yes (5)

DESIGN / FINISH

Door Color

Smudge Resistant Stainless Steel, Black

Stainless Steel

Outcase Color

Smudge Resistant Stainless Steel, Black

Stainless Steel

Exterior Design

WideView™ Window (One body frame Monitor

look)

Printproof Finish

Yes

DIMENSIONS / WEIGHT

Cavity Dimension (W \times H \times D)(inch)

21 15/16 x 11 3/16 x 14 9/16

Product Dimensions (W \times H \times D)(inch) 29 7/8 \times 17 15/16 \times 15 7/8

Shipping Weight (lb.)

73.8

Packing Dimensions (W \times H \times D)(inch) 33 9/16 x 21 1/16 x 20 9/16

Product Weight (lb.)

64.6

MICROWAVE OVEN FEATURES

Exterior Light Type

LED Lighting

Microwave Power Output (W)

900

Turntable Size (inch)

14.2

Microwave Power Levels

10

Oven Capacity (cu.ft.)

2.1

SMART TECHNOLOGY

ThinQ(Wi-Fi)

Yes

WT4 LOT 147 - ELECTRIC RANGE LREL6321S

HOME APPLIANCES

LG COOKING

LREL6321S

6.3 cu. ft. Smart Wi-Fi Enabled Electric Range with EasyClean®

6.3 cu.ft. Large Capacity EasyClean® LG ThinQ® App with ThinQ Care





STAINLESS STEEL



Proactive Smart Alerts to Keep

- Proactive Smart Alerts to Keep
 Your Appliances Running Smoothly

 Preventative Alerts help you stay a step ahead of potential
 issues to find proactive solutions before problems arise.
 Avoid preventable repairs and service calls with real-time
 diagnostics for a hassle-free experience.
 Integrated within LG's ThinQ app—a smart home hub for
 managing your smart devices and appliances.

SUMMARY	
Cooktop Type	Radiant, Ceramic Glass
Number of Cooktop Burners	5
Oven Type	Single Oven
Oven Cooking System	Traditional
Oven Capacity (cu. ft.)	6.3
Oven Cleaning Type	EasyClean®
Drawer Type	Storage
Size in Width (in.)	30"
APPEARANCE	
Color	Stainless Steel
Control Type	Touchpad
Knobs	Stainless Steel Appearance
Oven Door Feature	WideView™ Window
Cooktop Finish	Ceramic Glass, Porcelain Enamel
СООКТОР	
Cooktop Type	Radiant, Ceramic Glass
Number of Cooktop Burners	5
Element/Burner - Left Front	9" / 6" Dual, 3200W UltraHeat™
Element/Burner - Left Rear	6" Single, 1200W
Element/Burner - Right Front	9" / 6" Dual, 3200W UltraHeat™
Element/Burner - Right Rear	6" Single, 1200W
Element/Burner - Center	7" Single, 100W Warming Zone
Hot Surface Indicator Light	Yes

OVEN	
Oven Type	Single Oven
Oven Cooking System	Traditional
Oven Cleaning Type	EasyClean®
Oven Capacity (cu. ft.)	6.3
Broiler Element Power	4200W
Bake Element Power	3400W
Hidden Bake Element	Yes
Number of Rack Positions	7
Number of Oven Racks	2
Oven Rack Type	2 Standard
Drawer Type	Storage
Oven Modes	Bake, Broil, Easy Clean, Warm
Oven Light Type	Halogen
CONTROL FEATURES	
Kitchen Timer	Yes
Timed Cook	Yes
Oven Control Lock	Yes
Sabbath Mode	Yes
SMART FEATURES	
Wi-Fi	Yes
ThinQ Care	Yes
Smart Diagnosis™	Yes
Works with	LG ThinQ [®] Amazon Alexa Google Assistant SIDECHEF

POWER/RATINGS	
Amp Rating at 208V	47.3
Amp Rating at 240V	54.6
KW Rating at 208V	9.8
KW Rating at 240V	13.1
Required Power Supply Amp	40
DIMENSIONS & WEIGHT	
Cabinet Width (in.)	30"
Overall Depth (in.) - Including Handle	28 7/8"
Overall Height (in.)	46 1/2"
Overall Width (in.)	29 7/8"
Product Weight (lb)	157
Shipping Weight (lb)	181
Shipping Dimensions (W x H x D) (in.)	32 1/2" x 51" x 30 1/2"
POWER/RATINGS	
Amp Rating at 208V	47.3A
Amp Rating at 240V	54.6A
KW Rating at 208V	9.8kW
KW Rating at 240V	13.1kW
Required Power Supply (amp)	40A
UPC CODES	
LREL6321S (Stainless Steel)	048231341417







LG LAUNDRY

WM5500HVA

5.2 cu. ft. Capacity Smart Front Load Energy Star Washer with TurboWash® 360° and Al DD® Built-In Intelligence

5.2 cu. ft. Ultra Large Capacity

Digital Dial Control with LCD Display & Touch Button Control Panel TurboWash® 360° Technology

AI DD®: AI Fabric and Weight Sensors with Smart Pairing

LG ThinQ $^{\mbox{\scriptsize B}}$ Technology with ThinQ Care

Allergiene® Cycle

Cold Wash Technology

NeveRust® Stainless Steel Drum

ENERGY STAR® Certified & ENERGY STAR Most Efficient

AVAILABLE COLOURS



SUMMARY














Cold Wash Option	
CONVENIENCE FEATURES	
Vibration Sensing (Cabinet Vibration Sensor)	


TrueBalance® Anti-Vibration System

4 Tray Dispenser	(with liquid deterg Bleach, FabricSoft
End of Cycle Signal	Yes
LoadSense	Yes
Control Lock	Yes
Auto Suds Removal	Yes
Leveling Legs	4 Adjustable Legs
Drum Light	Yes
ThinQ® TECHNOLOGY	
Smart Diagnosis	Yes
Wi-Fi	Yes
Energy Monitoring	Yes

Wi-Fi	Yes
Energy Monitoring	Yes
Tub Clean Coach	Yes
MOTOR AND AGITATOR	
Motor Type	Inverter Direct Drive Motor
Axis	Horizontal

MATERIALS AND FINISHES	
NeveRust® Stainless Steel Drum	Yes
Cabinet	P-i-r-15r-1/0it)
Control Panel	Painted Steel (One unit)
Top Plate	Painted Steel
Door / Rim	Glass / STS Silver
Door Cover	Tempered Glass Door
All Available Colors	Graphite Steel (V)
CERTIFICATION	
Asthma Canada	Yes
POWER SOURCE	
Ratings	UL Listed
Electrical Requirements	120V, 10 Amps
Туре	Electric
OPTIONS/ACCESSORIES	
Pedestal	WDP6V
Pedestal (WxHxD)	27" x 13 5/8" x 25 3/8" (43 7/8" D with door open)
LG Sidekick™ Pedestal Washer	WD300CV
LG Sidekick™ Pedestal Washer (WxHxD)	27" x 14 1/8" x 30 3/4" (50 1/2 with drawer open)
Stacking Kit	KSTK4
DIMENSIONS	
Product (WxHxD)	27" x 39" x 30 1/4"
Depth with Door Open	55"
Carton (WxHxD)	29 1/2" x 42 1/8" x 31 1/2"
Weight (Product/Carton)	200.8 / 214.4 lbs.
LIMITED WARRANTY	
Parts & Labor	1 Year
Drum	3 Years
Direct Drive Motor	10 Years
UPC CODES	

WM5500HVA (Graphite Steel)



Front Load Dryer

LCD Display	Yes
Touch Buttons	Yes
Dial-A-Cycle®	Yes
ENERGY	
ENERGY STAR® Most Efficient	Yes
ENERGY STAR® Certified	Yes
CEE Tier	Tier2
IMEF	2,92
IVVF	3.0
DRYER PROGRAMS	
No. of Programs	25

Programs (Sensor Dry)	Normal, Al Wash, Bedding, Delicates, Towels, Quick Wash, Heavy Duty, Allergiene®, Perm. Press, Tub Clean, Bright Whites™, Sanitary, Rinse+Spin, Spin Only, Hand/Wool, Active Wear, Swimwear, Kids Wear, Jeans, Dresses, Color Care, Sweat Stains, Small Load, Large Load, X Large Load
No. of Options	15

No. of Options	15
Options	TurboWash®, Steam, Fresh Care, Pre-wash, Remote Start, Delay Wash, Wi-Fi, Add Item, Extra Rinse, Control Lock, Drum Light, Cold Wash, Signal, Cycle List Edit, Cycle

© 2023 LG Electronics Canada, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access, Content and services may vary by product and are subject to change without notice, 03/28/23





