



(0)

COOKING / [RANGES \(/COOKING/RANGES\)](#)

Café™ 30" Slide-In Front Control Radiant and Convection Double Oven Range

Specs



Overview


[afeappliances.ca/appliances/cces750p4mw2/overview](#)

Specs

<https://www.cafeappliances.ca/appliances/cces750p4mw2/specs>

For Owners

<https://www.cafeappliances.ca/appliances/cces750p>



CCE750P4MW2

\$3,949.00 MSRP

[FIND A STORE \(/APPLIANCES/CCE750P4MW2/WHERE-TO-BUY\)](#)

[share](#)

Claims & Certifications

FEATURES

Auto Shut-Off with Override	Yes
Audible Preheat Signal	Yes
Automatic Self-Clean Oven Door Lock	Yes
Bake Wattage	2850_w
Broil Element	6-Pass Upper / 8-Pass Lower
Broil Wattage	3000 W Upper / 3600 W Lower
Total Oven Capacity	6.7 cu ft
Child Lock	Yes
Cleaning Type	Self Clean with Steam Clean
Colour	Matte White
Control Location	Front
Convection	True European Convection with Precise Air
Convection Bake and Roast	Yes
Convection Wattage	2500 W
Cooktop Lock Capability	Yes
Cooktop Type	Smoothtop Radiant
Delay Self-Clean	Yes
Digital Display	Yes
Drawer Type	Non convection
Edge-to-Edge Cooktop	Yes
Element - Centre Rear	6" 80W Warming Zone
Element - Front Left	5"/8" 1900W
Element - Front Right	6"/9"/12" 3600W PowerBoil
Element - Rear Left	8" 2000W
Fuel Type	Electric
Indicator Lights	1
In-Oven Broil ctions and Finishes	Yes
Smart Appliances	Owner Support
Style and Living	Sarah Baeumler (/sarahbaeumler)
Offers (/offers)	
Delay Start	Yes
Interior Oven Light	Yes
Rack Positions	6

Number of Burners	5
OTR Chef Connect	Yes
Oven "ON" Light	Yes
Oven Racks	2 Self Clean, 1 Roller Rack
Style	Double Oven
Width	30"
C° or F° Programmable	Yes
Timer	Yes
Control Type	Glass Touch and Knobs
Format	Slide-In
Volts / Hertz / Amps	208/240V; 60Hz; 40A
Warranty	1 Year Parts & Labour
Wifi Connect	Yes
ADA Compliant	Yes
No Preheat Air Fry	Yes
Proof Mode Lower Oven	Yes
Warming Mode (Both Ovens)	Yes

DIMENSIONS

Overall Width	29.9 inches
Overall Height	39.3 inches
Overall Depth	27.5 inches
Net Weight	277.6 LB

CUSTOMER CARE

- Contact (/support/contact-us)
- FAQ (/support/contact-us)
- Recalls (/https://www.geappliances.ca/en/support/recall-information)
- Lookbook (/lookbookfall2019)
- Newsletter (/newsletter)

COMPANY INFO

- Our Company (/https://www.geappliances.ca/ge-appliance-story)
- Press Room (/https://www.geappliances.ca/pressroom)
- Jobs (/https://www.geappliances.ca/en/career)
- Privacy Policy (/https://www.geappliances.ca/en/privacy-policy)
- Terms (/https://geappliances.ca/en_CA/terms)
- Cookie Disclosure (/https://geappliances.ca/en_CA/cookies)

Follow Us



(https://www.faceboo



(https://www.instagram



(https://www.pinteres

PW2 LOT 354 - DOUBLE WALL OVEN CTD90FP4NW2

Café™ Professional Series 30" Built-In Convection French-Door Double Wall Oven

CTD90FP4NW2 / ~~CTD90FP3ND1 / CTD90FP2NS1~~



ALSO
AVAILABLE IN



CTD90FP3ND1
Matte Black
with Brushed
Stainless handles



CTS90FP2NS1
Stainless Steel
with Brushed
Stainless handles



FEATURES & BENEFITS

Professional design brought to life - Bring unparalleled sophistication to your kitchen with a French-door wall oven that exudes professional style and allows you to personalize the look with customizable handles and finishes

French door design for more approachable access - Bake with ease thanks to the purposeful French-door design, which allows you to open both doors using a single hand, and easily place food inside

Precision is the name of your cooking game - Confidently try new recipes and perfectly execute your favorites, using a smart system that automatically tracks progress, modifies temperatures and adjusts cook times

Brighten up life in the kitchen - Easily navigate wall oven settings using a stunning full color display that adds an unexpected touch of style to your kitchen

The perfect bake is now perfectly easy - Achieve unrivaled performance with the only system that delivers top-down true convection for consistent results on special occasion favorites like roasts, chicken, turkey and more

No preheat, no hassle - Save time with a variety of precision cooking modes that eliminate the need for preheating

Fried taste. Crisp texture. Less oil. - Make your favorite "fried" foods healthy, thanks to a mode that crisps without using oil for frying

Create a look that matches your personal style - Select any combination of premium finishes and hardware options to create a stunning look customized to any owner's taste

Enjoy convenient temperature control from anywhere - Preheat while running errands or change oven temperatures while doing yard work with the Café Appliances Kitchen app

The oven rack that handles it all - Easily remove heavy dishes with a roller rack that is specially designed to glide smoothly and stay in the oven during the self-clean cycle, so you never have to handle cumbersome racks again

The perfect fit you've always dreamed of - When you're updating your kitchen, attention to detail is a priority. That's why Café wall ovens are guaranteed for an exact fit or Café Appliances will pay up to \$300 toward modifications.

APPEARANCE

Handle	Café Pro Style; Customizable
Installation	Above Warming Drawer; Side-by-Side

FEATURES

Configuration	French Door
Cooking System	True European Convection with Direct Air (Both Ovens)
Oven Cleaning Type	Self-Clean with Steam Clean Option
Cleaning Time	Variable with Delay Clean Option
Oven Cooking Modes	Convection Bake; Convection Bake Multi-Rack; Convection Broil Hi/Lo; Convection Roast; Hot-Air Frying; Precision Cooking Modes; Proof; Thermal Bake; Thermal Broil Hi/Lo; Warming
Self-Clean Oven Door Lock	Automatic
Control Type	7" Full-Color Touch LCD Screen
Oven Features	10-Pass Bake Element; 10-Pass Dual Broil Element; Closed Door Broiling
Oven Rack Features	2 Never-Scrub Roller Racks (Both Ovens); 6 Embossed Rack Positions (Both Ovens)
Product Type	Wall Oven Double
Oven Control Features	12-Hour Shut-Off Capability; Audible Preheat Signal; Auto Recipe Conversion; Certified Sabbath Mode; Control Lock Capability; Cook Time; C° or F° Programmable; Delay Time; Electronic Clock & Kitchen Timer; Mis-Wire Detection; Remote Enabled; Scan-to-cook; Temperature Probe
WiFi Connect	Built-In
Connected Capabilities	Amazon Alexa; Drop; IFTTT; Innit; Nest; The Google Assistant
Cooking Technology	Convection
Oven Interior	2 Halogen Interior Oven Lights (Both Ovens); Black Gloss Finish; Hidden Bake

CAPACITY

Total Capacity (cubic feet)	10.0
Capacity (Cu. Ft.)	5.0 Upper / 5.0 Lower

POWER / RATINGS

Amp Rating at 208V	40
Amp Rating at 240V	40
Bake Wattage	2850W
Broiler Wattage	4300W
Convection Wattage	2400W
KW Rating at 208V	6.8
KW Rating at 240V	9

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	398
Net Weight	370
Overall Height	53
Overall Width	29-3/4
Overall Depth	26-3/4
Cabinet Width	30
Cutout Dimensions (w x h x d) (in.)	28-1/2 x 51-13/16 x 23-1/2 (With Pedestal Rails) 28-1/2 x 50-1/4 x 23-1/2 (Without Pedestal Rails)
Oven Interior Dimensions (lower)	25 x 17-3/8 x 20-1/4
Oven Interior Dimensions (upper)	25 x 17-3/8 x 20-1/4

OPTIONAL ACCESSORIES

30" Never-Scrub Roller Rack	UXWORXR30
Large Broiler Pan	WB48X10056
72" Replacement Electrical Conduit	WB18T10580

Café™ Professional Series 30" Built-In
Convection French-Door Double Wall Oven

CTD90FP4NW2 / CTD90FP3ND1 / CTD90FP2NS1



WARRANTY

Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details

DIMENSIONS AND INSTALLATION
INFORMATION (IN INCHES)

Most 30" Wall Cabinets can be used with this unit

Note: These ovens are not approved for stackable installations. Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a 194°F temperature rating.

Door handle protrudes 2-1/2" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

Electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in accordance with installation instructions.


Installation Information:

Before installing, consult installation instructions packed with product for current dimensional data and for alternate installation options.




Note: A minimum gap of 14" from either side of the wall oven to an adjacent 45 or 90 cabinet, drawer or was is required to avoid interference with the opening of the doors. The handles protrude 2-1/2" from the door face.

Countertops may need to be notched on either side of the wall oven to avoid interference with the opening of the doors.

THIS MODEL IS NOT APPROVED FOR
FLUSH-MOUNT INSTALLATION



Cabinet	30"
A - Overlap of oven at top of cutout	1-1/4"
B - Overlap of oven other side of edge of cutout	3/4"
C - Overlap of oven at bottom of cutout	1-1/4"
Oven	
D - Install depth	23-1/2"
E - Overall height with trim	53"
F - Overall width	29-3/4"



DIMENSIONS AND INSTALLATION INSTRUCTIONS ARE SHOWN IN INCHES

For answers to your Café™ product questions, visit our website at cafeappliances.com.

Café™ Professional Series 30" Built-In
Convection French-Door Double Wall Oven

CTD90FP4NW2 / CTD90FP3ND1 / CTD90FP2NS1



DIMENSIONS AND INSTALLATION
INFORMATION (IN INCHES)

Note: 30" Double electric wall ovens are approved for installation above 27" and 30" warming drawers.


Attention installer: Electric wall ovens are NOT approved for installation with a plug and receptacle. They must be hard wired into an approved junction box.

Important: Before installing, consult installation instructions packed with ALL products for current dimensional and combination data.

When to use the pedestal rails: When replacing an older GE Appliances 30" double wall oven with a new GE Appliances model. Cutout Height = 51-13/16" to 51-15/16". This is our traditional cutout height.

When not to use the pedestal rails:
When replacing a 30" double wall oven from another manufacturer (ie; Whirlpool) with a new GE Appliances model. Cutout height = 50-1/4". You will need to verify that the existing cutout matches the 50-1/4" dimension.

If the new GE Appliances 30" double wall oven is being installed into new construction (ie; not a replacement), then the recommended installation is to use the pedestal rails.



ADDITIONAL ACCESSORIES



CXWDFHKPMBZ
Brushed Bronze
3 handles
(standard on Matte White)



CXWDFHKPMSS
Brushed Stainless
3 handles
(standard on Matte Black)



CXWDFHKPMBT
Brushed Black
3 handles




CXWDFHKPMCU
Brushed Copper
3 handles

PW2 LOT 354 - DISHWASHER CDT875P4NW2

Café™ Stainless Interior Built-In Dishwasher with Hidden Controls

CDT875P4NW2 / ~~CDT875P3ND1~~ / ~~CDT875P2NS1~~



CDT875P4NW2
Matte White with Brushed
Bronze handles



ALSO
AVAILABLE IN



CDT875P3ND1
Matte Black with
Brushed Stainless
handles



CDT875P2NS1
Stainless Steel with
Brushed Stainless
handles

FEATURES & BENEFITS

Ultra Wash & Dry Plus – Expect precision cleaning and superior dryness on fine china, dinnerware and even dishwasher-safe plastics, with exceptional features like Variable-Pressure Jets and Dual-Convection Ultra Dry

Loading Flexibility – Clean up quickly after hosting any event with a dishwasher that accommodates large items – like charcuterie platters – and dishwasher-safe plastics, like storage containers, conveniently in the lower rack

Status Center – Continue conversations without interruption and easily know when extra dinnerware is available via an LCD screen that displays the dishwasher cycle status

Adjustable Upper Racks – You'll have room for your finest stemware and space for tall bakeware with a rack that can be moved two inches up or down, creating ultimate loading flexibility

WiFi – Always have clean dishes ready for surprise guests with WiFi Connect, which lets you operate your dishwasher from your smartphone. Track and automatically reorder detergent and rinse aid with just the tap of an app

Create a look that matches your personal style – Select any combination of premium finishes and hardware options to create a stunning look customized to any owner's taste

APPEARANCE

Door Style	Long Door with Top Controls
Installation	Side Installation or Top Installation Included; Built-Up Floor Capable; Flush Cabinet Installation
Door Appearance	Full-length flat door

FEATURES

Style	Built-In
Tub and Door Liner	Stainless Steel
Tub Type	Tall Tub
Control Type	Cap Touch Controls; 12 Touchpads
Dishwasher Control Features	Cycle Countdown with LCD Status Center on door; Multi function display; Last Cycle Memory; Audible End-of-Cycle Signal
Wash System	3-Level; 800 Series
Wash System Features	Variable Speed Dual Pumps and Motors; Automatic Temperature Control; Drain Pump; Hard Food Disposer with removable filter; Reversing Quad Blade Lower Wash Arm; Quad Blade Middle Wash Arm; Deep Clean Silverware Jets; Side Jets; 90+ Spray Jet Wash System; Hidden Heater; Automatic HotStart; Bottle Jets (4)
Sensor	Clean Sensor
Wash Arms	3 Wash Levels; Lower- Reversing Quad Blade; Middle - Quad Blade; Bottle Jets; Jets - Variable Pressure; Deep Clean Silverware Jets
Water Filtration System	100% Filtration with Hard Food Disposer and Removable Filter
Dispenser	Rinse Aid with Indicator and Adjustment; Electronic Low Rinse Aid Sensor
Number of Cycles	5
Dishwasher Cycles	Auto; Pots; Normal; China; Express
Number of Options	10
Dishwasher Options	Delay Start 1-12 Hr.; Hi-Temp Wash; Presoak + Sanitize (NSF Certified); Heated Dry Off; Normal Dry; Dual Convection Ultra Dry; Wash Zone Upper Only; Wash Zone Lower Only; Start/Reset; Bottle Wash; Lock Controls
Rack Features	2 Utility Shelves with Stem Safe and Chop-stick slots - Upper Ball-Tipped Tines; Adjustable Upper Rack; 3-Piece Silverware Basket with Cell Covers; Full Extension Slides - Upper
Racking Material	Nylon
Rack Color	Black Pearl
Number of Place Settings	Up to 16
Upper Rack	Premium Height Adjustable; Ball-Tip Tines; 2 Stem Safe Shelves; Chop stick slots; 1/2 fixed tines, 1/2 fold down tines Fixed tines with Bottle Jets; 1 Rack handle
Lower Rack	Ball-Tip Tines; 1/2 fixed tines, 1/2 fold down tines
Additional Protection	Active Flood Protection
Dishwasher Drying Features	Dual Convection Ultra Dry; Ultra/Normal/Off; Fan Assist Dry
Floor Protection	Leak Pan w/ Sensor; Active Flood Protection
Leveling System	3 Leveling Legs
Latch	Pull with Handle
Showroom Power Mode	Yes
WiFi Connect	Built-In
Exterior Style	Traditional
Racking System	Full 3rd Rack

ECONOMICAL/QUIET

Quiet Package	39 dBA
Quiet Features	Quiet Water Valve; Sealed Toe Kick; Tub Collar Trim
Motor Type	Variable Speed
Outer Wrap	Full-wrap Blanket; Bitumen
Door Insulation	Insulation; Mastic

WEIGHTS & DIMENSIONS

Cabinet Width	24 in
Approximate Shipping Weight	137 lb
Net Weight	124 lb
Overall Height	34 in
Height w/ Legs Retracted - Minimum Height	33-3/8 in
Height w/Legs Extended - Maximum Height	34-5/8 in
Overall Depth	24 in
Overall Width	23-3/4 in

Café™ Stainless Interior Built-In
Dishwasher with Hidden Controls

CDT875P4NW2 / CDT875P3ND1 / CDT875P2NS1




TECHNICAL DETAILS

Calrod Heater Watts	400/1200
Power Connection	Optional cord kit (GPFCD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120 V; 60 Hz; 10.2 A


WARRANTY

Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details

DIMENSIONS



INSTALLATION DIMENSIONS



ADDITIONAL ACCESSORIES



Brushed Bronze
CXADTH1PMBZ
(Standard on Matte White)



Brushed Stainless
CXADTH1PMSS
(Standard on Matte Black and Stainless steel)



Brushed Black
CXADTH1PMBT



Brushed Copper
CXADTH1PMCU

PW2 LOT 354 - KITCHEN FRIDGE CVE28DP4NW2

Café™ ENERGY STAR® 27.6 Cu. Ft. 4- Door French-Door Refrigerator

CVE28DP4NW2 / ~~CVE28DP2NS1 / CVE28DP3ND1~~



CVE28DP4NW2
Matte White with
Brushed Bronze handles



ALSO
AVAILABLE IN



CVE28DP2NS1
Stainless Steel
with Brushed
Stainless handles



CVE28DP3ND1
Matte Black
with Brushed
Stainless handles

FEATURES & BENEFITS

Enjoy the flexibility of a **Convertible Drawer with Soft Freeze** with settings as low as 23 degrees or as high as 42 degrees, and keep items organized with sliding glass dividers

Relish the bright, uniform light of an **LED light wall** that spans the back wall of the refrigerator, illuminating the fresh food section so every item is easy to find

Effortlessly fill containers with filtered water by simply pressing the **AutoFill** button which uses sensors to dispense the perfect amount every time

Keep your produce fresher thanks to a **Humidity Control System with two distinct bins**—a sealed high-humidity bin that preserves leafy green vegetables longer and a vented bin that provides the perfect environment for fruits

Easily pull out a slim, **full-width tray** to accommodate gourmet pizzas and other frozen, uniquely shaped items

Receive alerts on your smart device whenever your refrigerator’s internal temperature dips below normal, thanks to **built-in WiFi connectivity** that helps you keep foods party-platter ready

From produce to packaged goods, keep any food fresh with **TwinChill™ evaporators** that create separate climates in the fresh food and freezer sections

Spend more time filling and less time fumbling thanks to the **Integrated Dispenser Design**, which senses your proximity and automatically illuminates, so you never have to compromise on function and fashion

APPEARANCE

Exterior design	Bowed flat top
Handle	Café™
Handle design	Café Pro
Hidden door hinge(s)	Yes

FEATURES

Configuration	French-door & Double drawer
WiFi connect	Built-in
Connected capabilities	Amazon Alexa; The Google Assistant; IFTTT
Temperature management features	Turbo Cool setting; Multiflow air system
Temperature management system	TwinChill™ evaporators
Defrost type	Frost Guard
Control type	Electronic temperature controls
Dispenser	Large stainless steel; Cubes, crushed ice and chilled water
Dispenser features	Hands-free AutoFill; Door alarm; LED dispenser light; Water filter indicator light
Icemaker	Space saving ice
Water filtration	GE water filtration 6 month; XWF; Water filter indicator light
Filter location	Left wall
Fresh food cabinet drawers	2 total; 2 adjustable humidity drawers
Fresh food cabinet shelves	4 glass split; 1 Quick Space shelf
Fresh food door bins	6 total; 2 with gallon storage; 1 adjustable
Fresh food door features	Dairy compartment
Fresh food features	LED light wall; Deli pan
Freezer door bins	3 (2 adjustable tilt-out)
Freezer storage baskets	2 full-width
Freezer features	Interior lighting - LED; Turbo Freeze; Freezer drawer with full-extension slides
Exterior style	Free-standing
Leveling system	2 point front adjustable
Performance features	Easily removable door gaskets; Sabbath Mode capable
Center drawer features	Convertible drawer; 6 temperature settings (Soft Freeze, Meats, Beverages, Snacks, Wine, Lock); 2 Tuck Away glass dividers; Full-extension slides

CAPACITY

Total capacity (cubic feet)	27.6 cu. ft.
Fresh food capacity	15.47 cu. ft.
Freezer capacity	8.44 cu. ft.
Convertible drawer capacity	3.65 cu. ft.

WEIGHTS & DIMENSIONS

Overall depth	36-3/4 in.
Overall height	69-7/8 in.
Overall width	35-5/8 in.
Case depth without door	29 in.
Depth with door open 90°	48-3/8 in.
Depth without handle	34-1/4 in.
Height to top of hinge	69-3/4 in.
Height to top of case	68-5/8 in.
Width w/door open 90 degrees incl. handle	44-7/8 in.
Back air clearances	2 in.
Side air clearances	1/8 in.
Top air clearances	1 in.
Approximate shipping eeight	425 lb.
Net weight	390 lb.

Café™ ENERGY STAR® 27.6 Cu. Ft. 4- Door
French-Door Refrigerator


CVE28DP4NW2 / CVE28DP2NS1 / CVE28DP3ND1



WARRANTY

Parts warranty	Limited 1-year entire appliance; Limited 5-year sealed refrigerating system
Labor warranty	Limited 1-year entire appliance; Limited 5-year sealed refrigerating system
Warranty notes	See written warranty for full details

DIMENSIONS



Overall Dimensions	A - Overall Height to top of door (in)	69 7/8
	B - Height to top of hinge cover (in)	69 3/4
	C - Height to top of case (in)	68 5/8
	D - Hinge Cover Depth from Case Flange (in)	6
	E - Case Depth without door (in)	29
	F - Case Depth without door including protrusions (in)	29 3/4
	G - Case Depth without Door Handle (in)	34 1/4
	H - Overall Case Depth with Door Handle (in)	36 3/4
	I - Depth with FF Door open 90 deg (in)	48 3/8
	J - Case Width (in)	35 5/8
	K - Width with door open 90 deg including handle (in)	44 7/8
	L - Top endcap of FZ drawer to floor (in)	24 1/2
	M - Top endcap of Middle drawer to floor (in)	33 1/2
	N - End cap to End cap hieght of middle drawer (in)	8 5/8
	O - Top Endcap of Freezer Doors to Floor (in)	NA

ADDITIONAL ACCESSORIES



CXQB4H4PNBZ
Brushed Bronze
4 handles
(Standard on Matte White)



CXQB4H4PNSS
Brushed Stainless
4 handles
(Standard on Matte Black and Stainless Steel)



CXQB4H4PNBT
Brushed Black
4 handles



CXQB4H4PNCU
Brushed Copper
4 handles

PW2 LOT 354 - DRYER DLEX6500B

HOME APPLIANCES



LG LAUNDRY

DLEX6500_ / DLGX6501_

7.4 cu. ft. Capacity Energy Star Smart Front Load Dryer with AI Sensor Dry & TurboSteam®

KEY FEATURES

7.4 cu. ft. Ultra Large Capacity
Digital Dial Control with LCD Display & Touch Button Control Panel
AI Sensor Dry with Smart Pairing
TurboSteam®, SteamFresh®, and SteamSanitary® Technology
Wrinkle Care Option
LG ThinQ® Technology with ThinQ Care
FlowSense® Duct Clogging Indicator
Tempered Glass Door (Reversible)
NeveRust® Stainless Steel Drum
ENERGY STAR® Certified

AVAILABLE COLORS



SMART APPLIANCE

Proactive Smart Alerts to Keep Your Appliances Running Smoothly



- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
- Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
- Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.



PRODUCT FEATURES

SUMMARY		FABRIC CARE FEATURES		POWER SOURCE	
Type	Front Load Dryer	AI Sensor Dry	Yes	Ratings	CSA Listed
Vent Type	Vented	Sensor Dry	Yes	Electrical Requirements	Elec: 120/240V, 60Hz, 26A / Gas: 120V, 60Hz, 11.5A
Dryer Type	Elec: DLEX6500B / DLEX6500W Gas: DLGX6501B/ DLGX6501W	Precise Temperature Control with Variable Heater	Yes	Type	Electric, Gas
Capacity	7.4 cu. ft.	Steam	TurboSteam®	BTU Rating	Gas: 20,000
Matching Washer	WM6500HBA / WM6500HWA	CONVENIENCE FEATURES		OPTIONS	
Sensor Dry	Yes	3 Minute Installation Check	Yes	LP Conversion Kit	383EEL3002D
Steam	Yes	End of Cycle Signal	Yes	Side Venting Kit	3911EZ9131X
Color	Black Steel (B), White (W)	Drum Light (Door Open)	Yes	Drying Rack	3750EL1001A
APPEARANCE		Reversible Door	Yes	Pedestal	WDP6B, WDP6W
LCD Display	Yes	FlowSense® Duct Clogging Indicator	Yes	Pedestal (WxHxD)	27" x 13 5/8" x 28" (43 7/8" D with door open)
Touch Buttons	Yes	Wrinkle Care Option	Yes	DIMENSIONS	
Dial-A-Cycle®	Yes	Control Lock	Yes	Product (WxHxD)	27" x 39" x 29 3/4"
DRYER PROGRAMS		Venting Option	Electric: 4 Way Venting / Gas: 3 Way Venting	Depth with Door Open	51 3/8"
No. of Programs	23	4 Adjustable Legs	Yes	Carton (WxHxD)	28 31/32" x 46 29/64" x 31 27/64"
Programs (Sensor Dry)	Normal, AI Dry, Bedding, Delicates, Towels, Quick Dry, Timed Dry, Power Dry, Perm. Press, SteamFresh™, Heavy Duty, Air Dry, Steam Sanitary™, Super Dry, Active Wear, Denim -> Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry, X Large Load Dry	ThinQ® TECHNOLOGY		Product Weight (lbs.)	Electric: 124.3 lbs. / Gas: 136.0 lbs.
		Smart Diagnosis	Yes	Carton Weight (lbs.)	Electric: 136.5 lbs. / Gas: 146.6 lbs.
		Wi-Fi	Yes	LIMITED WARRANTY	
		ThinQ Care	Yes	Parts & Labor	1 Year
		Remote Start and Cycle Monitor	Yes	Drum	3 Years
No. of Options	11	Energy Monitoring	Yes	UPC CODES	
Options	Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, Remote Start, Drum Light, Signal	ENERGY		DLEX6500B (Black)	195174052945
		ENERGY STAR® Certified	Yes	DLGX6501B (Black)	195174052969
		CEF	Electric: 3.94 / Gas: 3.49	DLEX6500W (White)	195174049075
Temperature Settings	High, Med. High, Medium, Low, Ultra Low	MATERIALS AND FINISHES		DLGX6501W (White)	195174048535
Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry	NeveRust® Stainless Steel Drum	Yes		
		Cabinet	Painted Steel		
Manual Dry Times	10 min ~ 100 min (10 min incremental)	Door	Tempered Glass Door		
		All Available Colors	Black Steel (B), White (W)		

PW2 LOT 354 - WASHER WM6500HBA

HOME APPLIANCES



LG LAUNDRY

WM6500H_A

5.0 cu. ft. Mega Capacity Smart Front Load Energy Star
Washer with TurboWash® 360° and AI DD® Built-In Intelligence

- 5.0 cu. ft. Mega Capacity
Digital Dial Control with LCD Display & Touch Button Control Panel
TurboWash® 360° Technology
AI DD®: AI Fabric and Weight Sensors with Smart Pairing
LG ThinQ® Technology with ThinQ Care
Allergiene® Cycle
Cold Wash Technology
NeveRust® Stainless Steel Drum
ENERGY STAR® Certified & ENERGY STAR Most Efficient
Direct Drive Motor 10-Year Limited Warranty

AVAILABLE COLORS

- BLACK STEEL
● WHITE



Proactive Smart Alerts to Keep
Your Appliances Running Smoothly



- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
- Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
- Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.

SUMMARY		WASH DETAILS		MOTOR AND AGITATOR	
Type	Front Load Washer	No. of Wash/Rinse Temps	5	Motor Type	Inverter Direct Drive Motor
Capacity (cu. ft.)	5.0 cu. ft.	Wash/Rinse Temps	Ex. Hot, Hot, Warm, Cold, Tap Cold	Axis	Horizontal
Matching Electric Dryer	DLEX6500B / DLEX6500W	No. of Spin Speeds	5	MATERIALS AND FINISHES	
Matching Gas Dryer	DLGX6501B / DLGX6501W	Spin Speeds	Ex. High, High, Medium, Low, No Spin	NeveRust® Stainless Steel Drum	Yes
Color	Black Steel (B), White (W)	Max RPM	1300	Cabinet	Painted Steel
APPEARANCE		Water Levels	Load Sensing	Control Panel	
LCD Display	Yes	No. of Soil Levels	5	Top Plate	Painted Steel
Touch Buttons	Yes	FABRIC CARE FEATURES		Door / Rim	Glass / Shiny Rose Gold
Dial-A-Cycle®	Yes	AI DD®	Yes	Door Cover	Tempered Glass Door
ENERGY		TurboWash® 360 Technology	Yes	All Available Colors	Black Steel (B), White (W)
ENERGY STAR® Most Efficient	Yes	Steam Technology	Yes	CERTIFICATION	
ENERGY STAR® Certified	Yes	Allergiene® Cycle	Yes	AAFA	Yes
CEE Tier	Tier2	Sanitary Cycle	Yes	POWER SOURCE	
IMEF	2.92	Cold Wash Option	Yes	Ratings	UL Listed
IWF	3.0	CONVENIENCE FEATURES		Electrical Requirements	120V, 10 Amps
WASH PROGRAMS		Vibration Sensing (Cabinet Vibration Sensor)	Yes	Type	Electric
No. of Programs	25	TrueBalance® Anti-Vibration System	Yes	OPTIONS/ACCESSORIES	
Wash Programs	Normal, AI Wash, Bedding, Delicates, Towels, Quick Wash, Heavy Duty, Allergiene®, Perm. Press, Tub Clean, Bright Whites™, Sanitary, Rinse-Spin, Spin Only, Hand/Wool, Active Wear, Swimwear, Kids Wear, Jeans, Dresses, Color Care, Sweat Stains, Small Load, Large Load, X Large Load	4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener	Pedestal	WDP6B, WDP6W
		End of Cycle Signal	Yes	Pedestal (WxHxD)	27" x 13 5/8" x 25 3/8" (43 7/8" D with door open)
		LoadSense	Yes	LG Sidekick™ Pedestal Washer	WD300CB, WD300CW
		Control Lock	Yes	LG Sidekick™ Pedestal Washer (WxHxD)	27" x 14 1/8" x 30 3/4" (50 1/2" with drawer open)
		Auto Suds Removal	Yes	Stacking Kit	KSTK4
WASH OPTIONS		Leveling Legs	4 Adjustable Legs	DIMENSIONS	
No. of Options	15	Drum Light	Yes	Product (WxHxD)	27" x 39" x 33 1/8"
Options	TurboWash®, Steam, Fresh Care, Pre-wash, Remote Start, Delay Wash, Wi-Fi, Add Item, Extra Rinse, Control Lock, Drum Light, ColdWash, Signal, Cycle List Edit, Cycle Optimization	ThinQ® TECHNOLOGY		Depth with Door Open	57 3/4"
		Smart Diagnosis	Yes	Carton (WxHxD)	29 1/2" x 42 1/8" x 34 1/4"
		Wi-Fi	Yes	Weight (Product/Carton)	202.6 / 216.5 lbs.
		ThinQ Care	Yes	LIMITED WARRANTY	
		Energy Monitoring	Yes	Parts and Labor	1 Year
		Tub Clean Coach	Yes	Direct Drive Motor	10 Years
				Drum	3 Years
		UPC CODES			
		WM6500HBA (Black)	195174052921		
		WM6500HWA (White)	195174048689		

© 2023 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 2/24/23

PW2 LOT 354 - MICROWAVE NN-ST775S



Countertop NN-ST775S

MODEL & SIZE		Model Number	NN-ST775S
		Type	Family-size
		Installation	Countertop or built-in
		Oven Capacity	1.6 cu. ft.
		Cooking Power	1200W
		Turntable Diameter	380mm
PANASONIC TECHNOLOGY		Panasonic Inverter	Cyclonic Inverter
		Genius Sensor	Genius [®]
DESIGN		Color	Stainless Steel
		Control Panel	6 Button (Chrome)
		Display Panel	New 4 Digit + Icon LCD / Green
STYLE		Door Window	Smoked Glass
		Door Release	Push Open
		Oven Interior	Paint White
PERFORMANCE		Multi-stage Cooking	3 stage
PROGRAMMABLE FEATURES		Sensor Cook	Yes
		Sensor Reheat	Yes
		Auto Cook/Reheat	Yes
		More / Less Control	Yes
		Inverter Turbo Defrost	Yes
		Keep Warm Button	Yes
		Popcorn Button	Yes
		Quick Minute	Yes
SPECIFICATIONS		Cavity Dimensions (W x D x H)	Approx. 418 x 470 x 228 mm 15.7 x 18.5 x 8.3 inch
		Unit Dimensions (W x D x H)	555 x 493 x 304 mm 21.9 x 19.4 x 12 inch
		Carton Dimensions (W x D x H)	627 x 540 x 360 mm
ACCESSORIES	TRIM KITS	27" Model Number	NN-TK722S
		30" Model Number	NN-TK732S

	Accessory	Glass Tray
--	-----------	------------