

The **BRICK**®

COMMERCIAL DIVISION



A Division of The Brick Warehouse LP

Specifications for Project

LG LAUNDRY

Salesperson

Tom Pearson

tpearson@thebrick.com



REMINDER:

To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.

Powered by SteelCod

LG LAUNDRY



<i>Contents</i>	<i>Page no.</i>
WM3450CW LG Washer 5.2 cu.ft. Front Load Washer	3-4
DLE3450W LG Dryer 7.4 cu.ft. Front Load Dryer	5-6

**The Brick Commercial
Division/Midnorthern
Appliance**
brickcommsales.com

Tom Pearson
Director
6132217387

Search **20240429202723679SC**
Version 1.1

Mon, Apr 29, 2024
4:27 PM EDT



enterprise.steelcod.com/sp/brck/BQ5175B1

Note about page numbers:
Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only.
Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

LG LAUNDRY

WM3450CW

5.2 cu.ft. Front Load Washer

2019 Energy Star Most Efficient

Cold Wash

6 Motion DD

Smart Diagnosis

Side Kick Compatible

NeveRust

EnergyStar Certified



AVAILABLE COLOURS



WHITE



SUMMARY	
Series	LG
Type	Front Load Washer
Capacity (cu.ft.)	5.2 cu.ft.
Matching Electric Dryer	DLE3450W
Colour	White (W)
APPEARANCE	
Hard Buttons	Yes
Touch Buttons	Yes
Dial-A-Cycle™	Yes
ENERGY	
ENERGY STAR® Qualified	Yes
CEE Tier	2
IMEF	2.92
IWF	2.9
WASH PROGRAMS	
No. of Programs	8
	Normal, Perm. Press, Heavy Duty, Delicates, Towels, Speed Wash, Bedding, Tub Clean
WASH OPTIONS	
No. of Options	6
	Prewash, Delay Wash, Cold-Wash, ColdWash, Extra Rinse, Rinse+Spin, Child Lock*
WASH DETAILS	
No. of Wash/Rinse Temps	5
Wash/Rinse Temps	Hot, Warm, Semi Warm, Cold, Tap Cold
No. of Spin Speeds	3
Spin Speeds	High, Medium, Low
Max RPM	1300
Water Levels	Load Sensing* *adjusted by sensor except during Speed Wash
No. of Soil Levels	3

FABRIC CARE FEATURES	
ColdWash™ Option	Yes
SenseClean™ System	Yes
CONVENIENCE FEATURES	
TrueBalance™ Anti-Vibration System	Yes
4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener
LoDecibel™ Quiet Operation	Yes
End of Cycle Signal	Yes
LoadSense	Yes
Child Lock*	Yes
Auto Suds Removal	Yes
Leveling Legs	4 Adjustable Legs
Easy Loading TilTub™	Yes
SmartDiagnosis™ (v3.0)	Yes
Remote Start and Cycle Monitoring	No
MOTOR AND AGITATOR	
Motor Type	Inverter Direct Drive Motor
Axis	Horizontal
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	Yes
Cabinet	PCM
Control Panel	Plastic
Top Plate	Painted
Door / Rim	Glass/White
Door Cover	Clear Round Cover
All Available Colours	White (W)

POWER SOURCE	
Ratings	UL Listed
Electrical Requirements	120V, 10 Amps
Type	Electric
OPTIONS/ACCESSORIES	
Pedestal	WDP4W
Pedestal (WxHxD)	27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)
LG Sidekick™ Pedestal Washer	WD100CW
LG Sidekick Pedestal Washer (WxHxD)	27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)
DIMENSIONS	
Product (WxHxD)	27" x 39" x 30 1/4"
Depth with Door Open	55" D with door open
Carton (WxHxD)	29 23/32" x 41 27/32" x 31 17/32"
Weight (Product/Carton)	187.4 / 209.8 lbs.
LIMITED WARRANTY	
Parts and Labour	1 Year
Direct Drive Motor	10 Years
Drum	3 Years
UPC CODES	
WM3450CW (White)	772454073809
DLE3450W (White)	772454073816

LG LAUNDRY

WM3450CW

5.2 cu.ft. Front Load Washer

2019 Energy Star Most Efficient

Cold Wash

6 Motion DD

Smart Diagnosis

Side Kick Compatible

NeveRust

EnergyStar Certified



AVAILABLE COLOURS



WHITE



SUMMARY	
Series	LG
Type	Front Load Washer
Capacity (cu.ft.)	5.2 cu.ft.
Matching Electric Dryer	DLE3450W
Colour	White (W)
APPEARANCE	
Hard Buttons	Yes
Touch Buttons	Yes
Dial-A-Cycle™	Yes
ENERGY	
ENERGY STAR® Qualified	Yes
CEE Tier	2
IMEF	2.92
IWF	2.9
WASH PROGRAMS	
No. of Programs	8
	Normal, Perm. Press, Heavy Duty, Delicates, Towels, Speed Wash, Bedding, Tub Clean
WASH OPTIONS	
No. of Options	6
	Prewash, Delay Wash, Cold-Wash, ColdWash, Extra Rinse, Rinse+Spin, Child Lock*
WASH DETAILS	
No. of Wash/Rinse Temps	5
Wash/Rinse Temps	Hot, Warm, Semi Warm, Cold, Tap Cold
No. of Spin Speeds	3
Spin Speeds	High, Medium, Low
Max RPM	1300
Water Levels	Load Sensing* *adjusted by sensor except during Speed Wash
No. of Soil Levels	3

FABRIC CARE FEATURES	
ColdWash™ Option	Yes
SenseClean™ System	Yes
CONVENIENCE FEATURES	
TrueBalance™ Anti-Vibration System	Yes
4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener
LoDecibel™ Quiet Operation	Yes
End of Cycle Signal	Yes
LoadSense	Yes
Child Lock*	Yes
Auto Suds Removal	Yes
Leveling Legs	4 Adjustable Legs
Easy Loading TilTub™	Yes
SmartDiagnosis™ (v3.0)	Yes
Remote Start and Cycle Monitoring	No
MOTOR AND AGITATOR	
Motor Type	Inverter Direct Drive Motor
Axis	Horizontal
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	Yes
Cabinet	PCM
Control Panel	Plastic
Top Plate	Painted
Door / Rim	Glass/White
Door Cover	Clear Round Cover
All Available Colours	White (W)

POWER SOURCE	
Ratings	UL Listed
Electrical Requirements	120V, 10 Amps
Type	Electric
OPTIONS/ACCESSORIES	
Pedestal	WDP4W
Pedestal (WxHxD)	27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)
LG Sidekick™ Pedestal Washer	WD100CW
LG Sidekick Pedestal Washer (WxHxD)	27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)
DIMENSIONS	
Product (WxHxD)	27" x 39" x 30 1/4"
Depth with Door Open	55" D with door open
Carton (WxHxD)	29 23/32" x 41 27/32" x 31 17/32"
Weight (Product/Carton)	187.4 / 209.8 lbs.
LIMITED WARRANTY	
Parts and Labour	1 Year
Direct Drive Motor	10 Years
Drum	3 Years
UPC CODES	
WM3450CW (White)	772454073809
DLE3450W (White)	772454073816

LG LAUNDRY

DLE3450W

7.4 cu.ft. Front Load Dryer

Sensor Dry

FlowSense™ Duct Clogging Indicator

ENERGY STAR® Certified

Aluminized Alloy Steel Drum

LoDecibel™ Quiet Operation

SmartDiagnosis™



AVAILABLE COLOURS



WHITE



SUMMARY	
Series	LG
Type	Front Load Washer
Capacity (cu.ft.)	7.4 cu. ft.
Matching Electric Washer	WM3450CW
Colour	White (W)
APPEARANCE	
Intelligent Electronic Controls with LED Display	Yes
Touch Buttons	Yes
Dial-A-Cycle™	Yes
ENERGY	
ENERGY STAR® Qualified	Yes
CEE Tier	2
IMEF	2.92
IWF	2.9
DRYER PROGRAMS	
No. of Programs	8
Programs (Sensor Dry)	Normal, Heavy Duty, Bedding, Towels, Perm Press, Delicates, Speed Dry (Manual Dry), Air Dry (Manual Dry)
No. of Options	7
	More Time, Less Time, Damp Dry, Wrinkle Care, Control Lock, Energy Saver, Signal
Temperature Settings	High, Medium, Ultra Low
Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Manual Dry Times	60 min., 40 min., 20 min., More Time/Less Time
FABRIC CARE FEATURES	
Sensor Dry	Yes
Precise Temperature Control with Variable Heater	Yes

CONVENIENCE FEATURES	
3 Minute Installation Check	Yes
LoDecibel™ Quiet Operation	Yes
End of Cycle Signal	Yes
Reversible Door	Yes
FlowSense™ Duct Clogging Indicator	Yes
Wrinkle Care Option	Yes
Child Lock	Yes
Venting Option	Electric: 4 Way Venting
4 Adjustable Legs	Yes
Remaining Time Display/Status Indicator(s)	Yes
SmartDiagnosis™	Yes
ENERGY	
ENERGY STAR® Qualified	Yes
CEF	3.94 Electric
MATERIALS AND FINISHES	
Aluminized Alloy Steel Drum	Yes
Tub Rear	Painted
Cabinet	Painted Steel
Door	Round white trim
All Available Colours	White (W)
OPTIONS/ACCESSORIES	
Pedestal	WDP4W
Pedestal (WxHxD)	27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)
LG Sidekick™ Pedestal Washer	WD100CW
LG Sidekick Pedestal Washer (WxHxD)	27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)

POWER SOURCE	
Ratings	CSA Listed
Electrical Requirements	240V 30 Amps
Type	Electric
BTU Rating	10,000 Feet
OPTIONS	
Stacking Kit	KSTK1
Pedestal	WDP4W
Pedestal (WxHxD)	27 x 14 1/8 x 30 3/4 (50 1/2 D with door open)
DIMENSIONS	
Product (WxHxD)	27" x 38 11/16" x 30"
Depth with Door Open	51"
Carton (WxHxD)	29 19/32" x 43 3/8" x 31 3/8"
Weight (Product/Carton)	122 / 135.2
LIMITED WARRANTY	
Parts and Labour	1 Year
UPC CODES	
WM3450CW (White)	772454073809
DLE3450W (White)	772454073816

LG LAUNDRY

DLE3450W

7.4 cu.ft. Front Load Dryer

Sensor Dry

FlowSense™ Duct Clogging Indicator

ENERGY STAR® Certified

Aluminized Alloy Steel Drum

LoDecibel™ Quiet Operation

SmartDiagnosis™



AVAILABLE COLOURS



WHITE



SUMMARY	
Series	LG
Type	Front Load Washer
Capacity (cu.ft.)	7.4 cu. ft.
Matching Electric Washer	WM3450CW
Colour	White (W)
APPEARANCE	
Intelligent Electronic Controls with LED Display	Yes
Touch Buttons	Yes
Dial-A-Cycle™	Yes
ENERGY	
ENERGY STAR® Qualified	Yes
CEE Tier	2
IMEF	2.92
IWF	2.9
DRYER PROGRAMS	
No. of Programs	8
Programs (Sensor Dry)	Normal, Heavy Duty, Bedding, Towels, Perm Press, Delicates, Speed Dry (Manual Dry), Air Dry (Manual Dry)
No. of Options	7
	More Time, Less Time, Damp Dry, Wrinkle Care, Control Lock, Energy Saver, Signal
Temperature Settings	High, Medium, Ultra Low
Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Manual Dry Times	60 min., 40 min., 20 min., More Time/Less Time
FABRIC CARE FEATURES	
Sensor Dry	Yes
Precise Temperature Control with Variable Heater	Yes

CONVENIENCE FEATURES	
3 Minute Installation Check	Yes
LoDecibel™ Quiet Operation	Yes
End of Cycle Signal	Yes
Reversible Door	Yes
FlowSense™ Duct Clogging Indicator	Yes
Wrinkle Care Option	Yes
Child Lock	Yes
Venting Option	Electric: 4 Way Venting
4 Adjustable Legs	Yes
Remaining Time Display/Status Indicator(s)	Yes
SmartDiagnosis™	Yes
ENERGY	
ENERGY STAR® Qualified	Yes
CEF	3.94 Electric
MATERIALS AND FINISHES	
Aluminized Alloy Steel Drum	Yes
Tub Rear	Painted
Cabinet	Painted Steel
Door	Round white trim
All Available Colours	White (W)
OPTIONS/ACCESSORIES	
Pedestal	WDP4W
Pedestal (WxHxD)	27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)
LG Sidekick™ Pedestal Washer	WD100CW
LG Sidekick Pedestal Washer (WxHxD)	27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)

POWER SOURCE	
Ratings	CSA Listed
Electrical Requirements	240V 30 Amps
Type	Electric
BTU Rating	10,000 Feet
OPTIONS	
Stacking Kit	KSTK1
Pedestal	WDP4W
Pedestal (WxHxD)	27 x 14 1/8 x 30 3/4 (50 1/2 D with door open)
DIMENSIONS	
Product (WxHxD)	27" x 38 11/16" x 30"
Depth with Door Open	51"
Carton (WxHxD)	29 19/32" x 43 3/8" x 31 3/8"
Weight (Product/Carton)	122 / 135.2
LIMITED WARRANTY	
Parts and Labour	1 Year
UPC CODES	
WM3450CW (White)	772454073809
DLE3450W (White)	772454073816