


TARPIN LUMBER INCORPORATED

2267 Bowman Street Innisfil, Ontario L9S 3V5 705-436-5373/416-283-2222 705-436-7457 [Fax] www.tarpin.com Building Department Stamp:

ROOF TRUSS LAYOUT

SCALE: N.T.S.



HATCH LEGEND

CONVENTIONAL
FRAMING

CONTRACTOR SHALL CHECK ALL DIMENSIONS AGAINST TARPIN ENGINEERING AND REPORT ANY DISCREPENCIES TO TARPIN LUMBER PRIOR TO PRODUCTION.

ANY DIMENSIONAL LUMBER DESIGN SUPPORTING TRUSSES IS THE RESPONSIBILITY OF THE BUILDING DESIGNER NOT TARPIN LUMBER AND TRUSS

FOR ANY INQUIRIES PLEASE CONTACT: Shelli King/(416) 818-9212/sking@tarpin.com

ALL CONVENTIONAL FRAMING, EITHER SHOWN ON LAYOUT OR ASSUMED, IS TO CONFORM TO THE REQUIREMENTS OF OBC. CONVENTIONAL FRAMING OVER TRUSSES TO BE 2X4 SPF #2 AT 24" O/C WITH VERTICAL SUPPORTS TO EACH TRUSS INTERSECTION BELOW. VERTICAL SUPPORTS LONGER THAN 6'-O" SHALL BE LATERALLY BRACED TO DIAPHRAGM AT MID HEIGHT.

DO NOT SWITCH OR INVERT ANY TRUSSES.

CAREFULLY REVIEW ALL DESIGNS PRIOR TO
INSTALLATION. REFER TO SITE PACKAGE FOR
INSTALLATION INSTRUCTIONS. ANY TRUSS
REQUIRING REPAIR OR MODIFICATION SHOULD NOT.
BE INSTALLED UNTIL TARPIN TRUSS HAS REVIEW D.

CUSTOMER:	Plaza Corporation	DATE:	11/2/2023	Roof	Squa	re Foot	1e 22/1946	
PROJECT:	Seguin St	LOCATION:	Richmond Hill	Grou	nd Sr	nov Load	37/1	/ft
MODEL:	2665C	LOT:	DESIGNER:	JP15	6	QUOTE#	23-0344	4