


TARPIN LUMBER INCORPORATED

2267 Bowman Street Innisfil,Ontario L9S 3V5 705-436-5373/416-283-2222 705-436-7457 [Fax] www.tarpin.com Building Department Stamp:

ROOF TRUSS LAYOUT

SCALE: N.T.S.



FOR ANY INQUIRIES PLEASE CONTACT: Shelli King/(416) 818-9212/sking@tarpin.com

ALL CONVENTIONAL FRAMING, EITHER SHOWN ON LAYOUT OR ASSUMED, IS TO CONFORM TO THE REQUIREMENTS OF OBC. CONVENTIONAL FRAMING OVER TRUSSES TO BE 2X4 SPF #2 AT 24" O/C WITH VERTICAL SUPPORTS TO EACH TRUSS INTERSECTION BELOW. VERTICAL SUPPORTS LONGER THAN 6'-0" SHALL BE LATERALLY BRACED TO DIAPHRAM AT MID HEIGHT.

DO NOT SWITCH OR INVERT ANY TRUSSES.
CAREFULLY REVIEW ALL DESIGNS PRIOR TO
INSTALLATION. REFER TO SITE PACKAGE FOR
INSTALLATION INSTRUCTIONS. ANY TRUSS
REQUIRING REPAIR OR MODIFICATION SHOULD
NOT BE INSTALLED UNTIL TARPIN TRUSS HAS

REVI					<i>'.</i>			DING	DIVIS	LINL	
CUSTOMER:	Plaza Corporation	LOCATION:	Richmond Hill		Roof	Squar	Foo	1 9122 7	7-34	H	
PROJECT:	Seguin St	DATE:	3/12/2024		Grou	ıd Sno	V Co	d: 31.3		17	_
MODEL:	Model 1850 B & 1850 C - Lot 2B	LOT:		DESIGNER:	PK44	35	QUOTE	#: 2	4 0042	Ъ	

Per: joshua.nabua