

BUILDING AREA 5120 sq ft 476 sq m INCLUDING COLD CELLARS

### **GENERAL NOTES**

. PROVIDE FIRESTOPS AS REQUIRED BY O.B.C. 9.10.16 2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS DRAWINGS AND SITEPLAN FOR ADDITIONAL INFORMATION AND VERIFICATION.

3. REFER TO ROOF TRUSS MANUFACTURER'S DRAWINGS FOR LAYOUT, SPACING, INSTALLATION DETAILS AND HANGER SIZES.

4. CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB REPORT ANY DISCREPANCIES TO HUNT DESIGN ASSOCIATES INC. (H.D.A.I.) BEFORE PROCEEDING WITH THE WORK. ALL DRAWINGS AND

ARE THE PROPERTY OF H.D.A.I.. . COMBUSTIBLE PROJECTIONS ON THE EXTERIOR OF A WALL THAT ARE MORE THAN 1100mm (3 ft 3 in) ABOVE GROUND SHALL NOT BE PERMITTED WITHIN 1.2m 3 ft 11 in) OF A PROPERTY LINE OR CENTRE LINE OF A PUBLIC WAY OR 2.4m (7 ft 10 in) OF A COMBUSTIBLE PROJECTION ON ANOTHER BUILDING ON THE SAME

- POURED IN PLACE STEPS WITH MASONRY <sup>L</sup> VENEER ON SIDES.
- DROP OR RAISE BANDING BY AMOUNT

- ADDED CAMBERED HEADERS.
- $\stackrel{\leftarrow}{6}$  DROPPED OR RAISED SOFFIT AS INDICATED.
- ADJUSTED ROOF OVERHANG AS INDICATED ON
- 8 PROVIDE GUARD PER CONSTRUCTION NOTE 11
- 9\ FOYER SUNKEN AS INDICATED
- $\cancel{10}$  LIGHT FIXTURE RELOCATED AS INDICATED.

|        | . IIPL LLGLIID |                   |  |
|--------|----------------|-------------------|--|
| FRR    | LINE TYPE      | DETAILS           |  |
| 45 MIN |                | SECTION 1, 2 & 3  |  |
|        |                | SECTION 9 (DLOCK) |  |

# 60 MIN SECTION 8 (BLOCK) SECTION 9 (WOOD STUD) 120 MIN SECTION 10

#### TITLE 01.1-1 MASONRY VENEER, 2"x6" STUDS, 2 STOREY WALL SECTION 01.1-3 MASONRY VENEER, 2"x4" STUDS, 1 STOREY GARAGE WALL SECTION

- 08.8-2 TYP. 1 HR. PARTYWALL SECTION AT GARAGE, PRALLEL ROOF TRUSSES, 8" CONC. BL 08.8-3 TYP, UTILITY FROST PROTECTION AT U/S OF GARAGE CEILING SPACE, TYP, BLOCK PARTYWA
- 08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, FLUSH UNIT 08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, STAGGERED UNIT
- 08.8-8 8" BLOCK PARTYWALL, FLUSH AT GARAGE, BRICK VENEER 08.8-8 8" BLOCK PARTYWALL, STAGGERED UNIT & GARAGE, BRICK VENEER
- 08.8-8 8" BLOCK PARTYWALL, STAGGERED GARAGES, BRICK VENEER
- 08.8-8 REQUIRED FIRE STOPPING AT SOFFITS SECTION
- 10.10-1 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES 8' FOUNDATION 10.10-2 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - W/ VARIED FLOOR LE
- 10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER, STAGGERED UNIT
- 10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER AT PORCH
- 10.10-7 TYP. 2 HR. FIREWALL, BRICK VENEER, FLUSH UNIT

10.10-7 TYP. 2 HR. FIREWALL PROJECTION, BRICK VENEER, @ DECK PAIRING

**A**1

COMPLIANCE

2021.07.15 REVISED AS PER ENGINEER COMMENTS REVISED AS PER A/C COMMENTS REVISED AS PER CLIENT COMMENTS 2020.08.11 ISSUED FOR CLIENT REVIEW 2020.08.19 YYYY.MM.DD

## www.huntdesign.ca 8966 Woodbine Ave, Markham, ON L3R 0J. T 905.737.5133 F 905.737.7326 email: hdai@huntdesign.ca **ROYAL PINE HOMES - 216102** WEST GORMLEY, RICHMOND HILL, ONTARIO

BLOCK 58

FLOOR & ROOF PLANS

REV.2021.07.15



All drawings specifications related documents and design are the copyright property of Hunt Design Associates (H.D.A). Reproduction of this property in whole or in part is strictly prohibited without H.D.A.'s written permission (H.D.A. assumes no responsibility or liability for this property unless it bears the appropriate BCIN number and original signature.)



BUILDING AREA

INCLUDING COLD CELLARS 476 sq m

5120 sq ft

**GENERAL NOTES** 

1. PROVIDE FIRESTOPS AS REQUIRED BY O.B.C. 9.10.10 2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS DRAWINGS AND SITEPLAN FOR ADDITIONAL INFORMATION AND VERIFICATION.

3. REFER TO ROOF TRUSS MANUFACTURER'S DRAWINGS FOR LAYOUT, SPACING, INSTALLATION DETAILS AND HANGER SIZES.

4. CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB REPORT ANY DISCREPANCIES TO HUNT DESIGN ASSOCIATES INC. (H.D.A.I.) BEFORE PROCEEDING WITH THE WORK. ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF H.D.A.I..

5. COMBUSTIBLE PROJECTIONS ON THE EXTERIOR OF A WALL THAT ARE MORE THAN 1100mm (3 ft 3 in) ABOVE GROUND SHALL NOT BE PERMITTED WITHIN 1.2m (3 ft 11 in) OF A PROPERTY LINE OR CENTRE LINE OF A PUBLIC WAY OR 2.4m (7 ft 10 in) OF A COMBUSTIBLE PROJECTION ON ANOTHER BUILDING ON THE SAME PROPERTY AS PER PART 9 SECTION 9.10.14.5.(5)

#### LEGEND

POURED IN PLACE STEPS WITH MASONRY VENEER ON SIDES.

DROP OR RAISE BANDING BY AMOUNT INDICATED.

3 ADD BANDING AND/OR TRIM AS INDICATED.

4 ADDED CAMBERED HEADERS.

5 8'-0" X 8'-0" GARAGE DOORS.

6 DROPPED OR RAISED SOFFIT AS INDICATED.

ADJUSTED ROOF OVERHANG AS INDICATED ON ROOF PLAN.

 $\stackrel{\frown}{\mathbb{R}}$  PROVIDE GUARD PER CONSTRUCTION NOTE 11.

9 FOYER SUNKEN AS INDICATED

WALL TYPE LEGEND

FRR LINE TYPE DETAILS

45 MIN SECTION 1, 2 & 3

60 MIN SECTION 9 (WOOD STUD)

10 LIGHT FIXTURE RELOCATED AS INDICATED.

# 60 MIN SECTION 9 (WOOD ST

No.

NO.DIVISION PAGE

01.1-1 MASONRY VENEER, 2"x6" STUDS, 2 STOREY WALL SECTION

01.1-3 MASONRY VENEER, 2"x4" STUDS, 1 STOREY GARAGE WALL SECTION

08.8-1 TYP. 1HR PARTY WALL SECTION, PARALLEL ROOF TRUSSES, 8" CONC. BLOCK

08.8-2 TYP. 1 HR. PARTYWALL SECTION AT GARAGE, PRALLEL ROOF TRUSSES, 8" CONC. BL

08.8-3 TYP. UTILITY FROST PROTECTION AT U/S OF GARAGE CEILING SPACE, TYP. BLOCK PARTYWAL

08.8-5 TYP. 8" BLOCK PARTYWALL AT OPEN 2 STOREY CONDITION

08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, FLUSH UNIT

08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, STAGGERED UNIT

08.8-8 8" BLOCK PARTYWALL, FLUSH AT GARAGE, BRICK VENEER

08.8-8 8" BLOCK PARTYWALL, STAGGERED UNIT & GARAGE, BRICK VENEER

08.8-8 8" BLOCK PARTYWALL, STAGGERED GARAGES, BRICK VENEER

08.8-8 REQUIRED FIRE STOPPING AT SOFFITS SECTION

10.10-1 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - 8' FOUNDATIO

10.10-2 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - W/ VARIED FLOOR LEV

10.10-2 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - W/ VARIED F

10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER, STAGGERED UNIT

10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER AT PORCH

10.10-7 TYP. 2 HR. FIREWALL, BRICK VENEER, FLUSH UNIT

10.10-7 TYP. 2 HR. FIREWALL PROJECTION, BRICK VENEER, @ DECK PAIRING

**A**1

COMPLIANCE PACKAGE

W Architect Inc.

DESIGN CONTROL REVIEW

JUL. 22, 2021

FINAL BY: \_\_MMI\_

This stamp is only for the purposes of design control and carries and other professional obligations.

| É | ISSUED FOR FINAL                   | 2021.07.15 |  |  |  |  |
|---|------------------------------------|------------|--|--|--|--|
| 4 | REVISED AS PER ENGINEER COMMENTS . | -          |  |  |  |  |
| 3 | REVISED AS PER A/C COMMENTS .      | 2020.09.03 |  |  |  |  |
| 2 | REVISED AS PER CLIENT COMMENTS .   | 2020.08.11 |  |  |  |  |
| 1 | ISSUED FOR CLIENT REVIEW .         | 2020.08.19 |  |  |  |  |
| N | . DESCRIPTION                      | YYYY.MM.DD |  |  |  |  |
| F | REVISIONS                          |            |  |  |  |  |
|   |                                    |            |  |  |  |  |

REVISIONS

HE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN
REFER THE REQUIREMENTS SET OUT IN THE ONTARIO BUILDING CODE TO BE A D

QUALIFICATION INFORMATION

DEREK SANTOS
NAME SIGNATURE
REGISTRATION INFORMATION
HUNT DESIGN ASSOCIATES INC.

DESIGN ASSOCIATES INC.
www.huntdesign.ca
8966 Woodbine Ave, Markham, ON L3R OJ.
T 905.737.5133 F 905.737.7326 email: hdai@huntdesign.ca

ROYAL PINE HOMES - 216102
WEST GORMLEY, RICHMOND HILL, ONTARIO

**BLOCK 58**LOTS 17 - 21

ELEVATIONS

- REV.2021.07.15

AWELILLO I WED JUL 21/21 08:20 AM I K:PROJECTS/2016/216102.ROY/WORKING/BLOCKS/216102/MT-BLO