

HAZEL


1 BEDROOM | 1 BATH

Suite 208 BIK. I Building A

495 - 513 SQ FT

PLUS APPROXIMATELY 56 SQ FT PATIO/BALCONY AREA

SUITE 208



DROPPED AREA



SITE COPY

BLDS "A"

CONSTRUCTION SUMMARY

Forestside Estates Inc.

PURCHASER: LINO GIULIANI

TEL:

208 BLOCK 1 6-III 04-Apr-23	LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
	208 BLOCK 1	6-III	Hazel 1A	04-Apr-23	

Offer PURCHASER ACKNOWLEDGES THAT NO UPGRADE ITEMS ARE BEING INCLUDED WITHIN THIS AGREEMENT OF PURCHASE & SALE.

Workshee No

Date Added: 22-Dec-21 Invoice Number: 7663

- 1 MASTER BEDROOM FLOORING Install LAMINATE FLOORING 8" TORLEYS HIGHLAND WATSON NATURAL OAK EEH-292 To be installed throughout master bedroom, where applicable in lieu of builders standard broadloom (See Sketch)

 Note:
- 1 KITCHEN & BATHROOMS Purchaser has DECLINED All Upgrades offered during decor appointment at the decor centre for kitchen & bathroom cabinetry. Standard Kitchen Layout & Standard Bathroom Vanities to be installed as per standard plan. (See Sketch) Note:
- 1 KITCHEN COUNTERTOP Install Builders Standard Stone Countertop QUARSTONE QS 7907 SILVER SHADOW with STANDARD "A" EDGE PROFILE To be installed throughout kitchen, where applicable (does not include stone backsplash) (See Sketch)

 Note:
- 1 DISCLAIMER STONE COUNTERTOP;

KITCHEN - Stone slabs vary in size & all seams are visible & the fabricator reserves the right to position the seams as necessary. Note:

1 - KITCHEN - KITCHEN SINK - Install UPGRADE Undermount Sink - BLANCO Quatrus U1 Undermount Sink - Model # 401273 (See Sketch)

Note:

1 - KITCHEN - KITCHEN FAUCET - Install Builders Standard Faucet - DELTA Osler Single Handle Pull-Down (Single Hole) Kitchen Faucet - Model # 976LF - Chrome

Note:

1 - APPLIANCES - Install STANDARD APPLIANCE PACKAGE - To be installed throughout suite, where applicable (See Sketch)

Note:

1 - CLARIFICATION - FLOOR TILES;

MAIN BATH - Purchaser Accepts and Acknowledges the Standard Floor Tiles - 13x13 Seal Grey - Will be installed STRAIGHT/STACKED throughout Main Bath floor, where applicable (See Sketch)

Note:

- 1 MAIN BATH COUNTERTOP Install Builders Standard Stone Countertop QUARSTONE QS 7944 COTTON KNIT with STANDARD " A " EDGE PROFILE To be installed throughout main bath vanity, where applicable (Includes 3" Splash) (See Sketch)
- 1 DISCLAIMER STONE COUNTERTOP;

MAIN BATH - Stone slabs vary in size & all seams are visible & the fabricator reserves the right to position the seams as necessary. Note:

1 - PURCHASER HAS ATTENDED A COLOR APPOINTMENT AT THE DECOR CENTRE AND HAS DECLINED ANY ADDITIONAL UPGRADES. Purchaser accepts and acknowledges that there will be no further changes/additions/deletions to be made upon signing on DECEMBER 21,2021

Note:

1 - PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000 PLUS A 10% HOLDBACK FEE. Note:

This Document is Extremely Time Sensitive - Printed <u>28 Jan 22</u> at <u>16:28</u>

Lot: 208 BLOCK 1 Pr	Waster Bedroom		Living Room Dining Room	Foyer	Kitchen	Mech.Room Laundry Room	Main Bathroom	Page 1 of 3	
Lot: 208 BLOCK 1 Project: Forestside Estates Inc. Model: Hazel 1A	8" Highland Watson Natural Oak EEH-292 (UPG)		8" Highland Watson Natural Oak EEH-292 (STD) 8" Highland Watson Natural Oak EEH-292 (STD)	8" Highland Watson Natural Oak EEH-292 (STD)	8" Highland Watson Natural Oak EEH-292 (STD)	13x13 SEAL GREY (STD)	13x13 SEAL GREY (STD)	Flooring Description	Purchaser D
						NIA		- Wal	Decor Consultant Melissa Di Marino
Consultant: Melissa Di Marino	Notes KITCHEN - KITCHEN FAUCET - Install BE KITCHEN - KITCHEN SINK - Install Upgra	- Trim - Baseboard & Casing STANDARD Front Door Glass N/A Interior Doors STANDARD	.,	Railings and Stairs	3x6 SUBWAY BLACK (Stacked) (STD)		8x10 NATURALE GRIGIO (STD)	Wall Tile	Model and Elevation Hazel 1A
Purchaser: LINO GIULIANI LINO GIULIANI	Notes KITCHEN - KITCHEN FAUCET - Install Builders Standard Faucet - DELTA Osler Single Handle Pull-Down (Single Hole) Kitchen Faucet - Model # 976LF - Chrome KITCHEN - KITCHEN SINK - Install Upgrade Undermount Sink - BLANCO Quatrus U 1 Model #401273	Knobs STANDARD Hinges STANDARD Grip Set STANDARD	Ledge - Lower N/A Ledge - Lower N/A Ledge - Lower N/A	1 11 11	N/A	NA	NIA	Accent/Insert	Telephone Res. / Bus
	fandle Pull-Down (Single Hole) Kitche //odel #401273	ÖÖÖ	Li Mi		AW	N/A	N/A	Border / Listello	Project Forestside Estates Inc.
Vendor:	n Faucet - Model # 976LF - C		Living Room Dining Room Family Room WA Main Hall Kitchen NIA NIA NIA NIA NIA NIA	e Moulding /	NONE	NONE	NONE	Pattern	Closing Date 04/04/2023
tales file.	Shrome			ion	See Notes	N/A STD	WHITE		Property 208 BLOCK 1

Lot: 208 BLOCK 1 Project: Forestside Estates Inc. Model: Hazel 1A

Forestate Estates IIIC.

Printed Dec 21, 2021 3:52 pm

=
<u>~</u>
\dashv
Ш
<u>بح</u>
0
RIOR
Ö
0
Г
0
=
코
S
C
I
П
j
=
Ш


	Waster Bedroom	Living Room Dining Room	Foyer	Kitchen	Mech.Room Laundry Room	Main Bathroom	Page 2 of 3	TO AND THE PROPERTY OF THE PRO	() () () () () () () () () ()
	n STANDARD - DISTANT GRAY	STANDARD - DISTANT GRAY STANDARD - DISTANT GRAY	STANDARD - DISTANT GRAY	STANDARD - DISTANT GRAY	STANDARD - DISTANT GRAY STANDARD - DISTANT GRAY	STANDARD - DISTANT GRAY	Interior Paint Description	Purchaser LINO GIULIANI	
Page 2 of 3	Fireplace Fireplace Location Style Finish Marble Hearth	Fridge Siz Built-Ins Hood Fan Dishwash		CATEGOR	N/A N/A	CATEGOR	-Cabinet	Decor Consultant Melissa Di Marino	
sultant;	Fireplace Fireplace Location Flooring N/A Style Finish Marble Marble Hearth N/A N/A N/A	e Standard None O.T.R.MICRO - STANDARD The Cabinet Std 24in Opening		CATEGORY 1 - QT 1022 - WILLOW GRAY - LP LAMINATE (STD)		CATEGORY 1 - QR 1022 - OLMO CARSMA - LP LAMINATE (STD)		Model and Elevation Hazel 1A	スロス
Docusigned by: Purchaser: Lino Eindiani	Fireplace Location Flooring N/A Style Finish Marble Hearth N/A N/A N/A	Range STANCOCSTANDARD Exhaust Opening 6" 8"		<u>= (STD)</u>		E (STD)			
				Quarstone QS7907 SilverShadow(STD)	N/A A/V	Quarstone QS 7944 Cotton Knit (STD)	Countertop	Project Forestside Estates Inc.	
Vendor		Notes **APPLIANCES - INSTALL STANDARD APPLIANCE PACKAGE THOUGHOUT SUITE, WHERE APPLICABLE**		A * EDGE (STD)	N/A	A * EDGE (STD)	Counter Edge	Closing Date	
		AGETHOUGHOUT SUITE,		DH00010 Std	NIA	DH00010 St4	Handle / Knob	Property 208 BLOCK 1	



80 Sante Drive, Vaughan, ON L4K 9C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: 1A, 196 HAZEL	ROOM: KITCHEN	DRAWN BY: VGP
SITE: FORESTSIDE ESTATES	DOOR STYLE: QTS 1022	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: DEC 23, 2020
EMAIL:	SPECIES: LAMINATE	TOP:	PAGE:

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.



Building A






80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca

L			
CLIENT: ROYAL PINE HOMES	JOB NAME: 1A,176 HAZEL	ROOM: KITCHEN	DRAWN BY: VGP
SITE: FORESTSIDE ESTATES	DOOR STYLE; QTS 1022	DOOR HANDLE;	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: DEC 23, 2020
EMAIL:	SPECIES: LAMINATE	тор:	PAGE:
COMMENTS:			

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.

STOVE & SINK WALL ELEVATION 1A, 1Aa



Suite 208 BIK. 1

Building A






80 Sante Drive, Vaughan, ON L4K 9C4 T 416.746.1811 F 905.761.5901 www.QTK.ca info@qtk.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: 1A, A3 HAZEL	ROOM: KITCHEN	DRAWN BY: VGP
SITE: FORESTSIDE ESTATES	DOOR STYLE: QTS 1022	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: DEC 23, 2020
EMAIL:	SPECIES: LAMINATE	тор:	PAGE:

Sustomer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, andle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may brevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer inderstands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the ustomer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be eturned to the customer.

FRIDGE WALL ELEVATION 1A, 1/Aa



Suite 208 BIK 1 Building A







80 Sante Drive, Vaughan, ON L4K 8C4 T 416.746.1811 F:905.761.5901 www.QTK.ca info@qtk.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: 1A, 108 HAZEL	ROOM: KITCHEN	DRAWN BY: VGP
SITE: FORESTSIDE ESTATES	DOOR STYLE: QTS 1022	DOOR HANDLE:	SCALE: 1/2"= 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: DEC 23, 2020
EMAIL:	SPECIES; LAMINATE	TOP:	PAGE:
COMMENTS:			

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, nandle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.







80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 www.QTK.ca Info@qtk.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: 1A,190(HAZEL),186 (HAETHER)	ROOM: VANITY	DRAWN BY: GS
SITE: FORESTSIDE ESTATES	DOOR STYLE: QTS 1022	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JUNE 12, 2020
EMAIL:	SPECIES: LAMINATE	TOP:	PAGE:
		I	

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.



BATH ELEVATION 1A, 1Aa, 1Ba



Suite 208 BIK. 1 Building A



DocuSign Envelope ID: 1BF08775-43FB-4298-BEAC-5DEF93E5E9E0

Stainless steel brushed finish

Sink Specifications

Colour

SKU

brushed finish

401273

Design and planning tips

- Min cabinet size: 24 in (610 mm)
- Bowl Depth: 9 in (230.0 mm)

Specifications:

Installation clips, Sink template, Installation instructions, 3 ½" (90 mm) stainless steel strainer

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

Codes/Standards: ASME A112.19.3-2017/ CSA

B45.4-17

Optional Accessories

CapFlow Strainer Cover 517666 406345 Ash Cutting Board 406344 Workstation

402126 Sink Grid



Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos: https://www.blanco.com/ca-en/support/how-to-videos/how-to-videos-for-sinks/





BLANCO Canada Inc 100 Corporation Drive Brampton ON L6S 6B5 Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.








Duite 208 BILI Building

CONNOLLY Marble & Granite Ltd.


004




* Kitchen *Main Bath



MUTER WITH SIRTEDGE (MEDIUM - 11/2")







Available Finishes/Colours

WRT318FZDB



WRT318FZDM Monochromatic Stainless Steel

WRT318FZDW White

Manuals & Literature:



Dimension Guide



Energy Guide



Installation Instructions



Use and Care

Warranty

DocuSign Envelope ID: 1BF08775-43FB-4298-BEAC-5DEF93E5E9E0 1 208 75 IL | Whirlpool® 30" Wide Top-Freezer Refrigerator with Flexi-Slide™ Bin Building A

WRT318FZDM

There's always a place for fresh and frozen favorites inside the 30" wide top-freezer refrigerator with 18 cu. ft. capacity. To give you more convenient storage options above the refrigerator crisper, the Flexi-Slide™ bin quickly moves side-to-side.

Top Realwes

Flexi-Slide™ Bin

Make space for tall Items with the bin that quickly and easily moves side-to-side for convenient storage options.

Quiet Cooling: Keep noise down in the kitchen with a design that provides quiet cooling:

Electronic Temperature Controls Choose the ideal temperature for whatever foods you're storing with convenient, up-front controls.

Frameless/Glass/Shelves Store-more-items on each shelf with wall-to-wall trameless/glass/shelves, which offer greater storage flexibility.

i in kana ang mga mga mga mga mga mga mga mga mga mg	Long of Marital State and to secure		in an runn resiment merrang aut re-
Dimensions		Controls 9.5	100 (100 (100 (100 (100 (100 (100 (100
Depth	33 1/2	Control Location	Interior
Height	. 65,7/8	Max Cool/Fast Cool	No
Width	29 3/4	and the second s	
		Configuration and Overy	EW/
AHAMMolumes/Ahd/She	NATE NE	Counter Depth	No
Freezer Volume (Cu Ft)	5.09	Levelers	2 Black
Refrigerator Volume (Cui-F) :113:06:		
		Oall(I	
		Accessory Relationships	Yes
Details		Home Delivery	Yes
Cooling Type	Single Evaporator	Will Call	Yes
Counter Depth	No.		
Door Style	Flat	Exterior	
		Cabinet Color	Grey
Controls : 1 Page 1	The reserve	Cabinet-Finish-	Smooth.
Control Type	Electronic	Door Color	Stainless Steel

COAST APPLIANCES






Automatic Defrost







Simplify steps in the cooking process with an electric slide in range that lets you skip preheating for frozen favorites with Frozen Bake™ Technology. Get more flexibility and fast boil times on the cooktop with high wattage FlexHeat™ Dual Radiant Elements. This range is also equipped with a high-temperature, adjustable self clean oven cycle so you can clean without using chemicals.

Dimensions:

Depth: 28-15/16 in Width: 29-7/8 in

Configuration and Overview Range Type - Freestanding

Fuel Type - Electric

Size (IN, Inches) - 30

Exterior

Door Removable -Yes

Handle Color - Stainless Steel

Handle Material - Metal

Handle Type - Reach-Through Handle

Oven Window Size - Large

Features

Heating Element On Indicator Light - Yes

Hot Surface Indicator Light - Yes

Power Outage Compatible - No

<u>Details</u>

Interior Color - Dark Grey

Oven Cleaning Type - Adjustable Self Cleaning Oven Control Type - Tap Touch

Oven Control Location - Front

Oven Cooking System - Thermal




DocuSign Envelope ID: 1BF08775-43FB-4298-BEAC-5DEF93E5E9E0) 1 208 516.] 1.7 cu. ft. Microwave Hood Combination with

Electronic Touch Controls

YWMH31017HS

DilCino

This Whirlpool® microwave has convenient features that are easy to use no matter who's doing the cooking. Our microwave with a turntable accommodates various dish sizes while microwave presets deliver the right amount of time and heat. Plus, electronic touch controls are easy to use and clean. From sides to snacks, enjoy the flexibility of fitting cooking into any schedule.



Tiop/Features/south-res


Electronic Touch Controls
Navigate through cooking modes and options with controls that are as easy to use as they are to clean.

900:Watt Cookings Power; 'Gook your favoirie foods quickly and thoroughly with high powe

2-Speed, 300 CFM Motor Class

Match the right amount of ventilation to the dish being prepared and quickly get rid of cooking odors with two different fan speed settings.

Adjustable Cooktop Eighting. Keep an eye on what's cooking below the microwave or keep a nightlight conto the kitchen



Turntable Diameter Size (in.)	12
Convection	No
Turntable	Yes
Interior Light	lincandescent
Number or Racks	0

Intorior Double	
Interior Depth	14
MicrowaverType	Over-the-Range
Interior Height	9 1/2
Interior Width	2.1 11/16
Sensor Cooking	No
Work-SurfacerLight	Incandescent
Cooking Power(W,watts)	900
Cooking Power (Watts)	900
Cavity Finish	Powder Coat
Turntable/Diameter	12

and the second second	10 April 200
Exterior :	
Cabinet Color	Stainless
DoorRelease	Handle
Door Opening	Left

Over-the-Range

Microwave Type

Black

Available Finishes/Colours

YWMH31017HB

YWMH31017HW

Manuals & Literature:

Installation Instructions

Use and Care

YWMH31017HS

Stainless Steel


Warranty

COAST APPLIANCES

Page 5 of 6







railable Finishes/Colours

WDF330PAHB

WDF330PAHW


WDF330PAHS Stainless Steel

WDF330PAHT Biscuit

anuals & Literature:

White

Dimension Guide



Warranty



Energy Guide

Use and Care

		DIM.	
Heavy-Duty	<u>y D</u> ishwasi	per with 1-1	Hour Wash
Cycle	build	ina A	DS
			116

WDF330PAHS

Get the right clean for your dishes with this heavy-duty dishwasher. Finish the job in half the time with the 1-hour wash cycle and rely on the soil sensor to adjust to the soil levels of your dishes for the most thorough clean. Count on this dishwasher, because no one has fewer repairs for over 20 years in a row.

1-Hour Wash Cycle Clean dishes in half the time so your plates, pans and glasses are thoroughly cleaned up and taken care of in just an hour.

Soil-sensor Determines/how-diskyrdishes, are and adjusts the Normalicycleras neededito make sure dishes comouncies.

Normal cycle

Use for normal amounts of food soil to clean up leftover messes from your day-to-day meals.

Hearry Cycle:
Fake: care to heavily: soiled, messes and other hard to-clean dishes without the extra elbow.grease by adding extra time to the cycle.

Connectivity

Dimensions	Paragraph of the second section in	Controls:
Depth	24 1/2	Control Location
Height	3447/2	Sensor
Width	23 7/8	Status Light
Configurationen	di Dvenvlevi#	Compatibility

Control Location	Front	,
Sensor	Yes	
Status Light	White	

Dishwasher Type	Built-In
Decibel/Level/dBA	55
Decibel Level (dBA)	55

Mischie		
Accessory Relationships	Yes	

Works With No

Automatic Temperature Controls	Yes
Control/Type	Push Button
Last Cycle Recall	Yes

Will Call	Yes
Frauresi	1
Rinse Aid Dispenser Level Indicator	Yes

<u>La cetatra de la lacetato de la cetato de la cetatra de la cetatra de la cetato della cetato de</u>

AST APPLIANCES

Page 4 of 6

ining purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.







Installation Instructions

DocuSign Envelope ID: 1BF08775-43FB-4298-BEAC-5DEF93E5E9E0 DOTE 208 BL

9 Wash cycles and AutoDry™ YWET4027HW Buildin



Get the capacity you want and the space you need with an electric stacked washer and dryer combination. The washer with fabric softener dispenser releases fabric softener at just the right time and the dryer automatically senses when clothes are ready and stops the cycle to help prevent overdrying.

Top features Dual action Agitator with Fabric Softener Dispenser

Get dual action cleaning and convenient fabric softener dispensing at just the right time when you fill this cap with softener before the cycle begins.

White Porcelain Basket

Keep your washer looking good thanks to the durable finish that resists scratches, chemicals and rust

AutoDry™ Drying System
Help prevent overdrying with the AutoDry™ drying system that senses when clothes have reached the right moisture content and stops the cycle.

4 Drying Gycles Choose the night setting for each load when you dry with Normal, Delicate, Ali Only or Timed Dry cycles

Dimensions:	enantification (1964)	
Depth	32 7/16	
Height	75:1/2	
Width	27 1/4	
Appearance To the	PARTIE DE LA CO	
Dryer Door Reversible	No	

1.55	
Maximum Spin Speed (RPM)	690
Washer Capacity (cu. if); 35
Hoses Included	No
:Motor Drive Type	Belt
Drum Material	Powder Coat

(Details)

Appearance: 1	44000
Dryer Door Reversible	No
Window	No
Door, and a second	
Dryer Door Reversible	No
Details	
Advanced Vibration Control™	Yes
Dryer Capacity (cu. ft.)	5.9
Automatic Load Size Sensing Technology	Yes

<u> </u>	Misc.	
	Accessory Relationships	Yes
	Home Delivery	Yes
	Will Call	Yes
	Modifiers), second	e Constant de la cons
	Temperature Selections	Hot,Cold,Warm
	Number of Wash/Rinse	5.5
	Temperatures	经国际的特别的国际 的

COAST APPLIANCES

Available Finishes/Colours YWET4027HW

Manuals & Literature: Energy Guide

Use and Care

Page 6 of 6

