



**PROJECT NAME:** Forestside Estates Inc.

**PROJECT NUMEBER:** 300

**PROJECT MANAGER:** Vince Staffieri

**ASSISTANT PROJECT MANAGER:** Aseel Al Shawakri

**SUPERINTENDENT:** Keith Schumacher

# ELECTRICAL Site Instruction from UNITED ENGINEERS

Updated: August 5th, 2021

S.I. #	Issued Date	Title	Description	DWGs
E-1	13 Apr. 2021	Revise per client request and clarify to suit mechanical drawings.	<b>1.0 Reference Drawings E-2A/2B (Parking Level - Electrical) Issued</b>	E-2A/2B  E-12
			1.1 Revise: To note one exhaust fan F-5 run continuously as shown.	
			1.2 Add: Notes 'refer to mechanical fan schedule for fans run continuously'.	
			<b>2.0 Reference Drawings E-12 (Single Line Diagram - Electrical) Issued</b>	
			2.1 Revise: Single line diagram as shown.	
E-2	19 Apr. 2021	Revise per client request.	<b>1.0 Reference Drawings E-9A (Details A - Electrical) Issued</b>	E-9A
			1.1 Add: Note for CO monitor system detail as shown.	
E-3	03 May 2021	Revised as Mechanical SI M-1	<b>1.0 Reference Drawings E-11 (Fire Alarm System - Electrical) Issued</b>	E-11
			1.1 Add: Fire smoke damper risers and note as shown.	
E-4	04 May 2021	Revised as per updated architecture drawings.	<b>1.0 Reference Drawings E-2B (Parking Level Part B - Electrical) Issued</b>	E-2B E-2C
			<b>E-2C (Parking Level - Electrical Room Layout)</b>	
			1.1 Revise: Electrical layout for sub electrical room A area as shown.	
E-5	12 May 2021	Revised as per elevator shop drawings.	<b>1.0 Reference Drawings E-12 (Single Line Diagram - Electrical) Issued</b>	E-12
			1.1 Revise: Single line diagram as shown.	
			Power supply for elevators to be 600V, 3PH.	
E-6	04 June 2021		<b>1.0 Reference Drawings E-2A/2B (Parking Level - Electrical) Issued</b>	E-2A/2B

