

MAJESTIC

Please consult the manufacturer's installation manual for all details and requirements before making a final design layout decision.

 $\underset{\text{Direct Vent Gas Fireplace}}{\text{JADE }42}$

MODEL	FRONT	WIDTH	BACK	WIDTH	HEI	GHT	DE	PTH	GLASS SIZE
JADE42IN-B	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	
25,250 BTU (NG) 23,500 BTU (LP)	48" (1219)	49" (1245)	37-3/4" (959)	49" (1245)	33-11/16" (856)	32-3/4" (832)	17-3/4" (451)	17-3/4" (451)	39-1/16" x 15-1/4" (992 x 387)







MINIMUM FIREPLACE CLEARANCES / CLEARANCES TO COMBUSTIBLES

AREA	TO COMBUSTIBLES	MEASURE FROM TOP OF APPLIANCE OPENING TO CEILING
CLEARANCE TO CEILING	31" [787]	I TO SEILING
NON-COMBUSTIBLE FLOOR	0" [0]	31"
COMBUSTIBLE FLOORING	0" [0]	[787
BEHIND APPLIANCE	1/2" [13]	0"
SIDES OF APPLIANCE	1/2" [13]	
FRONT OF APPLIANCE	36" [914]	0" 911
		36"> 1/2" [13]
		1/2"


APPLIANCE LOCATION



WALL PENETRATION




MANTEL LEG/WALL PROJECTIONS



MAJESTIC


Majestic — A Brand of Hearth & Home Technologies 7571 215th Street West | Lakeville, MN 55044 877-486-9123 | majesticproducts.com

FRAMING DIMENSIONS




NON-COMBUSTIBLE MANTEL PROJECTIONS

(or other materials above appliance)



MANTEL PROJECTIONS

(or other materials above appliance)




PRODUCT	PRODUCT LISTING CODES			
US	ANSI Z21.88-2017			
CAN	CSA 2.33-2017			
C UL US LISTED	UL307B			

Product information provided is not complete and is subject to change without notice. Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury.



MAJ_JADE42IN-B_0220



LOT40. PRIMARY BEDROOM LMASTER BEDROOM)

Quick Reference Guide


The electrical information regarding your electric fireplace can be found on the rating label located on the top of the unit.

Please use our convenient online registration page to record your model and serial numbers for future reference at

www.dimplex.com/register

- If you have any technical questions or concerns regarding the operation of your electric fireplace, or require service contact customer service at 1-888-346-7539.
- 3. For dimensions of your fireplace, refer to Figure 1.

Figure 1



6

www.dimplex.com

MASTER BEDROOM

LOT 40

PRIMARY BEDROOM

™Dimplex®





IgniteXL®

50" Linear Electric Fireplace

XLF50

Product Dimensions:





LOT 40 PRIMARY BEDROOM.


Fireplace Installation (continued)

Installation Recommendations with Overhanging Surfaces

Figure 2 provides the overhang clearance recommendations for the fireplace. Areas above the fireplace are marked as follows:

- Solid gray box (□) has temperatures greater than 65°C (149° F).
- Hatched box (∑) has temperatures greater than 40°C (104° F).
- Clear box (□) has temperatures less than 40°C (104° F).


Figure 2



To frame the fireplace:

- 1. Prepare a wall with a framed opening of 16 in. (40.6 cm) high
 - XLF50 50 % in. (128.7 cm)
 - XLF60 60 % in. (154.0 cm)
 - •XLF74 74 % in. (189.7 cm
 - XLF100 100 % in. (255.7 cm)-wide, with a bottom sill that is a minimum of 3.5 in. (9.0 cm) deep (Figure 3). The sill can be constructed to support the front of the unit to allow the power supply wires to easily be run behind or flush with the back of the unit and a pass thru hole drilled for electrical wire routing.

Figure 3



WARNING: The top of the fireplace is to be installed a minimum of 8" (20.4 cm) from the ceiling.



MANJINDER & KAMALJEET



Coast Appliances

coastappliances.com

Mansur Merchant

General Manager 4162721973

Search 20220922195316254SC

Version 1.1

Thu, Sep 22, 2022 3:53 PM EDT

To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.



enterprise.steelcod.com/sp/csta/LC97EMGW

Contents	Page no.
B36CL81ENG Bosch Refrigeration	4-5
800 Series French Door Bottom Mount Refrigerator, Glass door 36" Stainless Steel	
SHV863WD3N Bosch Dishwasher	6-8
300 Series Dishwasher 24"	. •
RGM8658UC Bosch Rangetop	9-11
36" Gas Slide-in Rangetop	
HBLP752UC Bosch Wall Oven	12-14
Benchmark® Combination Oven 30" Stainless Steel	
ETR134S1 Elica Ventilation	15-16
TRENTO Insert 34" SS (1200 CFMs)	
ELFW7637AT	17-19

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only. Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

Electrolux Washer

Front Load Perfect Steam Washer with LuxCare® Plus Wash and SmartBoost® - 4.5 Cu. Ft.



ELFE763CAT

Electrolux Dryer

20-22

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only. Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

36" Counter-Depth 4-Door Refrigerator

800 Series - Refreshment Center - Glass over Stainless Steel B36CL81ENG







B36CL81ENG Glass over Stainless Steel w/ Recessed Handles

The industry's first Refreshment Center featuring the new glass front display drawer. Presenting a dedicated drawer with five preprogrammed settings, providing the optimal storage environment for all of your beverage needs.

Features & Benefits

Sleek glass exterior refrigerator features dual compressors and dual evaporators.

Glass front drawer with peak-through window holds up to 17 standard wine bottles.

Pre-programmed settings take the guesswork out of finding the optimal temperature for your beverages -from craft beer and wines, to champagne, and juice.

FlexBar™ utilizes typically unused space in the upper refrigerator cavity.

	CONTRACTOR OF THE PROPERTY OF
General Properties	
Full 72" height and true counter depth for built-in appearance	Yes
Easy Clean Stainless Steel	Yes
Lighting	Recessed LED light bars
Number of compressors/ evaporators	2/2
Defrost process refrigerator section	Frost-free
Number of shelves – refrigerator	5
Adjustable shelves – refrigerator	4 half-width
Shelf material – refrigerator	Tempered glass
Type of shelves – refrigerator	Frameless split shelves with metal trim
Flexible storage bar	FlexBar™
Gallon storage bins	3
Glass display drawer	1
Full width drawer	1
Ice maker	Yes
Water filter	UltraClarityPro™
Internal water dispenser	Yes
Touch control panel	Yes
AirFresh® filter	Yes
FreshProtect™ ethylene filter	No
MultiAirFlow™	Yes
Stainless steel back wall	Yes
Defrost process freezer section	Automatic
Number of drawers – freezer	3
Wi-Fi enabled	Yes, Home Connect™ app

Capacity	
Total capacity (cu. ft.)	20.5
Refrigerator capacity (cu. ft.)	14.5
Freezer capacity (cu. ft.)	6.0
Technical Details	
Current (A)	15 A
Volts (V)	115 V
Frequency (Hz)	60 Hz
Power cord length (in.)	91
Plug type	120V-3 prong
Dimensions & Weight	
Appliance dimensions with hinges and doors (H x W x D) (in.)	72"* x 35 5/8" x 29"
Appliance dimensions without hinges and doors (H x W x D) (in.)	71 1/2" x 35 5/8" 24"**
Required cutout size (H x W x D) (in.)	72" x 36" x 25"
Net weight (lbs)	350 lbs
THE PROPERTY OF THE PROPERTY O	
Efficiency	
Efficiency Energy consumption (kWh/yr)	568
Energy consumption	568 Yes



(Home Connect








36" Counter-Depth 4-Door Refrigerator

800 Series - Refreshment Center - Glass over Stainless Steel B36CL81ENG






Installation Details




* Add ⁵/8" (17) with front leveling feet fully extended ** Add 1" (25) for fixed spacers on back measurements in inches (mm)




A: Add ⁵/s" (17) with front leveling feet fully extended






Measurements in inches (mm)



Drawers can be pulled out with door open to 90° Drawers can be taken out with door completely opened



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

24" Custom Panel Dishwasher

300 Series DLX - Custom Panel SHV863WD3N





SMZ5000

SMZ5002UC

SMZEPCC1UC





SHV863WD3N Custom Panel

The 3rd rack provides the perfect space for silverware and large utensils while its V shape leaves room below for taller items.

Features & Benefits

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

With PrecisionWash®, intelligent sensors and precision spray arms target every item of every load, so dishes come out sparkling clean every time.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

General Properties	
Number of wash cycles	5
Number of options	5
dBA	44
Drying system	PureDry
Third rack	Standard 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Buttons
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
NSF®-certified* sanitize option	Yes
Water softener	No
Five-level wash	Yes
ChildLock	No
Special features	InfoLight®, Extra Dry Option
Efficiency	
Water usage per cycle	3.5
Energy efficiency class	Tìer 1
ENERGY STAR® qualified	Yes

NSF)	
1000	


623.5

Technical Details	
Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door (in)**	Left – 45" Right – 56"
Minimum water pressure (lb/sin)	14
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 1/16"
Overall appliance	
Overall appliance dimensions (HxWxD) (in) Required cutout size	x 23 1/16" 33 7/8" x 23 5/8"
Overall appliance dimensions (HxWxD)(in) Required cutout size (HxWxD)(in)	x 23 1/16" 33 7/8" x 23 5/8" x 24"
Overall appliance dimensions (HxWxD) (in) Required cutout size (HxWxD) (in) Adjustable feet	x 23 1/16" 33 7/8" x 23 5/8" x 24" Yes
Overall appliance dimensions (HxWxD) (in) Required cutout size (HxWxD) (in) Adjustable feet Net weight (lbs)	x 23 1/16" 33 7/8" x 23 5/8" x 24" Yes
Overall appliance dimensions (HxWxD) (in) Required cutout size (HxWxD) (in) Adjustable feet Net weight (lbs) Accessories—Optional	x 23 1/16" 33 7/8" x 23 5/8" x 24" Yes 88 lbs SMZPCJB1UC
Overall appliance dimensions (HxWxD) (in) Required cutout size (HxWxD) (in) Adjustable feet Net weight (lbs) Accessories—Optional Junction Box Bosch Dishwasher Water	x 23 1/16" 33 7/8" x 23 5/8" x 24" Yes 88 lbs SMZPCJB1UC SMZSH002UC

Bosch Bar Handle

Dishwasher Accessory





*Certification to NSF/ANSI Standard 184 for residential dishwashers

*September 2020 running production change to remove adhesive routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit # SMZEPCC1UC.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

Total annual energy

consumption (kWh)

Total annual water

Number of place settings 16

consumption (g)

Capacity


24" Custom Panel Dishwasher

300 Series DLX - Custom Panel SHV863WD3N



Installation Details







* measured from the bottom edge of the countertop panel thickness recommended 3/4" (20 mm).

This dishwasher can accept custom door panel weights ranging from 7 to 24 lbs; however, the dishwasher comes from the factory ready for custom panel door weights from 11 to 18 lbs. If you plan on using a door panel that is not 11 to 18 lbs. please contact customer service at (800) 944-2904.

** 24" (610 mm) wide panel may be used depending on cabinet design


Note: Refer to installation template for mounting hardware locations measurements in inches (mm)






All connections are at the rear of the appliance. Extension for drain hose available as accessory. Junction Box for hard wired connection available as an accessory.

Measurements in inches (mm)





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


24" Custom Panel Dishwasher


300 Series DLX - Custom Panel SHV863WD3N



Installation Details







Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/uo or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

36" Gas Slide-in Rangetop

800 Series - Stainless Steel RGM8658UC







RGM8658UC Stainless Steel

The six burner 36" stainless steel slide-in gas rangetop provides the look and features of a commercial-style appliance.

Features & Benefits

Six powerful gas burners allows you to cook multiple dishes with full range BTU performance.

Dual flame power burner delivers two heat options, from full power heat-up to delicately low simmer.

Heavy-duty continuous surface grates can be easily cleaned in the dishwasher.

OptiSim® burner – offers more flame control at the lowest settings for precise simmering.

Stainless steel exterior front and large metal control knobs offers a bold distinct look.

General Properties	
No. of burners	6
Knob material	Metal
Control location	Up front
Sealed burners	Yes
Ignition system	Electric; flame failure device
Cooktop surface material	Porcelain coated steel
Grate material	Cast iron
Grate features	Continuous grates; dishwasher safe
Burner Performance	100 計畫/100 100
Total BTU load (NG / LP)	77,000 / 77,000
Total BTU load (NG / LP) Power of front left burner (NG / LP) Dual-flame	77,000 / 77,000 18,000 / 18,000 BTU
Power of front left burner (NG / LP)	18,000 / 18,000
Power of front left burner (NG / LP) Dual-flame Power of back left	18,000 / 18,000 BTU 12,000 / 12,000
Power of front left burner (NG / LP) Dual-flame Power of back left burner (NG / LP) Power of front center	18,000 / 18,000 BTU 12,000 / 12,000 BTU 12,000 / 12,000
Power of front left burner (NG / LP) Dual-flame Power of back left burner (NG / LP) Power of front center burner (NG / LP) Power of back center	18,000 / 18,000 BTU 12,000 / 12,000 BTU 12,000 / 12,000 BTU 12,000 / 12,000

Technical Details	
Circuit breaker	15 A
Volts	120 V
Frequency	60 Hz
Plug type	3-prong
Power cord length	60"
Fuel type	Natural Gas (factory set)
Convertible to LP (kit required)	Yes
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	7 1/2" x 35 15/16" x 26 5/8"
Required cutout size (HxWxD)	7 3/8" x 36" x 24"
Minimum distance from side wall	20"*
Net weight	34.5 lbs
Accessories — Included	
Included	LP conversion kit, OptiSim® cap
Accessories — Optional	

HEZ9GR41UC





burner (NG / LP)

Dual-flame



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

* If one side has a minimum distance of 28" (711 mm) to the wall, the other distance can be minimum 12" (305 mm) to the wall.

HEZ7YZ36UC

9" backguard (stainless steel)


36" Gas Slide-in Rangetop

800 Series - Stainless Steel RGM8658UC





Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Accessories: To purchase Bosch accessories, cleaners & parts please visit www.posch-nome.com/us/store or call 1-900-944-2904 (Mon to P13 all to 6 pin P31, 34 to 4 in to 7 pin P31, 34 to 7 pin P31, 34


36" Gas Slide-in Rangetop

800 Series - Stainless Steel RGM8658UC





Installation Details



ccessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

30" Speed Combination Oven

Benchmark® Series - Stainless Steel HBLP752UC







HBLP752UC Stainless Steel

The Bosch speed combination oven allows for faster cooking results and features a QuietClose® door.

Features & Benefits

Cooks Faster than a traditional oven and can be used as a microwave.

Dampened hinges softly and quietly guide the QuietClose® door shut.

The color TFT control panel with SteelTouch® buttons is easy to use.

A full-extension telescopic rack offers safe access to the oven cavity.

The wall oven is designed to be installed flush with cabinetry.

General Pro	perties	
Cooking modes – upper cavity	Auto Progra Defrost, Me Ice Cream, I Cook Progra Programs, F	; TFT display, 12 ms (including Auto It Butter, Soften Pizza), 9 Sensor ams, 9 SpeedChef® Ii & Lo Broil, onvection, Keep en Foods
Cooking modes – lower cavity	ole Broil (hi & low), n, Sabbath, Proof vection Bake, Broil, Convection I, Multi Rack ropean Convection, Conversion, Fast Preheat, peed Convection	
Cleaning typ	e – lower	Self Clean
Telescopic r	ack	1
Illumination	type	LED (Upper) / Halogen (Lower)
Interior light	:s	1 Upper / 2 Lower
Oven Perfor	mance	
Microwave pupper cavity		1000 W
Bake / broil wattages – i		600 / 1,750 W
Convection wattages – i		1,700 W
Bake / broil wattages – l		2,400 / 3,800 W
Convection element wattages – lower cavity		1700 W / 2000 W
Technical De	etails	
Watts (W)		9,600 W
Circuit breaker (A)		40 A

Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz

Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	49" x 29 3/4" x 24 1/2"
Required cutout size – Standard (HxWxD) (in)	48 5/8" x 28 1/2" x 23 1/2"
Required cutout size – Flush (HxWxD) (in)	49 1/8" x 30" x 24 1/2"
Oven cavity size – upper	1.6 cu. ft.
Overall upper oven interior dimensions (HxWxD) (in.)	9 7/8" x 16 1/2" x 16 1/2"
Turntable – Metal Max. Cookware – upper	12 3/4" dia.
Turntable – Ceramic Max. Cookware – upper	12 1/2" dia.
Rack – Rectangular Cookware Max. – upper	15" x 12"
Oven cavity size – lower	4.6 cu. ft.
Overall lower oven interior dimensions (HxWxD) (in)	17 13/16" x 24 1/8" x 18"
Usable lower oven interior dimensions (HxWxD) (in)	12 5/16" x 23 1/4" x 15 1/4"
Net weight (lbs)	259 lbs
Accessories-Included	
Upper Oven: Metal Turnta	able, Square rack,

Ceramic Cooking Tray Lower Oven: 1 Telescopic and 2 Standard

Oven Racks, Temperature Probe, Broiler Pan



Accessories-Optional

HEZTR301 80" Telescopic Rack





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

No Plug

Electric

50"

Fixed Connection,

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

Plug type

Energy source


Power cord length (in)


30" Speed Combination Oven

Benchmark® Series - Stainless Steel HBLP752UC



Installation Details





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch Gmbh.


30" Speed Combination Oven

Benchmark® Series - Stainless Steel HBLP752UC




LOT40 WRV

Installation Details



- *Wall oven junction box may be located above or right or left of the unit within reach of the power conduit.
- **Electrical hook up may be located below (depending on space) or next to the drawer within the reach of the power cord.

Measurements in inches (mm)



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

ELICA PRO SERIES


TRENTO


LOT 40 WRV





Trento provides professional grade performance, while being discreetly mounted inside the cabinetry. It is available with a 600 CFM or 1200 CFM blower for extraordinary ventilating power. Plus the All-In-One design avoids the need to purchase a stainless liner. Hidden metallic in/out knob controls operate the 4-speed blower and LED lighting. A cleaner kitchen is ensured by Elica's patented angled baffle filters, which capture a higher percentage of contaminants and hold larger volumes of grease than traditional baffle filters.





	ETR634SS ETR134S1	ETR146SS
Α	34 ½" (87.5 cm)	46 ½" (118.5 cm)
В	18" (45.7 cm)	
С	5716" (13.8 cm	1)
D	6 ¹ 2" (16.4 cm)	
Е	27 ⁹ 16" (70 cm)	
F	12716" (31.6 cm)	
G	29 ¹³ /16" (75.7 cr	n)
Н	101/8" (25.7 cm)
ı	10" (25.4 cm)	
J	³¼'' (1.9 cm)	

ELICA PRO SERIES

TRENTOLOT40 WRV










	34" Unit (600 CFM)	34" Unit (1200 CFM)	46" Unit (1200 CFM)	
Model:	2 : 3 : iii (333 31 / iii)	,		
7	ETR634SS	ETR134S1	ETR146SS	
Dimensions:	34 1/2"W x 18"D x 11 1/2"H	x 18"D x 11 1/2"H 34 1/2"W x 18"D x 11 1/2"H 46 1/		
Blower Type(internal): Blower Performance:	600 CFM (4-speed)	1200 CFM (4-speed)	1200 CFM (4-speed)	
Speed 1 Speed 2 Speed 3 Speed 4	90 CFM 330 CFM 490 CFM 600 CFM	380 CFM 660 CFM 950 CFM 1200 CFM	380 CFM 660 CFM 950 CFM 1200 CFM	
Noise (sones):	Min:2 , Max:9.5	Min:2.05, Max:7.5	•	
Woking Speed Finish: Controls: Illumination:	Stainless Steel Fully retractable rotating knobs with blue backlighting 2 LED, 7.5 W 2 LED, 7.5 W 2 LED, 6.5 W			
(replaceable lamps 1 intensity) Filter Type: Angled Baffle Filters: Duct Transition: Installation Type: Electrical:	Dishwasher-Safe, Professional Stainless Steel 2 2 3 10" Round with BackDraft Damper (top only) Ducted Installation Only 120V - 60 Hz			
CONSUMABLE PARTS: Replacement Grease Filter (1): Replacement Light Bulb (1):	GRI0140692A LMP0131098A	GRI0140692A LMP0131098	GRI0173802 LMP0131098A	
WARRANTY:	WARRANTY: 2 YEARS PARTS AND LABOR, EARN A 3RD YEAR OF FULL FACTORY WARRANTY REGISTERING YOUR PRODUCT ON ELICA.COM			


^{*}Consumable parts are sold in units of one (1). Order accordingly

PLUS FEATURES



HUSH SYSTEM - An exclusive sound deadening technology that effectively reduces sound levels by over 35%







STAINLESS STEEL BAFFLE FILTERS WITH GREASE COLLECTORS - Designed for high airflow cooking, the "S" shape design traps high volumes of grease



PROFESSIONAL PERFORMANCE - Special features and high performances for models with aspiration capacity between 600 and 1200 CFM's




HEAT GUARD - Senses extreme temperatures (>158 degrees) and automatically adjusts the blower speed to HIGH

^{**} For valid warranty extension, register within 3 months from purchase. For USA & Canada Users only

⁴The product images shown are for illustration purposes only and may not be an exact representation of the product.

Electrolux





Front Load Washer

5.2 Cu. Ft. I.E.C Front Load Washer

ELFW7637AT, ELFW7637AW

Available Colors : Titanium, White

Version: 06/21

Washer	
Drum Light	Yes
Drum Material	Stainless Steel
Maximum Spin Speed	1,300 RPM
Water Heater	Yes
Water Level Adjustment	Yes
Washer Cycles	
Activewear	Yes
Clean Washer	Yes
Colors	Yes
Cycle Count	11
Delicates	Yes
Fast Wash	Yes
Hand Wash	Yes
Heavy Duty	Yes
Normal	Yes
Optic Whites	Yes
Rinse and Spin	Yes
Towels	Yes
Allergen	Yes
Washer Options	
Delay Start Time	1-12 Hours
Extended Refresh	Yes
Extra Rinse	Yes
Perfect Steam	Yes
Pure Rinse	Yes
Stain Soak	Yes
Steam	Yes
Soil Levels	
Extra Light	Yes
Light	Yes
Normal	Yes
Heavy	Yes

Solid Soil	Yes
Temperature Settings	
Eco Cold	Yes
Cool	Yes
Warm	Yes
Hot	Yes
Sanitize ·	Yes
Washer Spin Speeds	
Spin Speed Selections	5
Max	Yes
High	Yes
Medium	Yes
Low	Yes
No Spin	Yes
110 5011	
Controls	
Cancel	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Control Lock	Yes
Pause Function	Yes
Power On/Off	Yes
Start	Yes
Dispenser	
Bleach Dispenser	Yes
Detergent Dispenser	Yes
Fabric Softener Dispenser	Yes
Prewash Detergent Dispenser	Yes
PODs Dispenser	Yes
Exterior	
Exterior Door Latch	Yes

Reversible Door	Yes

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.
USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

Electrolux

5.2 Cu. Ft. I.E.C Front Load Washer

Minimum Circuit Required

ELFW7637AT, ELFW7637AW

Version: 06/21

Height	38"
Width	27"
Depth	32"
Washer Drum Capacity I.E.C.	5.2 Cu. Ft.

15 Amps



Voltage Rating	120 V		
Energy Data			
Integrated Water Factor	3.2		
kWh/year	85 kWh		
Modified Energy Factor	2.92		
Water Usage/Year	4,248 Gallons		
Installation	V.		
Optional Pedestal	Yes		
Stackable	Yes		
General Specifications			
Chime On / Chime Off	Yes		
Leveling Legs	Yes		
Product Weight .	217 lbs		
Prop 65 Label	No		
Warranty - Labor	1 Year		
Warranty - Parts	1 Year		
Performance Certifications and			
Approvals			
CEETier	Tipr 7		

Approvals
CEE Tier
Tier 2
ENERGY STAR Certified
Yes
ENERGY STAR Most Efficient
High Efficiency
Yes

Safety Certifications and Approvals
UL Listed
Yes
NSF Certified
Yes
Sanitization and Allergy Reduction
Yes

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com


CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • <u>electroluxappliances.ca</u>

5.2 Cu. Ft. I.E.C Front Load Washer


ELFW7637AT, ELFW7637AW




Version: 06/21



Rear



Optional 15" Pedestal Drawer



High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

Electrolux



Dryer

Electric 8.0 Cu. Ft. Front Load Dryer

ELFE763CAT, ELFE763CAW

Available Colors: Titanium, White

Version: 07/21

Air Flow	200 CFM		
Balanced Dry	Yes		
Drum Back Type	Painted Steel		
Drum Material	Stainless Steel		
Dryness Level Selections	Yes		
Lint Filter	Yes		
Predictive Dry	No		
Dryer Cycles			
Cycle Count	11		
Activewear	Yes		
Air Dry	Yes		
Allergen	Yes		
Delicates	Yes		
Fast Dry	Yes		
Heavy Duty	Yes		
Instant Refresh	Yes		
Mixed Load	Yes		
Normal	Yes		
Timed Dry Time	Yes		
Towels	Yes		
Dryer Options			
Anti Static	Yes		
Delay Start Time	1-12 Hours		
Drum Light	Yes		
Dry Boost	Yes		
Extended Tumble	Yes		
Perfect Steam	Yes		
Wrinkle Release	Yes		
Drying Temperatures			
Low	Yes		
Normal	Yes		
High	Yes		

Sanitize	Yes
Eco Dry	Yes
Damace Lovel	
Dryness Level	Yes
High	Yes
Normal	Yes
Low	Yes
Table 1 1	Yes
Damp	162
Controls	
Cancel	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Estimated Time Remaining	Yes
Control Lock	Yes
Pause Function	Yes
Power On/Off	Yes
Start	Yes
Exterior	
Door Latch	Yes
Reversible Door	Yes
Reversible Door	Yes
Dimensions and Volume	
Height	38"
Width	27"
Depth	32"
Dryer Drum Capacity	8 Cu. Ft
Electrical Specifications	
Minimum Circuit Required	30 Amps
Voltage Rating	208/240v
Energy Data	
kWh/cycle	2.5 kWh

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

Dryer

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

Electrolux

Electric 8.0 Cu. Ft. Front Load Dryer

ELFE763CAT, ELFE763CAW

Version: 07/21

kWh/year	710 kWh	
Installation		
Optional Pedestal	Yes	
General Specifications		
Chime On / Chime Off	Yes	
Leveling Legs	Yes	
Product Weight	126 lbs	
Prop 65 Label	No	
Warranty - Labor	1 Year	
Warranty - Parts	1 Year	
Performance Certifications and Approvals		
ENERGY STAR Certified	Yes	
Safety Certifications and Approvals		
UL Listed	Yes	



High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.


USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

Electric 8.0 Cu. Ft. Front Load Dryer


ELFE763CAT, ELFE763CAW

Version: 07/21



Rear 61/2"





High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca



CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: MANJINDER,S RANDHAWA and KAMALJEET,KAUR RANDHAWA

TEL: RES.: 647-297-7211

LOT NUM	MBER P	HASE	HOUSE TYPE	CLOSING DATE
040		1	ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A	
Offer			AGE - PURCHASER TO RECEIVE \$20,000 (INCLUSIVE OF TAXES)	WORTH OF UPGRADES AT THE
		CENTE	ER AT TIME OF COLOUR CHART.	
Worksheet	Note:			
Offer	PURCHA	ASER F	IAS OPTED FOR BLACK WINDOWS FOR THE BRICK PACKAGE S	ELECTED.
	DUDCIIA	CED A	CKNOWLEDGES THAT CERTAIN ITEMS WILL DIFFER FROM TH	IE DDICK SEI ECTION DOADD
			N THE SALES CENTER.	TE BRICK SELECTION BOARD
	Designation of the second		LECTIONS ARE SUBJECT TO ARCHITECTURAL GUIDELINES AN	ND.
Upgrade	Note:		bbononia na obbobon no month bononia doibbbin bon	



LOT NUMBER 040

SITE COPY

CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: MANJINDER, S RANDHAWA and KAMALJEET, KAUR RANDHAWA

HOUSE TYPE CLOSING DATE
ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A

TEL: RES.: 647-297-7211

Date Added: 06-Oct-22 Invoice Number: 8359

1 - Install Standard Cable Rough-Ins (x2) and Install Standard Telephone Rough-Ins (x2) (See Sketch)

Note

- 1 PRIMARY BEDROOM- Refer to item # 12 from PE# 7882, signed and dated April 29,2022
- Purchaser 's request to DELETE the Primary Bedroom Fireplace.

DELETE the Dimplex XLF50

Note:

1 - FAMILY ROOM- Purchaser's request to frame and drywall a box around the fireplace unit, from FLOOR to CEILING.

Note: Purchaser's request for the drywalled box (from floor to ceiling) to be flushed with the gas fireplace unit. Purchaser is aware that the drywall box will stick into the Family Room. Purchaser to finishe the fireplace surround on their own after closing Install the JADE 42 gas unit Approximately 20" AFF

1 - KITCHEN - Relocate builders standard ceiling light at kitchen. To be installed centred above kitchen island (See Sketch)

Note:

1 - KITCHEN - In addition to builders standard ceiling light, Install SIX (6) LED POT LIGHTS with One (1) Seperate Switch at kitchen (See Sketch)

Note: **TEN (10) Pot Lights with ONE (1) Switch Included in Standard Features and Finishes**

1 - DINETTE - In addition to builders standard ceiling light, Install FOUR (4) LED POT LIGHTS with One (1) Seperate Switch at dinette area (See Sketch)

Note: **TEN (10) Pot Lights with ONE (1) Switch Included in Standard Features and Finishes** - Purchaser Paying for Additional Switch Only

1 - CLARIFICATION:

EXTERIOR - GARAGE DOORS - Install STANDARD Exterior Handle with Lock on Garage Doors

Note:

- 1 MAIN FLOOR / 2ND FLOOR INTERIOR DOORS Install UPGRADE Interior Doors LINCOLN PARK (Smooth) To be installed throughout main floor and 2nd floor, where applicable (See Sketch)

 Note:
- 1 MAIN FLOOR / 2ND FLOOR INTERIOR DOOR HARDWARE Install UPGRADE Interior Door Handles HALIFAX Sqaure Plate, Satin Nickle with Regular Satin Nickle Hinges To be installed throughout main floor & 2nd floor interior doors where applicable (See Sketch) Note:
- 1 MAIN FLOOR FLOORING HARDWOOD Install Standard Hardwood In UPGRADE Stain 3 1/4" x 3/4" VINTAGE RED OAK TITANIUM (Pearl) To be installed throughout main floor, where applicable.

Note: To Include; Main Hall, Den, Living Room/Dining Room, Family Room & Applicable Landings (See Sketch)

1 - UPPER HALL- FLOORING - HARDWOOD - Install Vintage Red Oak Hadwood flooring throughout teh Upper Hall, where applicable - 3 1/4" x 3/4" VINTAGE RED OAK TITANIUM (Pearl) - Note:

1 - STAIRCASE VS FLOORING

WOOD SPECIES DIFFERENCE:

STAIRCASE - The purchaser was advised and therefore accepts and acknowledges that the wood species of the staircase and flooring chosen do not match. This difference may result in a stain colour variance.

Note: The purchaser agrees that the vendor is to be exempt from any and all claims by the purchaser regarding this colour variance

1 - STAIRCASE VS FLOORING

STAINING DIFFERENCE:

STAIRCASE - The purchaser was advised and therefore accepts and acknowledges that the stain of the staircase and flooring chosen do not match. This difference might result in an undesirable colour variance.

Note: The purchaser agrees that the vendor is to be exempt from any and all claims by the purchaser regarding this colour variance.

1 - MAIN FLOOR - FLOORING - TILES - PORCELAIN - UPGRADE #2 - 24x24 GEOLOGY STONE IVORY - To be installed throughout main floor, where applicable. To Include; Foyer, Powder Room, Laundry Room and Kitchen/Dinette (To be Installed Straight) (See Sketch) Note:

StaConstructionSuymmarySQL.rpt 09May22 Page 2 of 6



CONSTRUCTION SUMMARY

2185715 Ontario Inc.

TEL: RES.: 647-297-7211

PURCHASERS: MANJINDER, S RANDHAWA and KAMALJEET, KAUR RANDHAWA

PHASE HOUSE TYPE CLOSING DATE 040 ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A

Date Added: 06-Oct-22

Invoice Number: 8359

I - KITCHEN / BATHROOMS & LAUNDRY ROOM - SEE QUALITY TOPS & KITCHENS FOR ALL KITCHEN / BATHROOMS & LAUNDRY ROOM UPGRADES / LAYOUTS (See Attached QTK Paperwork)

Note:

1 - KITCHEN - Accommodate Applicable Electrical for Insert Style Hood Fan that will be installed by the purchaser After Closing (See QTK Layout)

Note: **Purchaser accepts & acknowledges that the vendor will be exempt from any possible damages created by installing their own insert hood fan after closing**

PRICE IS SUBJECT TO CHANGE ONCE APPLIANCE SPECIFICATIONS HAVE BEEN SUBMITTED AND **REVIEWED**

1 - KITCHEN - Install Rough-In Wiring 20Amp for Built-In Micorwave at kitchen (See Attached QTK Layout for Location)

Note: **PRICE IS SUBJECT TO CHANGE ONCE APPLIANCE SPECIFICATIONS HAVE BEEN SUBMITTED AND **REVIEWED****

1 - KITCHEN - Install Rough-In Wiring for Built-In Oven at kitchen (See Attached QTK Layout for Location)

Note: **PRICE IS SUBJECT TO CHANGE ONCE APPLIANCE SPECIFICATIONS HAVE BEEN SUBMITTED AND REVIEWED**

1 - KITCHEN - Accommodate Standard Stone Countertop for PRO-SERIES COOK-TOP Cut Out at kitchen (See Attached QTK Layout for Location)

Note: **PRICE IS SUBJECT TO CHANGE ONCE APPLIANCE SPECIFICATIONS HAVE BEEN SUBMITTED AND REVIEWED**

1 - KITCHEN - COUNTERTOP - Install Builders Standard Stone Countertop - EMMERSTONE MAPLE WHITE- To be installed throughout kitchen, where applicable (does not include stone backsplash) (See Sketch)

Note: Priced as per Continental

1 - KITCHEN - COUNTERTOP EDGING - Install UPGRADE " L " EDGE PROFILE - To be installed throughout kitchen countertop, where applicable (See Sketch)

Note: Priced as per Continental

1 - DISCLAIMER - STONE COUNTERTOP:

KITCHEN - Stone slabs vary in size & all seams are visible & the fabricator reserves the right to position the seams as necessary.

Note:

1 - KITCHEN - BACKSPLASH - Install UPGRADE #2 Backsplash Tile - 4x12 PICCADILY AVORIO GLOSSY in UPGRADE BRICK PATTERN -To be installed throughout kitchen backsplash, where applicable (does not include behind the fridge) (See Sketch)

Note: Priced as per AV Tile

1 - KITCHEN - KITCHEN SINK - Install UPGRADE Undermount Sink - BLANCO Quatrus R15 U2 Undermount Sink - Model # 401519 (See Sketch)

Note:

1 - KITCHEN - KITCHEN FAUCET - Install Builders Standard Faucet - MOEN Method Single Handle Pull-Out (Single Hole) Kitchen Faucet - Model # 7585 - Chrome

Note:

1 - POWDER ROOM - COUNTERTOP - Install Builders Standard Stone Countertop - EMMERSTONE MAPLE WHITE- To be installed throughout powder room vanity, where applicable (Includes 3" Splash) (See Sketch) Note:

1 - POWDER ROOM - COUNTERTOP EDGING - Install UPGRADE " L " EDGE PROFILE - To be installed throughout powder room vanity countertop, where applicable (See Sketch) Note:

1 - MASTER ENSUITE - COUNTERTOP - Install Builders Standard Stone Countertop - EMMERSTONE MAPLE WHITE- To be installed throughout master ensuite vanity, where applicable (Includes 3" Splash) (See Sketch) Note:

StaConstructionSuymmarySQL.rpt 09May22 Page 3 of 6



CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: MANJINDER, S RANDHAWA and KAMALJEET, KAUR RANDHAWA

TEL: RES.: 647-297-7211

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
040	1	ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A		

Date Added: 06-Oct-22 Invoice Number: 8359

- 1 MASTER ENSUITE COUNTERTOP EDGING Install UPGRADE " L " EDGE PROFILE To be installed throughout master ensuite vanity countertop, where applicable (See Sketch)

 Note:
- 1 TWIN BATH 2/3 COUNTERTOP Install Builders Standard Stone Countertop EMMERSTONE MAPLE WHITE- To be installed throughout twin bath 2/3 vanity, where applicable (Includes 3" Splash) (See Sketch)

 Note:
- 1 TWIN ABTH 2/3 COUNTERTOP EDGING Install UPGRADE "L" EDGE PROFILE To be installed throughout twin bath 2/3 vanity countertop, where applicable (See Sketch)

 Note:
- 1 TWIN BATH 4/5 COUNTERTOP Install Builders Standard Stone Countertop EMMERSTONE MAPLE WHITE- To be installed throughout twin bath 4/5 vanity, where applicable (Includes 3" Splash) (See Sketch)
- 1 TWIN BATH 4/5 COUNTERTOP EDGING Install UPGRADE " L " EDGE PROFILE To be installed throughout twin bath 4/5 vanity countertop, where applicable (See Sketch)
- 1 DISCLAIMER STONE COUNTERTOP;

POWDER ROOM, MASTER ENSUITE, TWIN BATH 2/3 & TWIN BATH 4/5 - Stone slabs vary in size & all seams are visible & the fabricator reserves the right to position the seams as necessary.

Note:

- 1 MASTER ENSUITE FLOORING TILES UPGRADE #2 PORCELAIN 12x24 GEOLOGY STONE IVORY To be installed throughout master ensuite floor, where applicable (To be Installed Straight / Stacked) (See Sketch)

 Note:
- 1 MASTER ENSUITE SHOWER WALL TILES UPGRADE #3 PORCELAIN 12x24 GEOLOGY STONE IVORY To be installed throughout master ensuite shower walls, where applicable (To be Installed Horizontally / Stacked) (See Sketch)

 Note:
- 1 TWIN BATH 2/3 FLOORING TILES UPGRADE #2 PORCELAIN 12x24 GEOLOGY STONE IVORY To be installed throughout twin bath 2/3 floor, where applicable (To be Installed Straight / Stacked) (See Sketch)

 Note:
- 1 TWIN BATH 2/3 TUB/SHOWER WALLS TILES UPGRADE #3 PORCELAIN 12x24 GEOLOGY STONE IVORY To be installed throughout twin bath 2/3 tub/shower walls, where applicable (To be Installed Horizontally / Stacked) (See Sketch)

 Note:
- 1 TWIN BATH 4/5 FLOORING TILES UPGRADE #2 PORCELAIN 12x24 GEOLOGY STONE IVORY To be installed throughout twin bath 4/5 floor, where applicable (To be Installed Straight / Stacked) (See Sketch)

 Note:
- 1 TWIN BATH 4/5 TUB/SHOWER WALLS TILES UPGRADE #3 PORCELAIN 12x24 GEOLOGY STONE IVORY To be installed throughout twin bath 4/5 tub/shower walls, where applicable (To be Installed Horizontally / Stacked) (See Sketch)

 Note:
- 2 MASTER ENSUITE Vanity Faucet Install Upgrade Vanity Faucet MOEN 90 DEGREE Single Handle Lav Faucet with Lift Rod Drain Model # S6700 Chrome (x2 Sinks) (See Sketch)

Note: **To be Installed with Builders Standard Undermount Sinks**

- 1 MASTER ENSUITE Tub Faucet Install Upgrade Tub Faucet MOEN 90 DEGREE Two Handle Roman Tub Faucet with Hand Shower Model / TS904 / 9796 Chrome (See Sketch)
 Note:
- 1 MASTER ENSUITE Shower Faucet Install Upgrade Shower Faucet MOEN 90 DEGREE Posi-Temp Tub/Shower Faucet 3 Function Transfer Valve/Trim & Slide Bar with Hand Shower Model # TS2713EP / U361CI / UTS4172 / 62320 / S3879EP / A721 Chrome (See Sketch)
 Note: **NOTE: Purchaser has Requested Toe Tester be Installed at Standing Shower Stall**



CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: MANJINDER, S RANDHAWA and KAMALJEET, KAUR RANDHAWA

TEL: RES.: 647-297-7211

LOT NUMBER	PHASE	HOUSE TYPE	CLOSING DATE	
040	1	ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A		

Date Added: 06-Oct-22 Invoice Number: 8359

1 - PURCHASER HAS ATTENDED A COLOR APPOINTMENT AT THE DECOR CENTRE AND HAS DECLINED ANY ADDITIONAL UPGRADES. Purchaser accepts and acknowledges that there will be no further changes/additions/deletions to be made upon signing on SEPTEMBER 8,2022

Note:

1 - PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000 PLUS A 10% HOLDBACK FEE.

Note:

Date Added: 02-May-22 Invoice Number: 8210

Date Added: 02-May-22 Invoice Number: 7882

2 - BASEMENT- Install larger 30"x24" basement windows, in lieu of the 30"x16. (With Possible window wells)

Note:

3 - BASEMENT- Install larger 36"x24" basement windows, in lieu of the 30"x16. (With Possible window wells)

Note:

2 - BASEMENT- In addition to the basement widnows, Install additional larger basement windows, 36"x24" (With Possible window wells)

Note:

1 - SIDE EXTERIOR- Install the optional side door entrance with applicable coach light (See Sketch)

Note:

1 - FRONT EXTERIOR DOORS- Install Extended Height Double Front Doors (Delete the transom above the door to accommodate) (See Sketch)

Note:

1 - KITCHEN- Install an 8" duct in lieu of the standard 6" (see Sketch)

Note:

1 - KITCHEN- Install the water line rough in to the fridge (See Sketch)

Note:

1 - KITCHEN- Install a gas line rough in to the stove (See Sketch)

Note:

1 - MASTER ENSUITE- Increase the shower stall in the Master Ensuite by APPROX. 1'-0", towards the toilet. Install additional 2x2 mosaic, curb, wall tile and frameless glass.

Note:

1 - MASTER ENSUITE- Install a shower niche with shelf (As per the design studio) for the master ensuite shower stall, Approx. Size 12"(wide) x 24"(High)

Note: **Install 4" Dummy Wall as required**

1 - PRIMARY ROOM (MASTER BEDROOM) - Install the optional Raised Coffered Ceiling in the primary room (Master Bedroom)

Note:

1 - PRIMARY ROOM (MASTER BEDROOM) Install the optional electric fireplace in the Primary room (Master Bedroom). Install the Dimplex XLF50 (See Sketch)

Note: **Purchaser accepts and acknowledges that the price above is ONLY for the electrical unit. Mantle to be chosen at time of colour chart



CONSTRUCTION SUMMARY

2185715 Ontario Inc.

PURCHASERS: MANJINDER, S RANDHAWA and KAMALJEET, KAUR RANDHAWA

LOT NUMBER HOUSE TYPE 040 1 ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A

Date Added: 02-May-22 **Invoice Number: 7882**

1 - SECOND FLOOR BEDROOM- Install smooth ceilings throughout the second floor bedrooms(Includes closets) (See Sketch)

1 - GARAGE - Relocate the central Vac trunk to the garage (See Sketch)

Note:

1 - DINING ROOM/KITCHEN- Delete the entrance between the Dinging Room and the Kitchen.

Note: **Purchaser accepts and acknowledges that the price above does not include additional uppers and lowers, or counter top. Purchaser to be charged accordingly at time of colour chart

1 - FAMILY ROOM- Delete the builders standard Gas fireplace unit and mantle and install the Gas Majestic JADE42IN-B (Linear)

Note: **Purchaser accepts and acknowledges that the price above is ONLY for the gas fireplace unit. Mantle/finish to be chosen at time

1 - PURCHASER HAS ATTENDED A STRUCTURAL APPOINTMENT AT THE DESIGN STUDIO AND HAS DECLINED ANY ADDITIONAL **UPGRADES**

Note:

1 - BONUS PACKAGE-PURCHASER TO RECEIVE \$17,740.00 (INCLUSIVE OF TAXES) WORTH OF UPGRADES AT THE DESIGN STUDIO

AT TIME OF COLOUR CHART

Note:

1 - PURCHASER AWARE AND ACCEPTS THAT ANY CHANGES MADE TO UPGRADES AFTER SIGNING THIS PURCHASERS EXTRA FORM ARE SUBJECT TO A MINIMUM ADMINISTRATION FEE OF \$1,000

Note:

This Document is Extremely Time Sensitive - Printed 11 Oct 22 at 13:42

StaConstructionSuymmarySQL.rpt 09May22


TEL: RES.: 647-297-7211

* INTERIOR COLOUR SCHEME *

ANJINDER,S RANDHA	Purchasers AWA & KAMALJEET,KAUR RANDHAWA	Decor Consultant Melissa Di Marino	Model and Elevation ISABELLA-STD MAIN-5 BEDROOM-ELEVATION	Telephone Res. / Bus (647) 297-7211 /	Project 2185715 Ontario Inc.	Closin	ng Date	Property 040
D 4 60	⊢ Flooring—		all Tile					Plumbing
Page 1 of 3	<u>Description</u>	Main		ccent/Insert	Border / Listello		Pattern .	Tumbing
Master Ensuite	12x24 GEOLOGY STONE IVORY (S	Straight) (UPG) 12x2	4 GeologyStonelvory(Horizontal)(Upg) NO	ONE	NONE		NONE	WHITE
ľwin Bath 2/3	12x24 GEOLOGY STONE IVORY (S	Straight) (UPG) 12x2	4 GeologyStonelvory(Horizontal)(Upg)	ONE	NONE		NONE	WHITE
Twin Bath 4/5	12x24 GEOLOGY STONE IVORY (S	Straight) (UPG) 12x2	4 GeologyStonelvory(Horizontal)(Upg)	ONE	NONE		NONE	WHITE
Powder Room	24x24 GEOLOGY STONE IVORY (S	Straight) (UPG) N/A	N/A	/A	L		NONE	L WHITE
Laundry Room	24x24 GEOLOGY STONE IVORY (S	Straight) (UPG) N/A	N/.	/A	N/A		NONE	STD
Kitchen/Dinette	24x24 GEOLOGY STONE IVORY (S	Straight) (UPG) 4x12	Piccadily Avorio Glossy (Brick)(UPG)	/A	N/A		NONE	SeeNotes
Foyer	24x24 GEOLOGY STONE IVORY (S	Straight) (UPG)	ailings and Stairs	*		Cornice Moulding	/ Medalion –	
lain Hall	3 1/4"x3/4" Vintage Red Oak Titaniu	II (I Gall) (Ol G)	ilings STD - OVAL - Vintage Red Oak Tita			Foyer	NONE	
amily Room	3 1/4"x3/4" Vintage Red Oak Titaniu	m (Pearl) (HPG)	STD-Steel 1/2" Sqaure, Plain - Flat E		Vintage Red Oak Titanium	Living Room	NONE	
iving Room	3 1/4"x3/4" Vintage Red Oak Titaniu	m (Pearl) (UPG)	sts STD-31/2"Sqaure,withCap-VintageC	Lodge Lower MA		Dining Room	NONE	
ining Room	3 1/4"x3/4" Vintage Red Oak Titaniu	Str	ringers STD - VINTAGE RED OAK TITANIL	JM	,	Family Room	NONE	
Den	3 4	Tie	eads STD - VINTAGE RED OAK TITANIU			Main Hall	NONE	
	31/4×3/4" Vintage Pco 01		SEPS STD - VINTAGE RED OAK TITANIL	JM		Kitchen	NONE	
Upper Hall	3 1/4"x3/4" Vintage Red Oak Titaniu	Tr Ba: m (Pearl) (UPG)	rim seboard & Casing STANDARD - MODE ont Door Glass STANDARD erior Doors UPGRADE - Lincoln I	Hinges STANDA		2nd Floor Hall	NONE	
Primary Bedroom	BROADLOOM - Opening Night - 400	02-01 (STD)	otes					
Bedroom 2	BROADLOOM - Opening Night - 400	02-01 (STD)	MASTER ENSUITE - Install 2x2 WHITE Mo	osaic Floor Tiles and 6" Curb with White Qu	uartz to shower stall			
Bedroom 3	BROADLOOM - Opening Night - 400)2-01 (STD)				×.		
Bedroom 4	BROADLOOM - Opening Night - 400							
Bedroom 5	BROADLOOM - Opening Night - 400							
			nsultant:	Purchaser:	Purchaser Avul /	Nendor Vendor		
ot: 040 Project: 218	85715 Ontario Inc. Model: ISABELL	.A-STD MAIN-5 BEDR	Melissa Di Marino	MANJINDER,S RANDHAWA	KAMALJEET, KAUR RA		2185715 Onterio Inc	ct 06, 2022 1:50

* INTERIOR COLOUR SCHEME *

		Decor Consultan	Model and Elevation	Telephone Res. / Bus	Project	Closing Date	Property
ANJINDER,S RANDHAW	/A & KAMALJEET,KAUR RANDHAWA	Melissa Di Marino	ISABELLA-STD MAIN-5 BEDROOM-ELEVATION A	(647) 297-7211 /	2185715 Ontario Inc.		040
Page 2 of 3	Interior Paint	Cabinet					
Master Ensuite	<u>Description</u> STANDARD - SILVER BIRCH	Style	ACHED QTK PAPERWORK**			nter Edge	Handle / Knob
						EDGE (UPG)	SEE QTK
Twin Bath 2/3	STANDARD - SILVER BIRCH	**SEE AT	ACHED QTK PAPERWORK**		Emmerstone Maple White (STD) L"	EDGE (UPG)	SEE QTK
Twin Bath 4/5	STANDARD - SILVER BIRCH	**SEE AT	ACHED QTK PAPERWORK**	-	Emmerstone Maple White (STD) "L"	EDGE (UPG)	SEE QTK
Powder Room	STANDARD - SILVER BIRCH	**SEE AT	ACHED QTK PAPERWORK**	L	Emmerstone Maple White (STD)	EDGE (UPG)	SEE QTK
Laundry Room	STANDARD - SILVER BIRCH	**SEE AT	ACHED QTK PAPERWORK**		SEE QTK PAPERWORK SEE	QTK PAPERWORK	SEE QTK
Kitchen/Dinette	STANDARD - SILVER BIRCH	**SEE AT	ACHED QTK PAPERWORK**		Emmerstone Maple White (STD)	EDGE (UPG)	SEE QTK
						300	
Foyer	STANDARD - SILVER BIRCH						
Main Hall	STANDARD - SILVER BIRCH				Notes		
Family Room	STANDARD - SILVER BIRCH		ize SEE QTK LAYOUT Range	SEE QTK LAYOUT	**KITCHEN - KITCHEN SINK - In U2 - Model #401519 **KITCHEN	 KITCHEN FACUET - Install E 	Builders Standard Faucet
Living Room	STANDARD - SILVER BIRCH	Built-Ins		ave SEE QTK LAYOUT	- Moen Method Single Handle Po	ull-Out (Single Hole) Kitchen	aucet - Model # 7585 -
Dining Room	STANDARD - SILVER BIRCH	Hood Fa	n SEE QTK LAYOUT Exhaust	t Opening O 6" 8"			
Den	STANDARD - SILVER BIRCH	Dishwas	her Cabinet Std 24in Opening				
Upper Hall	STANDARD - SILVER BIRCH	Firepla		Fire Inc.	- Tabaau		
Primary Bedroom	STANDARD - SILVER BIRCH		n Flooring 3 1/4" HARDWOOD	Fireplace PRIMARY BE BROADLOOM			
Bedroom 2	STANDARD - SILVER BIRCH	Style	N/A	Style			
Bedroom 3	STANDARD - SILVER BIRCH	Finish Marble	Drywall/paint-Flr/Ceiling N/A	Finish Marble			
Bedroom 4	STANDARD - SILVER BIRCH	Hearth	N/A	Hearth			
Bedroom 5	STANDARD - SILVER BIRCH	Page 2 o	f3 000				
		Decor Co	onsultant. Pui	rchaser:	Purchaser January	Vendor:	
l of: 040 Project: 2495	715 Ontario Inc. Model: ISABEL	A STD MAIN E DED	Melissa Di Marino	MANJINDER,S RANDHAWA	KAMALJEET, KAUR RANDHAWA	2185715 Ontario	
_ot. 040 110ject. 2100	TIS CITATIO IIIC. WOULD ISABEL	-4-9 ID MAIN-9 BED	NOOWI-ELEVATION A			Printed	Oct 06, 2022 1:50 pr





Quality Tops & Kitchens Ltd. 80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901 info@qtk.ca www.QTK.ca

PURCHASE	R:	CONTRACTOR: 21857/15 ONTARIO 1	NC.				
ADDRESS:		SITE: WEST RIVER VALLE	Y PH1; BRAMPTON				
EMAIL:		MODEL TYPE: 40-06 A.					
PHONE #:		LOT#: 40 WRV					
PHONE来			Q9571				
	er agrees	to buy and Quality Tops & Kitchens Ltd. (QTK) agrees to sell and provide for the purchaser					
rticles listed	i herein a	nd with attached drawing in accordance to the terms and conditions described on the revers	e of this				
ROO		DESCRIPTION	CATEGORY				
KITCHEN		DOOR STYLE: QT 1022 NONE FINISH: WILLOW GREY SUPERMATTE SPECIES: LP LAMINATE DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Others	Category 1				
ITEM#	QTY	DESCRIPTION	PRICE				
F-CKT	1	PROF SERIES COOK-TOP W FRONT BUTTONS & POT DRWS W BLUM ANTARO WHITE					
GB4	1	3 BIN PULL-OUT RECYCLE UNIT - 24" WIDE CABINET, 2'x 35'L BINS FOR GARBAGE & RECYLCING					
WP-1	1	+1 x 21 L COMPOST BIN. D/W PANEL SINGLE DOOR (INCLUDES SAME HANDLE AS ON DRAWERS)					
CUST-1	1	(INSTALLATION NOT INCLUDED) CONVERT STD. 4 BANK OF DRAWERS INTO 1 SET OF POT DRAWER (.1 SMALL, 2 DEEP) W/					
CUST-2	1	PREMIUM MOTION SLIDES 1 'SET' OF POT DRAWER PD/3 (1 SMALL , 2 BIG DRAWERS) W/ PREMIUM MOTION SLIDES					
UST-3	1	48"-54" WIDE SQUARE CANOPY W/ 4" P300 INOX BOTTOM LEDGE					
:UST-4	1	60" EXTENDED CABINETRY W/ SINGLE DOOR & L-SHAPED VALANCE (4") TO CEILING - 116" HIGH					
LICT C		HEIGHT & 120" OVERALL (TALL CABINETS WILL HAVE JOINTS DUE TO MATERIAL RESTRICT! INCREASE DEPTH OF ISLAND CABINETS TO 24", INC. 34-1/2" DEEP GABLES, 36" DEEP COU	ON) NTER				
:UST-5	1	OVERALL BY OTHERS					
UST-6	1	CATEGORY 1 DOOR STYLE AND FINISH: QTS 1022 WILLOW GREY (LAMINATE)					
UST-7	1	CATEGORY 3 HARDWARE MIX AND MATCH HARDWARE: DH99110					
CUST-8	1	FILL IN OPEN SPACE W/ BUILT-IN MICRO & WALL OVEN W/ WOOD DRAWER BELOW - 25" D x 95-1/2" H					
CUST-9	1	INCREASE BASE CABINETS ON COOKTOP WALL TO 25" IN DEPTH					
BUST-10	1	26" DEEP FRIDGE ENCLOSURE w/ TWO GABLES (OPTION PAID FOR BY BUILDER) ROOM SUMMARY:					
ROOM		DESCRIPTION	CATEGORY				
ENSUITE VANITY		DOOR STYLE; QT 1022 NONE FINISH: WILLOW GREY SUPERMATTE SPECIES: LP LAMINATE DOOR HARDWARE: DRW HARDWARE: COUNTER TOP: Counter Top by Others	Category 1				
ITEM#	-QTY	DESCRIPTION	PRICE				
ITEM#	QTY		PRICE				
ITEM# CUST-1 CUST-2		CATEGORY 1 DOOR STYLE AND FINISH: QTS 1022 WILLOW GREY (LAMINATE) CATEGORY 1 HARDWARE: DH00010	PRICE				
CUST-1 CUST-2	1 1	CATEGORY 1 DOOR STYLE AND FINISH: QTS 1022 WILLOW GREY (LAMINATE) CATEGORY 1 HARDWARE: DH00010					
CUST-1	1 1 1 DM	CATEGORY 1 DOOR STYLE AND FINISH: QTS 1022 WILLOW GREY (LAMINATE) CATEGORY 1 HARDWARE: DH00010 ROOM	.summary:				



Quality Tops & Kitchens Ltd. 80 Sante Drive, Vaughan, ON L4K 3C4 T 416.746.1811 F 905.761.5901

www.QTK.ca

Info@qtk.ca

DDRESS:			ICONTRA	CTOR:	2185715 ONTARI	oinc.	
2//2/12			SITE		WEST RIVER VAI	LEY PH1. BRAMP	NOT
			MODEL.	TYPE	40-06 A		
Stational State of the State of	_		LOT#:	, , , , ,	40 WRV		
HONE#:					Jul 11, 2022	Q9571	
HONE #:			DATE:		Jul 11, 2022	Q9571	PRICE
ITEM#	QTY		DESCRIPT	50,000			11002
UST-1	1 1	CATEGORY 1 DOOR STYLE AND FI		V GREY (LAN	MINATE)		1
:UST-2	1	CATEGORY 1 HARDWARE: DH0001	10		ROO	M SUMMARY:	
ROOM	i	and the control of th	DESCRIPTION			CATE	GORY
TWIN BATI		SPECIES: LP-LAM DOOR HARDWARE: DRW HARDWARE:	V GREY SUPERMATTE	NONE		Categ	jory 1
ITEM#	QTY		DESCRIPT	ION			PRICE
UST-1	1	CATEGORY 1 DOOR STYLE AND F			MINATE)		
UST-2	1	CATEGORY 1 HARDWARE: DH0001		The same of the same			
,001-2	•				ROO	M SUMMARY:	
ROOM	1		DESCRIPTION			CATE	GORY
POWDER R VANIT	The same of the sa	SPECIES: LP LAM DOOR HARDWARE: DRW HARDWARE:	W GREY SUPERMATTE	NONE		Cate	gary 1
ITEM#	QTY		DESCRIPT	ION			PRICE
		CATEGORY 1 DOOR STYLE AND F	22-21-11-11-11-11-11-11-11-11-11-11-11-1		MINATE		
P-TRUC	1			W GKET (CA	min/vi Cl		1
CUST-2	1	CATEGORY 1 HARDWARE: DH000 FLOATING VANITY W/ 1 DRAWER 8		10-1/2" FEI	/ WALL TO WALL)	OPTION	
CUST-3		PAID FOR BY BUILDER				OM SUMMARY:	
ROOM	1		DESCRIPTION			CATE	GORY
LAUNDRY	ROOM	DOOR HARDWARE: DRW HARDWARE:		NONE D354-60		Cate	gory 3
ITEM#	QTY		DESCRIP	TION		Jahren	PRICE
CUST-1	1	CATEGORY 1 DOOR STYLE AND F			NATE)		
CUST-1	1	CATEGORY 1-HARDWARE: DHD00		, , , , ,			
2-1000	1	46" HIGH UPPERS TO CEILING W		OO" MOUNTIN	NG HEIGHT & 108**		
CUST-3		OVERALL	L-SHAPED VALANCE, TI			OM SUMMARY:	







Quality Tops & Kitchens Ltd.

80 Sante Drive, Vaughan, ON L4K 3C4
T 416.746,1811 F 905.761.5901 info@qtk.ca www.QTK.ca


PURCHASER:	CONTRACTOR:	2185715 ONTARIO	INC,
ADDRESS:	-SITE:	WEST RIVER VAL	LEY PH1, BRAMPTON
EMAIL:	MODEL TYPE:	40-06 A	
PHONE #	LOT#:	40 WRV	
PHONE#I	DATE:	Jul 11, 2022	Q9571

EXPECTED DELIVERY DATE		TBD	SUB-TOTAL:
Customers please note all garbage bins, spice only be delivered AFTER you move in the ho	A) I CHANGES FINAL UPON SIGNING	o ments area	TOTAL:
PLEASE READ ALL THE TERMS AND CONDIT	ONS ON THE ACCOMPANYING OTK TERMS	IN MINU PMI	нят
A CONTRACTO OTES BAYMENT POLICE	Y), AND HAVE READ AND UNDERSTOOD THE THE OTK TERMS & CONDITIONS DOCUMENT	I ERING OL	GRAND TOTAL:
	DEPOSIT 1 DATE:		DEPOSIT 1:
	DEBOSÍT 2 DATE:		DEPOSIT 2:
BALANCE TO BE PAID IN FULL BY DUE DATE:	a/ ci	ISTOMER INITIAL	
CUSTOMER SIGNATURE:	19	DATE:	JULY 18/2022
CUSTOMER SIGNATURE: KAN	NOTENT Konsom	DATE:	424/8/2022
ŞALES REP NAME:	QTK AUTHORIZED SIGNATURE:		
Page 3 of 3			<i>p</i> .



CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 40 WRV	ROOM: KITCHEN	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1"-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: JUNE 27 2022
EMAIL:	SPECIES:	TOP;	PAGE:

Customer Agrees and Accepts the following conditions: L. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.



D.K.



	Your Kitchen, Your Taste.	WWW.LINEA	מוליינים מוליינים
OYAL PINE HOMES	JOB NAME LOT 40 WRV	ROOM: KITCHEN	DRAWN BY: AA
VEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE 1/2"= 1"0"
	FINISH	DRW HANDLE:	DATE: JUNE 27 2022
	SPECIES:	TOP:	PAGE:

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and acceptes that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposits will then be considered a design fee and no money will be returned to the customer.

MIX & MATCH HANDLES

SINK WALL - ELEVATION 3/4" 3/4" 3/4" 320MM - ALL DRAWERS 160MM - BASE DOORS / HORIZONTAL 224MM - PANTRY ON UPPERS DOORS 60" 116" 224MM WINDOW 21/4" TEOMIA 343/4" SINK DW 43/2" - 243/4" -281/2" 96¾"





CLIENT: ROYAL PINE HOMES	JOB NAME LOT 40 WRV	ROOM. KITCHEN	DRAWN BY, 6A
SITE: WEST RIVER VALLEY	DOOR STYLE	DOOR HANDLE	SCALE: 1/2"= 1'-0"
PHONE:	FINISH	DRW HANDLE:	DATE: JUNE 27 2022
EMAIL:	SPECIES:	T0P:	PAGE

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kinchens Ltd. (QTK) does it's best to mandrature exactly what is shown here custoffe factors may understands and accepted and accepted and accepted by the customer. These changing represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.

MIX & MATCH HANDLES FRIDGE WALL - ELEVATION 320MM - ALL DRAWERS 160MM - BASE DOORS / HORIZONTAL 224MM - PANTRY ON UPPERS DOORS 3/4" 3/4" - 15½" -43/2" 60" 224MM 116" 21/4" 72/2" ÷ 343/4" 3201414 OVEN PANTRY FRIDGE - 291/4" - 931/2" --146¾"



JOB NAME LOT 40 WRV	RDOM: KITCHEN	DRAWN BY: AA
DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
1	DRW HANDLE:	DATE: JUNE 27 2022
SPECIES:	T0P;	PAGE:
	ΛΕ:	DOOR HANDLE DRW HANDLE, TOP,

Customer Agrees and Accepts the tollowing conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other destalls. Although Quality Tops & Kitchers Ltd. (QTK) does it's best to mandateure exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. These drawings presents that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer if the customer decides to cancel the order after QTK has submitted drawings to the customer. If the deposit will then be considered a design fee and no money will be returned to the customer.

STOVE WALL - ELEVATION 3/4" 3/4" -56/2" 38" SQUARE CANOPY 60" 224345 224144 116" 21/4" 68" 32@MM 160MM 3205.94 160444 343/4" 3PD 3PD 36' RANG MIX & MATCH HANDLES 320MM - ALL DRAWERS 160MM - BASE DOORS / HORIZONTAL 224MM - PANTRY ON UPPERS DOORS






ROYAL PINE HOMES	JOB NAME LOT 40 WRV	ROOM: KITCHEN	DRAWN BY: AA	
WEST RIVER VALLEY	DOOR STYLE	DOOR HANDLE:	SCALE: 1/2"= 1'-0"	
	FINSH	DRW HANDLE:	DATE: JUNE 27 2022	
ſ	SPECIES:	100.	PAGE	
SIN				

ISLAND FRONT - ELEVATION 160MM 343/4" RECYCLE # 3/4" ISLAND REAR - ELEVATION 343/4" - 675/8"

ISLAND SIDE - ELEVATION








80 Sante Drive, Vaughan, ON L4K 3C4 T 415.746.1811 F 905.761.5901

www.QTK.ca info@qtk.ca

CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 40 WRV	ROOM: KITCHEN	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE	FINISH:	DRW HANDLE:	DATE: JUNE 27 2022
EMAIL:	SPECIES	TOP	PAGE:

Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be






CLIENT: ROYAL PINE HOMES	JOB NAME LOT 49 WRV	ROOM: VANITY	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2"= 1'-0"
PHONE: _	FINISH:	DRW HANDLE:	DATE: JUNE 27 2022
EMAIL:	SPECIES	109.	PAGE
COMMENTS:			

ner Agrees and Accepts the tollowing conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, a appearance and location and other details. Although Quality Tops & Richens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may that and some variance is to be expected and accepted by the customer. These drawings represent the intellectual property of QTK and as such the customer that and common accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically not electronically) to the nor. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be ed to the customer.


MASTER ENSUITE (4 BED) - PLAN **POWDER** TOP SINK CENTER 21" 21" 24" 31" 341/2" 10½" SINK SINK -12" +±3" - 48" ±2"





CLIENT: ROYAL PINE HOMES	JOB NAME: 40-6 10+40	04407	ROOM: VANITY	DRAWN BY: AA
SITE: WEST RIVER VALLEY	DOOR STYLE:		DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHOWE:	FINISH:		DRW HANDLE:	DATE: JUNE 27 2022
EMAIL:	SPECIES:		T0P: —	PAGE
COMMENTS				


Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cobinetry may vary slightly in product size, measurements, handle appearance and location and value details. Although Quality Tops & Kirchens Lid. (QTK) does it's best to manufacture exactly what is shown here outside factors may understands and accepted and accepted when the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer. TWIN BATH - PLAN TWIN BATH 2/3 - PLAN 70" - 82" -141/2" | † 14½" <u></u>
17½"-SINK CENTER SINK CENTER 21" 21" SINK SINK SINK SINK 31" 31" SINK SINK SINK SINK ±21/2". ±2½" ±21/2"=





CLIENT: ROYAL PINE HOMES	JOB NAME: LOT 40 WRV	ROOM: LAUNDRY	DRAWN BY: GJ
SITE: WEST RIVER VALLEY	DOOR STYLE:	DOOR HANDLE:	SCALE: 1/2" = 1'-0"
PHONE:	FINISH:	DRW HANDLE:	DATE: OCT 7, 2022
EMAIL:	SPECIES:	TOP:	PAGE:


Customer Agrees and Accepts the following conditions: 1. The Drawing is a representation only and the installed cabinetry may vary slightly in product size, measurements, handle appearance and location and other details. Although Quality Tops & Kitchens Ltd. (QTK) does it's best to manufacture exactly what is shown here outside factors may prevent that and some variance is to be expected and accepted by the customer. 2. These drawings represent the intellectual property of QTK and as such the customer understands and accepts that all deposits given by the customer to QTK are non-refundable after QTK has supplied drawings (either physically or electronically) to the customer. If the customer decides to cancel the order after QTK has submitted drawings to the customer, the deposit will then be considered a design fee and no money will be returned to the customer.






LOT40 master Ensuite

POSI-TEMP®



Posi-Temp® Tub/Shower Faucet with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower*

TS2713EP / U361CI / UTS4172 / 62320 / S3879EP / A721



Posi-Temp® Shower Only with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower*

S2712EP / U361CI / UTS4172 / 62320 S3879EP / A721











Eco-Performance Posi-Temp® Tub/Shower Paucet*

S2713EP / 62320







Eco-Performance Posi-Temp® Shower Only*

TS2712EP / 62320

90° FINISH OPTIONS





Chrome, LifeShine® Brushed Nickel (BN)

To order, combine the model number with one of these finish letter[s]: LifeShine® Brushed Nickel (BN). To order Chrome [C] model, use model number only.

É

ŧ

LAVATORY FAUCETS

Master Ensure (XQ)



Single Handle Lav Faucet with Lift Rod Drain



Single Handle Vessel Lav Faucet with Push-Button Drain without Overflow

S6711 / 140780

Deckplate sold separately / 147204 Use 140780 lavatory drain assembly (not included)



Two Handle Adjustable Widespread (8" - 16") Lav Faucet with Lift Rod Drain

TS6720 / 69000






90° FINISH OPTIONS







Chrome, LifeShine® Brushed Nickel (BN)


To order, combine the mod number with one of these finish letter(s): LifeShine® Brushed Nickel (BN). To order Chrome (C) model, use model number only.











Two Handle Roman Tub Faucet TS903 / 4796



Tub Drain Half Kit 790331 / 140680




Two Handle Roman Tub Faucet with **Hand Shower**

TS904 / 9796



T90331 / 140680





Single Handle Free Standing Tub Filler Faucet

TS50100 / S905

Mounting hardware required for floormount [TS50100]



Tub Drain Half Kit T90331 / 140680

90° FINISH OPTIONS





Chrome, LifeShine® Brushed Nickel (BN)

To order, combine the model number with one of these finish letter(s): LifeShine* Brushed Nickel (BN), To order Chrome (C) model, use model number only.



QUATRUS R15 U 2

Stainless steel brushed finish

Kitchen

Sink Specifications

Colour

SKU

brushed finish

401519

Design and planning tips

• Min cabinet size: 36 in (915 mm)

• Bowl Depth: 9 in (230.0 mm)

Specifications:

Sink template, Mounting clips, Installation instructions, 3 $\frac{1}{2}$ " (90 mm) stainless steel strainers


Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

Codes/Standards: ASME A112.19.3-2017/ CSA

B45.4-17

Optional Accessories

Ash Cutting Board 406345 CapFlow Strainer Cover 517666 Sink Grid 406454



* Standard Faucet*

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos: https://www.blanco.com/ca-en/support/how-to-videos-for-sinks/



BLANCO Canada Inc 100 Corporation Drive Brampton ON L6S 6B5 Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.