

Deerfield 2 - P92 - 2 - 170 THE BASSETT

Registere Plan Number: Municipal Address: 600 Tranquil Stream Private Closing: 10-Aug-21

APPLIANCES

Inv.: 1,097 Line: 27	1 - HOOD FAN - CHIMNEY - WHIRLPOOL 300 CFM - 30IN STAINLESS IN LIEU OF OTR. INCLUDES ADDITIONAL BACKSPLASH TILES FROM BUILDERS STANDARD SELECTIONS
	Note: Does not include modifications to cabinetry or electrical for new microwave location. As per Schedule H
12Jul20 / 1Oct20	

BATHROOM ACCESSORIES

Inv.: 1,097 Line: 41	1 - DELETE ALL TOWEL BARS, TISSUE HOLDERS AND SOAP DISHES, THOUGHOUT THE HOUSE.
	Note:
12Jul20 / 1Oct20	

BONUS

Inv.: 1,097 Line: 30	1 - BONUS - APPLIANCES - 3 BASIC STAINLESS STEEL KITCHEN APPLIANCES INCLUDING MICROWAVE COMBO HOODFAN, AND BASIC TOP LOAD WHITE WASHER AND DRYER. Note:
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 33	1 - BONUS - LUXURY ENSUITE - 4PC ENSUITE WITH TUB AND SEPARATE SHOWER IN BUILDERS STANDARD SELECTIONS Note: As per Schedule H
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 4 7	1 - BONUS - DECOR CENTER CREDIT OF \$5, 000.00
12Jul20 / 1Oct20	Note: Has been applied in full to the purchase price

BROCHURE LAYOUTS

Inv.: 1,210 Line: 48	1 - Client Acknowledges and Accepts the Revision to Flooring Transition, between the Kitchen and Great Room in The Optional Kitchen Layout #1. As per attached layout plan dated October 19th, 2020.
	Note:
19Oct20 / 22Oct20	
Inv.: 1,097	1 - KITCHEN - OPTIONAL KITCHEN LAYOUT 1 - LEVEL 2 CABINETRY - BUILDERS
Line: 39	STANDARD COUNTERTOP AND BACKSPLASH
	Note: As per Schedule H
12Jul20 / 1Oct20	
Inv.: 1,097	1 - BASEMENT BATHROOM - FINISH 3-PC BASEMENT BATHROOM WITH TUB/SHOWER
Line: 46	COMBO, VANITY AND CERAMICS FROM BUILDERS STANDARD SELECTIONS. FLOORING ON
	DITRA.
	Note: As per Schedule H and Plumbing Rough-in Sketch
12Jul20 / 1Oct20	
Inv.: 1,097	1 - Clarification regarding standard floor covering only leading to the first basement Landing, in front of
Line: 28	the Powder Room, to be hardwood in lieu of carpet. As per Schedule 'H'.
	Note:
12Jul20 / 1Oct20	
Inv.: 1,097	1 - SUPPLY AND INSTALL BUILDER'S STANDARD COLONIAL RAILING WITH BULL NOSING,
Line: 36	COLONIAL HANDRAIL AND HALF POSTS IN LOFT. NO ADDITIONAL CLOSET AND NO SIDE
	WALL DOOR, CREATING AN OPEN CONCEPT, AS PER SCHEDULE 'H'.
	Note: Style upgraded in item #34
12Jul20 / 1Oct20	
Inv.: 1,097	1 - HALF WALL LOCATED IN FOYER TO REMAIN, AS PER SCHEDULE 'H.
Line: 9	, , , , , , , , , , , , , , , , , , ,
	Note:
12Jul20 / 1Oct20	

CABINETRY



Deerfield 2 - P92 - 2 - 170 THE BASSETT

Dagistara Dlan Number	Municipal Address: 600 Tranquil Stream Private	Clasing 10 Aug 21
Registere Plan Number:	Municipal Address: oud Tranquil Stream Private	Closing: 10-Aug-21

Inv.: 1,097 Line: 42	1 - KITCHEN - CABINETRY- UPC9-2A LEVEL 2 CAINETRY-OPTIONAL KITCHEN 1. INCLUDES UPGRADE TO 42" HIGH UPPERS WITH FILLER DETAIL ON UPPER KITCHEN CABINETRY TO STANDARD BULKHEAD. Note: As per UPC Sketch
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 43	1 - LOWER MICROWAVE CABINET APPROX 26" WIDE INCLUDING DRAWER BELOW AND DEDICATED OUTLET (LEVEL 2 SERIES CABINETS) Note: TO BE LOCATED IN KITCHEN ISLAND CLOSEST TO PATIO DOORS as per Schedule H
12Jul20 / 1Oct20	

CERAMIC TILE

Inv.: 1,097	1 - TILE - FLOOR - UPGRADE - SILVER FOYER / POWDER ROOM - SILVER
Line: 31	
	Note: To be installed side to side of the home, as per floor tile sketch and Schedule H
12Jul20 / 1Oct20	
Inv.: 1,097	1 - TILE - FLOOR - UPGRADE - SILVER KITCHEN / DINETTE STD - SILVER
Inv.: 1,097 Line: 32	
1	1 - TILE - FLOOR - UPGRADE - SILVER KITCHEN / DINETTE STD - SILVER Note: TO BE INSTALLED FRONT TO BACK OF THE HOME, AS PER Floor Tile Sketch and Schedule H

ELECTRICAL

Inv.: 1,097	1 - KITCHEN - SUPPLY AND INSTALL (QUANTITY OF 3) PENDANTS OVER KITCHEN ISLAND
Line: 38	TO MATTEO PARTICLES COLLECTION #C58201AGOP, AS PER SCHEDULE 'H'.
	Note:
12Jul20 / 1Oct20	
Inv.: 1,097	1 - ORBITAL UPGRADES AS PER ATTACHED QUOTE & SKETCH.
Line: 21	·
	Note: QUOTE DATED OR4104 DATED JULY 27, 2020
12Jul20 / 1Oct20	
Inv.: 1,097	1 - S&S ELECTRIC UPGRADES AS PER ATTACHED QUOTE & SKETCH.
Line: 22	
	Note: QUOTE SS3424 DATED JULY 27, 2020
12Jul20 / 1Oct20	
Inv.: 1,097	1 - SUPPLY AND INSTALL CHANDELIER IN DINING ROOM TO MATTEO PARTICLES
Line: 45	COLLECTION #C58208AGOP IN LIEU OF BUILDER'S STANDARD
	Note:
12Jul20 / 1Oct20	

FIREPLACES

Inv.: 1,097	1 - FIREPLACE - FIREPLACE FAN KIT
Line: 23	
	Note:
12Jul20 / 1Oct20	
Inv.: 1,097	1 - UPGRADE BUILDER'S GAS FIREPLACE TO NAPOLEON ASCENT LINEAR BL36NTRE-1
Line: 18	CLASSIC 4 SIDED SURROUND PORCELAIN REFLECTIVE RADIANT PANEL, W TOPAZ GLASS
	EMBER.RAISE FIREPLACE APPROX. 24" H ABOVE GROUND, DELETE SURROUND TILE.
	Note: AS PER SCHEDULE 'H'.
12Jul20 / 1Oct20	
Inv.: 1,097	1 - SUPPLY AND INSTALL CERATEC VISUALS GAIA WHITE 23.4 X 23.4 (SATCKED
Line: 20	INSTALLATION) ON FIREPLACE BUMP OUT IN GREAT ROOM, INCLUDING RETURNS.
	SUPPLY AND INSTALL SCHLUTER TRIMS ON CORNERS. AE FINISH (SATIN ANODIZED
	ALUMINIUM), AS PER SCHEDULE 'H'.
	Note:
12Jul20 / 1Oct20	

HARDWOOD FLOORING



Deerfield 2 - P92 - 2 - 170 THE BASSETT

	Registere Plan Number: Municipal Address: 600 Tranquil Stream Private Closing: 10-Aug-21
Inv.: 1,097 Line: 12	1 - HARDWOOD - OAK - LAUZON - 3 1/8" STAINED - STANDARD AREAS
Line. 12	Note: AS PER SCHEDULE 'H'.
12Jul20 / 1Oct20	
Inv.: 1,097	1 - HARDWOOD - OAK - LAUZON - 3 1/8" STAINED - MASTER BEDROOM / WIC OPT ENSUITE
Line: 13	Note: AS PER SCHEDULE 'H'.
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 14	1 - HARDWOOD - OAK - LAUZON - 3 1/8" STAINED - LOFT
	Note: AS PER SCHEDULE 'H'.
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 15	1 - HARDWOOD - OAK - LAUZON - 3 1/8" STAINED - BEDROOM #3
Line. 13	Note: AS PER SCHEDULE 'H'.
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 16	1 - HARDWOOD - OAK - LAUZON - 3 1/8" STAINED - BEDROOM #2
	Note: AS PER SCHEDULE 'H'.
12Jul20 / 1Oct20	
	HVAC
Inv : 1.097	1 - GAS PIPING - MAIN ELOOR - FOR FLITHRE BRO DIRECT TO SOURCE - AS PER SKETCH

Inv.: 1,097	1 - GAS PIPING - MAIN FLOOR - FOR FUTURE BBQ DIRECT TO SOURCE - AS PER SKETCH
Line: 40	
	Note: Locations Are Approximate & Must Be Compliant With All Applicable Codes
12Jul20 / 1Oct20	

MISCELLANEOUS

Inv.: 1,097 Line: 17	1 - BUMP STANDARD GAS FIREPLACE HALF-WAY INTO GREAT ROOM ALL THE WAY TO THE CEILING AND DELETE WINDOW ABOVE, AS PER SCHEDULE 'H'. Note: Includes Design Fees
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 19	1 - REINFORCE WALLS (FACADE AND RETURNS) FOR FLOOR TILES TO BE INSTALLED FROM FLOOR TO CEILING , AS PER SCHEDULE 'H'. Note:
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 44	1 - FLAT CEILING IN WHOLE HOUSE Note: Includes Family Room in Basement
12Jul20 / 1Oct20	

PAINT

Inv.: 1,097	1 - PAINT ADDITIONAL COLOUR (NON DEEP BASE) BUILDERS STANDARD PAINT. PER
Line: 26	COLOUR FOR COMPLETE HOUSE
	Note:
12Jul20 / 1Oct20	

PLUMBING

Inv.: 1,097 Line: 35	1 - WATER LINE ROUGH - IN TO FRIDGE, DOES NOT INCLUDE CONNECTION
12Jul20 / 1Oct20	Note:

RAILING



Deerfield 2 - P92 - 2 - 170 THE BASSETT

Registere Plan Number:	Municipal Address: 600	Tranquil Stream Private	Closing: 10-Aug-21

Inv.: 1,097 Line: 37	1 - RAILING - OAK COLONIAL POSTS, COLONIAL HANDRAILS & COLONIAL SPINDLES IN LIEU OF THE HALF WALL IN THE SECOND FLOOR HALLWAY
12Jul20 / 1Oct20	Note: Style upgraded in item #34. AS PER SCHEDULE 'H'
Inv.: 1,097	1 - UPGRADE TO STAINED OAK MODERN 3.5 POST ROUTED AND CONTEMPORARY
Line: 34	HANDRAIL PLUS BLACK METAL BRACKETS AND SQUARE BLACK METAL SPINDLES IN ALL STANDARD AREAS, LOFT AND SECOND FLOOR HALLWAY, AS PER SCHEDULE 'H'. Note: See items #36 and 37
12Jul20 / 1Oct20	Note: See items #30 and 37

STAIRS

Inv.: 1,097	1 - STAIRS - OAK STAIRCASE WITH VENEERED RISERS & STRINGERS AND SOLID TREADS,
Line: 10	PER STAIRCASE
	Note: The Purchaser(s) acknowledge and accept that 3 1/8in Engineered hardwood flooring will be installed on the
	landing (Where applicable). To ensure product stability proper humidity levels are to be maintained.
12Jul20 / 1Oct20	STAIRCASE FROM AIN FLOOR TO SECOND LEVEL, AS PER SCHEDULE 'H'.
Inv.: 1,097	1 - STAIRS - OAK STAIRCASE WITH VENEERED RISERS & STRINGERS AND SOLID TREADS,
Line: 11	PER STAIRCASE
	Note: The Purchaser(s) acknowledge and accept that 3 1/8in Engineered hardwood flooring will be installed on the
	landing (Where applicable). To ensure product stability proper humidity levels are to be maintained.
12Jul20 / 1Oct20	STAIRCASE FROM MAIN FLOOR TO BASEMENT, AS PER SCHEDULE 'H'.

Note: Due To Extremely High Heat Temperatures Exiting The Top Vent Of The Fireplace And The Potential For Damages To Heat Sensitive Electronics And/Or Wall Décor Installed Above The Fireplace, The Purchaser(s) Acknowledge(s) That The Builder Recommends Install		STANDARDS
Note: Due To Extremely High Heat Temperatures Exiting The Top Vent Of The Fireplace And The Potential For Damages To Heat Sensitive Electronics And/Or Wall Décor Installed Above The Fireplace, The Purchaser(s) Acknowledge(s) That The Builder Recommends Install Inv: 1.097 Line: 3 1 - STANDARD - BUILDERS STANDARD CEILING LIGHT FIXTURE IN MASTER BEDROOM C/W SWITCH APPROXIMATELY CENTERED ON MASTER BEDROOM CEILING Note: 1 - STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) Line: 4 Note: 1 - STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) Line: 5 Note: 1 - STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE Line: 6 Note: 1 - STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE Note: Excluding Corner Cabinetry Where Applicable 12/10/20 / 10ct20 Inv: 1.097 Line: 7 BATHROOM AS PER SCHEDULE H Note: See item #46 12/10/20 / 10ct20 Inv: 1.097 Line: 29 Note: Location to be determined by Head Office 12/10/20 / 10ct20 Inv: 1.097 Line: 1 Note: Note: 1 - STANDARD - FIREPLACE HEARTH DELETED Note: Note:	Inv.: 1,097	1 - DELETE STANDARD MDF PAINTED WHITE TYPE 1 MODERN MANTLE FROM FIREPLACE.
Damages To Heat Sensitive Electronics And/Or Wall Décor Installed Above The Fireplace, The Purchaser(s) Acknowledge(s) That The Builder Recommends Install Inv:: 1,097 Line: 3 1 - STANDARD - BUILDERS STANDARD CEILING LIGHT FIXTURE IN MASTER BEDROOM C/W SWITCH APPROXIMATELY CENTERED ON MASTER BEDROOM CEILING Note: 1210120 / 10e20 1 - STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) Line: 4 Note: 1 - STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE Line: 5 Note: 1 - STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE Note: Excluding Corner Cabinetry Where Applicable 1210120 / 10e20 1 - STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H Note: See item #46 1210120 / 10e20 1 - STANDARD - AC UNIT 16 SEER 1.5 TON Note: Location to be determined by Head Office 1210120 / 10e20 1 - STANDARD - FIREPLACE HEARTH DELETED Line: 1 Note: Note: 1 - STANDARD - FIREPLACE HEARTH DELETED Note: 1 - STANDARD - FIREPLACE HEARTH DELETED Note: Note: 1 - STANDARD - FIREPLACE HEARTH DELETED	Line: 2	
Inv:: 1.097 Line: 3 I - STANDARD - BUILDERS STANDARD CEILING LIGHT FIXTURE IN MASTER BEDROOM C/W SWITCH APPROXIMATELY CENTERED ON MASTER BEDROOM CEILING Note: Inv:: 1.097 Line: 4 Note: I - STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) Line: 5 Note: I - STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE Line: 5 Note: I - STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE Note: Excluding Corner Cabinetry Where Applicable I210120 / 10et20 Inv:: 1.097 Line: 7 BATHROOM AS PER SCHEDULE H Note: See item #46 Inv:: 1.097 Line: 29 Note: Location to be determined by Head Office I - STANDARD - FIREPLACE HEARTH DELETED Note: I - STANDARD - FIREPLACE HEARTH DELETED Note:	12Jul20 / 1Oct20	Damages To Heat Sensitive Electronics And/Or Wall Décor Installed Above The Fireplace, The Purchaser(s)
SWITCH APPROXIMATELY CENTERED ON MASTER BEDROOM CEILING Note: 1- STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR)	Inv.: 1,097	
Note: Note:	Line: 3	
Inv: 1,097 Line: 4 Note: 1 - STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR) Note: 1 - STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE Line: 5 Note: 1 - STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE Note: Excluding Corner Cabinetry Where Applicable 12Jul20 / 10et20 Inv: 1,097 Inv: 1		
Note: 12Jul20 / 10ct20	12Jul20 / 1Oct20	
Note: 12Jul20 / 10ct20	Inv.: 1,097	1 - STANDARD - POWER HUMIDIFIER GENERAL (EVAPORATOR)
12Jul20 / 10ct20 1 - STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE	Line: 4	
Inv:: 1,097 Line: 5 Note: 12Jul20 / 10ct20 Inv:: 1,097 Line: 6 Inv:: 1,097 Line: 6 Inv:: 1,097 Line: 7 Inv:: 1,097 Line: 7 Inv:: 1,097 Line: 7 Inv:: 1,097 Line: 9 Inv:: 1,097 Line: 1 I		Note:
Line: 5 Note: 12Jul20 / 10ct20	12Jul20 / 1Oct20	
Note: 12Jul20 / 10ct20 1 - STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE Note: Excluding Corner Cabinetry Where Applicable 12Jul20 / 10ct20 1 - STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H Note: See item #46 12Jul20 / 10ct20 1 - STANDARD - AC UNIT 16 SEER 1.5 TON Note: Location to be determined by Head Office 12Jul20 / 10ct20 1 - STANDARD - FIREPLACE HEARTH DELETED Note: 1 Note: 1 Note: 1 Note:	Inv.: 1,097	1 - STANDARD - SLEEVE FOR FUTURE WATERLINE TO FRIDGE
Inv.: 1,097 Line: 6 Inv.: 1,097 Line: 6 Inv.: 1,097 Line: 6 Inv.: 1,097 Line: 7 Line: 7 Line: 7 Line: 7 Line: 8 Inv.: 1,097 Line: 9 Inv.: 1,097 Line: 9 Inv.: 1,097 Line: 1 Inv.: 1,097 Line: 1 Inv.: 1,097 Line: 1 Inv.: 1,097 Line: 1 Inv.: 1,097 Line: 29 Inv.: 1,097 Line: 29 Inv.: 1,097 Line: 1	Line: 5	
Inv: 1,097 Line: 6 I - STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE Note: Excluding Corner Cabinetry Where Applicable 12Jul20 / 10ct20 Inv: 1,097 Line: 7 I - STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H Note: See item #46 12Jul20 / 10ct20 Inv: 1,097 Line: 29 Note: Location to be determined by Head Office 12Jul20 / 10ct20 Inv: 1,097 Line: 1 Note: Note: Note:		Note:
Line: 6 DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE Note: Excluding Corner Cabinetry Where Applicable Inv.: 1,097 Line: 7 1 - STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H Note: See item #46 Inv.: 1,097 Line: 29 Note: Location to be determined by Head Office Inv.: 1,097 Line: 1 Note: 1 - STANDARD - FIREPLACE HEARTH DELETED Note:	12Jul20 / 1Oct20	
Note: Excluding Corner Cabinetry Where Applicable 12Jul20 / 10ct20 1 - STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H Note: See item #46 12Jul20 / 10ct20 1 - STANDARD - AC UNIT 16 SEER 1.5 TON Line: 29 Note: Location to be determined by Head Office 12Jul20 / 10ct20 Inv.: 1,097 Line: 1 Note: Note:	Inv.: 1,097	1 - STANDARD - SOFT CLOSE DOORS AND FULL EXTENSION SOFT CLOSE TRACK ON
Inv.: 1,097 Line: 7 BATHROOM AS PER SCHEDULE H Note: See item #46 Inv.: 1,097 Line: 29 Inv.: 1,097 Line: 29 Note: Location to be determined by Head Office Inv.: 1,097 Line: 1	Line: 6	DRAWERS ON ALL CABINETRY THROUGHOUT HOUSE
Inv.: 1,097 Line: 7 1 - STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT BATHROOM AS PER SCHEDULE H Note: See item #46 12Jul20 / 10ct20 Inv.: 1,097 Line: 29 Note: Location to be determined by Head Office 12Jul20 / 10ct20 Inv.: 1,097 Line: 1 Note: Note:		Note: Excluding Corner Cabinetry Where Applicable
Line: 7 BATHROOM AS PER SCHEDULE H Note: See item #46 12Jul20 / 10ct20 Inv.: 1,097 Line: 29 Note: Location to be determined by Head Office 12Jul20 / 10ct20 Inv.: 1,097 Line: 1 Note: Note: Inv.: 1,097 Line: 1	12Jul20 / 1Oct20	
Note: See item #46 12Jul20 / 10ct20 Inv.: 1,097 Line: 29 Note: Location to be determined by Head Office 12Jul20 / 10ct20 Inv.: 1,097 Line: 1 Note: Note: Note: Location to be determined by Head Office	Inv.: 1,097	1 - STANDARD - THREE PIECE PLUMBING ROUGH-IN ONLY FOR FUTURE BASEMENT
Inv.: 1,097 Line: 29 Note: Location to be determined by Head Office Inv.: 1,097 Inv.: 1,097 Inv.: 1,097 Inv.: 1,097 Inv.: 1,097 Inv.: 1 Inv.: 1	Line: 7	BATHROOM AS PER SCHEDULE H
Inv.: 1,097 Line: 29 Note: Location to be determined by Head Office 12Jul20 / 1Oet20 Inv.: 1,097 Line: 1 Note: Note: Note: Location to be determined by Head Office		Note: See item #46
Note: Location to be determined by Head Office 12Jul20 / 1Oct20 Inv.: 1,097 Line: 1 Note: Note:	12Jul20 / 1Oct20	
Note: Location to be determined by Head Office 12Jul20 / 10ct20 Inv.: 1,097 Line: 1 Note: Note:	Inv.: 1,097	1 - STANDARD - AC UNIT 16 SEER 1.5 TON
Inv.: 1,097 Line: 1 Note:	Line: 29	
Inv.: 1,097 1 - STANDARD - FIREPLACE HEARTH DELETED Line: 1 Note:		Note: Location to be determined by Head Office
Line: 1 Note:	12Jul20 / 1Oct20	
Note:	Inv.: 1,097	1 - STANDARD - FIREPLACE HEARTH DELETED
12Jul20 / 1Oet20	Lille. 1	Note:
	12Jul20 / 1Oct20	

WINDOWS & DOORS



Deerfield 2 - P92 - 2 - 170 THE BASSETT

	Registere Plan Number: Municipal Address: 600 Tranquil Stream Private Closing: 10-Aug-21
Inv.: 1,097 Line: 8	1 - ENLARGE THE SMALL EXISTING SIDE WINDOW FROM APPROX. 24" W X 48" H TO APPROX. 48" W X 48" H LOCATED IN THE 4 PCE LUXURY ENSUITE, OVER TUB, AS PER SCHEDULE 'H'. Note: Includes Design Fees
12Jul20 / 1Oct20	
Inv.: 1,097	2 - GARAGE DOOR OPENER - Lift Master Elite Series 8355W Wifi Garage Door Opener. Includes 1
Line: 24	remote control, 1 sensor kit, belt drive
	Note: Not available through retail outlets/professionally installed to MNF Specs, QUANTITY (2), AS PER SCHEDULE 'H'.
12Jul20 / 1Oct20	
Inv.: 1,097 Line: 25	1 - GARAGE DOOR OPENER - SUPPLY EXTRA REMOTE CONTROL(S) TRANSMITTER
	Note:
12Jul20 / 1Oct20	

Page 5 of 5