

LOT: 276

DATE: 07/20/20

SECOND FLOOR PLAN

SCALE: 3/16" = 1'-0"

A – ALL CONTRACTORS SHALL PERFORM THEIR WORK WHETHER ASSIGNED TO THEM BY THE ARCHITECT OR OTHERWISE. BUILDING CODE REQUIREMENTS, AND ALL APPLICABLE REGULATIONS SHALL BE FOLLOWED. THE GENERAL CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND REPORT ERRORS AND OMISSIONS TO VALECRAFT'S ARCHITECTURAL DEPARTMENT.

C – NO DIMENSION SHOULD BE SCALED ON DRAWINGS.

D – THE GENERAL CONTRACTOR OR SUB-CONTRACTORS WILL BE HELD RESPONSIBLE FOR ALL WORK DONE ON THE CONSTRUCTION SITE.

E – THIS DRAWING IS TO BE USED IN CONJUNCTION WITH THE GENERAL CONTRACTOR'S SCHEDULE B-1A AND ANY BIDDING DOCUMENTS. THE CHANGES DETAILED ON THIS DOCUMENT SHOULD BE MADE TO THE GENERAL CONTRACTOR'S SCHEDULE B-1A AND ANY BIDDING DOCUMENTS TOGETHER, THE SCHEDULE IS CONSIDERED THE GOVERNING DOCUMENT.

NO.	DESCRIPTION	DATE	BY
REV-1	NEW STANDARD DRWG MODIFICATION	05/02/2019	VH

NOTES:	STEEEL:	UNTEL:	POST:	TABLE:
S1 = L 90x90x6			P1 = 3" ADJUSTABLE STEEL COLUMN	* F. UNTEL
S2 = L 90x90x8			P2 = 2-2x4 OR 2-2x6	(E) UNTEL
S3 = L 100x90x8			P3 = 3-2x4 OR 3-2x6	PL. UNTEL
S4 = L 125x90x8			P4 = 4-2x4 OR 4-2x6	PL. UNTEL
S5 = L 125x90x10			P5 = 5-2x4 OR 5-2x6	PL. UNTEL
S6 = L 200x100x12			P6 = 6-2x4 OR 6-2x6	PL. UNTEL
S7 = L 150x100x10 (8" BEARING)				
UNTEL TABLE:				
L1 = 2-2x10 + P2 ON BOTH SIDES			P13 = HSS 88x98x4.8 + 100x200x12 1x8 PL. (*)	
L2 = 2-2x10 + P3 ON BOTH SIDES			P14 = HSS 88x98x4.8 + 100x200x12 1x8 PL. (*)	
L3 = 2-1-1/2x9.5x10 (1.8E) + P3 ON BOTH SIDES			P15 = HSS 76x76x2x1/8 + 100x150x12 1x8 PL. (*)	
L4 = 3-1-1/2x9.5x10 (1.8E) + P3 ON BOTH SIDES			P16 = HSS 76x76x2x1/8 + 100x150x12 1x8 PL. (*)	
* UNLESS OTHERWISE NOTED			P17 = HSS 73 ODx4.8 + 100x180x12 BOTTOM PL. + 130x160x10 TOP PL. (*)	
* F. UNTEL IS EXPOSED TO THE EXTERIOR, PROVIDE PRESSURE TREATED LUMBER			(*) = 2-12x ANCH. (WHERE ANCH. PL. NOT USED)	