1,014.02

8,814.17



210-1455 Youville Drive Orleans, On K1C 6Z7 Phone: 613-837-1104

Vendor:

ORLEANS CARPET INC. 1449 YOUVILLE DRIVE ORLEANS, ONTARIO K1C 4R1 Ship To:

Site:

RATHWELL LANDING

Lot/Unit:

LOT 282

Model:

**801 STANDARD** 

Civic:

108 HICKSTEAD WAY

tel: fax: 6138379373 613-837-5155

contact:

ORDER DATE Nov 10, 2020
Comments/Special Instructions:

CHG. ORDER DT. CANCEL DATE RESPONSIBILITY VENDOR # TERMS NET 30 DAYS

REFERENCE

JOB/LOT/COST	REFERENCE	Description	QTY ORDERED	UNIT PR	ICE	EXTENSION
056-282-680	#39	CREDIT CODE 526 FLOOR TILE AT KITCHEN	1.0000	-1,393.600	0000	-1,393.60
056-282-680	#37, 38	CREDIT CODE 524 CARPETING MASTER BEDROOM & BEDROOM #2	1.0000	-806.250	0000	-806.25
056-282-680	#28, 29	ADD CODE 526 FLOOR TILE, BRONZE	1.0000	381.000	0000	381.00
056-282-680	#18, 27, 30, 31	ADD CODE 529 WALL TILE, GROUT, BRONZE	1.0000	395.000	0000	395.00
056-282-680	#9, 10	ADD CODE 524 CARPETING AT FINISHED BSMT. REC. ROOM & BEDROOM	1.0000	1,275.000	0000	1,275.00
056-282-680	#36, 37, 38, 39	ADD CODE 530 HARDWOOD FLOORING & STAINING MASTER BEDROOM	1.0000	7,949.000	0000	7,949.00
	A		Subtotal			7,800.15

ORDER TERMS AND CONDITIONS

- 1. INVOICES must bear exact same prices and terms or authorization for changes must be received from our company in writing prior to shipping.
- 2. The right is reserved to cancel all or part of this order if not delivered within the time specified.

  3. Packing slips must accompany all shipments.

Authorized Signature

- 4. In the event of interruption of our business in whole or in part by reason of fire, flood, windstorm, earthquake, war, strike, embargo, acts of God, governmental action, or any causes beyond our control, we shall have the option of cancelling undelivered orders in whole or in part.
- 5. Acceptance of this pirchase order, or shipment of it will constitute an agreement to all of its specifications as to terms, delivery and prices.
- 6. No deliveries accepted after 4:00 pm or on weekends.

**Total Order Value** 

**HST** 

## Proposal —

Page Nº

Pages

Job Number

## COVERED!

## ORLEANS



1449 YOUVILLE DRIVE ORLEANS ONTARIO KIC 4RI PROPOSAL SUBMITTED TO WHE CRAFT HOMES SITE RATHWAY DATE OCT 2020  STREET  LOTT PROVINCE & POSTAL GODE  ADDITION OS HICK SHOOL WAY,  ARCHITECT  WE hereby submit specifications and estimates for:  We hereby submit specifications and estimates for:  We hereby submit specifications and estimates for:  CRU: HUDE 526 #39  CREATING 186x 2.10 = 285.60  SCU. HHM 2H & 3.00 = 72.00  CREATING 66x 1.50 = 99 °'  CREATING 66x 1.50 = 99 °'  AND CODE 526 #24-  CREATING 66x 1.50 = 108 °'  ADD S29 #27 CREATING 66x 1.50 = 36 °'  PALL CODE 529 #31 CREATING 66x 1.50 = 108 °'  AND S29 H27 CREATING 66x 18.75 = 35 °'  PALL CODE 529 #31 CREATING 66x 18.75 = 35 °'  PALL CODE 529 #27 CREATING 66x 18.75 = 1,275  PALL CODE 524 #910 CAMPAL 66x 18.75 = 1,275  PALL CODE 524 #910 CAMPAL 66x 18.75 = 1,275  PALL CODE 529 #36 ° HOPALWAL 568 +7.85 = H,458.60  HDD S000
STREET  ONCE THE STREET
CITY PROVINCE & POSTAL CODE  ARCHITECT  DATE OF PLANS  WE hereby submit specifications and estimates for:  Credit was 526 # 39  Creamic 148 + 7.00 - 1,036  F. Barrick 136 x 2.10 - 288.60  Schill Hhr 24 x 3.00 - 72.00  Credit cone 574 37 # 38  Carpet H3018.75 - 806.25  NAA code 526 # 24-  Carpet H3018.75 - 806.25  NAA code 526 # 24-  Carpet H3018.75 - 282.00  All code 526 # 24-  Carpet 188 + 1.50 - 282.00  All code 529 # 30-18  Carpet 108 x 1.50 - 108  Carpet 108 x 1.50 - 54.00  All code 529 # 31  Carpet 108 x 1.50 - 54.00  All code 529 # 31  Carpet 36 x 1.50 - 54.00  All code 529 # 31  Carpet 36 x 1.50 - 35  NAL code 529 # 27  Carpet 68 x 18.75 - 1,275  Did code 530 37-38-39  Hardward 568 + 7.85 - 4,458.80  H36  H36  Carpet 68 x 18.75 - 1,275
ARCHITECT  DATE OF PLANS  We hereby submit specifications and estimates for:  (red. it wore \$26 # 39   (2 Parmic   148 # 7.00 = 1,036    F. Bertack   36 x 2.10 = 285.6 =  Sch. Ithla 24 x 3.00 = 72.00  (relt cose \$74 37 # 38   CARpet   H3 x 18.75 = 806.25  AND cope \$26 # 24 - (2 puric   66 x 1.50 = 99 0')  And cope \$26 # 24 - (2 puric   68 x 1.50 = 282.0')  And cope \$29 # 39 - 18   (2 puric   108 x 1.50 = 108')  And cope \$29 # 31   (2 puric   36 x 1.50 = 544.3')  And cope \$29 # 31   (2 puric   36 x 1.50 = 544.3')  And cope \$29 # 427   (2 puric   36 x 1.50 = 36')  And cope \$29 # 427   (2 puric   36 x 1.50 = 36')  And cope \$29 # 427   (2 puric   36 x 1.50 = 35')  And cope \$29 # 427   (2 puric   36 x 1.50 = 35')  And cope \$29 # 427   (2 puric   36 x 1.50 = 35')  And cope \$29 # 427   (2 puric   36 x 1.50 = 35')  And cope \$29 # 427   (2 puric   36 x 1.50 = 35')  And cope \$29 # 427   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$29 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')  And cope \$20 # 31   (2 puric   36 x 1.50 = 35')
We hereby submit specifications and estimates for:  Gred it wore 526 #39  F. Bazock 136x 2.10 = 288.6=  Schulth 24 x 3.00 = 72.00  Chelt core 524 37 x 38  CARpet H3018.75 = 806.25  Add core 526 #24-  (equal 66x 1.50 = 99 "  (repart 188 x 1.50 = 282."  Add core 529 #30-18  Capac 108 x 1.50 = 108"  Add core 529 #31 (equal 36x 1.50 = 108"  Add core 529 #31 (equal 36x 1.50 = 54.")  Add core 529 #31 (equal 36x 1.50 = 54.")  Add core 529 #37 (equal 36x 1.50 = 54.")  Add core 529 #37 (equal 36x 1.50 = 36"  Add core 529 #27 (mod 1.08 x 1.50 = 35"  Add core 529 #27 (mod 1.08 x 1.50 = 35"  Add core 530 37-38-39 (equal 56x 18.75 = 1,275)  Bid core 530 37-38-39 (equal 56x 18.75 = 1,275)  Add core 530 37-38-39 (equal 56x 18.75 = 1,458.80)  HOD X 0,000
Figure 136 # 39  (eramic 148 # 7.00 = 1,036  Figure 136 x 2.10 = 285.60  Schill 24 x 3.00 = 72.00  (relt cose 574 37 # 38  (eranic 66 x 1.50 = 99 0'  Ald cope 526 # 24-  (eranic 66 x 1.50 = 99 0'  A 28-  (eranic 188 + 1.50 = 282.0'  Add cope 529 # 30-18 (eranic 108 x 1.50 = 108 '  Ald cope 529 # 31 (eranic 36 x 1.50 = 54.0'  Ald cope 529 # 31 (eranic 36 x 1.50 = 54.0'  Ald cope 529 # 31 (eranic 36 x 1.50 = 36 ')  Ald cope 529 # 27 (eranic 108 x 1.50 = 54.0'  Ald cope 529 # 27 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 27 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 27 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 27 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 27 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 27 (eranic 108 x 1.50 = 36 ')  Ald cope 524 # 49-10 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 31 (eranic 108 x 1.50 = 36 ')  Ald cope 529 # 3
F.Berrer 136x 2.10 = 285.63  Schille 24x 3.00 = 72.00  Creft was 574 37x 38  CARpet H3018.75 = 806.25  Add was 526 #24-  (erunic 66x 1.50 = 99 0'  A 28-  (erunic 108x 1.50 = 282.0'  Add was 579 x 30-18  (erunic 108x 1.50 = 162 0'  Note 529 x 31  (erunic 36x 1.50 = 168 0'  Note 529 x 31  (erunic 36x 1.50 = 54.0'  Note 529 x 31  (erunic 36x 1.50 = 54.0'  Note 529 x 27  Add was 520 37-38-39  Add was 530 37-38-39  Add was 53
Scholdh 24 x 3 x = 72, 27  Chelt cone 574 37 x 38  CARpet H3 x 18.75 = 806.25  Ald cope 526 # 24-  (equal 66 x 1.50 = 99 "  1
Chell cone 574 37#38 CARpet H3018.75 = 806.25  AND cope 526 #24- Cerunic 66×1.50 = 99 °'  1
Add cope 526 #24- (equal 66x1.50 = 99 0)  Add cope 526 #24- (equal 66x1.50 = 282.0)  Add cope 529 #30-18 (equal 108x1.50 = 1620)  Add cope 529 #31 (equal 36x1.50 = 54.0)  Add cope 529 #31 (equal 36x1.50 = 54.0)  Add cope 529 #31 (equal 36x1.50 = 54.0)  Add cope 529 #27 (equal 36x1.50 = 35.0)  Add cope 524 #9-10 (equal 36x1.50 = 35.0)  Add cope 524 #9-10 (equal 56x18.75 = 1,275  Add cope 530 37-38-39 (equal 568x7.85 = 4,458.80)  Add cope 530 37-38-39 (equal 568x7.85 = 4,458.80)  ADD > 0,000
Add cope 526 #29-  (epanic 66×1.50 = 282.0)  Add cope 529 #30-18 (epanic 108×1.50 = 1620)  Add cope 529 #31 (epanic 36×1.50 = 54.0)  Add cope 529 #31 (epanic 36×1.50 = 54.0)  Add cope 529 #27 (epanic 36×1.50 = 54.0)  Add cope 529 #27 (epanic 36×1.50 = 360)  Add cope 529 #27 (epanic 36×1.50 = 350)  Add cope 524 #9-10 (epanic 36×1.50 = 54.0)  Add cope 524 #9-10 (epanic 108×1.50 = 54.0)  Add cope 529 #31 (epanic 36×1.50 = 35.0)  Add cope 529 #31
AND CODE SEG HOT A 28- CERONS 1882 1.50 = 282. "  AND CODE SZ9 # 30-18 CERON 108 × 1.50 = 1/62 "  NAL CURE SZ9 #31 CERON 2 108 × 1.00 = 108 "  NAL CURE SZ9 #31 CERON 36 × 1.50 = 54."  NAL CURE SZ9 #27 CROA . 1 × 35.5 = 35"  PALCORE SZ4 #9-10 CAPPEL 68 × 18.75 = 1,275  PALCORE SZ4 #9-10 CAPPEL 68 × 7.85 = H,458.80  PALCORE SZ0 37-38-39 Hopdwal S68 × 7.85 = H,458.80  HDD > 0,000
Add we 529 # 30-18 (eponic 108 x 1.50 = 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62 ° 1/62
Add ( upc 529 # 30-18 (epone 108 x 1.50 = 1/62  1) 1, 16-30-18 (epone 108 x 1.00 = 108  1) 1, 16-30-18 (epone 36 x 1.50 = 54.3)  1) 1, 16-30-18 (epone 36 x 1.50 = 54.3)  1) 1, 16-30-18 (epone 36 x 1.50 = 54.3)  1) 1, 16-30-18 (epone 36 x 1.50 = 54.3)  1) 1, 108 x 3.15 = 3, H90.20  ADD > 0,000
Add wore \$29 #31
Add cose 529 #31
Mil was 529 #27 cm + . $1 \pm 35.5 = 35$ PALCORE S24 #9-10 CAPPUL 68 \$ 18.75 = 1,275  PALCORE S30 37-38-39 Marximal 568 \$ 7.85 = H,458.80  H 36 1,108 \$ 3.15 = 3, H90.20
All come 524 \$9-10 Campet 68 x 18.75 = 1,275  Ald come 530 37-38-39 Hardword 568 x 7.85 = 4,458.80  H 36 1,108 x 3.15 = 3, H90.20
Allone 524 7270  Allone 530-37-38-39  Hardwal 568+7.85 = H,458.80  H36  1,108 x 3.15 = 3, H90.20
DIDLUME 530-37-38-39 Maplewel 568+7.85 = 4,458.80 H 36 1,108+3.15 = 3, 490.20
1,108 x 3.15 = 3, H90.20
H36 1,108 x 3.15 = 3, H90.20  ADD > 0,000
Ann 7 0,000
011 2010965
and, + 2, 199.85
7.800.15
M:82 1014.01
total 8 8,814,16

## **Purchase Orders**

From:

Amanda Billard-Cabana <amanda@orleanscarpet.com>

Sent:

Friday, October 30, 2020 1:05 PM

To: Cc: Purchase Orders Ray Brazeau

Subject:

RATHWELL LANDING LOT 282 PO REQUEST

**Attachments:** 

Valecraft Proposal.pdf

Importance:

High

Hi Ariel,

Please see attached PO request needed for end of the month billing (October 2020)

Thank you Amanda Cabana

**Project Coordinator** 

Orléans Carpet and Eagleson Flooring Serving you since 1987

Ottawa's only Stainmaster Flooring Centres®

P. 613-837-9373 ext.132

F. 613-837-5515

www.orleanscarpet.com

From: Maryse Smith < Maryse@orleanscarpet.com>

Sent: October 30, 2020 11:03 AM

To: Amanda Billard-Cabana <amanda@orleanscarpet.com>

Cc: Ray Brazeau <rbrazeau@orleanscarpet.com>

Subject: Proposal

Good morning,

Please see attached for the proposal.

Thank you,

Maryse Smith

Commercial Department Orléans Carpet (613) 837-9373 ext. 127

1449 Youville Dr, Orléans

Please consider the environment before printing this email