

Home > Frigidaire Gallery 30

### Frigidaire Gallery 30" Induction Cooktop (FGIC3066TB) - Black

By Frigidaire Gallery SKU: 1454503

Sale



Dufresne



Search Here...



**\$1,099.99** 21% OFF

Sale Ends **Wed, Jun 23 2021**

Ships After **Tue, Jun 22 2021**  
Ships To **K1N**

- Pick-up option available
- Free shipping

1

Add to cart

**Appliance Protection Plan (4 Years) available**   
View in Cart for pricing

As low as **\$45.83 per month (24 Months)**  
[Apply Online](#) [Terms](#)

#### Product Information

##### Overview

Don't stress over spills with induction's easy-to-clean surface that generates heat only to your pan, not your cooktop, meaning spills can't burn onto the surface. Cooktop features an extra-large 10" element for larger pots and pans, plus two 7" elements for large cookware, and a single 6" element for medium to small cookware. The Safe Surface – Induction only heats pans and the food in them, the area around the pans stays cool to the touch. Whip up delicious meals with

induction that delivers incredibly even heat across the surface of the pan so you get golden results every time.

Specifications

 **Dimensions** W: 30.63 inches  
 H: 2.88 inches  
 D: 21.38 inches

 **Weight** 45 pounds

**Brand**  
Frigidaire Gallery

**Colour**  
Black

**Cooking Surface Type**  
Induction

**Style**  
Cook Top

**Dimensions (Width)**  
30"-34"

**Electric/Gas/Dual Fuel**  
Electric

 **Items Included** >

 **Financing Options** >

 **Also in this Series** >


From the Manufacturer | Powered by 

Features




Amazingly Fast

Get amazingly fast heat with induction that boils water 50% faster than an electric cooktop \*.




Easy To Clean

Don't stress over spills with induction's easy-to-clean surface that generates heat only to your pan, not your cooktop, meaning spills can't burn onto the surface.




Get the ultimate cooktop flexibility

Cooktop features an extra-large 10" element for larger pots and pans, plus two 7" elements for large cookware, and a single 6" element for medium to small cookware.



Safe Surface

The Safe Surface – Induction only heats pans and the food in them, the area around the pans stays cool to the touch.



# INDUCTION COOKTOP INSTALLATION INSTRUCTIONS

**INSTALLATION AND SERVICE MUST BE PERFORMED BY A QUALIFIED INSTALLER.**

**IMPORTANT: SAVE FOR LOCAL ELECTRICAL INSPECTOR'S USE. READ AND SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.**

**! WARNING FOR YOUR SAFETY: Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.**




## IMPORTANT INSTALLATION INFORMATION

- All electric cooktops run off a single phase, three-wire or four-wire cable, 240/208 volt, 60 hertz, AC only electrical supply with ground.
- Minimum distance between cooktop and overhead cabinetry is 30" (76.2 cm).

\* 30" (76.2 cm) min. for unprotected cabinet and 24" (61 cm) min. for cabinet with protected bottom surface.

Cooktop Dimensions



Cooktop Cutout Dimensions




Figure 1

COOKTOP DIMENSIONS					CUTOUT DIMENSIONS				
A. WIDTH	B. DEPTH	C. HEIGHT	D. WIDTH	E. DEPTH	F. WIDTH		G. DEPTH		H. HEIGHT
					Min.	Max.	Min.	Max.	
30 <sup>5</sup> / <sub>8</sub> (77.8)	21 <sup>3</sup> / <sub>8</sub> (54.4)	2 <sup>7</sup> / <sub>8</sub> (7.3)	28 <sup>1</sup> / <sub>4</sub> (71.8)	19 <sup>3</sup> / <sub>8</sub> (49.2)	28 <sup>1</sup> / <sub>2</sub> (72.4)	29 <sup>7</sup> / <sub>8</sub> (75.9)	19 <sup>7</sup> / <sub>8</sub> (49.9)	20 <sup>1</sup> / <sub>2</sub> (52.1)	3 <sup>5</sup> / <sub>8</sub> (9.2)
36 <sup>3</sup> / <sub>4</sub> (93.4)	21 <sup>3</sup> / <sub>8</sub> (54.4)	2 <sup>7</sup> / <sub>8</sub> (7.3)	33 <sup>5</sup> / <sub>8</sub> (85.4)	18 <sup>7</sup> / <sub>8</sub> (47.9)	33 <sup>7</sup> / <sub>8</sub> (86.0)	36 <sup>1</sup> / <sub>8</sub> (91.8)	19 <sup>1</sup> / <sub>8</sub> (48.6)	20 <sup>1</sup> / <sub>2</sub> (52.1)	3 <sup>5</sup> / <sub>8</sub> (9.2)

All dimensions are stated in inches and (cm).

Allow 2" (5 cm) space below the armored cable opening to clear the electric cable and allow space for installation of the junction box on the wall at the back of the cooktop.

P/N A01705203 (1603) Rev. B

English – pages 1-8

Spanish – pages 9-16

Français – pages 17-24