



Tel: (613) 748-0432 Fax: (613) 748-0355

## **SITE INSTRUCTIONS**

Ref: SS6644 Rev.05

**Customer:** 

Wayne King

Builder: VALECRAFT HOMES (2019) LTD.

Project: PST Singles Ph7
Lot: PST PH 7 Lot 13
Closing Date: November 28, 2024

Salesperson: Kyle Takman Date: 05/31/2024

| Location             | Qty  | Product / Installation Details  | Plan<br>Code |
|----------------------|------|---|--------------|
| Great<br>Room        | 1.00 | 15 Amp Standard Plug Add 15 AMP plug approx 60 inches from floor  | А            |
| Great<br>Room        | 1.00 | Misc. Product Standard outlet to be located at conduit exit at standard outlet height   | А            |
| Garage               | 1.00 | 15 Amp Separate Circuit Plug Add 15 Amp separate circuit plug for central vacuum  | В            |
| Various<br>Locations | 6.00 | Misc. Product Bigger boxes for future fans  | С            |
| Back Out             | 1.00 | Standard Light Outlet (Keyless) Standard Light Outlet (Keyless) - on existing back out switch   | D            |
| Back Out             | 1.00 | Misc. Product Add additional back out fixture (A1101S-BK) ilo keyless   | D            |
| Kitchen              | 2.00 | Standard Light Outlet (Keyless) (2) Standard Light Outlet (Keyless) on added switch To be centered over island width wise, and are equidistantly spaced length wise | E            |
| Kitchen              | 1.00 | Single Pole Switch Single Pole Switch for added keyless fixtures  | Е            |
| Great<br>Room        | 1.00 | Outlet for Future Ceiling Fan c/w 3 Wires Capped Outlet for Future Ceiling, Reinforced large Fan box with 3-Wire  | F            |
| Great<br>Room        | 1.00 | Single Pole Switch Add Single Pole Switch for future ceiling fan  | F            |
| Various<br>Locations | 2.00 | 15 Amp USB Charger Receptacle USB Charger Receptacle A & C in kitchen and master bedroom (standard items)   | G            |

Phone: (613) 748-0432 | Fax: (613) 748-0355 | Email: info@sandselectric.ca | Website: www.sandselectric.ca



Tel: (613) 748-0432 Fax: (613) 748-0355

| Location        | Qty  | Product / Installation Details  | Plan<br>Code |
|-----------------|------|---|--------------|
| Main Bath       | 1.00 | Misc. Product  Newly designed main floor full bathroom to have A59013-CH (bathroom vanity light)  | Н            |
| Ensuite<br>Bath | 1.00 | 15 Amp GFI Bathroom Plug 15 Amp GFI Bathroom Plug beside toilet   | I            |
| Dinette         | 1.00 | Misc. Product  Relocate Included Fixture  Dinette pendant to be installed approximately centered in between the patio door wall and the end of the extended kitchen island, and approximately in line with the middle of the patio door.                          | J            |
| Storage         | 1.00 | 20 AMP separate circuit plug 20 AMP separate circuit plug   | К            |
| Ensuite<br>Bath | 1.00 | Standard Light Outlet (Keyless) Standard Light Outlet (Keyless) on added switch   | L            |
| Ensuite<br>Bath | 1.00 | Misc. Product Flush mount (A8012-11) ilo keyless  | L            |
| Ensuite<br>Bath | 1.00 | Single Pole Switch Single Pole Switch for added keyless   | L            |
| Owners<br>Suite | 1.00 | 15 Amp Standard Plug 15 Amp Standard Plug raise to approx 60 inches from floor  | М            |
| Owners<br>Suite | 1.00 | Misc. Product Standard outlet to be located at conduit exit at standard outlet height   | М            |
| Stairwell       | 1.00 | Misc. Product Relocate Included Fixture: Staircase pendant to be installed approximately centered over the open-to-below area of the staircase, not over the upper hallway railing or the stairs. This way, a future cascade chandelier cluster can be installed. | N            |
| Kitchen         | 1.00 | Misc. Product gas stove - see appliance specs   | 0            |
| Rec Room        | 1.00 | 15 Amp Standard Plug 15 Amp Standard Plug to be raised to 60" from floor  | Т            |
| Rec Room        | 1.00 | Misc. Product Standard outlet to be located at conduit exit at standard outlet height   | Т            |
| Garage          | 1.00 | Misc. Product Regular stove outlet (40amp breaker, #8 gauge) - installed ground up  | Х            |

www.sandselectric.ca



Tel: (613) 748-0432 Fax: (613) 748-0355

| Qty  | Product / Installation Details   | Plan<br>Code   |
|------|--|--|
| 1.00 | Upgrade 40 Amp Stove Breaker to 50 Amp   | Х  |
|      | Upgrade 40 Amp Stove Breaker to 50 Amp   |  |
| 1.00 | Supply and Install Whole House Surgebreaker Plus Protection (SDSB80111C) Complete with 2 Pole 20 amp breaker | Υ  |
|      | Supply and Install Whole House Surgebreaker Plus Protection (SDSB80111C) Complete with 2 Pole 20 amp breaker |  |
| 1.00 | Misc. Product  | Z  |
|      | sever connections to switched plugs. Only fixture to be switched   |  |
| 1.00 | Upgrade Whole House to 4000K   | ВВ   |
|      | Upgrade Whole House to 4000K   |  |
| 1.00 | Standard Light Outlet (Keyless)  | CC   |
|      | Standard Light Outlet (Keyless) on existing switch   |  |
| 1.00 | Misc. Product  | СС   |
|      | Flush mount (A8012-11) ilo keyless   |  |
| 1.00 | 15 Amp Separate Circuit Plug   | DD   |
|      | 15 Amp Separate Circuit Plug   |  |
| 1.00 | 15 Amp Separate Circuit Plug 15 Amp Separate Circuit Plug  | EE   |
| 1.00 |  | FF   |
| 1.00 | break connections to existing (2) switched outlets and make selected (2) outlets switched                    | rr   |
| 1.00 | 15 Amp Weather Proof Plug  | GG   |
|      | 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00  | 1.00 Upgrade 40 Amp Stove Breaker to 50 Amp 1.00 Supply and Install Whole House Surgebreaker Plus Protection (SDSB80111C) Complete with 2 Pole 20 amp breaker Supply and Install Whole House Surgebreaker Plus Protection (SDSB80111C) Complete with 2 Pole 20 amp breaker 1.00 Misc. Product sever connections to switched plugs. Only fixture to be switched 1.00 Upgrade Whole House to 4000K 1.00 Standard Light Outlet (Keyless) Standard Light Outlet (Keyless) on existing switch 1.00 Misc. Product Flush mount (A8012-11) ilo keyless 1.00 15 Amp Separate Circuit Plug 1.5 Amp Separate Circuit Plug |

## Notes:

"Purchaser has acknowledged that they have discussed any kitchen layout modifications with their electrical representative. If modifications are made after signing off on electrical, this will incur additional charges."