

CONSTRUCTION SUMMARY

North Oakville - 131 - 1 - CAMELOT (43-01) ELEV B

Registere Plan Number: Municipal Address: Closing: 17-Oct-19

BONUS

Inv.1	
46	
Line 218	Note:
17Jun19 / 24Sep19	

CONSTRUCTION

Inv.1	1 - GREAT ROOM: REINFORCE EXISTING CENTRE LIGHT FOR FUTURE CHANDELIER
27	
Line 203	Note:
17Jun19 / 24Sep19	
Inv.1	1 - DINING ROOM: REINFORCE EXISTING CENTRE LIGHT FOR FUTURE CHANDELIER
28	
Line 204	Note:
17Jun19 / 24Sep19	
Inv.1	1 - MASTER ENSUITE: INSTALL SHOWER NICHE IN MASTER ENSUITE SHOWER STALL.
29	
Line 205	Note:
17Jun19 / 24Sep19	
Inv.1	1 - UPPER HALL AT STAIRS: RE-INFORCE ROUGH-IN LIGHT FOR FUTURE CHANDELIER
25	
Line 201	Note:
17Jun19 / 24Sep19	

CONSTRUCTION

Inv.1	1 - BASEMENT: INSTALL COLD CELLAR
11	
Line 186	Note:
17Jun19 / 24Sep19	

ELECTRICAL

Inv.1	1 - GREAT ROOM: INSTALL RECEPTACLES - DEDICATED 15 AMP 120 VOLT RECEPTABLE-FOR FUTURE TV
12	
Line 187	Note:
17Jun19 / 24Sep19	
Inv.1	2 - EXTERIOR: INSTALL TWO (2) POT LIGHT - 4" LED - EXTERIOR SOFFITS. SEE SKETCH FOR LOCATIONS
21	
Line 197	Note:
17Jun19 / 24Sep19	
Inv.1	1 - UPPER HALL ABOVE STAIRS: INSTALL CEILING LIGHT ROUGH IN - FOR 1 CEILING LIGHT, COMPLETE WITH 2 - 3 WAY SWITCHES. LOCATION MAY VARY SLIGHTLY DUE TO JOIST LOCATIONS
24	
Line 200	Note:
17Jun19 / 24Sep19	
Inv.1	1 - KITCHEN: INSTALL RECEPTACLES - ADDITIONAL 15 AMP 120 VOLT RECEPTABLE FOR FUTURE GAS STOVE
4	
Line 179	Note:
17Jun19 / 24Sep19	
Inv.1	1 - KITCHEN: OUTLETS - DEDICATED 40 AMP 220 VOLT RANGE OUTLET FOR FUTURE WALL OVEN/ MICROWAVE UNIT
5	
Line 180	Note:
17Jun19 / 24Sep19	



CONSTRUCTION SUMMARY

North Oakville - 131 - 1 - CAMELOT (43-01) ELEV B

Registere Plan Number: Municipal Address: Closing: 17-Oct-19

Inv.1 6 Line 181	1 - KITCHEN: INSTALL RECEPTACLES - DEDICATED 15 AMP 120 VOLT RECEPTABLE FOR SEPERATE STAND-UP FREEZER	
	Note:	
	[7Jun19 / 24Sep19]	
Inv.1 41 Line 235	1 - GREAT ROOM: INSTALL RECEPTACLES - DEDICATED 15 AMP 120 VOLT RECEPTABLE FOR ELECTRIC FIREPLACE	
	Note:	
	[7Jun19 / 24Sep19]	
Inv.1 1 Line 176	1 - TELEPHONE AND CABLE ROUGH-IN LOCATION SKETCH. LOCATIONS MAY VARY SLIGHTY DUE TO JOIST LOCATIONS.	
	Note:	
	[7Jun19 / 24Sep19]	

FIREPLACE

Inv.1 42 Line 236	1 - GREAT ROOM: REMOVE STANDARD FIREPLACE AND REPLACE WITH:	
	ELECTRIC FIREPLACE - ALLURAVISION 60" ELECTRIC FIREPLACE, INCLUDES CRYSTAL CUBE AND LOG EMBER BED- TO BE PLACED 18" OFF FINISHED FLOOR	
	MODEL # NEFL60CHD	
Line 236	Note:	
	[7Jun19 / 24Sep19]	

HVAC

Inv.1 2 Line 177	1 - KITCHEN: INSTALL GAS PIPING AND OTHER - GAS LINE R/I FOR STOVE - UP TO 3/4 INCH LINE	
	Note:	
	[7Jun19 / 24Sep19]	
Inv.1 3 Line 178	1 - EXTERIOR: INSTALL GAS PIPING AND OTHER - GAS LINE R/I FOR BBQ - UP TO 3/4 INCH LINE	
	Note:	
	[7Jun19 / 24Sep19]	
Inv.1 7 Line 182	1 - KITCHEN: INSTALL GAS PIPING AND OTHER - UPGRADE STOVE VENT FROM 6 INCH TO 8 INCH - DOES NOT INCLUDE MAKE - UP AIR IF REQUIRED - EACH	
	Note:	
	[7Jun19 / 24Sep19]	
Inv.1 23 Line 199	1 - BASEMENT: INSTALL FILTRATION - HUMIDIFICATION - CONTROL - FLO - THRU HUMIDIFIER LARGE HE205 - 18 GAL	
	Note:	
	[7Jun19 / 24Sep19]	

INTERIOR DOORS & TRIM

Inv.1 22 Line 198	20 - 2ND FLOOR: INSTALL TWENTY (20) INTERIOR DOOR & TRIM - EXTENDED HEIGHT DOOR 96 INCH - 2ND FLOOR	
	Note:	
	[7Jun19 / 24Sep19]	

MISCELLANEOUS

Inv.1 43 Line 245	1 - PRICE ADJUSTMENT FOR FAUCETS:	
	Note:	
	[7Jun19 / 24Sep19]	



CONSTRUCTION SUMMARY

North Oakville - 131 - 1 - CAMELOT (43-01) ELEV B

Registere Plan Number: Municipal Address: Closing: 17-Oct-19

Inv.1 44	1 - Purchaser has attended a Structural appointment at the Decor Centre & has DECLINED any additional upgrades and accepts and acknowledges that there will be no further structural changes/additions/deletions to be made upon signing on July 20, 2019	
Line 216	Note:	
17Jun19 / 24Sep19		
Inv.1 45	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee PLUS a 10% holdback fee.	
Line 217	Note:	
17Jun19 / 24Sep19		
PLUMBING		
Inv.1 31	1 - KITCHEN: INSTALL 90 DEGREE SINGLE HANDLE PULLOUT KITCHEN FAUCET	
Line 207	MODEL #S7597 CHROME	
17Jun19 / 24Sep19	Note:	
Inv.1 32	1 - SHARED BATH: INSTALL ALIGN POSI-TEMP TUB/SHOWER FAUCET WITH 3 FUNCTION TRANSFER VALVE/TRIM AND SLIDE BAR WITH HAND SHOWER	
Line 208	MODEL: T2193EP/ 3372/ 128284/ T4191/ 62320/ 3887EP/ A725 CHROME	
17Jun19 / 24Sep19	Note:	
Inv.1 33	1 - SHARED BATH: INSTALL ALIGN TWO HANDLE ADJUSTABLE WIDESPREAD (8") LAV FAUCET WITH LIFT ROD DRAIN	
Line 209	MODEL # T6193/ 69000 CHROME	
17Jun19 / 24Sep19	Note:	
Inv.1 34	1 - POWDER ROOM: INSTALL 90 DEGREE SINGLE HANDLE OPEN WATERWAY LAV FAUCET WITH LIFT ROD DRAIN	
Line 210	MODEL # S6705 CHROME	
17Jun19 / 24Sep19	Note:	
Inv.1 35	2 - MASTER ENSUITE: INSTALL TWO (2) 90 DEGREE TWO HANDLE ADJUSTABLE WIDESPREAD (8") LAV FAUCET WITH LIFT ROD DRAIN	
Line 211	MODEL #TS6720 / 69000 CHROME	
17Jun19 / 24Sep19	Note:	
Inv.1 36	1 - MASTER ENSUITE- ROMAN TUB:INSTALL 90 DEGREE TWO HANDLE ROMAN TUB FAUCET WITH HAND SHOWER	
Line 212	MODEL #TS904 / 9796 CHROME	
17Jun19 / 24Sep19	Note:	
Inv.1 37	1 - ENSUITE 2: INSTALL 90 DEGREE TWO HANDLE ADJUSTABLE WIDESPREAD (8") LAV FAUCET WITH LIFT ROD DRAIN	
Line 213	MODEL #TS6720 / 69000 CHROME	
17Jun19 / 24Sep19	Note:	



CONSTRUCTION SUMMARY

North Oakville - 131 - 1 - CAMELOT (43-01) ELEV B

Registere Plan Number: Municipal Address: Closing: 17-Oct-19

Inv.1 38	1 - ENSUITE 2: INSTALL 90 DEGREE ANNEX SHOWER RAIL
Line 214	MODEL TS3661NH/ S6340/ 176257/ TS2712/ 62320 CHROME Note:
Inv.1 39	1 - MASTER ENSUITE: INSTALL 90 DEGREE POSI-TEMP TUB/SHOWER FAUCET WITH 3 FUNCTION TRANSFER VALVE/TRIM AND SLIDE BAR WITH HAND SHOWER
Line 215	MODEL: TS2713EP/ 3372/ 128284/ TS4172/ 62320/ S3879EP/ A721 CHROME Note:
Inv.1 40	1 - EXTERIOR: INSTALL EXTRA EXTERIOR TAP (ON HOUSE ONLY)- AT REAR OF HOUSE, BEHIND STOVE. SEE SKETCH FOR LOCATION
Line 234	Note:
Inv.1 30	1 - KITCHEN: INSTALL MODERN TWO HANDLE POT FILLER FAUCET WITH DUAL SHUT-OFFS
Line 206	MODEL #S665 CHROME Note:
Inv.1 19	1 - KITCHEN: INSTALL EXTRA ROUGH-IN LINE FOR FRIDGE ICE MAKER WITH SHUT-OFF
Line 194	Note:
Inv.1 20	1 - MASTER ENSUITE: INSTALL 3/4" WATER SERVICE IN MASTER ENSUITE ONLY
Line 195	Note:
Inv.1 18	1 - EXTERIOR: INSTALL EXTRA EXTERIOR TAP (ON HOUSE ONLY). SEE SKETCH FOR LOCATION
Line 193	Note:

VACCUM/BELL

Inv.1 13	1 - GREAT ROOM: INSTALL CONDUIT - 1 1/4" ORANGE FLEX CONDUIT APPROX. 35FT FOR FIREPLACE FOR FUTURE TV
Line 188	Note:
Inv.1 14	1 - WIRELESS ACCESS POINT PACKAGE - 2-CAT6 NETWORK CABLES AND 2-UBIQUITI AC LITE ACCESS POINTS
Line 189	Note:
Inv.1 15	1 - GARAGE: INSTALL CENTRAL VACUUM - CENTRAL VAC PIPING COMPLETE TO GARAGE - ONE OUTLET IN BASEMENT
Line 190	Note:
Inv.1 16	1 - KITCHEN: INSTALL CENTRAL VACUUM - CENTRAL VAC KICKPLATE, UNDER KITCHEN SINK
Line 191	Note:

North Oakville - 131 - 1 - CAMELOT (43-01) ELEV B

Registere Plan Number: Municipal Address: Closing: 17-Oct-19

Inv.1 17	1 - ATTIC: INSTALL CONDUIT - 1 1/4" ORANGE FLEX CONDUIT APPROX. 15FT FOR ATTIC
Line 192	Note:
17Jun19 / 24Sep19	

WINDOWS

Inv.1 26	1 - 2ND FLOOR: -UPPER HALL: INSTALL SKYLIGHT- TO BE 2' X 4'
Line 202	Note:
17Jun19 / 24Sep19	

WINDOWS

Inv.1 8	4 - BASEMENT: ENLARGE FOUR (4) BASEMENT WINDOW - EXTRA STANDARD WINDOW - 36 X 30
Line 183	Note:
17Jun19 / 24Sep19	
Inv.1 9	2 - BASEMENT: INSTALL TWO (2) ADDITIONAL BASEMENT WINDOWS - EXTRA STANDARD WINDOW - 30 X 16
Line 184	Note:
17Jun19 / 24Sep19	
Inv.1 10	2 - BASEMENT: ENLARGE TWO (2) NEW BASEMENT WINDOW - EXTRA STANDARD WINDOW - 36 X 30
Line 185	Note:
17Jun19 / 24Sep19	



NORTH DAKVILLE

Camelot

43 FT.

424/3,420 Sq.ft.
includes 75 Sq.ft.
Unfinished Basement
Bedrooms
5 Bathrooms

PLAN A




PLAN B




PLAN C

See specifications and subject to normal

(T) - telephone
(C) - cable
(E) - electrical
cat-6




GROUND FLOOR A



Lot 131
July 8, 19


Lot 131
July 8, 17




SECOND FLOOR A



SECOND FLOOR B



BASEMENT A



BASEMENT B

Camelot

SCHEDULE 'B' SPECIFICATIONS AND INCLUSIONS/HOUSE PLANS

Lot 131
July 8, 19



Two exterior pots in soffit



Elevation A

3,424 Sq.ft.

Includes 75 Sq.ft. of Finished Basement

Elevation B

3,420 Sq.ft.

Includes 75 Sq.ft. of Finished Basement

K.A.K.

K.H

Disclaimer: All dimensions are approximate and subject to normal construction variances. Dimensions may exceed the useable floor area. Sizes and specifications subject to change without notice. Furniture is displayed for illustration purposes only and does not necessarily reflect the electrical plan for the suite. Suites are sold unfurnished. Balcony and facade variations may apply, contact a sales representative for further details. E&O.E. ©Valery Homes 2018. All rights reserved.


 **VALERY**
HOMES

Lot 131
July 8, 19

Pot Fillers

Traditional | Transitional | Modern

Convenient flow control over a cooktop.
Dual joints allow for maximum reach and dual shut-off valves mean never reaching over a hot surface to turn it off.



Traditional Two Handle Pot Filler
Faucet with Dual Shut-Offs ±

Model S664

- Chrome - \$837.80
- Other - \$1,171.25



Modern Two Handle Pot Filler
Faucet with Dual Shut-Offs ±

Model S665

- Not available in ORB finish
- Chrome - \$837.80
- Other - \$1,171.25

Kitchen

C-A-C.

FINISH OPTIONS:



C SRS NL ORB BL BG

To order, combine the model number with one of these finish letter(s):
**Spot Resist™ Stainless (SRS), Polished Nickel (NL), Oil Rubbed Bronze (ORB),
Matte Black (BL) & Brushed Gold (BG)**

To order Chrome (C) models, use model number only.

± Single hole installation only


* NL finish ships Q2

Lot 131
July 8, 19

90°™

Traditional | Transitional | Modern

With ultra-modern styling, 90 Degree kitchen and bar/prep faucets are a study in minimalism. Geometric forms, squared corners and straight lines create an urban focal point for today's contemporary kitchens.




**Single Handle
Kitchen Faucet ±**

Model S7170

Use model number only for C

Chrome - \$506.65



**Single Handle
Bar/Prep Faucet ±**

Model S5170

Use model number only for C

Chrome - \$455.65
Other - \$590.60

FINISH OPTIONS:



C SRS

To order, combine the model number with one of these finish letter(s):
Chrome (C) & Spot Resist™ Stainless (SRS).

± Single hole installation only



**Single Handle Pullout
Kitchen Faucet ±**

Model S7597

Chrome - \$778.05
Other - \$985.70

Kitchen

K.A.C.

Lot 131
July 8, 19

Align®

Traditional | Transitional | Modern

From large, open master baths to minimalist powder rooms, Align faucets and accessories bring a refreshed modern look to your home.

Shared Bath



Posi-Temp® Tub/Shower Faucet with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower *

Available in BL & BG

Model T2193EP / 3372 / 128284 / T4191 / 62320 / 3887EP / A725

Chrome - \$1,137.70
Other - \$1,808.60




Posi-Temp® Shower Only with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower *


Available in BL & BG

Model T2192EP / 3372 / T4191 / 62320 / 3887EP / A725

Chrome - \$1,032.65
Other - \$1,676.20



FINISH OPTIONS:



To order, combine the model number with one of these finish letter(s):
LifeShine® Brushed Nickel (BN), Matte Black (BL) & Brushed Gold (BG)
To order Chrome (C) model, use model number only.

* Please see vertical spa guide for installation #700106

Lot 131
July 8, 19 00

Align®

Traditional | Transitional | Modern

From large, open master baths to minimalist powder rooms, Align faucets and accessories bring a refreshed modern look to your home.



**Single Handle Vessel Lav
Faucet with Push-Button
Drain without Overflow -**

Available in BG
Not Available in BL
Model 6192 / 140780
Chrome - \$505.55
Other - \$733.50



**Single Handle
Lav Faucet
with Lift Rod Drain ^**
Available in BG
Model 6190

Chrome - \$307.15
Other - \$456.15



**Two Handle Adjustable
Widespread (8\"/>**

Available in BG
Model T6193 / 69000
Chrome - \$476.10
Other - \$619.10



**Two Handle
Roman Tub Faucet**
Available in BG
Model T393 / 4796

Chrome - \$592.75
Other - \$841.75



**Two Handle Roman Tub
Faucet with Hand Shower**
Available in BG

Not Available in BL
Model T394 / 9796

Chrome - \$981.50
Other - \$1,306.75



**Two Handle
Bidet Faucet**
Not Available in BL or BG

Model T5191 / 9265

Chrome - \$836.85
Other - \$1,079.60



Tub Drain Half Kits Available **
Chrome - \$54.70
Other - \$136.90

Tub Drain Half Kits Available **
Chrome - \$54.70
Other - \$136.90

FINISH OPTIONS:



To order, combine the model number with one of these finish letter(s):
LifeShine® Brushed Nickel (BN), Matte Black (BL) & Brushed Gold (BG)

To order Chrome (C) model, use model number only.



^ Deckplate included - Deckplate sold separately - 172566 series
** T90331 / 140680

Lot 131
July 8, 19

90°™

Traditional | Transitional | Modern

Geometric forms, squared corners and straight lines create an urban focal point for today's contemporary baths.




Single Handle Open Waterway
Lav Faucet with Lift Rod Drain ~

Powder Room

Model S6705

- Chrome - \$485.50
- Other - \$775.80



Single Handle Lav Faucet
with Lift Rod Drain ~

Model S6700

- Chrome - \$422.25
- Other - \$674.60



Single Handle Vessel Lav Faucet
with Push-Button Drain
without Overflow ~

Model S6711 / 140780

- Chrome - \$655.95
- Other - \$979.35

K-A-C

FINISH OPTIONS:



To order, combine the model number with one of these finish letter(s):
LifeShine® Brushed Nickel (BN).
To order Chrome (C) model, use model number only.

~ Deckplate sold separately - 147204 series

Lot 131
July 8, 1900

90°™

Traditional | Transitional | Modern
Geometric forms, squared corners and straight lines create an urban focal point for today's contemporary baths.

Master x 2
Ensuite 2 x 1



Two Handle Adjustable Widespread (8" – 16") Lav Faucet with Lift Rod Drain

Model TS6720 / 69000
Chrome - \$532.70
Other - \$791.60



Two Handle Wallmount Lav Faucet with Push-Button Drain without Overflow

Model TS6730 / 9700 / 140780
Chrome - \$718.20
Other - \$1,103.90



Two Handle Roman Tub Faucet

Model TS903 / 4796
Chrome - \$744.20
Other - \$1,009.05



Tub Drain Half Kits Available **
Chrome - \$54.70
Other - \$136.90

Model TS904 / 9796
Chrome - \$1,270.85
Other - \$1,750.85



Tub Drain Half Kits Available **
Chrome - \$54.70
Other - \$136.90

Master Tub

FINISH OPTIONS:



C BN

To order, combine the model number with one of these finish letter(s):
LifeShine® Brushed Nickel (BN).
To order Chrome (C) model, use model number only.


** T90331 / 140680

0.0-0.0

Lot 131
July 8, 19

Annex™ Shower Rail

Traditional | Transitional | Modern



Ensuite 2

90 Degree™ Annex™ Shower Rail
Available in BN
Model TS3661NH / S6340 / 176257 /
TS2712 / 62320


Chrome - \$1,141.10
Brushed Nickel - \$1,689.65



Align™ Annex™ Shower Rail
Available in BN & BL
Model TS3661NH / S176 / 155891 /
T2191 / 62320

Chrome - \$1,042.65
Matte Black - \$1,560.80
Brushed Nickel - \$1,562.00

b-a-c



Eva™ Annex™ Shower Rail
Available in BN & ORB
Model TS3661NH / S6310 / 164929 /
T2131 / 62320

Chrome - \$1,027.45
Brushed Nickel - \$1,523.80
Oil Rubbed Bronze - \$1,523.80

FINISH OPTIONS:



C BN ORB BL



To order Chrome (C) model, use model number only.

Lot 131
July 8, 19

90°™

Traditional | Transitional | Modern



Geometric forms, squared corners and straight lines create an urban focal point for today's contemporary baths.



Posi-Temp® Tub/Shower Faucet
with 3 Function Transfer Valve/Trim
and Slide Bar with Hand Shower *

Model TS2713EP / 3372 / 128284 / TS4172 /
62320 / S3879EP / A721

Chrome	- \$1,318.85
Other	- \$2,034.65




Posi-Temp® Shower Only
with 3 Function Transfer Valve/Trim
and Slide Bar with Hand Shower *

Model TS2712EP / 3372 / TS4172 / 62320 /
S3879EP / A721

Chrome	- \$1,215.40
Other	- \$1,887.85

Master Ensuite
b-a-c

FINISH OPTIONS:



To order, combine the model number with one of these finish letter(s):
LifeShine® Brushed Nickel (BN).
To order Chrome (C) model, use model number only.
* Please see vertical spa guide for installation #700106

* Note toe tap must be 18" off
finished floor.


Lot 131

ALLURAVISION™ SERIES ELECTRIC FIREPLACE



Specifications

Model	BTU	Width		Height		Depth		Viewing Area
		Actual	Framing	Actual	Framing	Actual	Framing	
NEFL42CHD	9000	42 1/16	42 9/16	15 7/8	16 1/8	5 13/16	6 1/16	40 1/4 x 11 1/16
NEFL50CHD	9000	50 5/16	50 13/16	15 7/8	16 1/8	5 13/16	6 1/16	48 1/2 x 11 1/16
NEFL60CHD	9000	60 3/16	60 11/16	15 7/8	16 1/8	5 13/16	6 1/16	58 5/16 x 11 1/16
NEFL74CHD	9000	74 5/16	74 13/16	15 7/8	16 1/8	5 13/16	6 1/16	72 1/2 x 11 1/16
NEFL100CHD	9000	100 5/16	100 13/16	15 7/8	16 1/8	5 13/16	6 1/16	98 1/2 x 11 1/16
NEFL42CHS	5000	42 1/16	42 9/16	15 7/8	16 1/8	4 1/4	4 1/2	40 1/4 x 11 1/16
NEFL50CHS	5000	50 5/16	50 13/16	15 7/8	16 1/8	4 1/4	4 1/2	48 1/2 x 11 1/16
NEFL60CHS	5000	60 3/16	60 11/16	15 7/8	16 1/8	4 1/4	4 1/2	58 5/16 x 11 1/16
NEFL74CHS	5000	74 5/16	74 13/16	15 7/8	16 1/8	4 1/4	4 1/2	72 1/2 x 11 1/16



Dimensions								
Model No.	A	B	C	D	E	F	G	H
NEFL42CHS	44 7/16" (112.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	42 1/16" (106.8cm)	40 1/4" (102.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL50CHS	52 11/16" (133.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	50 5/16" (127.8cm)	48 1/2" (123.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL60CHS	62 9/16" (158.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	60 3/16" (152.8cm)	58 5/16" (148.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL74CHS	76 3/4" (194.8cm)	17 5/16" (44cm)	4 1/4" (10.8cm)	15 7/8" (40.2cm)	74 5/16" (189.8cm)	72 1/2" (184.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL42CHD	44 7/16" (112.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	16 7/8" (42.2cm)	42 1/16" (106.8cm)	40 1/4" (102.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL50CHD	52 11/16" (133.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	16 7/8" (42.2cm)	50 5/16" (127.8cm)	48 1/2" (123.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL60CHD	62 9/16" (158.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	16 7/8" (42.2cm)	60 3/16" (152.8cm)	58 5/16" (148.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL74CHD	76 3/4" (194.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	16 7/8" (42.2cm)	74 5/16" (189.8cm)	72 1/2" (184.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)
NEFL100CHD	102 11/16" (260.8cm)	17 5/16" (44cm)	5 13/16" (14.8cm)	16 7/8" (42.2cm)	100 5/16" (254.8cm)	98 1/2" (250.2cm)	11 1/16" (28.1cm)	3/4" (1.8cm)

Product information provided is not complete and is subject to change without notice. Please consult the installation manual for the most up to date installation information.

24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8 • 214 Bayview Drive, Barrie, Ontario, Canada L4N 4Y8
Fireplaces, Heating and Cooling; 705-721-1212 • Grills: 705-726-4278 • napoleonproducts.com

W415-1908 / 09.21.18

Lot 131


ALLURAVISION™ SERIES ELECTRIC FIREPLACE



Clearances Minimum Mantel Clearances

**WARNING**


- When using paint or lacquer to finish the mantel, the paint or lacquer must be heat resistant to prevent discoloration.



Framing

Measurements from body of appliance:
Side, Back, Top

FINISHING MATERIAL



(NON-LOAD BEARING)


Model No.	A	B
NEFL42CHS	16 1/8" (41cm)	42 9/16" (1081cm)
NEFL60CHS	16 1/8" (41cm)	50 13/16" (1286cm)
NEFL60CHD	16 1/8" (41cm)	60 11/16" (1541cm)
NEFL72CHS	16 1/8" (41cm)	74 13/16" (1899cm)
NEFL100CHD	16 1/8" (41cm)	100 13/16" (2551cm)

Model No.	A	B
NEFL42CHD	16 1/8" (41cm)	42 9/16" (1081cm)
NEFL60CHD	16 1/8" (41cm)	50 13/16" (1286cm)
NEFL60CHD	16 1/8" (41cm)	60 11/16" (1541cm)
NEFL72CHD	16 1/8" (41cm)	74 13/16" (1899cm)
NEFL100CHD	16 1/8" (41cm)	100 13/16" (2551cm)

Appliance Installation

Side Panel Installation (Wall Mount Installation Only)

- Install left and right panels (FIG. 1) by securing 4 fasteners (2 per panel) to bottom of appliance (FIG. 2).







Recessing the Appliance into the Wall


Due to the many different materials used on different walls, it is highly recommended that you consult your local builder before you install the appliance on the wall.

Select a location that is not prone to moisture and is located at least 36" (91.4cm) away from combustible materials such as curtain clips, furniture, bedding, paper, etc.

- Measure the appliance and create a rough in with electrical. The electrical junction box is located on the left side of the appliance.
- Remove the front glass (see "front glass installation and removal" section in your manual).
- Remove the plastic panel holders by removing the screws (FIG. 1 and 2).







- Install trim (see "trim installation" section in your manual).
- Hold the appliance up to ensure it will fit into the framing (see "framing - recessed installation" section in your manual).
- Apply shims (not supplied) between the appliance and the frame.
- Use 4 screws to secure the appliance into the wall (FIG. 5). Do not overtighten screws.

- Re-install the plastic panel holders.
- Place the crystals or optional topaz glass chips and drift wood logs (CHD models only) along the media tray (see "crystal ember installation" and "optional topaz glass chips and drift wood log installation" sections in your manual).
- Install front glass (see "front glass installation and removal" section in your manual).

note:


2 sets of holes are provided for recessing into the wall. The wall structure may limit how far the appliance can be recessed. Use the appropriate set of holes when recessing to the frame. Apply shims (not supplied) between appliance and frame.

It is recommended that the walls of the appliance enclosure be finished (i.e. drywall) to avoid exposed insulation or vapour barrier coming in contact with the appliance. This will ensure clearance to combustibles is maintained.


ALLURAVISION™ SERIES ELECTRIC FIREPLACE



Clearances Minimum Mantel Clearances



Framing



Appliance Installation


Side Panel Installation (Wall Mount Installation Only)



Recessing the Appliance into the Wall



4. If you wish, the fireplace can be recessed into the wall. The wall must be strong enough to support the weight of the fireplace. The wall must be at least 1/2\"/>



5. The wall must be strong enough to support the weight of the fireplace. The wall must be at least 1/2\"/>

6. The wall must be strong enough to support the weight of the fireplace. The wall must be at least 1/2\"/>

Wolf Steel Ltd., 24 Napoleon Rd., Barrie, ON L4M 0G8 Canada • 1(800)820-8888 • www.napoleon.com


Lot 131
Aug 20, 19

ALLURAVISION™ SERIES ELECTRIC FIREPLACE



Specifications

Model	Actual Width	Actual Height	Actual Depth	Actual Weight
60041 / 80040	65 1/16"	62 5/16"	16 1/8"	61 lbs
60042 / 80041	65 1/16"	62 5/16"	16 1/8"	61 lbs
60043 / 80042	65 1/16"	62 5/16"	16 1/8"	61 lbs
60044 / 80043	65 1/16"	62 5/16"	16 1/8"	61 lbs
60045 / 80044	65 1/16"	62 5/16"	16 1/8"	61 lbs
60046 / 80045	65 1/16"	62 5/16"	16 1/8"	61 lbs
60047 / 80046	65 1/16"	62 5/16"	16 1/8"	61 lbs
60048 / 80047	65 1/16"	62 5/16"	16 1/8"	61 lbs
60049 / 80048	65 1/16"	62 5/16"	16 1/8"	61 lbs
60050 / 80049	65 1/16"	62 5/16"	16 1/8"	61 lbs



Model	Actual Width	Actual Height	Actual Depth	Actual Weight
60051 / 80050	65 1/16"	62 5/16"	16 1/8"	61 lbs
60052 / 80051	65 1/16"	62 5/16"	16 1/8"	61 lbs
60053 / 80052	65 1/16"	62 5/16"	16 1/8"	61 lbs
60054 / 80053	65 1/16"	62 5/16"	16 1/8"	61 lbs
60055 / 80054	65 1/16"	62 5/16"	16 1/8"	61 lbs
60056 / 80055	65 1/16"	62 5/16"	16 1/8"	61 lbs
60057 / 80056	65 1/16"	62 5/16"	16 1/8"	61 lbs
60058 / 80057	65 1/16"	62 5/16"	16 1/8"	61 lbs
60059 / 80058	65 1/16"	62 5/16"	16 1/8"	61 lbs
60060 / 80059	65 1/16"	62 5/16"	16 1/8"	61 lbs

Product information provided is not complete and is subject to change without notice. Please consult the installation manual for the most up to date installation information.

Well Best Ltd., 66 Napoleon Rd., Barrie, ON L4M 9G6 Canada • 1(800)520-8888 • www.napoleon.com

Lot 131
Aug 20, 19