


Lot 394



36" Counter-Depth 4-Door Refrigerator

800 Series - Stainless Steel B36CL80SNS



B36CL80SNS
Stainless Steel

Introducing the revolutionary, new FarmFresh System™, with four freshness technologies designed to work together to keep your food fresher, longer. Enjoy less food waste, new innovative features and more thoughtful design.

Features & Benefits

VitaFreshPro™ provides pre-programmed freshness settings to optimize temperature and humidity to keep meat, fish, and produce fresher, longer.

Interior Water Dispenser is thoughtfully placed inside for refreshing water at the touch of a button or a push of a nozzle.

FlexBar™ utilizes typically unused space in the upper refrigerator cavity.

General Properties	
Full 72" height and true counter depth for built-in appearance	Yes
Easy Clean Stainless Steel	Yes
Lighting	Recessed LED light bars
Number of compressors/ evaporators	2 / 2
Defrost process refrigerator section	Frost-free
Number of shelves - refrigerator	5
Adjustable shelves - refrigerator	4 half-width
Shelf material - refrigerator	Tempered glass
Type of shelves - refrigerator	Frameless split shelves with metal trim
Flexible storage bar	FlexBar™
Gallon storage bins	2
Humidity control compartments	2
Full width temp. & humidity controlled drawer	VitaFreshPro™
Ice maker	Yes
Water filter	UltraClarityPro™
Internal water dispenser	Yes
Touch control panel	Yes
AirFresh™ filter	Yes
FreshProtect™ ethylene filter	Yes
MultiAirFlow™	Yes
Stainless steel back wall	Yes
Defrost process freezer section	Automatic
Number of drawers - freezer	3
Wi-Fi enabled	Yes, Home Connect™ app

Capacity	
Total capacity (cu. ft.)	20.5
Refrigerator capacity (cu. ft.)	14.5
Freezer capacity (cu. ft.)	6
Technical Details	
Current (A)	15 A
Volts (V)	115 V
Frequency (Hz)	60 Hz
Power cord length (in.)	91
Plug type	120V-3 prong
Dimensions & Weight	
Appliance dimensions with hinges, handles and doors (H x W x D) (in.)	72" x 35 5/8" x 31 1/8"
Appliance dimensions without hinges and doors (H x W x D) (in.)	71 1/2" x 35 5/8" x 24***
Appliance dimensions with hinges and doors, no handles (H x W x D) (in.)	72" x 35 5/8" x 28 3/4"
Required cutout size (H x W x D) (in.)	72" x 36" x 25"
Net weight (lbs)	350 lbs
Efficiency	
Energy consumption (kWh/yr)	568
ENERGY STAR® qualified	Yes
Accessories	
UltraClarityPro™ Water Filter: BORPLFTR50	
FlexBar™ Bottle Holder: BOFLXBOTL	
FlexBar™ Deep Shelf: BOFLEXLGSH	
FlexBar™ Shallow Shelf: BOFLEXSMSh	
Ethylene Filter Refill Kit: FPETHRF50	



*Weight and height are fully extended, and 5/8" to install height. Total 72 5/8" with cabinet depth of 25" includes the required 1" shelf. The electrical outlets on the back of unit do not require additional depth.

Accessories: To purchase Bosch accessories, visit www.bosch-home.com/us/store or call 1-800-944-2604. Main unit is 6 am EDT. Call 8 am to 3 pm PST. Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications at any time, without notice. Always check product's installation instructions for final dimensional data and other details prior to making layout.

Warranty: Please see Use & Care Manual or Bosch website for statement of limited warranty. For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2604.

© 2014 Bosch Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

9/70

RECEIVED

DEC 18 2020


36" Counter-Depth 4-Door Refrigerator

800 Series – Stainless Steel B36CL80SNS




BOSCH
Invented for life


Installation Details



*Add $\frac{3}{16}$ " (17) with front leveling feet fully extended
**Add 1" (25) for fixed spacers on back



A Add $\frac{3}{16}$ " (17) with front leveling feet fully extended




Drawers can be pulled out with door open to 90°. Drawers can be taken out with door completely opened

Measurements in inches (mm)



measurements in inches (mm)



Leave $\frac{1}{2}$ " (12.7) gap at the top and 1" (25.4) behind the refrigerator for proper ventilation.

It is recommended that you do not install the refrigerator near a heat source such as a stove or a range.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri, 9 am to 6 pm PST), Sat 9 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications at any time without notice.
Warranty: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© 2014 Robert Bosch Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


9/20

RECEIVED
DEC 18 2020

30" Speed Combination Oven

Benchmark® Series - Stainless Steel HBLP752UC

LDT
394



HBLP752UC
Stainless Steel

The Bosch speed combination oven allows for faster cooking results and features a QuietClose® door.

Features & Benefits

Cooks faster than a traditional oven and can be used as a microwave.

Dampened hinges softly and quietly guide the QuietClose® door shut.

The color TFT control panel with SteelTouch® buttons is easy to use.

A full-extension telescopic rack offers safe access to the oven cavity.

The wall oven is designed to be installed flush with cabinetry.



Accessories: To purchase Bosch accessories, cleaners & parts, please visit www.bosch-home.com/us or call 1-800-944-2904. (Models HBLP752UC and HBLP752UCS are sold separately. See page 25 for details.)

Notes: During 1" width and depth dimensions are shown in inches. We warrant the accuracy and integrity of the information provided on this website for the final dimensions of the product. We warrant the accuracy of the information provided on this website for the final dimensions of the product.

Warranties: Please see Use & Care manual for Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.

© 2018 Bosch North America. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

General Properties

Cooking modes - upper cavity
Speed oven, TFT display, 12 Auto Programs (including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef® Programs, Hi & Lo Broil, European Convection, Keep Warm, Frozen Foods

Cooking modes - lower cavity
Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, AutoProbe, Fast Preheat, EcoChef, Speed Convection (Frozen Foods)

Cleaning type - lower Self Clean

Telescopic rack 1

Illumination type LED (Upper) / Halogen (Lower)

Interior lights 1 Upper / 2 Lower

Oven Performance

Microwave power - upper cavity 1000 W

Bake / broil element wattages - upper cavity 600 / 1,750 W

Convection element wattages - upper cavity 1,700 W

Bake / broil element wattages - lower cavity 2,400 / 3,800 W

Convection element wattages - lower cavity 1,700 W / 2000 W

Technical Details

Watts (W) 9,600 W

Circuit breaker (A) 40 A

Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz

Power cord length (in) 50"

Plug type Fixed Connection, No Plug

Energy source Electric

Dimensions & Weight

Overall appliance dimensions (HxWxD) (in) 49" x 29 3/4" x 24 1/2"

Required cutout size - Standard (HxWxD) (in) 48 5/8" x 28 1/2" x 23 1/2"

Required cutout size - Flush (HxWxD) (in) 49 1/8" x 30" x 24 1/2"

Oven cavity size - upper 1.6 cu. ft.

Overall upper oven interior dimensions (HxWxD) (in.) 9 7/8" x 16 1/2" x 16 1/2"

Turntable - Metal Max. Cookware - upper 12 3/4" dia

Turntable - Ceramic Max. Cookware - upper 12 1/2" dia

Rack - Rectangular Cookware Max. - upper 15" x 12"

Oven cavity size - lower 4.6 cu. ft.

Overall lower oven interior dimensions (HxWxD) (in) 17 13/16" x 24 1/8" x 18"

Usable lower oven interior dimensions (HxWxD) (in) 12 5/16" x 23 1/4" x 15 1/4"

Net weight (lbs) 259 lbs

Accessories-Included

Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray
Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Temperature Probe, Broiler Pan

Accessories-Optional



HEZTR301
Telescopic Rack

Cell No.

RECEIVED

DEC 18 2020


30" Speed Combination Oven

Benchmark® Series – Stainless Steel HBLP752UC




LOT 394 SPEED COMBINATION OVEN SPECIFICATION SHEET

Installation Details




* Power cable 50" (1270 mm) from the lower oven.




* Junction box may be installed above, below or to the left or right of the unit within reach of the power cable


measurements in inches (mm)



Side View



measurements in inches (mm)



Single wall oven shown

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us or call 1-800-944-2904. (See Manual for details on optional accessories.)
Notes: All dimensions and depth dimensions are shown in inches. Bosch reserves the right to alter dimensions without notice. Bosch is not responsible for any damage or loss of data and other data is provided as a guide only.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© 2019 Bosch Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

DE/20


RECEIVED
DEC 18 2020

30" Speed Combination Oven

Benchmark® Series – Stainless Steel HBLP752UC



Installation Details



Accessories: To purchase Bosch accessories, wearables & parts please visit www.bosch-home.com or call 1-800-344-2504. Menu to visit: Home > Parts > Select a product > Select a part > Add to cart > Checkout.

Notes: All height, width and depth dimensions are shown in inches. Bosch reserves the absolute and exclusive right to change product materials and specifications at any time, without notice. Please refer to the product's installation instructions for final dimensional data and other details prior to making cutouts.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-344-2504.

© 2019 Bosch Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

RECEIVED
DEC 18 2020


30" Speed Combination Oven

Benchmark® Series – Stainless Steel HBLP752UC



Installation Details


Standard Installation
Combination Oven over Storage or Warming Drawer



- * Wall oven junction box may be located above or right or left of the unit within reach of the power conduit.
- ** Electrical hook up may be located below (depending on space) or next to the drawer within the reach of the power cord.

Measurements in inches (mm)

Flush Installation
Combination Oven over Storage or Warming Drawer



*IMPORTANT: Base has to be able to support oven weight. Please check oven manual for minimum weight requirements.

Measurements in inches (mm)

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-7964 (Mon to Fri 5 am to 6 pm PST). Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensions and data and other details prior to making cutouts.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.
© 2019 Bosch Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

06/20

RECEIVED
DEC 18 2020

36" Gas Cooktop

Benchmark® Series – Stainless Steel NGMP656UC



Lot 394



NGMP656UC
Stainless Steel

The 36" Benchmark® Series gas cooktop features a dual-stacked burner that delivers both a low simmer and high heat flame.

Features & Benefits

Dual stacked burner designed for faster boil time (20,000 BTUs) and a low simmer

OptiSim® Burner – simmer delicate sauces and melt chocolate without scorching

Electronic re-ignition will automatically re-ignite the burner in case the flame goes out

Continuous grates make moving heavy pots easier

Distinctive red LED light indicates burners are on

General Properties

Knob material	Metal
Sealed burners	Yes
Grate material	Cast iron

Element Performance

Total BTU load (NG / LP)	59,500 / 47,300
Power of front left burner (NG / LP)	12,000 / 9,100
Power of back left burner (NG / LP)	10,000 / 9,100
Power of center burner (NG / LP)	20,000 / 15,000
Power of back right burner (NG / LP)	5,500 / 5,000
Power of front right burner (NG / LP)	12,000 / 9,100

Technical Details

Watts	360 W
Circuit breaker	15 A
Volts	120 V
Frequency	60 Hz
Plug type	3 prong
Power cord length	60"
Energy source	Gas
Convertible to LP (kit required)	Yes



Dimensions & Weight

Overall appliance dimensions (HxWxD)	3 13/16" x 37" x 21 1/4"
Required cutout size (HxWxD)	3 13/16" x 34 15/16" x 19 1/8"
Minimum distance from counter front	1 7/8"
Minimum distance from rear wall	3"
Net weight	39 lbs

Accessories – Included

LP conversion kit

Accessories – Optional



HEZ298102
Cooking rack



HEZ27751
Control knob set, black stainless steel

* To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Accessories: To purchase Bosch accessories, burners & parts please visit www.bosch-home.com/accessories or call 1-800-944-2904. (Mon to Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST).

Notes: All height, width and depth measurements are shown in inches. BSH reserves the absolute and exclusive right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making a cutout.

Warranties: Please see User & Care Manual for Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.

© 2019 Robert Bosch Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch Corporation.



RECEIVED
DEC 18 2020

36" Gas Cooktop


Benchmark® Series – Stainless Steel NGMP656UC



Installation Details



Side View Gas Cooktop Installation



LOT 394
GAS COOKTOP
SPECIFICATION
SHEET

Accessories: To purchase Bosch accessories, components & parts please visit www.bosch-home.com or call 1-800-944-1994. (Made in USA with 100% Bosch parts.) See figure 1 for parts list.

Notes: All height, width and depth dimensions are shown in inches. First reserves the right to change product materials and specifications at any time without notice. Please refer to the product's installation instructions for final dimensions. Data and other details listed are for the most common configuration.

Warranty: Please see User & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.

© 2010 Bosch Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

RECEIVED

DEC 18 2020

36" Gas Cooktop


Benchmark® Series – Stainless Steel NGMP656UC



BOSCH
Invented for life



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts, please visit www.bosch-home.com/accessories or call 1-800-944-2904. (Mon-Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST, Sun 10 am to 5 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and exclusive right to change product materials and specifications at any time without notice. Consult the product's installation instructions for final dimensional data and other details prior to making a cutout.
Warranty: Please see User & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904.

© 2019 Bosch Power Tools (USA) Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

8170


RECEIVED
DEC 18 2020

AVG

Lot 394



AVH-368CS
36" Wall mounted hood -MSRP \$899.00




Model number	AVH-368CS
Dimensions	35 1/2" H x 19 3/4" D x 23 1/4" W
Stainless steel finish	Zn1
Control	Soft touch with LED display
Lighting	2 bulbs, 3W LED (bulbs included)
Blower type	950 CFM 6-Speed
Blower performance	Speed 1 2.4 sones Speed 6 6.2 sones
Filter type	3 aluminum superior micro hole filters and stainless steel baffle filters included
Duct transition	6" Round (Top)
Ducting	Ducted
Chimney (ducted out)	For ceiling heights up to 9'0"
Electrical requirements	120V / 60Hz / 2.7 Amps
Optional duct covers	AD-854S 684mm AVH compatible
1 year Warranty	Parts and labour in-home service

LOT 394
CHIMNEY HOOD 36"
SPECIFICATION SHEET

The information contained herein is based on sources that we believe to be reliable. But is not guaranteed by us. It may be incomplete or may change without notice.


RECEIVED

DEC 18 2020




AVH-308CS/368CS

Dimensions



Installation



A	Floor to ceiling height	variable
B	Floor to counter top height (standard)	36"
C	Recommended height between cooking surface and bottom of the hood	28" to 30"
D	Hood height	2 3/16"
E	Chimney height	Max 44 6/32"

Duct transition

6" round top



The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete and/or may change without notice.

Need technical support? 1(888) 651-2534

RECEIVED

DEC 18 2020