

Lot 145



GANDHI

Kitchenaid Appliances

Prepared by
Deepak Chopra
APPLIANCE CANADA LTD
600076@appliancecanada.com
(847) 273-6677



RECEIVED

JAN 03 2021

Lot 145




KitchenAid

36" 5-Burner Gas Cooktop with Griddle

KCGS956ESS

Five burners and a removable griddle give the 36-inch gas cooktop the power and versatility challenging recipes demand. The 20K BTU Professional Dual Ring Burner is among the most powerful in the industry, and our innovative Even-Heat™ Torch Burner provides even coverage to ensure proper heating without scorching.



Even-Heat™ Torch Burner

20K BTU Professional Dual Ring Burner
Allows you to go from one small flame for precise simmering to a dual flame for powerful boiling, all on the same burner.

14,000 BTU Even-Heat™ Torch Burner
Features an exclusive design that provides a small flame for delicate simmering and a larger one that distributes high heat across the whole pan for even cooking.

5,000 BTU Even-Heat™ Steamer Burner
Protects the cooktop from stains that may occur with high temperature cooking. The permanent finish makes it easy to wipe clean without harsh chemicals as it looks clean, bright and beautiful even longer.

CookShield Finish
Protects the cooktop from stains that may occur with high temperature cooking. The permanent finish makes it easy to wipe clean without harsh chemicals as it looks clean, bright and beautiful even longer.

Available Finishes/Colours

KCGS956ESS
Stainless Steel

Manuals & Literature:

- Download Guide
- Use and Care
- Installation Instructions
- Warranty

Dimensions

Depth	21	Infinite Heat Controls	Yes
Height	3 11/16	Knob Color	Stainless Steel
Width	36 1/4	Knob Type	Hotel

Specifications & Accessories

Fuel Type	Gas	Accessory Relationships	Yes
Cooktop Type	Standard	Home Delivery	Yes
Size (IN inches)	36	W/C Call	Yes
Installs Over Built-in Oven	Yes		

Options

LP Convertible	Yes - Kit Included	alBackLit	Yes
Power Boost	No	alConsumptLit	Yes
		GPC Cook	10001851

Options

Control Location	Front	alDispatchLit	Yes
Control Type	Knobs	alOnDemandLit	Yes

APPLIANCE CANADA LTD
Despach Centre
cdozra@appliancecanada.com

Unit 66, 3050 Veale Blvd
Mississauga, ON L5L 5G3
(905) 273-6877

Page 2 of 8



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see installation instructions provided with product. Specifications subject to change without notice.

RECEIVED
JAN 03 2021

Lot # 145



KitchenAid

44 dBA Dishwasher in PrintShield™ Finish with FreeFlex™ Third Rack



KDTM404KPS

Keep up with the loads you use from prep to table with this dishwasher's three racks of versatile loading possibilities and complete wash coverage. The FreeFlex™ Third Rack fits glasses, mugs, bowls, silverware and cooling tools, leaving up room below for pots, plates and mixing bowls. The Advanced Clean Water Wash System circulates clean water to dishes in all three racks.

FreeFlex™ Third Rack

The largest third rack available has a deep, angled design that fits 8" glasses, mugs and bowls. It features rotating wash jets to clean items in the rack, a drying bar with slots that help with moisture of glasses and a removable vented flap for cooling.

44 dBA
Provides quiet cleaning without compromising performance, so there's no need to wait to eat a wash cycle while entertaining and enjoying meals. One is open concept kitchens.

Advanced Clean Water Wash System
Uses microfiltration to continuously remove food particles during the wash and rinse cycles and circulates clean water to dishes in all three racks. This allows dirty cookware and delicate glassware to be washed together in the same load.

Specifications

Depth	28 3/4"	Sensor	Yes
Height	34 1/2"	Status Light	White
Width	23 7/8"	End of Cycle Signal	Yes

Programs, Wash and Drying

Dishwasher Type	Built-In	Accessory Relationships	Yes
Decibel Level (dBA)	44	Home Delivery	Yes
Decibel Level (dBA)	44	WiFi Cap	Yes

Features

Automatic Temperature Control	Yes	Wine All Dispenser Level Indicator	Yes
Control Type	Top Touch Hidden Top	Dispensers	Detergent and Rinse Aid
Control Location		Sound Package	Yes
		Number of Wash Levels	7

Available Finish/Closures

- KDTM404KPS Stainless Steel with PrintShield™ Finish
- KDTM404KPS Stainless Steel with PrintShield™ Finish

Manuals & Literature

- Download Guide
- Use and Care
- Energy Guide
- Warranty

APPLIANCE CANADA LTD
Doreen Cheng
doreen@appliancecanada.com

Unit No. 2060 Vega Blvd
Mississauga, ON L6L 5J8
(905) 273-8877

Page 4 of 6



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

RECEIVED
JAN 03 2021

Lot 145



6" vent opening

KitchenAid

36" Wall-Mount, 3-Speed Canopy Hood

KW8600SS

The power of this 36-inch vent hood effectively vents most cooking surfaces. One of the premium features of this vent hood is auto speed sensing that adjusts fan speed to help protect cabinets from potentially harmful steam, grease, and odors. The sharp, glass-touch display showcases easy-to-use touch controls.

600 CFM/36 BTU Threshold
Allows installation over any KitchenAid regular 36- or 30-inch range or cooktop and some commercial-style cooking surfaces with outputs up to 65K BTU.

Partner Ventilation
Increases ventilation system efficiency by pulling air from the edges of the hood and speeding up the movement of air at the center, allowing it to efficiently handle up to a 65K BTU load output.

Auto Speed Sensing
Takes the guesswork out of protecting cabinets from steam, grease, and moisture by automatically adjusting fan speed to ventilation needs depending on the heat being produced.

LED Task Lights
Provide extra lighting over the cooking surface to help in the cooking process.



Available Finishes/Colors

KW8600SS
Stainless Steel

Manuals & Literature

- Download Guide
- Use and Care
- Installation Instructions
- Warranty

Depth	19 1/8"	Touch Light Type	LED
Height	24 5/8"	Task Lighting	Yes
Width	36"	Material	Stainless Steel
		Night Light	Yes
Special Features/Options			
Hood Type	Wall Mount	WiFi	Yes
Size (ft/LxwxH)	36"	Accessory Relationships	Yes
		Home Delivery	Yes
		Wet Call	Yes
Details			
Material (ET)	Stainless Steel	Night Light Type	Halogen
Night Light Type	Halogen	Number of Night Light Settings	1
Number of Night Light Settings	1	Number of Touch Light Settings	1

APPLIANCE CANADA LTD
Oregan, China
a2cpra@appliancescanada.com

Unit In 2020 Vega Blvd
Mississauga, ON L5L 5M8
(847) 273-0877



Because Whirlpool Corporation prides itself on continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.


RECEIVED

JAN 03 2021

Lot 145

KitchenAid

30" Combination Wall Oven with Even-Heat™ True Convection (Lower Oven)



KOCE500ESS

The 30" Combination Wall Oven with Even-Heat™ True Convection provides consistent heating and even cooking. A unique bow-tie shaped design and convection fan helps ensure there are no burnt edges or under cooked centers. Its upper Microwave Convection Cooking Oven combines a 900 watt microwave with a 1600 watt convection element for high speed cooking.

Even-Heat™ True Convection Oven (Lower oven)
 Produces flatter results. The unique bow-tie design and convection fan ensure the inside of the oven is heated to and stays at the perfect temperature.

Microwave Convection Cooking (upper oven)
 Combines the power of a 900 watt microwave with a 1600 watt convection element to increase the speed of cooking and provide a secondary convection option.

Professionally Inspired Design (Oven Light)
 Combines a food inspired professional inspired styling with sleek touches for the home. The beautiful built-in with oven features Soft Textured Handles and the KitchenAid Badge, a symbol of uncompromised quality.

Temperature Probe
 Allows accurate measurement of internal temperatures of meats, poultry, and casseroles without having to open the oven so that food can be cooked perfectly.

Available Finishes/Colours

- KOCE500ESB Black
- KOCE500ESS Stainless Steel
- KOCE500ESWH White

Manuals & Literature:

- Download Guide
- Installation Instructions
- Use and Care
- Manuals

Depth	27 1/8"
Height	42 1/2"
Width	30"
Oven Type	Combination
Fuel Type	Electric
Size (Rack(s))	30
Door Release	Handle
Door Removable	Yes
Door Lock	Yes
Oven Door	Mesh & Glass
Fault Installation Approved	Yes
Oven Window Size	Extra Large

Handle Color	Stainless Steel
Handle Material	Metal
Door Removable	Yes
Door Lock	Yes
Language Conversion	English/French
Automatic Shut-Off	Yes
Convection Functions	Bake, Broil, Roast
Interior Color	Blue
Oven Cooking System	Convection
Door Broil Position	Closed

APPLIANCE CANADA LTD
 Deepen Chopra
 dchopra@appliancescanada.com

Unit 86 3050 Vega Blvd
 Mississauga ON L5L 5X8
 (647) 273-6677

Page 3 of 6




Because Whirlpool Corporation policy includes a commitment to improve our products, we reserve the right to change estimates and specifications without notice. Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

RECEIVED
 JAN 03 2021

Lot 143



KitchenAid



23.8 cu. ft. 36" Counter-Depth French Door Platinum Interior Refrigerator with PrintShield™ Finish

KRFCT04FP8

The largest capacity counter depth refrigerator in its class features PrintShield™ to keep the most fingerprints outside and inside storage options inside. A stainless steel exterior is so soft, and full-extension soft-close covers and custom temperature safety let you store more and keep it easy.

Under-Shelf Prep Zone

Utilize empty space beneath the shelf to create a prep zone ideal for dough, leavening or marinating meats. 6" x 17" x 7" slide out pan is oven- and dishwasher safe, and easily transitions from fridge to oven so you can stay in the creative flow.

Slide-In Style

Features a versatile design that allows three-quarters of the shelf to retract to accommodate taller items and full-extension doors at 14.75 inches. The factory offers the most full-door storage options in its class and helps optimize organization.

Full-Extension Soft-Close PrintShield™ Covers

Maintain optimal humidity levels to help keep produce at peak freshness. Slightly ajar drawers open fully so you can see and easily access all your items.

Available Finishes/Colors

- KRFCT04FP8 Black Stainless Steel with PrintShield™ Finish
- KRFCT04FP8 Business Steel

Manuals & Literature

- Download Guide
- User's Guide
- Warranty

Dimensions

Depth	31 1/2"	Cooling Type	Dual Evaporator
Height	71 7/8"	Advanced Foam Insulation	99.9% better Global Warming Potential and Better Energy Performance
Width	35 13/16"	Chamber Depth	Yes

Capacity

Freezer Volume (Cu Ft)	6.38	Door Style	Counter
Refrigerator Volume (Cu Ft)	17.50		

Connectivity and Controls

Advanced Foam Insulation	99.9% better Global Warming Potential and Better Energy Performance
Connectivity	Works With

Counter Depth

Number of Doors	3	Control Type	Electronic
		Air Filter Indicator/Reset	Yes
		Automatic Defrost	Yes

APPLIANCE CANADA LTD
 Contact Centre
 604-961-4444

User Bk 3056 Vape Bk4
 444-4444 QN LSL 503
 (847) 273-8877

Page 2 of 2



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

RECEIVED
 JAN 03 2021

Lot 145



warm and welcoming meeting place

- Print
- Tweet
- Share
- Google+
- Pinterest

Wine Celler



DATA SHEET

MORE INFO

Collection Wine Cell B Diamond

Categories 21 to 55 bottles

Capacity (750ml) 46 bottles

Temperature UP 5-12 degrees / Down 5-12 degrees

Height 34" (863mm)

Wide 23 3/4" (595mm)

Depth 22 1/2" (570mm)

Weight 142 lbs (64 kg)

RECEIVED
JAN 03 2021