

Abdul Hayee Jennair package

Prepared by lan Atherton GOEMANS APPLIANCES lan.atherton@goemans.com (905) 577-3188







JBSFS42NMX Panel Ready

Manuals & Literature:

Dimension Guide

Energy Guide

Installation Instructions

Use and Care

Warranty

42" BUILT-IN SIDE-BY-SIDE REFRIGERATOR

IBSFS42NMX

42" BUILT-IN SIDE-BY-SIDE REFRIGERATOR

Top Features

Obsidian Interior

Exclusive Obsidian interior dazzles guests as food item colors "pop", even in matching crisper drawers and the freezer.

Fully Flush, Fully Integrated Design

This integrated built-in refrigerator fits beautifully into any decor, blending into custom cabinetry with a truly seamless appearance, reflecting your appreciation for the fine details of design. Must be installed in a 25" deep cabinet to achieve the fully flush look.

Style with Custom Wood Panels or Suite-Coordinating Stainless Steel Panel Kits (not included)

Customize the exterior with wood panels to seamlessly blend with surrounding cabinetry for a fully integrated look, or pair with Euro-Style or Pro-Style® Stainless panel kits to match other Jenn-Air® suite appliances.

Dimensions		Controls		
Height	74 1/2 D		Yes	
Width	40 15/16	Control Location	Interior Up	
AHAM Volumes And S	helf Area	Max Cool/Fast Cool	Yes	
Freezer Volume (Cu Ft)	9.20	Sabbath Mode	Yes	
Refrigerator Volume (Cu Ft)	16.30	Water Filter	Yes	
Total Volume (Cu Ft)	25.5	Indicator/Reset	THE PROPERTY OF THE PARTY OF TH	
Controls	1940-41 May de Pode-land de de reconsensemente entre e	Exterior		
		Base Grille Color	Black	
Control Type	Electronic	Cabinet Color	Grey	
Air Filter Indicator/Reset	No	Cabinet Finish	Smooth	
Automatic Defrost	Yes		ALL CONTRACTORS OF THE PARTY OF	
LCD Touch Screen	No	Door Color	Panel Ready	
		Door Style	Flat	
		Hidden Hinge	Yes	

GOEMANS APPLIANCES lan Atherton ian.atherton@goemans.com 3050 Vega Boulevard Unit #10a Mississauga, ON L5L 5X8 (905) 577-3188

Page 2 of 7







JBSFS42NHM Stainless Steel

Noir™ 42" (106.7 cm) Fully Integrated Built-In Side-by-Side Refrigerator Panel-Kit JBSFS42NHM

Clean lines. Elongated silhouettes. No need for a separate panel to conceal the air grille-just sleek styling that melts into its surroundings.

Fully Integrated and Flush Design Fully Integrated and Flush Design

UPS1
Yes
Yes

Manuals & Literature:

Dimension Guide Installation Instructions

Use and Care

Warranty

GOEMANS APPLIANCES lan Atherton ian.atherton@goemans.com

3050 Vega Boulevard Unit #10a Mississauga, ON L5L 5X8 (905) 577-3188

Page 3 of 7

GOEMANS

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation instructions packed with product. Specifications subject to change without notice.



36" NOIR™ Gas Professional-Style Rangetop

IGCP436HM

Sealed brass burners. Precise, dual flames. Unmistakable firepower erupting through cast-iron grates. Turn on the heat without the click-click clamor, and sear and simmer to satisfy your deepest hunger.



Top Features

14 Rangetop Configurations

Bend fire to your will. Grills, griddles, brass burners. Three widths. With 14 unique configurations, it's up to you. Cast off porous, superficially plated options. Go deeper. Infused with chrome, our griddle cleans up well after heavy usage. Underneath, a serpentine element powers our best griddle preheat. Fire up the grill for indoor entertainment on your terms.

Cast Iron Grates

Robust geometric grates form one graceful surface, crafted to withstand heavy woks and cookware.

A halo of luminary LEDs glows softly when the burner is lit or the oven is on.

Dimensions		Features		
Depth	27 1/2	Automatic Pan	No	
Height	7 7/16	Detection		
Width	35 3/4	Digital Display	No	
	AMERINA AP PAUL AND	Downdraft Vent	No	
Controls		Hot Surface Indicator Light	No	
Control Location	Front	Installs Over Built-In	PSN-40000 IPSD/2007.30	
Control Type	Knobs	Oven	No	
Infinite Heat Controls	No	Griddle	NA	
Knob Color	Stainless Steel	Heating Element On Indicator Light	No	
Knob Type	Metal	LP Convertible	Yes - Kit Included	
Misc.		Power Boost	No	
Accessory Relationships	Yes	Power Outage Compatible	Yes (Gas Cooktop	
Home Delivery	Yes		Burners Only)	
Will Call	Yes			
	Depth Height Width Controls Control Location Control Type Infinite Heat Controls Knob Color Knob Type Misc. Accessory Relationships Home Delivery	Depth 27 1/2 Height 7 7/16 Width 35 3/4 Controls Control Location Front Control Type Knobs Infinite Heat Controls No Knob Color Stainless Steel Knob Type Metal Misc. Accessory Relationships Yes Home Delivery Yes	Depth 27 1/2 Height 7 7/16 Width 35 3/4 Controls Control Location Front Control Type Knobs Infinite Heat Controls No Knob Color Steel Heating Element On Indicator Light Knob Type Metal Misc. Automatic Pan Detection Digital Display Downdraft Vent Hot Surface Indicator Light Installs Over Built-In Oven Griddle Heating Element On Indicator Light LP Convertible Misc. Power Boost Accessory Relationships Yes Power Outage Compatible	

Available Finishes/Colours

JGCP436HL Stainless Steel

Manuals & Literature:

CAD Image

Dim

Installation Instructions

Warranty

GOEMANS APPLIANCES lan Atherton ian.atherton@goemans.com 3050 Vega Boulevard Unit #10a Mississauga, ON L5L 5X8 (905) 577-3188

Page 4 of 7

GOEMANS





JMC2430LM Floating Glass Black

Manuals & Literature:

installation Instructions

Use and Care

Warranty

NOIR™ 30" BUILT-IN MICROWAVE OVEN WITH SPEED-COOK

IMC2430LM

Let your appetite run wild with microwave and convection energy. With curated recipes and full-color doneness images, an intelligent culinary experience awaits your touch.

Top Features

Convection & Microwave Combination Cooking

Let your appetite run wild-broil, bake or warm with convection and microwave energy.

4.3-Inch Full Colour LCD Display

A highly interactive, full-colour LCD touchscreen is packed with dynamic features that allow you to navigate effortlessly through settings and cooking options including temperature and cooking mode.

Stainless Steel Microwave Interior

Wrapped in luminous steel, intrinsic beauty is reflected in every corner.

1.4 Cu. Ft. Microwave Capacity Explore your options. There's room for whatever you're craving.

Dimensions	The second second	Microwave Details	A STATE OF THE PARTY OF THE PAR	
Depth	24 3/4	Turntable	Stoppable	
Height	19 7/8	Turntable Diameter	14 1/8	
Width	29 3/4	Size (in.)		
Microwave Detail	s and the same	Compatibility		
Microwave Type	Built-In	Connectivity	No	
Cavity Finish	Stainless	Exterior		
Cooking Power (watts)	900	Door Release	Handle	
Convection	Yes	Door Opening	Drop Down	
Convection Power	1200	Handle Color	Stainless	

MICIOWAYE DECOILS		The second second	
Microwave Type	Built-In	Connectivity	No
Cavity Finish	Stainless	Exterior	\$
Cooking Power (watts)	900	Door Release	Handle
Convection	Yes	Door Opening	Drop Down
Convection Power (watts)	1200	Handle Color	Stainless Steel
Grill	Yes		
Grill Power (watts)	1600	Controls	
Interior Light	No	Control Type	Tap Touch
	1	Control Location	Тор
Number or Racks	1	Scrolling Electronic Display	No

GOEMANS APPLIANCES Ian Atherton ian.atherton@goemans.com

3050 Vega Boulevard Unit #10a Mississauga, ON L5L 5X8 (905) 577-3188

Page 5 of 7

GOEMANS

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.





JJW3430LM Floating Glass Black

Manuals & Literature:

📤 Dimension Guide 🛮 📤 Installation Instructions

use and Care

Warranty

NOIR™ 30" Single Wall Oven with V2™ Vertical Dual-Fan Convection

IIW3430LM

With step-by-step support, savour the full culinary experience backed by customized algorithms, featuring full-colour food photography, doneness levels, pan types and menu-specific tips.

Top Features

Quieter Than the Leading Luxury Wall Oven Brand* Quieter Than the Leading Luxury Wall Oven Brand*

V2™ Vertical Dual-Fan Convection

Dual counter-rotating vertical fans work in tandem, helping you wield your cooking prowess with everything from mouthwatering fillets to irresistible

JennAir® Culinary Center

With step-by-step support, savor the full culinary experience backed by customized algorithms, featuring full-color food photography, doneness levels, pan types and menu-specific tips.

Jet Black Oven Interior

Captivation cloaked in black. Behind the dark glass door, ramp-up cinematic lighting illuminates smooth-gliding flat-tine racks and an enticing jet black

Dimensions		Controls		
Depth	23 1/4	Electronic Display Type		
Height	29 7/8			
Width	30			
Exterior		Language Conversion	nglish/French	
Door Lock	Yes	LP Convertible	No	
Handle Material	Stainless Steel	Power On Indicator Light	Yes	
Door Type	Metal &	ANNER 1 should be then recovered been accounted by	in authorizer widd: - 4464-64 elester als aussternin- refe synfryddi'i. 4464-64-4 b	
TO AND THE THE TOTAL PROPERTY OF THE PARTY OF THE PARTY.	Glass	Details		
Flush Installation Approved	Yes	Automatic Shut-Off	Yes	
Installable Under Cooktop	Yes	Bake Element Power	800W/2427W	
Handle Color	Stainless Steel	Number of Bake Elements	1	
TO CONTRACTOR DESCRIPTION		Interior Color	Black	
Controls		Oven Cooking System Convecti		
Control Type	Tap Touch	Angele de l'est d'économis année de l'année	DE PROPERTIES DE L'ANTE	
Display Color	Full Color			

GOEMANS APPLIANCES lan Atherton ian.atherton@goemans.com 3050 Vega Boulevard Unit #10a Mississauga, ON L5L 5X8 (905) 577-3188

Page 6 of 7







JDPSS246LM Stainless Steel

Manuals & Literature:

Dimension Guide

Use and Care

Warranty

NOIR™ 24" Built-In Dishwasher, 38 dBA

IDPSS246LM

Inside, a storm rages as relentless power brings every dish and glass to a state of refined cleanliness. Outside, tranquility, with sleek lines wrapped in high design. With the largest 3rd level rack in the luxury industry* and the powerful TriFecta¹⁷ Wash System, the quietest luxury dishwasher brand** never sacrifices performance.

Top Features

Quietest Luxury Dishwasher Brand*

*Based on normal cycle

High-Capacity 3rd Rack with Wash

The largest 3rd Level Rack in the luxury industry glides with quiet and ease, even when fully loaded with tapas bowls, large rocks glasses and cocktail shakers.(Based on usable volume. Models JDPSS245LX, JDPSS246L and JDPSS245L.)

Enhanced Cinematic Lighting

Shine a spotlight on clean. Packed with 18 LED lights that ramp up to full intensity, JennAir brand's best lighting coverage chases away shadows to illuminate daring Obsidian racks.

Superior Glide Middle Rack

Strong and stable. The middle rack glides smoothly and quietly, even when fully loaded. Each rail features 52 ball bearings for quiet operation.

Dimensions		Misc.		
Depth	24 1/2	Home Delivery	Yes	
Height	34 1/2	Will Call	Yes	
Width	23 7/8			
		Features		
Controls		Rinse Aid Dispenser	Yes	
Automatic	Yes	Level Indicator	sowerbappat-scorerous e	
Temperature Controls		Dispensers	Detergent	
Control Type	Tap Touch		and Rinse Aid	
	with Display	Sound Package	Yes	
Control Location	Hidden,Top	particular in the second		
Status Light	Multi-Color	Exterior		
End of Cycle Signal	Yes	Control Panel Color	Black	
		Handle Type	Towel Bar	
Misc.		True Hold Door	Yes	
Accessory	Yes	Door Style	Flat	
Relationships		Handle Color	Stainless Steel	

GOEMANS APPLIANCES lan Atherton ian.atherton@goemans.com

3050 Vega Boulevard Unit #10a Mississauga, ON L5L 5X8 (905) 577-3188 Page 7 of 7




ELICA PRO SERIES **LEONE**






Give a splash of Italian design to your professional kitchen with Leone's crisp lines, seamless welded corner craftsmanship, beveled rim and gleaming stainless steel.

Leone has the extra depth (24") and power (1200 CFM on 36",42" & 48" W) & 36" in 600 CFM needed to support professional ranges and cooktops. No ear plugs required with Leone's HUSH sound suppression system, which enables you to comfortably talk and entertain, even when cooking up a storm. Available in 30", 36" and 42" widths, Leone features backlit hidden knob controls, which operate the 4-speed blower and LED lighting. Designed for standard ducted ventilation only.





	ELN630S2	ELN636SS ELNI 36S2	ELN142\$2	ELN148SS			
Α	30"(76.2 cm)	36" (91.4 cm)	42" (106.7 cm)	48" (121.9 cm)			
В		24" (61 cm)					
С	Max: 47 ¾ " (12 0.9 cm) Min: 30" (76.2 cm)						
D	13 1/8" (33.2 cm)						
E	10 ¾" (27 cm)						
F		8" (20.3	3 cm)				

ELICA PRO SERIES **LEONE**









Width:	30" Unit	36" Unit	42" Unit	48" Unit
Model:	ELN630S2	ELN636SS (600 CFM)* ELN136S2 (1200 CFM)**	ELN142S2	ELN148SS
Dimensions:	30"W x 24"D x 12 1/8"H	36"W x 24"D x 12 1/8"H	42"W x 24"D x 12 1/8 "H	48"W x 24"D x 12 1/8 "H
Blower Type(internal):	600 CFM(4-speed)	600 CFM (4-speed)* 1200 CFM (4-speed)**	1200 CFM(4-speed)	1200 CFM(4-speed)
Noise (sones):	7 Sones	7 Sones* 8.5 Sones**	8.5	Sones
Finish:		Stainle	ss Steel	
Controls:	F∪lly Re	etractable Rotating	Knobs with Blue B	acklight
Illumination:		2 LED, 6.5 W, 3000 I	K, 540 Lumen/Lam	o
Grease Filter:	Dishwasher-Safe, Professional Stainless Steel Baffle 2 for 30", 36", 42" & 3 for 48"			
Duct Transition:	8" Round with BackDraft Damper (top only)			
Installation Type:	Ducted Installation Only			
Telescopic Chimney:	For ceiling heights 7'6" - 10'0" (over electric cooking), 8'0" - 10'0" (over gas cooking)			
Electrical:	120V - 60 Hz, 463 W			
KITS:				
Long Chimney Ext.:		KIT02785 (Can re	each up to 13")	
1200 CFM External Blower:		KIT01:	53054	
1200 CFM In Line Blower:		KITO1:	54387	
Inline Blower Shell Kit:	KIT0179549 (for use with 1200 CFM blowers only)			
External Blower Shell Kit:	KIT0179547 (for use with 1200 CFM blowers only)			
Electronic CFM Reduction Bypass KIT	KIT0185752 (for 600 CFM Blower), KIT0185099 (for 1200 CFM Blower)			
WARRANTY:***	Two (2) Years Parts & In-Home Labor. Earn an additional One (1) Year of Parts & In-Home Labor by registering on elica.com.			

PLUS FEATURES



HUSH SYSTEM - An exclusive sound deadening technology that effectively reduces sound levels by over 35%



LED CONSUMER REPLACEABLE BULB - High quality LED lighting usually requires a skilled technician to replace lamps. Avoid this expense with Elica's new LED lamps that enable homeowners to replace in seconds



SEAMLESS CRAFTSMANSHIP - Heavy gauge stainless steel 'Seamless" construction that delivers refined elegance.



STAINLESS STEEL BAFFLE FILTERS WITH GREASE COLLECTORS -1) Designed for high airflow cooking, the "S" shape design traps high volumes of grease



PROFESSIONAL PERFORMANCE - Special features and high performances for models with aspiration capacity between 600 and 1200 CFM's



HEAT GUARD - Senses extreme temperatures (>316 °F) and automatically adjusts the blower speed to HIGH

Width	HVI Certified Ratings	High Speed	Working Speed	Duct Size
36" 36"	CFM Sones	460 9.5	1,60 0.8	8" Vertical
36" 42" 48"	CFM Sones	780 12.5	310 3	8" Vertical

^{*} The product images shown are for illustration purposes only and may not be an exact representation of the product.

*** Blower performance indicates the performance of the blower by itself. Performance claims are not HVI certified but were established in accordance with HVI Standardized lest procedure. For Certified Ralings, please refer to HVI Certified Product Directory. Electric Ratings are declared according to UL.

**** For valid warranty extension, register within 3 months from purchase. For USA & Canada Users Only.