It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the Town of WHITBY.

ARCHITECTURAL REVIEW & APPROVAL
MAR 13 2012
John G. Williams Limited, Architect

SERNAS ASSOCIATES
Member of the Sernas Group Inc.
1/0 Scotia Ct., Unit 41
Whitby, Ontario L1N 8Y7
Phone: (905) 432-7878
LOT GRADING REVIEWED
MAR 06 2012

LOT GRADING PLANS APPROVED
SUBJECT TO REVISIONS NOTED
MAY 28 2012
ENGINEERING DEPARTMENT
TOWN OF WHITBY

Framing not to begin prior to certification of foundation control elevation for:
[ ] TFW
[X] MBE
[ ] max USF
as per T.O.W. Standard No. 303.10

$t_{FF} = 24'10"$
$= 7.60 + 0.72$
$= 8.32$

INCLUDE ADDITIONAL ELEVATION(S)
(See Approved Streetscape / Unit Working Dwgs)



SEE ATTACHED ADDENDUM

NOTE: PROVIDE MINIMUM 45 MINUTE FIRE RESISTANCE RATING TO EXPOSING BUILDING FACE AS REQUIRED BY OBC 9.10.15.5(2)(b)

NOTE: BUILDER TO VERIFY LOCATION OF ALL HYDRANTS, STREET LIGHTS, TRANSFORMERS AND OTHER SERVICES. IF MIN. DIMENSIONS ARE NOT MAINTAINED BUILDER IS TO RELOCATE AT HIS OWN EXPENSE.

CLIENT
ZANCOR HOMES

PROJECT/LOCATION
OLDE WINCHESTER
BROOKLIN, ONT

DRAWING
SITE GRADING PLAN

BUILDING STATISTICS

REG. PLAN No.	40M-2416
ZONE	R2B *
LOT NUMBER	61
LOT AREA(m)^2	474.04m2
BLDG AREA(m)^2	169.20m2
LOT COVERAGE(%)	35.7%
No. OF STOREYS	2
MEAN HEIGHT(m)	~~8.27~~ 8.32
PEAK HEIGHT(m)	NA
DECK LINE(m)	NA

LEGEND

FFE	FINISHED FLOOR ELEVATION
TFW	TOP OF FOUNDATION WALL
TBS	TOP OF BASEMENT SLAB
USF	UNDER SIDE FOOTING
USFR	UNDER SIDE FOOTING @ REAR
USFG	UNDER SIDE FOOTING @ GARAGE
TEF	TOP OF ENGINEERED FILL
R	NUMBER OF RISERS TO GRADE
WOD	WALKOUT DECK
LOB	LOOKOUT BASEMENT
WOB	WALK OUT BASEMENT
REV	REVERSE PLAN
STD	STANDARD PLAN
	DOOR
	WINDOW
	BELL PEDISTAL
	CABLE PEDISTAL
	CATCH BASIN
	DBL. CATCH BASIN
	ENGINEERED FILL
	HYDRO CONNECTION
	FIRE HYDRANT
SL	STREET LIGHT
	MAIL BOX
	TRANSFORMER
	WATER VALVE
	WATER CONNECTION
	SEWER CONNECTIONS 2 LOTS
	SEWER CONNECTIONS 1 LOT
AC	AIR CONDITIONING
	DOWN SPOUT TO SPLASH PAD
	SWALE DIRECTION
	CHAINLINK FENCE
	PRIVACY FENCE
	SOUND BARRIER
	FOOTING TO BE EXTENDED TO 1.25 (MIN) BELOW GRADE

ISSUED OR REVISION COMMENTS

NO.	DESCRIPTION	DATE	DWN	CHK
1	ISSUED FOR REVIEW	FEB. 27/12	ES	ES
2	ISSUED FOR FINAL	MAR. 05/12	AD	ES

I, Eric Schneider declare that I have reviewed and take design responsibility for the design work on behalf of RN Design Limited under subsection 2.17.4 of the Building Code. I am qualified, and the firm is registered, in the appropriate classes/categories.
QUALIFIED DESIGNER BCIN 30840
FIRM BCIN 26995.
03/05/12
DATE
SIGNATURE

DATE
SIGNATURE

DRAWN BY: ES
SCALE: 1:250
PROJECT No.: 09014
LOT NUMBER: 61

RN design
Imagine • Inspire • Create
TEL.(905)738-3177
FAX.(905)738-5449
DWG@RNDESIGN.COM