

Lot 129
Phase 2
Model Josephine (43-11) Elev A
JULIE OKERLUND and RONALD OKERLUND

Colours Upgrade Report
Brooklin Print Date:30-Oct-12

ID	Description	Invoice	Date Ordered	
1881	Dining Room: Upgrade to a coffered ceiling with smooth ceilings	334		
1882	Basement to attic: upgrade to PVC conduit	334		
1883	Main level: upgrade to smooth ceilings *discount for upgrading coffered ceiling in dining room	334		
1884	2nd Level: upgrade to smooth ceilings *discount for having tray ceiling in master bedroom	334		
1892	Electrical: Kitchen: Move std kitchen light over and centered to island *see plan for location	334		
1899	Electrical: Living Room: Rough in ceiling light center to room (capped), includes switch *see plan for location	334		
1913	Master bedroom: Upgraded ceiling tray ceiling with smooth ceiling finish *No charge as per schedule E	334		
1934	Kitchen: Upgrade to 1st upgrade extended upper cabinets (60cm) and (1) fridge gable	334		
2048	Electrical: Main bath Relocate std GFI plug *See plan for location	334		
2049	Electrical: Ensuite bath Relocate std GFI plug *See plan for location	334		
2808	Kitchen; upgrade hardware HR510	420		
2809	Hardwood: Main hallway, Family Room, Dining Room, Den, Living Room, upper hallway Upgrade to 1st upgrade Wickham Graphite OAK *Client given std hardwood in deal	420		
2810	Main to 2nd Level: Stain stairs to match Wickham Graphite	420		
2811	Master Ensuite: Upgrade hardware to HR 409	420		
2812	Master Ensuite: upgrade shower floor tile to Alabastrino Mosaic 2 x 2 Grey/White	420		
2813	Kitchen: 1st Upgrade METRO MAPLE CHOCOLATE *No charge as per Schedule E	420		

Lot 129

Phase 2

Model Josephine (43-11) Elev A

JULIE OKERLUND and RONALD OKERLUND

Colours Upgrade Report

Brooklin Print Date:30-Oct-12

2814	Clarification: install all KOHLER bathroom accessories in bathrooms Install all mirrors	420		
2815	Master Ensuite shower: Delete shower diverter spout	420		
2816	Family Room: Fan blower kit to be installed on STD insert. *Remote is not included	420		
2817	Kitchen: Kitchen has declined gas line *will install after	420		
2818	Kitchen: Client has denied waterline *Will install his own later	420		
2819	Electrical: OTR outlet Kitchen shorten upper cabinets to accomodate	420		
2820	Kitchen: Extended breakfast bar	420		
2821	Kitchen: Pot and pans drawer *See kitchen layout	420		
2822	Kitchen: additional bank of drawers to be added *See kitchen layout	420		
2823	Site note: Appliance specs submitted. Dishwasher not included. Std size dishwasher 24 inch	420		
2824	Master Ensuite: clarification: STD GFI plug to be installed as per sketch. NO on wall with mirror	420		
3036	✓ 1st upgrade Kitchen Cabinets	432		
3037	✓ Tray Ceiling in Master Bedroom (entire master bedroom ceiling to be smooth)	432		

Josephine Lot 129

Elev. A 3312 sq. ft.
Elev. C 3387 sq. ft.

July 17/12

Go. R. U.

Elev. A

#2816

#1913

Partial Second Floor

STD GF HERE

2049

STD GF HERE

STD GF HERE

2048

#1881
Capped Ceiling
(Single)

#2815






#1889
Capped Ceiling
(Light)

#2048


STD GF HERE

Second Floor
Elev. 'A'

Ground Floor
Elev. 'A'



Basement Floor
Elev. 'A'



Basement Floor

ZANCOR
HOMES

LOCAL, LEGENDARY & LASTING

Prices and specifications are subject to change without notice. E.S. O.E. The patterns may vary. Window size and location may vary. Approx. location of furnace and water tank. Actual usable floor space may vary from the stated floor area. All stated dimensions are approximate. All residents are responsible for their own safety.

3 of 4

ZANCOR HOMES COLOUR CHART

CABINETRY				HARDWARE				ZANCOR APPLIANCE PACKAGE			
Kitchen	1st Upgrade METRO MAPLE CHOCOLATE			HR 510	Appliance Package		NO	NO	NO		
Servery	N/A			N/A	Gas Line to Stove		NO	NO	NO		
Master Ensuite	1st Upgrade METRO MAPLE CHOCOLATE			HR 510	PLUMBING		NO	NO	NO		
Main/Twin	STD Euro Oak Chocolate			HR 409	STANDARD		NO	NO	NO		
2nd Ensuite	STD Contessa Oak Vanilla			HR 404	Kitchen		STD				
3rd Ensuite	STD Contessa Oak Chocolate			HR 408	Powder Room		STD				
Jty	N/A			N/A	Master Ensuite		STD			SEE PES	
Basement Bath	STD			STD	Main/Twin		STD				
Garage Door landing	N/A			N/A	2nd Ensuite		STD				
	13 x 13 Greco Grey			N/A	3rd Ensuite		N/A				
COUNTERTOPS				EDGE				MIRRORS & ACCESSORIES			
Kitchen	4886-38 PEARL SOAPSTONE			N/A	Mirrors		Yes				
Servery	N/A			N/A	Bathroom Accessories		Yes				
Island	4886-38 PEARL SOAPSTONE			N/A	PLUMBING		NO	NO	NO		
Master Ensuite	4760-50 Mystique Night			N/A	Casing/Baseboards		STD				
Main/Twin	P-277 CA St. Lawrence Bedrock			N/A	Interior Doors		STD				
2nd Ensuite	P-277 CA St. Lawrence Bedrock			N/A	Interior Door Hardware		STD				
3rd Ensuite	N/A			N/A	Exterior Door Hardware		STD				
Laundry	STD			N/A	POSTER/MOULDING		NO				
Basement Bath	N/A			N/A	Crown Moulding		NO				
FLOOR & WALL TILES				TIMBER FLOORS				HARDWOOD/CARPETS			
Kitchen Floor	13 x 13 Greco Grey			N/A	Location		NO				
Breakfast Floor	13 x 13 Greco Grey			N/A	Living Room		Up1 Wickham Graphite Oak				
Kitchen Bk.Splash	N/A			N/A	Dining Room		Up1 Wickham Graphite Oak				
Main Foyer	13 x 13 Greco Grey			N/A	Family/Great Room		Up1 Wickham Graphite Oak				
Main Hall	Hardwood			N/A	Den/Study		Up1 Wickham Graphite Oak				
Powder Room	13 x 13 Greco Grey			N/A	Kitchen *(Waiver)		TILE				
1st Ensuite Floor	13 x 13 Greco Grey			N/A	Main Foyer *(Waiver)						
Master Ensuite Shower	8 x 10 Corte Milla Silver			N/A	Main Hall		Up1 Wickham Graphite Oak				
Master Ensuite Tub Wall	8 x 10 Corte Milla Silver			N/A	Upper Hall		Up1 Wickham Graphite Oak				
Master Ensuite Tub Deck	8 x 10 Corte Milla Silver			N/A	Master Bedroom		Performa 3 4520 White Mink				
Master Shower Floor	Master/2nd Ensuite 2 x 2 Greco/Milla			N/A	Bedroom 2		Performa 3 6388 Roman Amber				
Main Bath/Twin Floor	13 x 13 Greco Beige			N/A	Bedroom 3		Performa 3 4520 White Mink				
Main Bath/Twin Wall	8 x 10 Reflection White			N/A	Bedroom 4		Performa 3 4520 White Mink				
Main Bath/Twin Shower	8 x 10 Reflection White			N/A	Carpet Underpad		STD				
2nd Ensuite Floor	13 x 13 Greco Beige			N/A	Basement Landing		N/A				
2nd Ensuite Wall	8 x 10 Reflection White			N/A	Other		N/A				
2nd Ensuite Shower	8 x 10 Reflection White			N/A	STAIR RAILING & PICKETS		Match Wickham Graphite				
Basement Landing	N/A			N/A	Main Flr. to 2nd Flr. Stair Finish/Stair		STD RAILING				
Other	N/A			N/A	Main Flr. to 2nd Flr. Railing Details:						
INTERIORS				STAIR RAILING & PICKETS				STAIR RAILING & PICKETS			
Location	Family Room			Marble	NR 24						
Insert & 4 PC Surround	NO			Hearth	NO						
PAINT				STAIR RAILING & PICKETS				STAIR RAILING & PICKETS			
Kitchen/Breakfast	Warm Grey- 22										
Living Room	Warm Grey- 22										
Dining Room	Warm Grey- 22										
Family/Great room	Warm Grey- 22										
n/Study	Warm Grey- 22										
Main/Upper Hall	Warm Grey- 22										
Master Bedroom	Warm Grey- 22										
Bedroom 2	Warm Grey- 22										
Bedroom 3	Warm Grey- 22										
Bedroom 4	Warm Grey- 22										
Ensuite	Warm Grey- 22										
Main/Twin	Warm Grey- 22										
2nd Ensuite	Warm Grey- 22										
3rd Ensuite	Warm Grey- 22										
Laundry	Warm Grey- 22										
Other	Warm Grey- 22										
SITE				STAIR RAILING & PICKETS				STAIR RAILING & PICKETS			
	Brooklins Forest			LOT:	129						
PURCHASER(S):				STAIR RAILING & PICKETS				STAIR RAILING & PICKETS			
	Julie Okerlund										
	Ronald Okerlund										
HOME #:				STAIR RAILING & PICKETS				STAIR RAILING & PICKETS			
CELL #:				STAIR RAILING & PICKETS				STAIR RAILING & PICKETS			
EMAIL:				STAIR RAILING & PICKETS				STAIR RAILING & PICKETS			
MODEL:	Josephine			ELEV:	A						
VOB/LOB:				STAIR RAILING & PICKETS				STAIR RAILING & PICKETS			

* ITS THE RESPONSIBILITY OF ALL TRADES TO INFORM THE BUILDER OF ANY DISCREPANCIES ON SKETCHES, PES AND/OR COLOUR CHART

ZANCOR HOMES

Decorator/Consultant Signature

Date

Purchaser Signature

Date

Purchaser Signature

Date

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Colors of all materials are as close as possible to suppliers selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers.

Due to construction progress some items may have been pre-selected or installed. In this event the Vendor's selection must be accepted by the purchaser

DISCLAIMER: Colors of all materials are as close as possible to suppliers selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers.

Due to construction progress some items may have been pre-selected or installed. In this event the Vendor's selection must be accepted by the purchaser

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs

Purchaser has checked and acknowledged accuracy of colour and selections before signing.

Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs



Caldale Kitchens Inc.

92 Oakdale Road, Downsview, Ontario M3N 1V9
Tel: (416) 741-1122 Fax: (416) 741-3996

QUOTATION #

DATE:

JOB NO.

O: ZANCO



SHIP TO: CRAIG WINCHESTER

BRECKIN

OCT 5/12

INSTALLATION
☐ WITH
☐ WITHOUT

TYPE OF CABINETS:	FINISH OF CABINETS:	HARDWARE:	COUNTERTOP:
HOUSE TYPE	REMARKS		
43' COCKER	* Confirm Layout Based *		



I am subject to confirmation from head office.
delivered shall be checked and inspected on
any. We shall not be responsible for any claims or
claims after this inspection.

All agreements are contingent upon strikes, accidents, and
delays beyond our control.
Please provide our installer with template for sinkholes or
\$100.00 will be charged for callback.

SHIPPED DATE:

UT THOROUGHLY EXPLAINED AND FULLY UNDERSTOOD

TERMS:

TOTAL \$

CUSTOMER SIGNATURE

SALESMAN'S SIGNATURE

- POSSIBLE UPGRADES
1. UPPER CORNER DIAGONAL
 2. GLASS DOOR
 3. MATCHING INTERIOR
 4. BASE CORNER BUILDING DOOR
 5. MICROWAVE SHELF
 6. UPPER END SHELF
 7. CARGO BIN
 8. FAN ENCLOSURE
 9. UPPER WINE JACK/OPEN SHELF
 10. DISHWASHER CABINET
 11. REFRIGERATOR
 12. POT DRAWERS
 13. MICRO/AN CONVECTION STD
 14. BASE WINE JACK/OPEN SHELF
 15. VANITY BANK OF DRAWERS
 16. DEEP FREEZER UPPER
 17. DEEP FREEZER LOWER

NEWS ABOUT SAMSUNG

LOGIN / HELP WITH MY ORDER / CART (0)

SHOP PRODUCTS

BUSINESS SOLUTIONS

CONNECTED LIVING

MY ACCOUNT

SUPPORT

Home > Ranges > Specifications >


0/0 My Cart / 7

Like 66

1

16

Lot 129
Brooklyn Forest



Specifications Sheet PDF | Print This

Features

Capacity (cu. ft.)	5.8
Self Clean / Steam Clean	Self Clean
Chrome Oven Racks	3
Convection Bake	Yes
Convection Roast	Yes
Warming Drawer	Yes
Four Preset Menu Cook Options	Yes
Child Safety Lock	Yes
Premium Stainless Steel Look	Yes
Porcelain Enamel Black Burners	5

Power Consumption

BTUs 87,000

Power Source 120 V / 60Hz

Induction/Radiant Ceramic Cooktop

Right Front Radiant	18,000 BTU
Left Front Radiant	15,000 BTU
Right Rear Radiant	5,000 BTU
Left Rear Radiant	9,500 BTU
Center Rear Warming Center	9,500 BTU

<http://www.samsung.com/us/appliances/oven-ranges/FX710BGS/XAA-specs>

10/5/2012

Set 5/12
904.0.

7/20/14

Oven Functions

Hidden Bake Element	18,000 BTU
Bake	180°F - 550°F
Convection Bake	175° - 550°F
Broil Element	13,500 BTU
Variable Broil	375°F - 480°F
Convection Roast	175° - 550°F
Proofing	Yes
Sabbath Mode	Yes
Convection (upper/lower)	Convection Cooking

Warming Drawer

Capacity (cu. ft.)	0.7
Heating Performance	800 W (4 pass)
Temperature Settings	High, Medium, Low

Warranty

One (1) Year All Parts and Labor	Yes
Five (5) Years Gas Cooktop	Yes

Dimensions

Oven Dimensions (W x H x D)	27" x 21 1/8" x 19"
Outside Net Dimensions (W x H x D)	29 15/16" x 46 1/2" x 23 9/16"
Shipping Dimensions (W x H x D)	32 7/8" x 50 13/32" x 30 1/8"

Design

Color Stainless Steel

Weight

Product Weight (lb.)	199.2 lbs
Shipping Weight (lb.)	229.3 lbs

Who We Are

About Samsung
Careers
Sustainability
News
Investor Relations

Shop

Shopping Cart
Order History
Help with Your Order
Order Tracking

What We Make

TV & Video	Mobile	Phone	Computing	Home Appliances
TVs	Cell Phones	Cameras	Laptops	Washers & Dryers
Blu-ray & DVD Players	Tablets	Camcorders	All-in-One PCs	Refrigerators
Home Theater Systems	Cell Phone Accessories	SD Cards	Tablet PCs	Microwaves
	Laptops		Monitors	Dishwashers
	Chromecast		Printers	Ranges
	Media Players		Memory & Storage	Vacuums
				LED Lighting

How can we help you ?

Find product support
Register your product
Product recycling
Get downloads
Owner benefits
Articles
Shopping guides
Samsung Wireless Accessibility
Contact us

W1124

NEWS, ABOUT SAMSUNG

LOGIN | HELP WITH MY ORDER | CART (0)

SHOP PRODUCTS

BUSINESS SOLUTIONS

CONNECTED LIVING

MY ACCOUNT

SUPPORT

Home > Refrigerators > Specifications >


View 1/2

Like 3

0

3

Search



Specifications Sheet PDF | Print This

Features

Additional Filtered Ice Maker In the Freezer	Yes
Cool Select Party with Temperature Control	Yes
Total Capacity (cu. ft.)	25.5
LED Lighting	Yes
Cooling System	Twin Cooling® Plus
Surround Air Flow	Yes
Power Freeze and Power Cool Options	Yes
Humidity Controlled Crispers	Yes
Tempered Glass Spill Proof Shelves	Yes
Gallon Door Bins	6
EZ-Open Handle™	Yes
2-Minute Door Alarm	Yes
CoolLight Door	Yes
Dispenser Light	Yes
Display Color	Blue
Filter Indicator	Yes
Handles	AL Hair Line
Water Filter	Yes
Refrigerant	R134a

Dimensions

<http://www.samsung.com/us/appliances/refrigerators/RF260BEAESR/AA-specs>

10/5/2012

bot 129

Product Dimensions with Hinges (W x H x D)	35 3/4" x 70" x 33 1/4"
Product Dimensions without Hinges (W x H x D)	35 3/4" x 68 5/8" x 33 1/4"
Shipping Dimensions (W x H x D)	38 5/8" x 75 6/8" x 38 1/4"

Refrigerator Features

Refrigerator Capacity (cu. ft.)	17.6
Humidity Control Crispers	Yes
Tempered Glass Shelves	Yes
Gallon Door Bins	6
Door Bins	6
LED Lighting	Yes
CoolSelect Pantry™	Yes
Interior Light	LED
Internal Digital Display	Yes
Shelves	5
Slide-In Shelf	1
Slide-out Shelves	3
Spill proof shelves	Yes

Freezer Features

Freezer Capacity (cu. ft.)	8.1
EZ-Open Handle™	Yes
Drawer Divider	1
LED Lighting	Yes
Cubed and Crushed Ice	Cubed Only
IceMaker	Yes

Warranty

1 Year	All Parts and Labor
10 Years	Sealed System Parts and Labor

Design

Color	Stainless Steel
-------	-----------------

Power

ENERGY STAR® Compliant	Yes
------------------------	-----

Refrigerator Type

Type	French Door
------	-------------

<http://www.samsung.com/us/appliances/refrigerators/RF260BEAESR/AA-specs>


10/5/2012

LOT 129


NNSD291S
Genius® Prestige® Inverter® Over-the-Range Stainless Steel
Microwave

- Blue LED Light dial control system
- Stainless steel finish with fingerprint resistant coating
- 2.0 cu. Ft
- 1100W high power output
- Super powerful and quiet fan (up to 450 CFM)
- Energy saving cook-top LED light
- Stylish Blue Colour LED display
- All metal finish design
- Sensor Reheat
- Sensor Cook with instant access (15 categories)
- Inverter® Turbo defrost
- Half mirror glass door
- Stainless steel keypad
- Exterior Dimensions (H x W x D):
418 x 759 x 393 mm / 16.5" x 29.9" x 15.5"

MSP: \$699.99



+ enlarge image




→ main page



WTT 129
Brooklyn Forest

TOP LOAD WASHERS



High Efficiency Top Load Washer WT5170

Performance

- 5.4 cu.ft. Ultra Large Capacity with NeverRust™ Stainless Steel Drum (IEC)
- DirectDrive™ Motor for the Ultimate in Durability and Reliability with 10 Year Warranty
- 1100 RPM Powerful Spin for Efficient Water Extraction

Intelligent Fabric Care

- WaveForce™ Technology
- NSF Certified Sanitary Cycle
- Internal Water Heater
- ColdWash™ Option
- SmartRinse® Jet Spray System
- SlamProof™ Lid
- SmartDiagnosis™
- TrueBalance™ Anti-Vibration System
- SenseClean™ System for Intelligent Fabric Care
- 14 Washing Programs and 5 Temperature Settings
- Delay Wash up to 19 hours for Washing Convenience

Style and Design

- Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Clear Diamond Glass Lid

Technology Benefits

- LoDecibel™ Quiet Operation
- Highly Energy and Water Efficient



Graphite Steel



NSF certifies the SANITARY course which is intended for reducing 99.9% of bacteria and other harmful microscopic organisms on laundry.



LG front load washers exceed Energy Star classifications by a minimum of 35%.



Inverter
DirectDrive



Life's Good

WT129

11 of 11

12 of 14

TOP LOAD WASHERS

Catch the Wave

LG WaveForce™ uses rapid drum movement and powerful water jets to provide outstanding washing and rinsing performance, while staying gentle on clothes.

The Hottest Thing in Cold

Now using the cold cycle on your washer doesn't mean compromising on how clean your clothes are. ColdWash™ technology uses cold water and enhanced washing motions to penetrate deep into fabrics, giving you cold-water savings with warm-water performance.

More Free Time

Towers of towels, piles of sweatshirts, and a mountain of jeans? Go for it. The ultra large capacity (5.4 cu.ft.) washer lets you do more laundry in fewer loads. That's time well saved.

Count On It


When you buy a washer, you don't want to worry that it won't last. Because the Direct Drive Motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year warranty.

Call, Connect, Resolve

SmartDiagnosis™ uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.

No Snags

Instead of a bulky, inefficient agitator, this washer has a low-profile, highly-efficient impeller. And both the NeverTust™ impeller and wash tub are made of durable stainless steel, avoiding nicks that can snag fabrics.



WT170	
TYPE	
Top Loader	•
Design Look	Rear Control
Intelligent Electronic Controls with Dual LED Display	
Dial-A-Cycle™	•
Capacity*	IEC 5.4 cu.ft.
Dry Load Capacity	>10.1 lb
ENERGY	
ENERGY STAR	•
WASH PROGRAMS	
12 Programs	Continuous, Daily-Loading, Power/Normal, Speed Wash, Heavy Duty, Deepsoak™, Pre-Soak, Wool, Tonic, Baby Care, Sports Wear, Sanitary, Delicates, Tub Clean
13 Options	
5 Wash/Rinse Temperatures	Rinse-Spin, Spin Only, SteamCare™, Soak, ColdWash™, Extra Rinse, Fabric Softener, Child Lock, Custom Program, Signal On/Off Delay Wash (up to 19 hours)
Spin Speeds	Extra Hot Hot Warm Cold, 720 RPM (All Cold Rinses), Extra High (1100 max), High, Medium, Low, No Spin
No. of Water Levels	3
FABRIC CARE FEATURES	
WaveForce™	•
ColdWash™	•
SmartRinse™ Jet Spray System	•
SmartClean™ System	•
CONVENIENCE FEATURES	
3 Tray Dispenser	Main Wash, Fabric Softener, Liquid Bleach
TumbleBalance™ Anti-Vibration System	•
SmartDiagnosis™	•
LoadSense	•
Status Indicator(s)	•
End of Cycle Signal	•
Child Lock	•
Auto Suds Removal	•
Forced Drain System	•
Internal Water Heater	•
Leveling Legs	4 Adjustable Legs
LeakGuard™ Quiet Operation	
MOTOR AND AGITATOR	
Motor Type / Motor Speed / Asst	Direct Drive / Variable / Vertical
MATERIALS AND FINISHES	
NeverRust™ Stainless Steel Tub	•
Chassis	Painted Steel
Control Panel	Plastic
Top Cover	Painted
Transparent Diamond Glass Lid	•
Available Colours	Caprice Steel (†)
POWER SOURCE	
Rating / Electrical Requirements / Type	UL Listed / 120V, 10 Amps / Electric
DIMENSIONS	
Product (WxHxD)	27 x 44.5 x 8" x 28.5 x 8" (35 3/4" H with lid open)
Carton (WxHxD)	23 1/2" x 48" x 31 1/4"
Weight (Product/Carton)	145.5 lbs/172 lbs
UPC CODES	773434 059360
WT170HV	
WARRANTY	
1 year parts and labour, 5 years part on Drum, 10 years part on DirectDrive™ Motor	

Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. All trademarks are property of their respective owners.



LG ELECTRONICS CANADA INC.
550 Matheson Blvd. East, Mississauga, ON L4Z 4G3
Tel: 905.568.6800 | Fax: 905.507.9649 | LG.com
Customer Service & Parts
1-888-542-2623

WT170HV

130F14

LAUNDRY

ELECTRIC DRYERS

DLX5170

Ultra Large Capacity SteamDryer™ DLX5170

Performance

- 7.3 cu.ft. Ultra Large Capacity with NeverRust™ Stainless Steel Drum

Intelligent Fabric Care


- TrueSteam™ Technology
- SteamFresh™ Cycle
- SteamSanitary™ Cycle
- ReduceStatic™ Option
- EasyIron™ Option
- Sensor Dry System for Intelligent Fabric Care and Energy Efficiency
- Precise Temperature Control with Variable Heat Source
- SmartDiagnosis™
- 14 Drying Programs
- 5 Temperature Settings
- 3 Minute Installation Check
- FlowSense™ Duct Clogging Indicator
- Drying Rack
- Wrinkle Care Option
- Delicates Cycle
- Anti-Bacterial Cycle
- Custom Program
- Damp Dry Signal

Style and Design

- Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Chrome Edged Diamond Glass Door

Technology Benefits

- LoDecibel™ Quiet Operation



Graphite Steel

lot 12-9



Life's Good

ELECTRIC DRYERS

Harness the Power of Steam

LG TrueSteam™ technology uses a steam generator to produce real steam right into in the dryer giving you unique cycle options that remove wrinkles, odours, static and allergens.

The Quick Fix

Late for the party and no time to iron your favourite outfit? The SteamFresh™ cycle refreshes and reduces wrinkles in up to five garments at a time with one 20-minute dryer cycle.

Refresh and Sanitize

SteamSanitary™ cycle refreshes and sanitizes dry items in the SteamDryer. The SteamSanitary™ cycle kills bacteria on your clothes and is great for decorative pillows and other non-washable items.

Less Time with Your Iron


Who likes ironing? No one. The EasyIron™ option lightly moistens clothes to make ironing easier and more efficient.

Never Clingy

That stowaway sock won't be attached to your pant leg any longer. The ReducesStatic™ option virtually eliminates static cling.

Call, Connect, Resolve

SmartDiagnosis™ uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.



LG ELECTRONICS CANADA INC.
550 Matheson Blvd East, Mississauga, ON L4Z 4G3
Tel: 905.668.6800 | Fax: 905.507.9649 | LG.com
Customer Service & Parts
1-888-542-2625

WST 129

DLEX5170	
TYPE	
Front Loader	•
Design Look	Rear Control
Intelligent Electronic Controls with Dual LED Display	
Diagnosis-Cycle*	#
Capacity	23 cu.ft.
Dry Linen Capacity	>10.1 kg
DRYING PROGRAMS	
14 Programs	Sensor Dry, Cotton/Normal, Perm. Press/Casual, Towels, Delicates, Small Load, Heavy Duty, Bulky Bedding, SteamFresh™, SteamSanitary™, Anti-Bacterial, Sports Wear, Manual Dry, Speed Dry, Air Dry, Rack Dry
9 Options	More Time, Less Time, Custom Program, Damp Dry Signal, Wrinkle Care, Child Lock, ReducesStatic™, EasyIron™, End of Cycle Signal
5 Temperature Settings	High, Medium High, Medium, Low, Ultra Low
5 Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
FABRIC CARE FEATURES	
SteamFresh™ Cycle	•
SteamSanitary™ Cycle	•
ReducesStatic™ Option	•
EasyIron™ Option	•
Sensor Dry	•
Precise Temperature Control and Variable Heater	•
CONVENIENCE FEATURES	
Smart Diagnosis™	•
Flowsense™ Duct Clogging Indicator	•
Anti-Bacterial Cycle	•
Wrinkle Care Option	•
Remaining Time Display/Status Indicator(s)	•
Child Lock	•
Drying Rack	•
Door Light	•
Reversible Door	•
Leveling Legs	4 Adjustable Legs
Venting Option	•
3 Minute Installation Check	•
Intermittent Quiet Operation	•
MATERIALS AND FINISHES	
Newburn® Stainless Steel Drum	•
Cabinet	Painted Steel
Control Panel	Plastic
Top Flange	Painted
Transparent Glass Door	•
Door Rim	Chrome
Available Colours	Graphite Steel (Y)
POWER SOURCE	
Rating / Electrical Requirements	UL Listed / 240V, 30 Amps
Type	Electric
DIMENSIONS	
Product (WxHxD)	27" x 45 3/8" x 28 3/8" (69 5/4" x 48" x 31 1/4") (69 5/4" H with door open)
Carton (WxHxD)	29 1/2" x 48" x 31 1/4"
Weight (Product/Carton)	133.2 lbs/145.5 lbs
UPC CODES	772454 059384
DLEX5170V	772454 059384
WARRANTY	
1 year parts and labour	
Design, features and specifications are subject to change without notice. Nominal weights and measurements are approximate. All trademarks are property of their respective owners.	