




FRENCH DOOR



Stainless Steel



reddot design award
honourable mention 2012



LFX31945

30.5 Cu.Ft. Super Capacity 3 Door Refrigerator
with Door-in-Door

Style and Design

- French Door Refrigerator with Slim SpacePlus™ Ice System and Bottom Freezer Drawers
- Premium Finish in Stainless Steel
- Contoured Doors with Matching Commercial Handles with Smart Pull™ Freezer Handle
- Hidden Hinges
- Premium LED Interior Light

Organization

- 4-Compartment Crisper System with Humidity Control
- Full Width, Temperature-Controlled Glide N' Serve™ Drawer
- 2 Humidity Crispers/1 Bonus Drawer
- 9 Door Baskets (2 Half, 1 Gallon, 1 Kids, 2 Small)
- 3-Tier Organization™ Freezer
- DuraBase™ Solid Drawer Base

Performance

- Door-in-Door Design
- Smart Cooling Plus System
- Fresh Air Filter
- Dual Evaporators
- Linear Compressor: 10 Year Warranty
- Fully Integrated Tall Ice & Water Dispenser
- Premium Water Filtration System
- Multi-Air Flow Cooling
- Electronic Temperature Controls
- SmartDiagnosis™
- LoDecibel™ Quiet Operation
- Door Alarm



ENERGYSTAR® qualified models use at least 20% less energy than required by current federal standards. LG's Energy Star refrigerators allow consumers to save money, energy and protect the environment.



Linear
Compressor



Life's Good

FRENCH DOOR

Quick, Easy Access

Our exclusive LG Door-in-Door Design allows quick and easy access to healthy snacks, beverages and frequently used items for the whole family.

Super Capacity

Our largest capacity refrigerator. With 31 cu.ft., you can store more food than ever before. More storage space means less trips to the grocery store.

More Shelf Space

Most ice makers take up space in the fridge. Our Slim SpacePlus™ Ice System is located on the door, so you end up with more storage space on the top shelf--and you still have storage space on the door as well.

Fresher is Better


Our Smart Cooling Plus System maintains the optimal humidity and temperature levels in your fridge, which means your food stays fresher, longer. Meanwhile, a Fresh Air Filter removes odours and the Multi-Air Flow design means your food stays fresh no matter where you put it.

Call, Connect, Resolve

SmartDiagnosis™ uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.

Peace of Mind

When you buy a refrigerator, you don't want to worry that it won't last. Because the Linear Compressor motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year warranty.



LG ELECTRONICS CANADA INC.

550 Matheson Blvd. East, Mississauga, ON L4Z 4G3

Tel: 905.568.6800 | Fax: 905.507.9649 | LG.com

Customer Service & Parts

1-888-542-2623

LFX31945

CAPACITY	
Refrigerator	20.5 cu.ft.
Freezer	10 cu.ft.
Total	30.5 cu.ft.
FEATURES	
Freezer Door Type	Pull Drawer
Tall Ice & Water Dispenser	•
Water Filtration System	Compact Filter LT700P
Energy Star	•
Energy Consumption (kWh/year)	578
Smart Cooling Plus System	•
Multi-Air Flow	•
Display Type	SmoothTouch™ Control/White LED
Temperature Controls	Electronic/Digital
Temperature Sensors	10
Linear Compressor	•
Fresh Air Filter	•
Dual Evaporator	•
Door-in-Door Design	•
SmartDiagnosis™	•
LoDecibel™ Operation	•
Child Lock	•
Door Alarm	•
REFRIGERATOR	
No. of Shelves	4 Split (3 Fixed, 1 Folding)
Cantilevered Shelves	•
Shelf Construction	Spill Protector Tempered Glass
Crisper Bins	2 Humidity Crispers/1 Bonus Drawer
Glide N' Serve™ Pantry Drawer	•
Slim SpacePlus™ Ice Maker	•
Refrigerator Light	Ceiling and Side LED
REFRIGERATOR DOOR	
No. of Shelves / Bin	9 (2 Half, 1 Gallon, 1 Kids, 2 Small)
Door Bin Construction	Clear Bins with Deco
FREEZER	
Drawers	3
DuraBase™ Solid Drawer Base	•
Drawer Divider	•
No. of Door Bins/Construction	Tilting Shelf/Plastic
3-Tier Organization™	•
Handle	Smart Pull™ Handle
Ice Bin	•
Freezer Light	Premium LED
MATERIALS/FINISHES/STYLE	
Contour Door	•
Hidden Hinges	•
Surface	Stainless Steel
Back	Flush & Metal cover over mechanical parts
Available Colours	Stainless Steel (ST)
Handles	Matching Commercial Handle
DIMENSIONS/CLEARANCES/WEIGHT	
Depth with Handles	36 1/4"
Depth without Handles	33 3/4"
Depth without Door	29 1/2"
Depth (Total with Door Open)	48 1/8"
Height to Top of Case	68 3/4"
Height to Top of Door Hinge	70 1/4"
Width	35 3/4"
Width (Door Open 90° with Handle)	45"
Width (Door Open 90° without Handle)	40"
Door Edge Clearance with Handle	4 5/8"
Door Edge Clearance without Handle	2 1/4"
Installation Clearance	Sides 1/8", Top 1", Back 2"
Weight (lbs)	350/390 (Unit/Carton)
Carton Dimensions (WxHxD)	38" x 73" x 39"
UPC CODES	
LFX31945ST	048231 784511
WARRANTY	
1 Year Parts and Labour 7 Years Parts on the Sealed System 10 Years Parts on Linear Compressor	


Design, features and specifications are subject to change without notice.

Non-metric weights and measurements are approximate.

All trademarks are property of their respective owners.

Printed in May 2012

ELECTRIC SLIDE-IN RANGE



LSE3092

Cooking Performance


- 5.4 cu.ft. Large Oven Capacity
- 1.0 cu.ft. Baking Drawer Capacity
- Dual True Convection System
- Convection Bake
- Convection Roast
- Healthier Roast Convection
- 5 Radiant Cooktop Elements with Warming Zone
- Matching High End Knobs

Style and Design

- Brilliant Blue Interior
- WideView™ Window
- Slide-In Design
- Stainless Steel Cooktop Trim
- Premium Stainless Steel Finish

Convenience Features


- SmoothTouch™ Glass Controls
- Heavy-Duty Gliding Rack, Split Rack and Full Racks with 7 positions
- GoCook™ Smart Oven Light
- 12 Hr Automatic Shut Off
- Self-Cleaning



Stainless Steel

"Highest in Customer Satisfaction with Ranges, Cooktops and Ovens in the U.S."

- J.D. Power and Associates



2008

2009

LG received the highest numerical score for ranges, cooktops and ovens in the proprietary J.D. Power and Associates 2009 U.S. Kitchen Appliances Studies™ 2008 received award for satisfaction with cooktops/wall ovens. 2009 study based on 4,067 total responses measuring 12 brands and measures opinions of U.S. consumers during the previous 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in March-April 2009. Your experiences may vary. Visit jdpower.com.

LG
Life's Good

ELECTRIC SLIDE-IN RANGE

Extra Large Capacity

With one of the largest oven capacities available, at 5.4 cu.ft., LG's slide-in range provides more space for cooking large meals for families.

Dual True Convection

Two fans combined with two built-in heating elements provide 30% faster preheat time* with the added benefits of even heat distribution for overall uniform baking and roasting

- **Convection Bake** provides even heat distribution and results when baking simultaneously on multiple racks.
- **Convection Roast** is great for large, tender cuts of meat because heat circulates evenly around all sides for thorough cooking.
- **Healthier Roast Convection** foods are cooked slowly at a lower temperature to melt away fat, then cooked at high heat briefly for browning and caramelization. The result is a healthier meal.

Brilliant Blue Interior

Every LG electric range boasts an elegant brilliant blue interior cavity for an added touch of sophistication.

Award Winning Style and Design

Combined with stylish controls and the signature LG design, this electric slide-in style range is a perfect fit for the aesthetically conscious consumer.

* Based on testing results comparing standard LG convection range to the dual convection range (325°F) mode.

LSE3092	
Type	Electric Slide-In
Capacity	5.4 cu.ft
CONTROLS	
Oven / Cooktop	SmoothTouch™ / Knobs
Display	White VFD
Electronic Clock & Timer	•
Control Lock Function	•
Audible Preheat Signal	•
Special Functions	Temperature Unit of Measure (F/C), Beeper Volume (High, Low, Mute), Language: English or Spanish, Preheating Alarm Light On/Off
Door Lock	•
COOKTOP	
Type	Radiant
No. of Radiant Element	5
Warming Zone	•
ELEMENT SIZE AND WATTAGE	
Left Front	6", 9"/1400W & 3000W
Left Rear	6"/1200W
Centre Rear (Warming Zone)	7"/100W
Right Front	6", 9", 12"/1100W, 2200W, 3000W
Right Rear	6"/1200W
OVEN	
Self-Cleaning	•
Variable Cleaning Time	2 hr, 3 hr & 4 hr
Delay Clean	•
Broil Element	6 Pass / 4000W
Bake Element	6 Pass / 3400W
Delay Bake	12 Hours
Convection System	Dual True Convection
Convection Bake	•
Convection Roast	•
Healthier Roast Convection	•
Convection Conversion	•
Automatic Shut-Off	After 12 Hours
WideView™ Window	•
GoCook™ Smart Oven Light	•
Interior Oven Light Adjustment	1, Auto/Manual
No. of Racks/Positions	2 Full, 1 Cliding, 1 Split/7
DRAWER	
Type	Bake Drawer
Capacity	1.0 cu.ft.
MATERIALS/FINISHES	
Available Colours	Stainless Steel (ST)
Oven Interior	Brilliant Blue
Knobs	Matching Metal
Handles	Matching Commercial Handle
POWER SOURCE	
Requirements	120/240 VAC, 120/208 VAC, 15.3kW/40A, 11.5kW/40A
DIMENSIONS	
Width	29 7/8"
Height (to top of cooktop)	36"
Depth (including door)	26 3/8"
Depth (including handle)	28 7/8"
Oven Cavity (WxHxD)	24 1/2" x 19 11/16" x 19 3/8"
Drawer (WxHxD)	22 1/4" x 5" x 16 1/2"
WideView™ Window (WxH)	20 1/4" x 12 1/4"
Net Weight	181 lbs
UPC CODE	
LSE3092ST	772454 051043
WARRANTY	
1 Year Parts and Labour 5 Years Limited on Cooktop and Radiant Surface Units	

Design and specifications are subject to change without notice.
All trademarks are property of their respective owners.




LG ELECTRONICS CANADA INC.

550 Matheson Blvd. East, Mississauga, ON L4Z 4G3
Tel: 905.568.6800 | Fax: 905.507.9649 | LG.ca
Customer Parts & Service
1-888-LG-CANADA | lgservice.com

Printed in February 2010

DISHWASHERS



LDF7561

Fully Integrated Dishwasher with Height-Adjustable 3rd Rack

Specifications

- 14 Place Settings
- 7 Cycles
- Stainless Steel Tub
- 3-Stage Filtration System
- BPA-Free Nylon Coated Tines
- ENERGY STAR Qualified

Innovations

- EasyRack™ Plus with Fully Adjustable Color-coded Tines
- Height Adjustable 3rd Rack
- One-touch Height Adjustable Upper Rack
- 45 dB LoDecibel™ Quiet Operation
- Slim DirectDrive™ Motor
- Safety Water Overflow Detector
- 19-Hour Delay Start
- SenseClean™ Wash System
- Variable Spray Intensities
- Dual Wash Mode
- NSF-Certified Sanitary Rinse
- Hybrid Condensing Drying System

Style and Design

- Hidden SmoothTouch™ Controls with LED Display
- 2 SignalLight™ LED Cycle Indicator Lights
- Matching Commercial Handle



NSF certifies the SANITARY course which is intended for reducing 99.9% of bacteria and other harmful microscopic organisms.




ENERGYSTAR® qualified models exceed the Department of Energy standards for energy consumption by at least 25%. LG's Energy Star dishwashers allow consumers to save money, energy and protect the environment.




Inverter
DirectDrive



Life's Good



Stainless Steel



DISH WASHERS

Adjustable Top to Bottom

The newly-enhanced EasyRack™ Plus system provides outstanding flexibility and convenience, adjusting to just about any load of dishes to insure optimal cleaning performance. Convenient innovations include adjustable tines, flip-up stemware racks, and unique utensil basket. Easy to adjust on-the-fly, this racking system can shift to handle any challenge your dishes can serve up.

Ultra Quiet Operation

When noise reduction is important. With LoDecibel™, a combination of sound-reducing material and our Slim Direct Motor™, you'll experience very low noise output at 45 dB LoDecibel™. It's one of the quietest dishwashers in the industry.

Count On It

When you buy a dishwasher, you don't want to worry that it won't last. Because the Direct Drive Motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year warranty.

Call, Connect, Resolve

SmartDiagnosis™ uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.

Wash & Conserve

SenseClean™ measures the water's turbulence and then adjusts water and cycle length for more precise cleaning and energy efficiency.

Reservations for 14

The spacious, stainless steel interior provides ample space for lots of dishes and stemware, in a variety of sizes. Fit up to 14 place-settings of dishes.

Energy Star Qualified

Among the most energy-efficient dishwashers in its class.



LG ELECTRONICS CANADA INC.

550 Matheson Blvd. East, Mississauga, ON L4Z 4G3

Tel: 905.568.6800 | Fax: 905.507.9649 | LG.com

Customer Service & Parts

1-888-542-2623

LDF7561

CAPACITY	
Total Place Settings	14
Upper Rack Dish Height Limit	12"
Lower Rack Dish Height Limit	14"
RACKS AND BASKETS	
Cutlery Baskets	3-in-1 Detachable Baskets
Stemware Holders	•
Racks and Tines	Nylon Coated with Rounded Tips
Height-Adjustable 3rd Rack	•
EasyRack™ Plus System	•
Upper Rack Color-Coded Foldable Tines	•
Lower Rack Color-Coded Foldable Tines	•
Height Adjustable Upper Rack	•
FEATURES	
Slim Direct Drive Motor	•
Overflow Detector	•
120°F Inlet Water Capability	•
3-Stage Filtration System	•
Delay Start	Up To 19 Hours
Child Lock	•
LoDecibel™ Quiet Operation	•
PERFORMANCE	
7 Wash Cycles	Power Scrub, Normal, Dual Wash, Delicate, Quick & Dry, Quick, Rinse Only
SenseClean™ Wash System	•
Dual Spray Intensity Feature	•
Variable Spray Intensities	Strong/Medium/Soft
Sanitary Rinse Cycle	•
Extra Rinse Option	•
Multi-Level Water Direction	5
Hybrid Condensing Drying System	•
Noise Level	45 dB
STYLE AND DESIGN	
Electronic Controls	Hidden SmoothTouch™ Controls with LED Display
Time Remaining Indicator	•
Rinse-Aid Indicator	•
SignalLight™ Cycle Indicator Lights	2: Operating - Clean
Tub Material	Stainless Steel
Handle	Matching Commercial Handle
Available Colours	Stainless Steel (ST)
ENERGY	
Energy Star	•
POWER SOURCE/RATING	
Ratings/Requirements/Type	UL Listed, 120 V/60 Hz, 12 Amps
Circuit Breaker Size	15 Amps
DIMENSIONS/CLEARANCES/WEIGHT	
Dimensions (WxHxD)	23 3/4" x 33 5/8" x 24 5/8"
Clearances (WxHxD)	24" x 34" x 25"
Weight (Unit/Cartron)	93.7 lbs / 99.9 lbs
UPC CODE	
LDF7561ST	772454 060021
WARRANTY	
1 Year Labour, 2 Years Parts, 5 Years on Control Board and Rack parts, and the Stainless Steel Tub or Liner	

Design, features and specifications are subject to change without notice.
Non-metric weights and measurements are approximate.
All trademarks are property of their respective owners.