Colours Upgrade Report Kings Ridge Print Date:19-Feb-13

Model Paso Fino (42-6) Elev C

## ANTONIO FRANCHI and DEBORAH FRANCHI

## PE With Agreement

- 1.LOT PREMIUM INCLUDES: Walk Out Basement Rear Elevation Upgrade Adjacent to Conservation Lands Large Lot
- 2.MOVE WALL DOWN APPROX. 5 FT. FROM KITCHEN INTO DINING ROOM.
- 3.MOVE BARREL VAULT DOWN AND MAKE IT 2 FT. (ONCE BARRELVAULT IS MOVED DOWN REMOVE WALLS)
  4.CAP SCHEDULE X PAGE 2 2-D 2-E/2-F AND PART OF 2-G (REAL ESTATE TRANSACTION LEVY SURCHARGE AND BLUE BOXES) CAP AT
  \$4,000,00 PLUS HST

COLOURS

\*\* NOTE: Client 15 Production Manager of OTK.

We haven't rec'd any appliance Spees, therefore cannot give you any electrical requirements.

## Colours Upgrade Report

**Kings Ridge Print Date:19-Feb-13** 

## ANTONIO FRANCHI and DEBORAH FRANCHI

Model Paso Fino (42-6) Elev C

ID	Group	Description	Invoice	Date Ordered	
6493	DECOR	RAILINGS - MAIN TO 2ND, MAIN TO BASEMENT: Upgrade 2 1 ¾ INCH 2-Turned Oak Picket 2 ¾ INCH Grooved Oak Handrail 3 ¼ INCH 2- Turned Oak Post w/Fancy Cap	1298		
6494	DECOR	HARDWOOD - GREAT RM, LIVING / DINING, LIBRARY, MAIN HALL, UPPER HALL: Install Upgrade 2 Wickham 4-1/4 inch OAK - GRAPHITE	1298		
6495	DECOR	PAINT - MAIN TO 2ND, MAIN TO BASEMENT: Stain stairs Wickham GRAPHITE to match hardwood as close as possible	1298		
6496	DECOR	TRIM - THROUGHOUT: Install upgrade 1 trim throughout 3 ½ Step - 5 ¼ Step Base	1298		
6497	DECOR	ELECTRICAL - KITCHEN: Instial capped outlet c/w switch **Island has moved down approx 4 feet. See sketch	1298		
6498	DECOR	HVAC - KITCHEN: Client has declined gas line	1298		
6499	DECOR	PLUMBING - KITCHEN: Client has declined water line	1298		
6500	DECOR	ELECTRICAL - FRONT PORCH: relocate standard light to centre of ceiling in front portico	1298		
6501	DECOR	ELECTRICAL - LIVING / DINING: Centre standard light in living / dining *See sketch	1298		
6502	DECOR	ELECTRICAL - THROUGHOUT: As clients request, install bank of switches close to ends of wall, IF POSSIBLE *Client does not want switches located in the middle of the walls	1298		
6504	DECOR	PLUMBING - MASTER ENSUITE: Install OPTION 1 - 8 inch rainhead shower (K-13699) & slide bar kit (K-9059) in lieu of standard *See attached details	1298		
6506	DECOR	INTERSTONE QUOTE:	1298		
6522	DECOR	HARDWOOD - 2ND FLOOR BEDROOMS: Install Upgrade 2 Wickham 4-1/4 inch OAK - GRAPHITE	1298	***************************************	
7907	DECOR	ENSUITE 2: Frameless glass shower	1298		
7908	DECOR	DISCOUNT as per Fabrizio	1298		7.1
7910	DECOR	FIREPLACE: Delete mantle and marble surround. Install fireplace insert only.	1298		
8098	COLOURS	EXTERIOR HARDWARE: Install carraway (satin nickel) gripset to front door in lieu of standard	1298		

Lot 8

Phase 2 Model Paso Fino (42-6) Elev C Colours Upgrade Report Kings Ridge Print Date:19-Feb-13

## ANTONIO FRANCHI and DEBORAH FRANCHI

8380	STRUCTURAL	FRAMELESS glass shower to ensuite	1599	
8381	STRUCTURAL	200 AMP service	1599	
8382	STRUCTURAL	BASEMENT WINDOWS: Three (3) larger basement windows to be 24 inch high by 30 inch wide	1599	
8383	STRUCTURAL	All structural items included in purchase price as per FC	1599	
8384	SCHEDULE E	Move wall down approx 5 feet from kitchen into dining room	1599	
		*As per schedule E		
8385	SCHEDULE E	Move barrel vault down and make it 2 feet (once barrel vault is moved down, remove walls)	1599	
		*as per Schedule E		

ZANCOR HOMES COLOUR CHART

8 14 LUI Date	Vendor Signature		ART	COLOUR CH	DESCREPANCIES ON SKETCHES, PES AND/OR COLOUR CHART	DESCREPA
<i>`\</i>		1	ER OF ANY	M THE BUILD	SCHELLITY OF ALL TRADES TO INFOR	* ITO THE BEGOOD
Date	Consultant Signature	/ bécor			ZANCOR	
	Z					
		£		ELEV:	PASO FINO	WOB/LOB:
Date Date	rchaser Signature		ח	itk.ca	franchi@qtk.ca	EMAIL:
Nan /C/p	archaser signature			1439	905-417-1439	HOME #:
JAN 15/2013		flow ha				PURCHASER(S):
		<b>,</b>	ICHI 8	LOT: DEBORAH FRANCHI	KINGS RIDGE ANTONIO & DEBO	SITE:
and selections	accuracy of	perfore signing.	7		NA	Other
colour and selections	accuracy of	administration fee plus costs		HITE	BALLET WHITE	Laundry
\$5000	signing are subject to a	Any changes to the colour chart after			N/A	3rd Ensuite
-	selection diase	purchaser		HITE	BALLET WHITE	2nd Ensuite
selected or	ms may have l election must	Due to construction progress some it		HITE	BALLET WHITE	Ensuite Main/Twin
ilders selection but not  facturing/manufacturers.	possible to Bu iances in manu	Colours of all materials are as close as necessarily identical due to dye lot var		HITE	BALLET WHITE	Bedroom 4
INITIALS	DISCLAIMER			HITE	BALLET WHITE	Bedroom 2 Bedroom 3
				HITE	BALLET WHITE	Master Bedroom
				НІТЕ	BALLET W	Den/Study Main/Upper Hall
	NOID				BALLET W	Family/Great room
Where to Paint N/A		White Paint Req'rd		HITE	BALLET WHITE	Dining Room
k Post w/Fancy Cap	2 % INCH Grooved Oak Har 4 INCH 2- Turned Oak Post w/	3,1			BALLET WHITE	Kitchen/Breakfast Living Room
Oak Picket	UPGRADE 2-1% INCH 2-Turned	UPGR/			PAINT	
OAK-GRAPHTE		Main to Basement Railing Details:	NO	Hearth	NO MARBLE - INSERT ONLY	Insert & 4 PC Surround
/Hancy Cap	NCH 2- Turned Oak Post W/	3%	NO MANTLE	Mantle	GREAT ROOM	Location
Oak Handrail	INCH Grooved		N/A	N/A	N/A FIREPLACE	Other
UPGRADE Z	ils:	Main Fir. to 2nd Fir. Railing	PERLATO	N/A	GRECO IVORY 13x13	Basement Landing
MIHAHA D NAO	Stain:	Main Flr. to 2nd Flr. Stair Finish/	N/A	N/A	N/A	2nd Ensuite Shower
& PICKETS	STAIRS, RAILING & PIC	Other	N/A	N/A	REFLECTION WHITE 8x10	2nd Ensuite Floor
SEE TILE SECTION	SEE T	Basement Landing	N/A	N/A	N/A	Twin Shower
N/A		Carpet Underpad	N/A	N/A	REFLECTION WHITE 8x10	Twin Wall
14-1/4" OAK - GRAPHITE	UPG2 WICKHAM	Bedroom 3	BIANCO	N/A	WHITE 2x2 /	Master Shower Floor
UPG2 WICKHAM 4-1/4" OAK - GRAPHITE	UPG2 WICKHAM	Bedroom 2	N/A	N/A	REFLECTION WHITE 12x12 '	Mstr Ensuite Tub Deck
14-1/4" OAK - GRAPHITE	UPG2 WICKHAM	Master Bedroom	N/A	N/A	REFLECTION WHITE 12x12	Mstr Ensuite Tub Wall
UPG2 WICKHAM 4-1/4 OAK - GRAPHITE	UPGZ WICKHAM	Main Hall Upper Hall	PERLATO	N/A	GRECO IVORY 13x13	Mstr Ensuite Floor
N/A		Main Foyer *(Waiver)		N/A	BANFF LT. GREY 12x12	Laundry
N/A		Kitchen *(Waiver)		N/A	BANFF DARK BROWN 12x12	Powder Room
UPG2 WICKHAM 4-1/4" OAK - GRAPHITE  UPG2 WICKHAM 4-1/4" OAK - GRAPHITE	UPG2 WICKHAM	Family/Great Room	PERLATO	N/A	GRAFFITI BIANCO 24x24 '	Main Foyer
14-1/4" OAK - GRAPHITE	UPG2 WICKHAM	Dining Room	N/A	N/A	N/A	Kitchen Bk.Splash
KHAM 4-1/4" OAK - GRAPHITE	HARDWOOD/CARP	l iving Room	PERLATO PERLATO	N/A	GRAFFITI BIANCO 24x24	Kitchen Floor
LIVING / DINING	LIVIP	Location	THRESHOLDS	WALL TILE: INSERT	FLOOR & WALL TILES	
102		Crown Moulding	N/A			Basement Bath
NG OFFICE ACT	PLASTER MOULDING	Exterior Door Hardware	N/A	×	N/A DEALING DIRECTLY WITH OTK	3rd Ensuite
TANDARD	•	Interior Door Hardware	N/A	ベ	DEALING DIRECTLY WITH QTK	2nd Ensuite
STANDARD		Interior Doors	N/A	×	DEALING DIRECTLY WITH QTK	Twin
Step - 5 % Step Base 🗸	UPG1-3%	Casing/Baseboards	N/A	×	WHISTLER WHITE	Island
YES	TRIM	Bathroom Accessories	C		WHISTLER WHITE	Servery
YES /	YES	Mirrors	С		WHISTLER WHITE	Kitchen
	MIRRORS & ACCESSO	Other	N/A EDGE		COUNTERTOPS N/A	Other
N/A	N/A	3rd Ensuite			N/A	Basement Bath
N/A	STANDARD	2nd Ensuite	N/A	~	DEALING DIRECTLY WITH QTK	Laundry
N/A	STANDARD	Twin	N/A	7	N/A	2nd Ensuite
*RAINHEAD / SLIDE-BAR V	STANDARD	Powder Room Master Englishe	N/A	*   *	DEALING DIRECTLY WITH OTK	Twin
N/A	STANDARD	Kitchen	N/A	×	DEALING DIRECTLY WITH QTK	Master Ensuite
NOTES	STANDARD	PLUMBING Gas Line to Stove	N/A	× ×	DEALING DIRECTLY WITH QTK	Servery
B.	Š	Appliance Package	N/A	<b>X</b>	DIRECTLY	Kitchen
CKAGE	ZANCOR APPLIANCE PACKAGE		HARDWARE		CABINETRY	
		OUR CHART	R HOMES COLC	ZANCOR		

## ZANCOR HOMES KINGS RIDGE PROJECT COLOUR SELECTIONS

PURCHASERS: ANTONIO & DEBORAH FRANCHI


)T #:

٠.

 $\infty$ 

(Paso Fino Model)	lodel)			
AREA	TILE SELECTION	MARBLE THRESHOLD & SHOWER FRAME	UPGRADE LEVEL	
악	Graffith Bianco 24X24	Rouato		
Foyer	Riaro	arara	575	
Main Hall	Limonal	Porlato		
Powder Room	Bangs 12x12 Dark Fraun	Reverto	Si	
Garage Entry		Rowah		
Laundry Room	1381 11.985 1381 1	Powerto	151	
Ensuite Bath Floor	GRECOUTVO	Pople	(S)	
Ensuite Bath Tub Deck/Face	1 JUHUE - SHE 12/12	$\hat{C}_{S}$	118"	
Ensuite Bath Tub Walls	WHITE SXID LOVE		S	
Ensuite Bath Shower Walls	Reflection BOTE Inserts: Yes (No K)	Pulato	N.	
Ensuite Bath Shower Floor	B.	Parlando	S	
Twin Bath Floor	Reflection bate to a 2x12	De Roto		
Twin Bath Walls	REFLECTION LATE SETS: YES NO X	W.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
2nd Ensuite Bath Floor	CIXE - STATE - CASH JOSE STATES	Panilado	S.	
2nd Ensuite Bath Walls	Perlection Williamserts: Yes INO X		S	
Kitchen Backsplash	N/A Inserts: Yes □No 🗵			
Basquest	2/3			
			D	broh to
				2 X 93
KITCHEN COUNTERTOP	Whiskler white Edge! C"			
KITCHEN COUNTERTOP	EXTRA FOR: COOK-TOP CUT-OUT  SLIDE-IN STOVE			
MAIN BATH VANITY TOP	Edge:			
ENSUITE BATH VANITY TOP	Edge:		TOTAL	
2ND ENSUITE VANITY TOP	Edge:			
PURCHASER'S SIGNATURES:	SIGNATURES:			
PURCHASER'S	SIGNATURES: POSON For			
DATE OF COLO	COLOUR SELECTIONS: SUPPLIED &	2012		
		6	Ó	
A.V. CLASSIC RI	CLASSIC REPRESENTATIVE:	Moure	1	

# STANDARD MOUDING





## FOR GRANITE AND MARBLE INFORMATION ACKNOWLEDGEMENT OF RECEIPT

Purchaser acknowledges receipt, understanding and acceptance of the following information as provided by the Vendor for Granite and Marble finishes.

- wear, resistance and heat exposure qualities. motion and patterns. Being a natural product that is quarried right from the earth, it also possesses excellent range from natural pitting to areas of crystal deposits embedded within the stone as well as the stone's unique GRANITE IS A 100% NATURAL PRODUCT – Every stone has its own unique qualities and characteristics.
- Thus, it is not always possible to book match the pieces of stone across joint or corner areas. from one side to another depending on the concentration of minerals and crystals embedded within that stone. STONE HAS THE ABILITY TO REFLECT LIGHT DIFFERENTLY - The same stone may appear to be different when viewed in various lighting conditions and different angles. The stone may also vary in colour or wave motion
- stone's physical properties, colour and with the finished edge bias being different than that of the top surface. EDGE FINISHES ARE NOT ALWAYS EQUIVALENT TO THE TOP FINISH - The difference is often due to the The finish is also affected by the type of edge profile, which is chosen.
- surface, may leave a ring. When using oil and red wines, it is best to wipe up the spills as soon as possible and STONE IS A NATURAL PRODUCT THAT HAS MANY TINY PORES — Liquids such as oils and red wine if left on the leave the top to air dry.
- provide the Purchaser the opportunity to confirm that the counter will meet the Purchaser's expectations, as VIEW AND PICK YOUR SLAB FROM OUR SUPPLIER'S INVENTORY – The Vendor will arrange for the Purchaser to much as possible. view and select the slab of stone that the countertop will be made from, prior to it being templated. This will
- type of stone chosen by the Purchaser. PLEASE LOOK AT YOUR STONE CAREFULLY - The Purchaser needs to be aware that the surface finish will have fissures, pits and pores. These naturally occurring features will vary in frequency and intensity depending on the
- deep within the earth. Granite is composed of grains or crystals of Quartz, Feldspar and Mica. GRANITE IS A VERY HARD ROCK It is highly resistant to being scratched. On a scale of 1 to 10, Talc and GRANITE IS AN IGNEOUS ROCK — Meaning the stone was formed by the cooling and solidification of magma
- temperatures, and is not nearly as prone to staining as marble is. Gypsum is at 1 and 2; Corundum and Diamond is at 9 and 10; and GRANITE is at 5 to 7. It withstands extreme
- counter top weighs as much as 23 lbs. per square foot. stone slab. Slabs are usually approximately 5'x8'. A ¾" countertop weighs approximately 15 lbs., and a 1 ¾" side of slide-in-range (if applicable). It will also be where the length of the counter top exceeds the length of a GRANITE COUNTER TOPS WILL HAVE JOINTS - Purchaser aware one joint will be at each corner and on either

## MARBLE

- structure and introduced other minerals that produced the colours and veining that marble is commonly known pressure and high temperatures deep within the earth's crust. The heat and pressure altered its crystalline MARBLE IS A METAMORPHIC ROCK – This means it was formed with limestone. Calcite/Dolomite was put under
- MARBLE IS VERY SOFT It can be scratched easily. On a scale of 1 to 10, Talc and Gypsum at 1 and 2; and Corundum and Diamond at 9 and 10; Marble is a 3 on that scale.
- counter top in kitchens. Marble is often used in bathroom counter top however is very porous and may show MARBLE IS VERY SUSCEPTIBLE TO STAINING AND ETCHING — Marble is NOT recommended for use as a
- as they WILL scratch and damage the marble. Use the proper dedicated cleaners for marble counter tops MARBLE SHOULD NEVER BE CLEANED WITH SCOURING PADS - Abrasive cleaners should NOT be used either,
- CLEANING PRODUCTS Solutions containing lemon oil or vinegar should NOT be used.

site: KINS MAGE	Purchaser Signature descel tranch	Purchaser Signature: Non Section 1997	• COASTERS SHOULD BE USED — Use under all glasses, particularly those containing alcohol or citrus juice.
Lot Number:	Date: 201/15/13	Date: 1200 15/13	ly those containing alcohol or citrus juice,



## WAIVER FOR STAINING OF STAIRS

there MAY be shade differences between the two products. finish between the floors and the stairs, it is not possible to have an identical match, and that Purchaser understands and accepts that although the Vendor will do their best to match the Purchaser is aware that the hardwood flooring is a pre-finished product. It is finished in a factory, in a controlled environment and that the stairs in the home are finished on site. The

Vendor to proceed as required. I/We understand and fully accept the Terms as outlined by the Vendor, and authorize the

site: Kings Ridge.	Date:	Purchaser Signature:	Jeloscal Fron	Date: (5/12)	Purchaser Signature:
Lot Number:	3		JAN 15/13		



## STANDARD APPLIANCE WIDTHS

The purchaser acknowledges the following standard spaces for kitchen appliances:

PROJECT MINGS LIGGO	Purchaser Signature	If not received the <u>standard openings</u> as determined by Zancor Homes will be provided.  Purchaser Signature Date Date	Appliance Specifications are to be sent to the Zancor Décor Centre no later than	(Hood fan width will be the same as per Ontarjo Building Code)  Purchaser acknowledges responsibility for providing correct specification for such appliance and to make any and all necessary arrangements to supply and install appliances after closing.	<ul> <li>☐ Hood Fan (may require larger vent, charges will apply – 6" is standard)</li> <li>☐ 8" Vent / 10" Vent</li> </ul>	*(Gas/Electric – Cut-out Charge & Plug Required)  OTR – Over The Range Microwave *Plug required	Built-In Wall Oven  Built-In Microwave with Trim Kit  Built-In Microwave Drawer with Trim Kit  Warming Drawer  Slide-In Stove		NON-STANDARD APPLIANCE OPTIONS  NOTE: When upgrading appliances, there may be an additional charge to modify cabinetry and/or electrical and plumbing to accommodate the appropriate size from the manufacturer specifications of each appliance.	<ul> <li>□ Range Conventional – 30" Width</li> <li>□ Hood Fan – 30" Width (must be the same or larger</li> <li>□ Refrigerator – 36" W x 72" H (Approximate - height</li> <li>□ Dishwasher – 24" Width</li> <li>□ Standard Washer/ Dryer</li> <li>□ 6" Exhaust Vent above stove</li> </ul>
LOT	Date Jan 15/13	Date Date	r Décor Centre no later than	Stackable Washer & Dryer correct specification for such appliance and to and install appliances after closing.	<ul><li>☐ Cargo Waste Bin systems</li><li>☐ Font Load Washer &amp; Dryer *(Specs required if installing counter above)</li></ul>	Steam Oven / Built-In Coffee makers  Free Standing Chimney hoods (clearance space will be left with this appliance will not butt up against cabinetry)	Built-in Refrigerator/Sub Zero – If purchasing a side by side or French Door, the wall beside the door may be an issue if it is deeper than 24" *Applicable charges may apply if required to due to space accomodations *Note: Refrigerator Door Swing	**MANUFACTURERS SPECIFICATIONS MUST BE ATTACHED**	NON-STANDARD APPLIANCE OPTIONS  es, there may be an additional charge to modify cabinetry and/or modate the appropriate size from the manufacturer specifications of	Range Conventional – 30" Width  Hood Fan – 30" Width (must be the same or larger as range opening as per Ontario Building & Fire Code)  Refrigerator – 36" W x 72" H (Approximate - height may change due to bulkheads)  Dishwasher – 24" Width  Standard Washer/ Dryer  6" Exhaust Vent above stove

NOTE: It is the Purchaser's responsibility to arrange installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications.