

To:

20AST Wholesale APPLIANCES

#1 - 1748 CREDITSTONE ROAD, VAUGHAN, ONT. L4K 5V8 *** TOLL FREE 1-888-745-0622 PH:(905)856-0007 FX:(905)856-5325 TORONTO LINE:(416)745-0622



"Innovative Products for Builders, Designers & Home Owners"

Sold ALI MOHAMMADIAN

LOT 16 SOUTH CASTLES OF KING

KING CITY ON L9L 9L9 Ship ALI MOHAMMADIAN

LOT 16 SOUTH CASTLES OF KING To:

KING CITY ON L9L 9L9

416-903-4914

SALES ORDER

Customer Class 003 BLDR CUST SALES			Builders Allowance Name /# / Amount \$			Ship Via	Invoice #	
					#	\$	COAST	1358411
Sales Representatives			Address:		Terms	Prov.Tax #	Customer #	Order #
F8 WA	YNE W	18,7	LOT 16 S PROMO 1	0	CASH SALES		HD537	1793080-01
			Shipping Location		Date Ordered	Date Allocated	Date Required	Order Type
	1		WOODBRIDGE WHS	SE .	260CT16	25MAY17		REGULAR ORDER
	ĺ	·	Customer P.O.#		Job #:		Change Order #:	
Quantity	Quantity	Quantity						
	<u>BackOrd</u>	Shipped	Model / Description				Price	Extension
1	1		BI-48SD/S/TH	SUB ZER	O 48" B/I SS, SXS,T	UBULAR HANDLE		
1	1		GR486C	WOLF 48	B" RANGE C/W CHAI	RBROILER		
1	1		PW482418	WOLF 48	" SS HOOD SHELL,:	24" DEEP		
1	1		814423	WOLF 12	00 CFM INT BLOWE	R		
1	1		D5436XLS		* DISHWASHER, FR			
1	1		ICBWGCW100S		ILS TURBO DRY,6 PF DURMET- 10 PIECE C			
1	1,		SUB ZERO REBATE		O INSTANT REBATE			
1	1		WFW92HEFU	WHIRLPO	OL FRONT LOAD WA	ASHER DIAMOND		
1	1		YWED92HEFU		2CUFT 12 CYCLES			
	1	1	177255271670		OL ELECTRIC DRYEF 10 CYCLES	I DIAMOND STEEL	-	
2	2	ļ	48372		TAINLESS STEEL BRA	AIDED 6"		
1	1		INSTALLATION - INSTA		G MACHINE FILL HÖ TION BY INSTALLER			
1	1		BA FRIDGE BASE		T BUILDERS ALLOW			
1	1		BA RANGE BASE	CONTRAC	T BUILDERS ALLOW	RANGE BASE		
			Legend: * ≈	≈ Eco Fee A	applicable, K = Ke	ep for future shipmen	t	
					***************************************		SUBTOTAL	
		L					PST	
							DEL/FUEL S/C	
				**			HST	
				50			TOTAL	

ECTED
<u>۲</u>

Date: 10/26/2016 Time: 10:51:16

NOW 15 LOCATIONS TO SERVE YOU

www.coastappliances.com

GST# 81398 6668

PAGE 1 OF 2

Customer Copy

1793080-01/0000001



#1 - 1748 CREDITSTONE ROAD, VAUGHAN, ONT. L4K 5V8 *** TOLL FREE 1-888-745-0622 PH:(905)856-0007 FX:(905)856-5325 TORONTO LINE:(416)745-0622



"Innovative Products for Builders, Designers & Home Owners"

Sold ALI MOHAMMADIAN

To: LOT 16 SOUTH CASTLES OF KING

KING CITY ON L9L 9L9 Ship ALI MOHAMMADIAN

LOT 16 SOUTH CASTLES OF KING

KING CITY ON L9L 9L9 416-903-4914 SALES ORDER

003 BLDR CUST SALES Sales Representatives Add			Builders Allowance Name /# / Amount \$			Ship Via	Invoice #	
			Address:		# Terms	\$ Prov.Tax #	COAST Customer #	1358411 Order #
			LOT 16 S PROMO 10		CASH SALES		HD537	1793080-01
	·		Shipping Location		Date Ordered	Date Allocated	Date Required	Order Type
		ŀ	WOODBRIDGE WHS	SE	260CT16	25MAY17		REGULAR ORDER
			Customer P.O.#		Job #:		Change Order #:	
luantity Irdored	Quantity	Quantity	Model / Description				D.C.	
1	DACKOIL	DINDDAG	BA D/W BASE				Price	Extension
'	'		DA U/W BASE	CONTRA	CT BUILDERS ALLO	W D/W BASE	j	
1	1		BA HOODFAN BASE	001170	AT 01111 DEDG 411 611			
				CONTRA	CT BUILDERS ALLO	W HOODFAN BASE		
1	1		BA WASHER BASE	CONTRA	CT BUILDERS ALLOY	W WASHER BASE		1
1	1		BA DRYER BASE	CONTRA	CT BUILDERS ALLOY	W DRYER BASE		
1	1		BA HOSES	BA HOSI				1
				5, 11001			1	
1	1		BA STACKER BASE	CONTRA	CT BUILDERS ALLOV	V STACKER BASE		
1	1		BA			T D I I O I O I O I O I O I O I O I O I O		
	i i				S ALLOWANCE		1	
- 1	1	i		CREDIT	FOR INSTALL STAN	DARD PACKAGE		Í
- 1	j						i	
- 1								
ŀ	ŀ							
- 1								
	1							
- 1								ľ
	i							
		j						
	}	- 1	الا المحمد ال	- Fac Fr - :	AK	4 6.4	İ	
			Legend: * =	= Eco Fee /	Applicable, K = Ke	ep for future shipmen	1	
21	21						SUBTOTAL	
							PST	
		-			·		DEL/FUEL S/C	
							HST	
				(ii				
				•			TOTAL	

Report to:						
SM	CR	Chi	D	EXTENDED WARRANTY		
21/1	Un	Shipper Date Shipped	ACCEPTED	REJECTED		
1			1			
			1		1	

Date: 10/26/2016 Time: 10:51:16

NOW 15 LOCATIONS TO SERVE YOU

www.coastappliances.com

GST# 81398 6668

PAGE 2 OF 2

Customer Copy

1793080-01/0000001



D5436XLS

Turbo Drying
Top trey for bowls and cuttery
Upper basket type: Premium
Lower basket type: Premium
Separate removable basket
Number of place settings: 16

Top tray functions

InstantLift™ - smart height adjustment of the top tray Divisible and removable trays Rack for knifes and utensils Rack for bowls and cups Telescopic rails

Upper basket functions

Tight mesh base Multi position wine shelf left Multi position wine shelf right Fixed pin rows Fixed glass support Wide knife stand

Lower basket functions

Foldable/divisible pin rows rear Separate removable basket

Programs

Sanitation wash Normal wash Heavy wash Quick wash ECO wash

Options

Delayed start

Cleaning systems

Number of spray zones: 9
Number of spray arms: 3
WideClean™ - extra washing power for pots and pans
SCS - Super Cleaning System™
Aqua Level™ Sensor
Stainless steel spray arms

Drying system

Turbo Drying™

Features

8 stainless steel parts Time remaining indicator Voice signal for the end of washing cycle Hidden heater KidSafe - lockable controls

Water safety

Few sealing points outside the container Long lasting seam welded tank Waterproof external base Exterior float Aqua Detect™ Sensor Aqua Level™ Sensor Stand-by water protection Yes Max time water intake Sound slarm Anti-block drain pump



Installation

Adjustable feet Multi fit outlet hose Fixed high loop outlet hose Trim kit

EAN code: 3838942042188 code: 492231

General

Product: Dishwasher Mode of installation: Built-in Size: XL (ADA height compliant) Touch Screen Display Number of programs: 7 Noise level: 46 dB(A) Number of baskets: 3 EAN code: 3838942042188

Dimensions and installation

Height: 32 5/16 (820 mm)
Width: 23 15/16 (608 mm)
Depth: 22 7/8 (581 mm)
Packaging height: 35 1/16 (890 mm)
Packaging width: 25 3/16 (840 mm)
Packaging depth: 26 3/4 (680 mm)
Packaging depth: 26 3/4 (680 mm)
Length electrical cord: 45 7/16 (1180 mm)
Length inlet hose: 66 1/8 (1680 mm)
Length outlet hose: 41 3/4 (1060 mm)
Weight net: 101 lbs
Weight gross: 109 lbs

Technical information

Voltage: 120 V Current: 15 A

Consumption

Energy consumption/cycle: 0,87 kWh

MOLF

PW482418

FEATURES

Heavy-duty stainless steel construction

Handfinished with hemmed edges and welded seams

Bright halogen lighting

Infinite speed blower control

Heat sentry for safety

Recessed controls for sleeker look

Blower required (internal, in-line or remote blowers available)

Transition with backdraft minimizes backward flow of cold air

Rigorously tested in our U.S. manufacturing facilities for decades of use

Exceptional 24/7 support from our Customer Care team in Madison

ACCESSORIES


38" high stainless steel backsplash with or without warming racks

6", 12", 18", 24" and 30" high stainless steel duct covers

Horizontal discharge kit

Make-up air damper

Accessories available through an authorized Sub-Zero dealer. For local dealer information, visit subzero-wolf.com/locator,



BLOWER OPTIONS


- · 300 CFM Internal
- · 450 CFM Internal
- · 1100 CFM Inline
- · 1200 CFM Remote
- 1500 CFM Remote
- 900 CFM Internal
- · 1200 CFM Internal
- · 900 CFM Remote




PRODUCT SPECIFICATIONS

Model	PW482418
Dimensions	48"W x 18"H x 24"D
Weight	94 lb
Electrical Supply	110/120 VAC, 60 Hz
Electrical Service	15 amp dedicated circuit
Discharge Location	Vertical or Horizontal
Discharge Dimensions	10" Round
Bottom of Hood to Countertop	30" to 36"

ELECTRICAL




DIMENSIONS



4.5 cu. ft. Front Load Washer with Detergent Dispenser



http://www.whirlpool.com



Key Features:

- Load & Go™ System
- Wash and Dry Cycle
- 12-Hour FanFresh® Option
- ColorLast™ Cycle
- Precision Dispense
- Presoak Option
- Steam Clean Option
- Adaptive Wash Technology
- Smooth Wave Stainless Steel Wash Basket
- 4.5 cu. ft. Capacity
- EcoBoost™ Option
- ENERGY STAR® Qualified

Product Dimensions:

Height: 39 3/4

Width: 27

Depth: 33 5/16

Electrical Requirements:

15 or 20. 120 V.

Additional Information:

Use And Care Guide

Dimension Guide

Installation Guide

Energy Guide

Warranty Certificate

Available in:





OWhite.



AMERICA

®Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2013 Whirlpool Corporation. All Rights Reserved.

All other trademarks are owned by their respective companies.

All other trademarks are owned by their respective companies.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice.

Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer along determines advertised and retail prices.

purposes only. Dealer alone determines advertised and retail prices.

Created On: Friday, March 11, 2016 15:12:36

BI-48SD/S



FEATURES

Dual refrigeration keeps food fresher longer

Air purification system fights spoilage, odors

Crispers and deli drawers in low-temp, high-humidity zones for optimum freshness

Microprocessor control assures peak performance

Water-filtration system reduces contaminants, chlorine taste and odor

Freshness cards for maximum food preservation

Rigorously tested in our U.S. manufacturing facilities to ensure at least 20 years of heavy use

Exceptional 24/7 support from our Customer Care team based in Madison, Wisconsin and just footsteps from our factory

"Soft bright" interior lighting

Magnetic door seal system locks in cold air

Automatic ice maker with "max ice" feature

Adjustable shelves for maximum convenience

ACCESSORIES

Stainless steel kickplate

Grilles for 83" or 88" finished height (84" is standard)

Side panel mounting kit

Accessories are available through an authorized Sub-Zero dealer, For local dealer information, visit subzero-wolf.com/locator,



HANDLE OPTIONS





TUBULAR

PRODUCT DETAILS

REFRIGERATOR

- · 4 Adjustable glass shelves
- · 1 Stationary glass shelf
- · 1 High-humidity drawer with divider
- · 2 Storage drawers with divider
- 3 Adjustable door shelves
- · 2 Stationary door shelves
- Adjustable dairy compartment

FREEZER

- · 3 Adjustable wire shelves
- · 1 Stationary solid shelf
- 3 Storage drawers
- · 5 Adjustable door shelves
- Automatic ice maker

PRODUCT SPECIFICATIONS

Model	BI-48SD/S
Dimensions	48"W x 84"H x 24"D
Door Clearance	30"
Weight	656 lb
Refrigerator Capacity	18.8 cu ft
Freezer Capacity	9.6 cu ft
Electrical Supply	115 VAC, 60 Hz
Electrical Service	15 amp dedicated circuit
Plumbing Supply	1/4" OD copper, braided stainless steel or PEX tubing
Plumbing Pressure	35–120 psi


ELECTRICAL

7" (178) E 6" (152) 751/2*(1918) FROM FLOOR RIGHT SIDE — OF OPENING

PLUMBING




INTERIOR VIEW




This illustration is intended for interior reference only and may not represent the exterior of the model being specified.

DIMENSIONS



STANDARD INSTALLATION



NOTE: Shaded line represents profile of unit.



GR486C



FEATURES

6 dual-stacked burners plus 16,000 Btu infrared charbroiler

Convection oven for faster, more consistent cooking

Infrared broiler inside 30" oven sears quickly and evenly

Dual-stacked, sealed burners for higher highs, lower lows

Second, 18" non-convection oven

Enhanced views into oven

Rigorously tested in our U.S. manufacturing facilities for decades of use

Exceptional 24/7 support from our Customer Care team in Madison

Heavy-gauge stainless steel

Signature red infinite control knobs

Continuous cast-iron grates for easy movement of pots and pans

Individual spark ignition system

Adjustable legs for stability, plus rear casters

ACCESSORIES

Bake stone kit (stone, rack and peel)

Stainless steel, brass or chrome bezels

High altitude conversion kit

Full-extension easy glide oven rack

Cast iron S-grates and wok grate

Stainless steel kickplate

Signature red, black or stainless steel control knobs

Front leg covers

5" and 10" stainless steel risers, and 20" riser with shelf

Accessories available through an authorized Sub-Zero dealer. For local dealer information, visit subzero-wolf.com/locator.










TOP CONFIGURATION



RANGETOP SPECIFICATIONS


- 1 9,200 Btu Burner
- 5 15,000 Btu Burners
- 16.000 Btu Charbroiler



PRODUCT SPECIFICATIONS


Model	GR486C
Dimensions	47 7/8"W x 37"H x 28 3/8"D
Oven 1 Interior Dimensions	13 1/2"W x 18 5/8"H x 17"D
Oven 2 Interior Dimensions	24"W x 18 5/8"H x 17"D
Oven 1 Usable Capacity	1.6 cu ft
Oven 1 Overall Capacity	2.5 cu ft
Oven 2 Usable Capacity	2.9 cu ft
Oven 2 Overall Capacity	4.4 cu ft
Door Clearance	19 1/2"
Weight	750 lb
Electrical Supply	110/120 VAC, 50/60 Hz
Electrical Service	15 amp dedicated circuit
Gas Supply	3/4" rigid pipe
Gas Inlet	1/2" NPT female

ELECTRICAL




GAS

DIMENSIONS



STANDARD INSTALLATION



*Without ventilation hood, 42" (1067) minimum clearance countertop to combi


NOTE: Shaded area above countertop Indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.

For island installation, 12' (305) minimum clearance back of range to combustible rear wall above cour

7.4 cu. ft. Electric Dryer with Advanced Moisture Sensing



http://www.whirlpool.com



Key Features:

- Delicate Cycle
- Advanced Moisture Sensing
- Quad Baffles
- Tap Touch Controls with Memory
- Stainless Steel Dryer Drum with Sound-dampening Technology
- EcoBoost™ Option
- Steam Refresh Cycle
- Wrinkle Shield™ Plus Option With Steam
- 7.4 Cu. Ft. Capacity
- ENERGY STAR® Qualified
- Static Reduce Option

Product Dimensions:

Height: 39

Width: 27

Depth: 31

Additional Information:


Use And Care Guide

Dimension Guide

Installation Guide

Warranty Certificate

Available in:



○White





®Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2013 Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies.
Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice.

Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer alone determines advertised and retail prices.

Created On: Friday, March 11, 2016 12:22:50