

	19May17	Air Conditioning (42ft and 50ft lots ONLY) 9ft main floor ceilings, 8ft ceilings on second floor 3-1/4 inch by ¾ inch natural prefinished engineered hardwood on main floor in non-tiled areas, excludes bedrooms Natural finished oak stair
	19May17	b contract of the contract of
	19May17	2787 DELETE ALL BATHROOM ACCESSORIES
	19May17	
	19May17	2785 CABINETS ADD VANITY BANK OF 3 DRAWERS IN MASTER ENSUITE
	19May17	2784 CABINETS ADD BUILT IN WALL OVEN TOWER IN LIEU OF UPPER AND LOWERS WITH CABINET DOORS ABOVE AND BELOW
	19May17	2783 CABINETS 24" DEEP UPPER OVER FRIDGE WITH 2 SIDE PANELS NOTE NO COOK TOP
	19May17	I
	19May17	1
	19May17	2780 TILES UPGRADE # 4 KITCHEN. BREAKFAST SERVERY , FOYER, POWDER INSTALL STACKED
	19May17	RAILING UPGRADE GROOVED OAK HAN
	19May17	2778 STAIN INTERIOR OAK STAIRS
	19May17	1 1
	19May17	2776 SMOOTH CEILINGS MAIN FLOOR AND 2ND FLOOR
	19May17	2775 UPGRADE 7 INTERIOR DOORS TO 8 FT HIGH IN LIEU OF STANDARD
Notes	Approved	
PRINT DATE 19-May-17		17N / 1 BREAKER (50-05) ELEV B
TEL: RES.: 416-732-2598) Ltd.	CONSTRUCTION SUMMARY Belle Aire Shores - Zancor Homes (Innisfil) Ltd. PURCHASERS: Thi Thu Lu and Tong Thanh Tran

This Document is Extremely Time Sensitive - Printed 19 May 17 at 15:48

ZANCOR HOMES COLOUR CHART


Vendor	Purchaser Initial	Purchas		*	** PAGE 1 OF 2	
4	5		oonsibility of <u>all</u> ur charts <u>PRIOR</u>	h a PES. It is the res	art must be accompanied wit of any discrepancies on sketcl to installation.	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on sketches, PES and/or colour charts PRIOR to installation.
₹7 N ✓	INNISFIL	INN NN			***FOR TRADE USE***	
	SITE & LOT			lour chart	Purchaser has reviewed the colour chart	
	NA		Ö	Location	DELETE ALL	Bathroom Accessories
	JLDING	PLASTER MOULDING	Ont Crown Moulding PL	Ont Crow	& ACCESSC	Mirrors Mirrors
8	NF 8	MANTLE	NA	Opt. Surround	FAMILY ROOM	LOCATION
				FIREPLACES		
			NA			Basement Foyer
		0	OPENING NIGHT T-20	OPEN		Bedroom 4
		0	NIGHT	OPENING		Bedroom 3
		0	OPENING NIGHT T-20	OPEN		Bedroom 2
			NIGHT T-	OPEN		Master Bedroom
	S 4 3/8" UP # 3	N SEMI GLOS	NTIQUE BROWN	SOLID SAWN OAK ANTIQUE BROWN SEMI GLOSS 4	VINTAGE S	Main Hall Upper Hall
			NA		11	Main Foyer *(Waiver)
			AN			Kitchen *(Waiver)
	S 4 3/8" UP # 3	SEMI GLOS	NTIQUE BROWN	SOLID SAWN OAK ANTIQUE BROWN SEMI GLOSS 43/8" UP#3	VINTAGE S	Den
	S 4 3/8" UP # 3	SEMI GLOS	NTIQUE BROWN	OLID SAWN OAK A	VINTAGE S	Family/Great Room
	o alo o a a		NA			Dining Room
	\$ 4 3/8" IIP # 3	SFMI GLOS	NTIOUF BROWN	SOLID SAWN OAK ANTIOLIE BROWN SEMI GLOSS 4 3/8" LIP # 3	VINTAGE SO	Living/Dining Room
				NA		Basement Ensuite Wall
			ļ	NA		Basement Ensuite Floor
BIAN CARR	NA		0	MALINA ICE 8 X 10		Ensuite #4 Bath Wall
			w			Ensuite #4 Bath Floor
CANA	NA		٥١١	MALINA ICE 8 X 10		Twin Ensuite Tub Wall
RIAN CARR			'n	MALINA ICE 13 X 13		Twin Bath Floor
				NA NA		Main Bath Floor
			I I	BIANCA CARRERRA		Master Shower Jamb
				2 X 2 WHITE		Master Shower Floor
				NA		Mstr Ens Tub Wall/Deck
(NA	2	10 11	UNIWAL TENDER GREY 8 X 10	AINO	Mstr Ensuite Shower
RIAN CARR		74 (ID # 4	TACKED 12 X	MALINA ICE 13 X 13	MALINA ICE 13 X 1	Mstr Ensuite Floor
				NA		Kitchen Bk.Splash
	\	#4	LL STACKED UP) 12" X 24 " INSTA	SILKSTONE AVORIO 12" X 24 " INSTALL STACKED	Breakfast Floor/Servery
		# 4	LL STACKED UP # 4) 12" X 24 " INSTA	SILKSTONE AVORIO	Kitchen Floor
				GRECO CINZA 13 X 13	G	Main Hall
	7	#4	LL STACKED UP	12" X 24 " INSTA	SILKSTONE AVORIO 12" X 24 " INSTALL STACKED UP # 4	Powder Room
				NA		Basement Foyer
		#4	LL STACKED UP # 4	12" X 24 " INSTA	SILKSTONE AVORIO 12" X 24 " INSTALL STACKED	Main Foyer
THRESHOLDS	INSERTS T				TILES	
					NA	Basement Bath
					NA	Laundry
	MARBLE 7735-58	PORTICO MARBLE 77	H 800 BC	HITE	SIERRA PVC WHITE	Powder Room
	CARRERRA BIANCO 6696-46	CARRERRA	н 800 вс	WHITE	SIERRA PVC W	Twin
					NA	Main
C	INUKSHUK GREY P 344 LM	INUKSHUK	H 800 BC	WHITE	400 SERIES PVC WHITE	Master Ensuite
C	BIANCO SARDO	BIAN	H 800 BC	SSO STAIN	MOSAIC OAK ESPRESSO STAIN	Island
С	BIANCO SARDO	BIAN	H 800 BC	SSO STAIN	MOSAIC OAK ESPRESSO STAIN	Kitchen
EDGE	COUNTERTOP	COU	HARDWARE	TE 31.	DOOR STYLE	
			ERTOPS	CABINETRY / COUNTERTOPS	CABI	

MAY 12 2017

PAGE 1 OF 2 5/10/2017

ZANCOR HOMES COLOUR CHART

	Senarture	Vendor		•	2 OF 2	PAGE		
				•	}	***	K	Ţ
	MAY 12 2017	1			'ES and/or colour ation.	epancies on sketches, PES an charts PRIOR to installation.	of any discrepancies o charts <u>PRI</u>	
		/	HOMES		o inform the builder	' <u>all Trades</u> t	It is the responsibility of <u>all Trades</u> to inform the builder	7
	CWASA Date	Pur	ANCOR	Ŋ	st be accompanied	olour chart mu with a PES.	Any upgrades in the colour chart must be accompanied with a PES.	
					**	***FOR TRADE USE***	***FOR	
	No e s e s Date	00					DÉCOR NOTES	
)					EMAIL:	(E)
-	er Signature , , , , , , , , , , , , , , , , , , ,	Purchase		-2598	416 732-2598		HOME #/CELL #	T
(1)	Marialla State	4		IU LU NH TRAN	THI THU LU TONG THANH TRAN		PURCHASER(S):	7
			17N /	LOT:	5 -BBREAKER	50-5	SITE: INNISFIL	S
	7. (t		ing.	ns before sign	acy of colour and selectio	nowledged accur	Purchaser has checked and acknowledged accuracy of colour and selections before signing	ح
			ee plus costs	ministration fe	subject to a \$5000 ad	t after signing are	Any changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs	₽
	Vendors's	installed. In this event the Vendors's	en pre-selected or i	lave	Due to construction progress some items may have been pre-selected or installed. he purchaser	Due to construc	nanufacturing/manufacturers. Due to constellection must be accepted by the purchaser	% ∃
	INITIALS	ve lot variances in	rily identical due to dve lot variances in	ess P	DISCLAIMER o Builders selection but not neces	lose as possible t	DISCLAIME olours of all materials are as close as possible to Builders selection but not nec	2
Щ				NA	2	ge .	ELECTRICAL for Bar Fridge	Ш
				NA	2	e / Cooktop	ELECTRICAL for Gas Stove / Cooktop	[m]
				NA	2	Micro / OTR	ELECTRICAL for Built-in Micro / OTR	ш
₹				UPGRADE	UPG	Oven	ELECTRICAL for Built-in Oven	m T
				NA			WAIERLINE to Fridge	c <
				STANDATRD	STANI		GAS LINE BBQ	10
	NOTES	DECLINED	DE	UPG (SEE PES)	UPG (S			T
- V		Vame:	O Package Name:	YES / NO	chedule E'	ceived in 'S	Appliance Package received in 'Schedule E'	Ъ
	ED ON PES	DES TO BE DETAILED ON PES	ENTS-UPGRA	QUIREM	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO	ZANC		T
							Other	OT
			STANDARD	017	NA	+	BASEMENT	ωI.
			STANDARD	71S	STANDARD		Focuite #1	
			STANDARD	7TS	STANDARD		Master Ensuite	1 >
			STANDARD	/TS	STANDARD		Powder Room	ĪΦ
	⊆l	DOUBLE	STANDARD	/TS	UPGRADE		Kitchen	7
_	NOTES	BE DETAILED ON PES	FAUCETS	G- UPGKA	FIXTURES FAUCETS			
	NA	Basement		I GREY	WARM GREY		Powder Room	T
	WARM GREY	Twin		GREY	WARM GREY		aundry	TE
	WARM GREY	Ensuite #4		IGREY	WARM GREY		Main/Upper Hall	7
	WARM GREY	Master Ens.		IGREY	WARM GREY		Den	
	WARM GREY	Bedroom 3		GREY	WARM GREY		Family/Great room	πI
1	WARM GREY	Bedroom 2		GREY	WARM GREY		Living/Dining Room	Tr
	WARM GREY	Master Beds		GREY	WARM GREY		Kitchen/Breakfast	· 7
			PAINT					1
		STANDARD					Exterior Door Hardware	
		STANDARD					nterior Door Hardware	
		STANDARD				+	Interior Doors	=1
		STANDARD	TRIM				Casing/Baseboards	
H.	VED OAK HANDRAIL SQUARE POSTS	METAL BLACK SINGLE COLLAR W/ALT PLAIN GROOVED OAK HANDRAII	INGLE COLLAR	AL BLACK S		nt door Railir	Main to top oif Basement door Railing	15
Au	VED OAK HANDRAIL SQUARE POSTS	METAL BIACK SINGLE COLLAR W/ALT PLAIN GROOVED OAK HANDRAII	INGLE COLLAR	AL BLACK S	MET	ails: UP#3	Main to 2nd Railing Details: UP # 3	Tel
		NA					White Paint Req'd	~ 1
	TIOUE BROWN	STAIN STAIRS TO MATCH ANTIQUE RROWN	STAIN STA	NAILLING.	JIMINO,		Stair Stain / Species:	SIL
		O CTAID CTAIN	O DICKETS	DAILING	CTAIRS			



BREAKER 50-05


Partial Ground Floor Elevation B


> Covered Parch


201171

Holle










Basement Elevation A



BREAKER 50-05

STANDARD CABINET HARDWARE

(New Image Kitchens)



/d. 17N

10/17

7

408/7/2

MODEL: 50-05	BELLE AIR SHORES, INNISFIL Drawing number:	New Image Kitchens Inc. Scale: 24/02/17 Approved by: MGER Revised: Revised:
		>




Loane 30 Moal)


no rooky

EDGE PROFILES (INTERSTONE / REDSTONE) ZANCOR HOMES

STANDARD



UPGRADES



PURCHASER SIGNATURE



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

to meet its' contractual obligations under the Agreement of Purchase and Sale or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal

imperfections that may exist with the selection of natural stone materials and shall not hold the Vendor liable for pattern are to be expected, including various lighting may affect the overall finished look. Stone should never be cleaned with lemon oil or vinegar. The purchaser acknowledges colour and product contains and product co PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble The purchaser acknowledges colour and product variations as well as natural

usually approximately 5'x 8' range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-

be identical to the materials installed in the home. as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not of the finished product. Although every effort will be made to ensure the colours and materials selected are as close CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look

to have an identical match and that there MAY be shade differences between the two products. will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished training allows in the purchaser accepts that although the Vendor STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished Factors including but not limited to wood type, knotting, graining, density, age,

highlight characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or This includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The type and intensity of lighting in the areas of designated cabinetry placement may also provision of certain upgrades and shall not hold the Builder liable for provision of same. CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected

an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by

overall look of the tinisned product. Variations investigated wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges are significant factors and the significant factors are significant factors. fluctuation in hardwood flooring materials cupping are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the good workmanship, the Builder shall not be responsible nor held liable for minor

upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and

HARDWOOD / LAMINATE WAIVER:

in certain areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder

resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist on

flooring providing similar degrees of water resistance

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, **SEE COLOUR CHART FOR LOCATIONS**

5 DATE

SITE

February 5, 2015

· 1	88
1	
2 2	55
¥0	и
W(2)	
	SWING O

APPLIANCE SPEC INFORMATION SHEET

SITING: STE & LOT: Standard Reverse DATE:

Purchaser Signatuı Date	*Changes must be approved by head office. Purchaser Signature *Changes must be approved by head office. Date *Date *Date *Changes are req *Changes must be approved by head office. *Date *D** *T** *T**	If specs not received, the <u>standard openings</u> as determined by Zancor Homes will be provided. If rework/reparequired due to late specs received, additional costs will be applied. Appliance Specs are DUE (if not received during appointment): 2 WEEKS FROM SIGNED DATE ABOVE — Specs received after this data and change.	Purchaser acknowledges responsibility for providing correct specifications after closing. deliver forthwith to the Builder the manufacturer's appliance specifications where the size exceeds the standard openings.	Additional charges may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner. NOTE: It is the Purchaser's responsibility to coordinate delivery, installation and hook up of appliances and to ensure		DISHWASHER 24" (STD SIZE)	UNDER CABINET FLUSH INSET	CHIMNEY (CENTRE VENT)	MPS 240	COOKTOP (APRON) COOKTOP (DROPIN) AMPS MALL OVENS	RANGE (STD)
e May 10/17	tion fee of minimum \$250 will apply. red by head office.	by Zancor Homes will be provided. If rework/repair is applied. Seived during appointment):	osing. specification for such appliances. The purchaser agrees to specifications where the size exceeds the standard	imbing in order to accommodate the specs given by the ery, installation and hook up of appliances and to ensure	STACKABLE	LAUNDRY FRONT LOADING SIDE BY SIDE	10 INCH	FANS (C) 6 INCH (STD)	BUILT IN MICRO AMPS MICRO TRIM KIT MODEL OVER THE RANGE AMPS	PANELLED/INTEGRATED FLUSH INSET	REFRIGERATOR STANDARD OPENING 36" X 72" BUILT IN FRIDGE WATERLINE REQUIRED

DEC6-APPL APPLIANCE FORM October 24, 2016