### **ANGUS SOUTH**

Item#	Construction Details ANGUS SOUTH: LOT 155-7	THE VILLAGE OF PINE RIVER ANGUE ONTARIO		
	Model Type & Elevation: 23-0 Purchasers Names: INVENTORY		Note	
Included	Rough-in for 3 Piece in basement		Bonus Package	
Included	3 piece stainless steel kitchen appliances with white top loading washer and dryer		Bonus Package	
Included	Chimney Hood Fan		Bonus Package	
Included	Natural finish laminate flooring on main floor in non tiles areas as per plan		Bonus Package	
Included	9' main floor ceilings, 8 ft ceilings on second and basement		Bonus Package	
Included	Carpet Grade Stairs with Oak pickets		Bonus Package	
Included	Glass shower in Master Ensuite as per plan		Bonus Package	
Included	OPTIONAL GARAGE MAN DOOR TO HOUSE	08-Mar-17	AS PER H/O	
Included	OPTIONAL REAR GARAGE MAN DOOR TO WALKWAY	08-Mar-17	AS PER H/O	
1/	CABINETS - KITCHEN - BASE PIE CUT	30-May-17	COLOURS	
2/	CABINETS - KITCHEN - DEEP UPPER ABOVE FRIDGE WITH GABLES 🗸	30-May-17	COLOURS	
3/	CABINETS - KITCHEN - POT DRAWERS IN ISLAND	30-May-17	COLOURS	
4/	CABINETS - KITCHEN - ADJUST CABINETS ABOVE STOVE FOR FUTURE OTR	30-May-17	COLOURS	
5/	HARDWOOD - UPGRADE 1 IN GREAT ROOM AND HALL **INCLUDES STAIR STAIN TO MATCH 🗸	30-May-17	COLOURS	
6/	HARDWOOD - UPGRADE 1 IN UPPER HALL IN LIEU OF CARPET ✓	30-May-17	COLOURS	
	MAIN FLOOR - SMOOTH CEILINGS	30-May-17	COLOURS	
	TILES - UPGRADE #4 IN KITCHEN, BREAKFAST, FOYER AND POWDER ROOM 🖊	30-May-17	COLOURS	
9/	CABINETS - MATCHING VALANCE IN KITCHEN	30-May-17	COLOURS	
10/	ELECTRICAL - FLOURO TUB LIGHTING FOR UNDERSIDE OF UPPER CABINETS IN KITCHEN	30-May-17	COLOURS	
11/	ELECTRICAL - (4) LED POT LIGHTS IN KITCHEN, STD TO BE OVER ISLAND, ALL ON SAME SWITCH	30-May-17	COLOURS	

### **ANGUS SOUTH**


	Construction Details ANGUS SOUTH: LOT 155-7		PINE RIVER	
	Model Type & Elevation: 23-0		Note	
	Purchasers Names: INVENTORY			
12/	ELECTRICAL - (2) LED POT LIGHTS IN HALL ON EXISTING SWITCH, DELETE STD	30-May-17	COLOURS	
13/	ELECTRICAL - (6) LED POT LIGHTS IN GREAT ROOM ON EXISTING SWITCH, DELETE STD 🗸	30-May-17	COLOURS	
14/	ELECTRICAL - ADD SEP CIRCUIT PLUG FOR OTR	30-May-17	COLOURS	
1 17/	APPLIANCES - WHIRLPOOL PACKAGE, STAINLESS STEEL COUNTERDEPTH FRIDGE, DISHWASHER, SLIDE IN STOVE, OVER THE RANGE MICROWAVE, WHITE TOP LOAD WASHER AND DRYER	30-May-17	COLOURS	
16/	TILES - KITCHEN BACKSPLASH UPGRADE #1 -	30-May-17	COLOURS	
17/	PLUMBING - WATERLINE TO FRIDGE	30-May-17	COLOURS	

# ANCOR HOMES COLOUR CH

CABINETRY / COUNTERTOPS	COUNTERTOP PEARL SOAPSTONE 4886-3	1 OF 2 ** Purchaser Initial	** PAGE
CABINETRY / COUNTERTOPS   COUNTERTOPS   SURVEY   COUNTERTOPS   SURVEY   COUNTERTOPS   SURVEY   COUNTERTOPS   SURVEY   COUNTERTOPS   SURVEY   COUNTERTOPS   PEAR: SOAPSTONE 2888-3	PEARL SOAPSTONE 4886-3	panied with a PES. It is the responsibility of all es on sketches, PES and/or colour charts PRIOR llation.	Any upgrades in the colour chart must be accon Trades to inform the builder of any discrepanci to insta
CABINETRY / COLUNTERTOPS   COLUNTERTOPS	COUNTERTOPS    HARDWARE   COUNTERTOP     HARDWARE   COUNTERTOP     PEARL SOAPSTONE 4886-3     INSERTS	¥.	***FOR TRA
CABINETRY / COUNTERTOPS   COUNTERTOPS	CABINETRY / COUNTERTOPS	ved the colour chart	Purchaser has review
CABINETRY / COUNTERTOPS	CABINETRY / COUNTERTOPS		Bathroom Accessories
CABINETRY / COLUNTERTOPS   COLUNTERTOPS	CABINETRY / COUNTERTOPS	Opt. Crown Moulding	
CABINETRY / COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS  INSERTS  PHON (1)  PHON (1)  HON (1)  HON (1)		MIRRORS & ACCESSORIE
CABINETRY / COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3		LOCATION
CABINETRY / COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS  PHON (1)  PHON (1)  PHON (1)		
CABINETRY / COUNTERTOPS   COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS  INSERTS  PHON (1)  PHON (1)		
CABINETRY / COUNTERTOPS   COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS  INSERTS  PHON (1)  PHON (1)	SIANDARD	Basement Fover
CABINETRY / COUNTERTOPS   CABINETRY / COUNTERTOPS   CABINETRY / COUNTERTOPS   COUNTERTOP	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS  PHON (1)  PHON (1)  ARL SOAPSTONE 4886-3	CARPET - T-03	STAIRS
CABINETRY / COUNTERTOPS   COUNTERTOPS	ARL SOAPSTONE 4886-3	CARPET - T-03	Bedroom 3
CABINETRY / COUNTERTOPS   COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS  INSERTS  PHON (1)	CARPET - T-03	Bedroom 2
CABINETRY / COUNTERTOPS	ARL SOAPSTONE 4886-3		Master Bedroom
CABINETRY / COUNTERTOPS    DOOR STYLE   HARDWARE   COUNTERTOP	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3	VINTAGE II LOC 4-1/4 INCH OAK - GRYPH	Warn Hall
CABINETRY / COUNTERTOPS	ARL SOAPSTONE 4886-3 ARL SOAPSTONE 4886-3 ARL SOAPSTONE 4886-3 ARL SOAPSTONE 4886-3	N/A	Main Hoyer *(Waiver)
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PYC - WHITE         PEARL SOAPSTONIE 4886-3           SIERRA PYC - WHITE         PEARL SOAPSTONIE 4886-3           N/A         PEARL SOAPSTONIE 4886-3           SHAKER PYC - WHITE         PEARL SOAPSTONIE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONIE 4886-3           N/A         PEARL SOAPSTONIE 4886-3           N/A         N/A           N/A         <	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3	N/A	Kitchen *(Waiver)
CABINETRY / COUNTERTOPS    DOOR STYLE   HARDWARE   COUNTERTOP	ARL SOAPSTONE 4886-3 ARL SOAPSTONE 4886-3 ARL SOAPSTONE 4886-3 ARL SOAPSTONE 4886-3	N/A	Den/Study/parlour/Library
CABINETRY / COUNTERTOPS   COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	VINTAGE U-LOC 4-1/4 INCH OAK - GRYPH	Family/Great Room
CABINETRY / COUNTERTOPS   COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	N/A	Dining Room
CABINETRY / COUNTERTOPS   COUNTERTOPS	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	N/A	Living Room
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         N/A <t< td=""><td>COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS</td><td>HARDWOOD / CARPET</td><td></td></t<>	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	HARDWOOD / CARPET	
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS		Basement Ensuite Wall
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	2/2/2	Basement Ensuite Floor
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PYC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A         N/A           N/A         N/A         N/A           N/A         N/A         N/A	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	N/A	Main Bath Tub Wall
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           INSERTS         INSERTS           Ver         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           Prom         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           Prom         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           PEARL SOAPSTONE 4886-3         INSERTS           PEARL SOAPSTONE 4886-3	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	N/A	Main Rath Elect
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           INSERTS         INSERTS           PEARL SOAPSTONE 4886-3         INSERTS           N/A         N/A           INSERTS         INSERTS           PEARL SOAPSTONE 4886-3         INSERTS           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A           REDORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           Int Foyer         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           N/A         N/A         INSERTS           Int Floor         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           Int Floor         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           Int Floor         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           Int Floor	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	N/A	Master Shower Floor
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         N/A           N/A         N/A           N/A         N/A           N/A         N/A           N/A         *STACKED           N/A         N/A           N/A         N/A           N/A         N/A           N/A         N/A           N/A         N/A           N/A         N/A     <	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	MELINA ICE 8 X 10	Mstr Ens Tub ENCLOSURE
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         PEARL SOAPSTONE 4886-3           INSERTS         INSERTS           INSERTS         INSERTS           N/A         N/A           N/A         N/A           III         N/A           N/A         N/A           III         N/A           N/A         INSERTS           III         N/A           N/A         INSERTS           III         N/A           III         N/A           III         N/A           III         N/A     <	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS	MELINA ICE 13 X 13	Mstr Ensuite Floor
CABINETRY / COUNTERTOPS           CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         INSERTS           Ver         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           V/A         INSERTS           Floor         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           St Floor         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           INSERTS         INSERTS           INSER	COUNTERTOP  ARL SOAPSTONE 4886-3  ARL SOAPSTONE 4886-3  INSERTS  INSERTS	N/A	
CABINETRY / COUNTERTOPS           CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         INSERTS           PEARL SOAPSTONE 4886-3         INSERTS           Int Bath         N/A         INSERTS           Yer         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           Room         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           III         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           III         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           III         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           III         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS	HARDWARE COUNTERTOP  HARDWARE COUNTERTOP  PEARL SOAPSTONE 4886-3  INSERTS  IN 12 X 24 (4) **STACKED  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	S & DIMENSIONS SILVER GREY POLISHED 3 X 6 (1)	
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         N/A           Room         GEORGETTE LIGHT 12 X 24 (4) **STACKED           II         N/A           III         N/A           GEORGETTE LIGHT 12 X 24 (4) **STACKED	HARDWARE COUNTERTOP  HARDWARE COUNTERTOP  PEARL SOAPSTONE 4886-3	GEORGETTE LIGHT 12 X 24 (4) **STACKED	
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3	HARDWARE COUNTERTOP HARDWARE COUNTERTOP PEARL SOAPSTONE 4886-3 INSERTS N/A N/A	SFORGETTE LIGHT 12 X 24 (4) **STACKED	
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           Yer         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS           Room         GEORGETTE LIGHT 12 X 24 (4) **STACKED         INSERTS	HARDWARE COUNTERTOP HARDWARE COUNTERTOP PEARL SOAPSTONE 4886-3 INSERTS N/A IT 12 X 24 (4) **STACKED	N/A	Main Hall
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           Ensuite         SHAKER PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         N/A           N/A         INSERTS           Yer         GEORGETTE LIGHT 12 X 24 (4) **STACKED           INSERTS         INSERTS	HARDWARE COUNTERTOP HARDWARE COUNTERTOP PEARL SOAPSTONE 4886-3	GEORGETTE LIGHT 12 X 24 (4) **STACKED	
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           Ensuite         SHAKER PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         INSERTS           INSERTS	HARDWARE COUNTERTOP HARDWARE COUNTERTOP PEARL SOAPSTONE 4886-3	N/A	er
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-3           Ensuite         SHAKER PVC - WHITE         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         PEARL SOAPSTONE 4886-3           N/A         N/A           Mt Bath         N/A         INSERTS	HARDWARE COUNTERTOP HARDWARE COUNTERTOP PEARL SOAPSTONE 4886-3 PEARL SOAPSTONE 4886-3 PEARL SOAPSTONE 4886-3	SEORGETTE LIGHT 12 X 24 (4) **STACKED	
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-38           N/A         PEARL SOAPSTONE 4886-38           Ensuite         SHAKER PVC - WHITE         PEARL SOAPSTONE 4886-38           N/A         PEARL SOAPSTONE 4886-38           N/A         PEARL SOAPSTONE 4886-38	HARDWARE COUNTERTOP HARDWARE COUNTERTOP PEARL SOAPSTONE 4886-38 PEARL SOAPSTONE 4886-38 PEARL SOAPSTONE 4886-38	TILES	
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-38           N/A         PEARL SOAPSTONE 4886-38           Ensuite         SHAKER PVC - WHITE         PEARL SOAPSTONE 4886-38           N/A         PEARL SOAPSTONE 4886-38	HARDWARE COUNTERTOP  HARDWARE COUNTERTOP  PEARL SOAPSTONE 4886-38  PEARL SOAPSTONE 4886-38  PEARL SOAPSTONE 4886-38	N/A	Basement Bath
CABINETRY / COUNTERTOPS           DOOR STYLE         HARDWARE         COUNTERTOP           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-38           SIERRA PVC - WHITE         PEARL SOAPSTONE 4886-38           N/A         PEARL SOAPSTONE 4886-38	HARDWARE COUNTERTOP  PEARL SOAPSTONE 4886-38  PEARL SOAPSTONE 4886-38  PEARL SOAPSTONE 4886-38	N/A	Laundry
CABINETRY / COUNTERTOPS  DOOR STYLE HARDWARE COUNTERTOP  SIERRA PVC - WHITE PEARL SOAPSTONE 4886-38  SIERRA PVC - WHITE PEARL SOAPSTONE 4886-38	HARDWARE COUNTERTOP  PEARL SOAPSTONE 4886-38  PEARL SOAPSTONE 4886-38		er crisuite
CABINETRY / COUNTERTOPS  DOOR STYLE HARDWARE COUNTERTOP  SIERRA PVC - WHITE PEARL SOAPSTONE 4886-38  SIERRA PVC - WHITE PEARL SOAPSTONE 4886-38	RY / COUNTERTOPS  HARDWARE COUNTERTOP  PEARL SOAPSTONE 4886-38  PEARL SOAPSTONE 4886-38		
CABINETRY / COUNTERTOPS  DOOR STYLE HARDWARE COUNTERTOP  SIERRA PVC - WHITE PEARL SOAPSTONE 4886-38	RY / COUNTERTOPS  HARDWARE COUNTERTOP  PEARL SOAPSTONE 4886-38		
TRY / COUNTERTOPS    HARDWARE   COUNTERTOP	TRY / COUNTERTOPS  HARDWARE COUNTERTOP		Kitchen
-		HARDWARE	

# **ANCOR HOMES COLOUR CH**


Date	Vendor Signature	*	*** PAGE 2 OF 2 ***	***
MAY 2 9 2017	1		Il Trades to inform the on sketches, PES and/or to installation.	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>
ure Date	Décor Consultant Signature	ZANCOR	res.	with a PES.
	Domore		E USE*** art must be accompanied	***FOR TRADE USE***  Any upgrades in the colour chart must be accompanied
Date	Purchaser Signature			DÉCOR NOTES
				MAIL:
Date	Purchaser Signature			HOME #/CELL #
		ORY	INVENTORY	URCHASER(S):
		LOT: <b>155-7</b>	ANGUS SOUTH	SITE:
		ns before signing.	ged accuracy of colour and selection	urchaser has checked and acknowledged accuracy of colour and selections before signing.
		ninistration fee plus costs	igning are subject to a \$5000 adn	any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
	olours or all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in nanufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's	nt necessarily identical due to may have been pre-selected o	possible to Builders selection but no construction progress some items in the construction progress some items in the construction but no construc	olours of all materials are as close as panufacturing/manufacturers. Due to
INITIALS		MER	DISCLAIMER	
		Α		LECTRICAL for Bar Fridge
OVER THE RANGE MICRO	CVER	A	oktop N/A	LECTRICAL for Gas Stove / Cooktop
				LECTRICAL for Built-in Oven
		CH	6 INCH	lood Fan Venting SIZE
		S	YES	NATERLINE to Fridge
			N/A	SAS LINE
NOTES	DECLINED		UPG (SEE PES)	
	d in 'Schedule E'  YES / NO Package Name:	YES / NO Package Name:	d in 'Schedule E'	Appliance Package received in 'Schedule E'
		N/A	N/A	Other
		N/A	N/A	SASEMENT
		N/A	N/A	2nd Ensuite
		N/A	N/A	Vlain/Twin
		STANDARD	STANDARD	Master Ensuite
		STANDARD	STANDARD	owder Room
NOTES	NO	FAUCETS	FIXTURES	Citchen
		PLUMBING- UPGRADES TO BE DETAILED ON PES	PLUMBING	
	Basement	/НІТЕ	BIRCH WHITE	owder Room
DINCH WHITE	Twin			aundry
BIRCH WHITE	Master Ens.	/HITE	RIRCH WHITE	Vain/Upper Hall
	Bedroom 4	/HITE	BIRCH WHITE	Family/Great room
BIRCH WHITE	Bedroom 3			Dining Room
BIRCH WHITE	Bedroom 2			Living Room
BIRCH WHITE	Master Beds		BIRCH WHITE	Kitchen/Breakfast
	STANDARD	PAINT		- Arcilot Door Haldwale
	STANDARD			nterior Door Hardware
	STANDARD			nterior Doors
77	STANDARD			Casing/Baseboards
		TRIM		
	STANDARD		ails:	Main to Basement Railing Details:
	STANDARD			Main to 2nd Railing Details:
	N/A			White Paint Req'd
SE AS POSSIBLE	STAIN RAILINGS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	STAIN RAILINGS TO		Stair Stain / Species:
	& STAIR STAIN	STAIRS, RAILING & PICKETS & STAIR STAIN	STAIRS, R	




\* SMOOTH CETLINGS

GROUND FLOOR PLAN, EL 'A' ANGUS

155-7 187-4005




ANGUST



Les 185-7

ASSIST PLAN, EL. XI & B



## Whirlpool **Bottom Mount Refrigerator**

## PRODUCT MODEL NUMBERS

WRF532SMB WRF535SMB WRF535SWB

WRF540CWB WRF535SWH

Electrical: A 115-volt, 60-Hz, AC-only, 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord


NOTE: Before performing any type of installation, cleaning, or removing a light bulb, turn the control (Thermostat, Refrigerator or Freezer Control depending on the model) to OFF and then disconnect the refrigerator from the electrical source. When you are finished, reconnect the refrigerator to the electrical source and reset the control (Thermostat, Refrigerator or Freezer Control depending on the model) to the desired setting. See "Using the Controls."

Water: A cold water supply with water pressure between 30 and 120 psi (207 and 827 kPa) is required to operate the ice maker and water dispenser. If you have questions about your water pressure, call a licensed, qualified plumber

IMPORTANT: The pressure of the water coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 35 and 120 psi (241 and 827 kPa).


connected to your cold water supply, the water pressure to the reverse osmosis system needs to be a minimum of 40 to 60 psi (276 to 414 kPa). reverse osmosis water filtration system is Reverse Osmosis Water Supply: If a

### PRODUCT DIMENSIONS



WRF535SWH 25.2 cu. ft.	WRF540CWB 20 cu. ft.	WRF532SMB 22.1 cu. ft.	WRF535SMB 25.2 cu. ft.	WRF535SWB 25.2 cu. ft.	Model Number/ Size
70 1/3" (178.1 cm)	70 ½" (178.1 cm)	70 ½" (178.1 cm)	70 1/6" (178.1 cm)	70 % (178.1 cm)	Height - Overall "A"
68%" (174.9 cm)	68 13/ <sub>6</sub> " (174.8 cm)	68 ½," (174.8 cm)	68 <sup>13</sup> / <sub>16</sub> " (174.8 cm)	68 <sup>13</sup> / <sub>16</sub> " (174.8 cm)	Height - Top of Cabinet "B"
48%" 52%" (122.2 cm) (132.4 cm)	43½° (109.4 cm)	42%" (1 <b>07</b> .6 cm)	48 1/16" (122.1 cm)	48 1/16" (122.1 cm)	Depth - Doors Open 90° "C"
52 ½" (132.4 cm)	44 ½" (113.0 cm)	52 ½" (132,4 cm)	53 ½" (135 cm)	53 ½" (135 cm)	Depth - Drawer Open "D"
35½" (90.2 cm)	29 %" (74.6 cm)	347/ <sub>6</sub> " (87.5 cm)	35 ½," (90 cm)	35 ½" (90 cm)	Depth - Handles "E"
33" 83.8 cm)	28" (71.1 cm)	311%" (81.1 cm)	32 ½," (83.7 cm)	32 15/ <sub>6</sub> " (83.7 cm)	Depth - Without Handles "F"
29½" ( <b>74</b> cm)	24 ½" (61.3 cm)	28 ½" (71.4 cm)	29 ¼" (74 cm)	29 ½" (74 cm)	Depth - Cabinet Only "G"
35%" (90.5 cm)	35 %" (90.5 cm)	32 %" (82.9 cm)	35 %" (90.5 cm)	35 %" (90.5 cm)	Width - Cabinet "H"
41" (104.1 cm)	43%" (110.2 cm)	40%" (102.6 cm)	43 %" (110.2 cm)	43 %" (110.2 cm)	Width - Door Open 90° With Handles ""

### LOCATION REQUIREMENTS



To ensure proper ventilation for your refrigerator, allow for a  $\frac{1}{2}$ " (1.25 cm) space on each side and at the top. Allow for 1" (2.54 cm) of space behind the refrigerator. If your refrigerator has an ice maker, make sure you leave some extra space at the back for the water line connections.

swing open. If you are installing your refrigerator next to a fixed wall, leave 2 % (6.3 cm) minimum on the hinge side (some models require more) to allow for the door to

NOTE: This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F (32°C). It is recommended that you do not install the refrigerator near a heat source. such as an oven or radiator.

### **Cabinet Dimensions**

Cabinet opening dimensions shown are for 25" (64.0 cm) countertop depth, 24" (61.0 cm) base cabinet depth and 36" (91.4 cm) countertop height.


**IMPORTANT:** If installing a range hood or microwave hood combination above the range, follow the range hood or microwave hood combination installation instructions for dimensional clearances above the cooktop surface.

Range may be installed next to combustible walls with zero clearance.

Slide-In Cutout NOTE: When installed in a slide-in cutout, the front of oven door may protrude beyond the base cabinet

Freestanding Cutout

0 Ø



X


- A. 18" (45.7 cm) upper side cabinet to countertop
  B. 13" (33 cm) max. upper cabinet depth
  C. 30" (76.2 cm) min. opening width
  D. For minimum clearance to top of cooktop, see NOTE\*.
  E. 30" (76.2 cm) min. opening width
  F. The shaded area is recommended for installation of grounded

- G. 13 1/6" (33.3 cm)
  H. 7 11/6" (19.5 cm)
  I. 4 13/6" (12.2 cm)
  J. 3 11/6" (9.4 cm) plus measurement of L
  K. Cabinet door or hinges should not extend into the cutout.
  L. Remaining counter depth should not exceed 21/4" (5.7 cm).
  - A. 18" (45.7 cm) upper side cabinet to countertop
    B. 13" (33 cm) max. upper cabinet depth
    C. 30" (76.2 cm) min. opening width
    D. For minimum clearance to top of cooktop, see NOTE\*.
    E. 30" (76.2 cm) min. opening width
    F. The shaded area is recommended for installation of grounoutlet.
  - recommended for installation of grounded

  - G. 13½" (33.3 cm) H. 71½" (19.5 cm) I. 41¾" (12.2 cm) J. 31½" (9.4 cm) K. Cabinet door or hinges should not extend into the cutout.
- \*NOTE: 24" (61.0 cm) minimum when bottom of wood or metal cabinet is shielded by not less than ¼" (0.64 cm) flame retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015" (0.4 mm) stainless steel, 0.024" (0.6 mm) aluminum or 0.020" (0.5 mm) copper.
- 30" (76.2 cm) minimum clearance between the top of the cooking platform and the bottom of an uncovered wood or metal cabinet.


### Installation Dimensions:

**NOTE:** The grounded 3 prong outlet must be inside the upper cabinet. See "Electrical Requirements" section.



A. 2" x 4" wall stud
B. Grounded 3 prong outlet

"30" (76.2 cm) is typical for 66" (167.6 cm) installation height. Exact dimensions may vary depending on type of range/cooktop below.



Overall depth of product will vary slightly depending on door design.

## Technol Requiements

### WARNING



**Electrical Shock Hazard** 

Plug into a grounded 3 prong outlet.

Do not remove ground prong.

Do not use an adapter.

Do not use an extension cord.

Failure to follow these instructions can result in death, fire, or electrical shock.

Observe all governing codes and ordinances

### Required:

A 120 volt, 60 Hz, AC only, 15- or 20-amp electrical supply with a fuse or circuit breaker.

### Recommended:

- A time-delay fuse or time-delay circuit breaker
- A separate circuit serving only this microwave oven.

# GROUNDING INSTRUCTIONS

■ For all cord connected appliances:

The microwave oven must be grounded. In the event of an electrical short circuit, grounding reduces the risk of electric shock by providing an escape wire for the electric current. The microwave oven is equipped with a cord having a grounding wire with a grounding plug. The plug must be plugged into an outlet that is properly installed and grounded.

WARNING: Improper use of the grounding plug can result in a risk of electric shock. Consult a qualified electrician or serviceman if the grounding instructions are not completely understood, or if doubt exists as to whether the microwave oven is properly grounded.

SAVE Do not use an extension cord. If the power supply cord is too short, have a qualified electrician or serviceman install an outlet near the microwave oven. THESE **INSTRUCTIONS**