

CONSTRUCTION SUMMARY

The Village of Trillium Forest - Zancor North Inc.

25-Sep-1/	THE DIESCE (TH-HT) THEY B OPT TOTT	PIOCN 12/ CHILLY / 3
	The Decement of the Dock I - 5	Rlock 197 This 1 / 2
PRINT DATE	HOUSE TYPE	LOT / PHASE
TEL: RES.: 416-616-7216		PURCHASER: Sergio Molella

	25Sep17	5013 DISCOUNT AS PER FC 10%
	25Sep17	5012 LOFT BATH COUNTERTOP UPG (2) CAESARSTONE REFLECTIONS #7141, INCL. UNDERMOUNT SINK
	25Sep17	1
	25Sep17	
	25Sep17	
	25Sep17	
	25Sep17	5000 DEN UPG (4) HARDWOOD **(BED#2 CONVERTED TO DEN)
	25Sep17	4999 FAMILY ROOM - UPG (4) HARDWOOD INCL. LANDING
	25Sep17	4998 LOFT BATH STD TILED CEILING OF BATH TUB/SHOWER CEILING AREA
	25Sep17	
	25Sep17	4996 STAINING OF STAIRS TO MATCH, IF POSSIBLE
	25Sep17	4995 KITCHEN COUNTERTOP - UPG (2) CAESARSTONE REFLECTIONS #7141 INCL. UNDERMOUNT SINK
Notes	Approved N	

This Document is Extremely Time Sensitive - Printed 25 Sep 17 at 14:09

* Carpet in master bedroom in lieu of LAMIMATE

onstructionSummarySQL.rpt 26apr17-2

LANCOR HOMES COLOUR CL. RT

		447070					
-		MACACA			***FOR TRADE USE***	***FOR TR	
	TE & LOT	SITE		Toración	2	chaser has revie	Purc
	N/A		Moulding	Opt. Crown Moulding	YES YES	DELETE VIII W	Mirrors
	В	PLASTER MOULDING	Ī			S & ACCESSORIES	MIRRORS
		MANTLE		round	Opt. Surround		LOCATION
	N/A	MANTLE	N/A		Opt. Surround	N/A	LOCATION
				8	FIRE		
1-17-20	etion hair	H COUNTE	THEDIO TOP	VIET SAC	SID-O	MON	Basement Foyer / PKCREP
		G	STD- UNDER PADDING	STD- U	5		Carpet Underpad
	(I CARPET - T-20	OPENING NIGHT COLLECTION CARPET -	NING NIGH	STD- OPE		Bedroom 3 (Loft)
	,	STD- OPENING NIGHT COLLECTION CARPET - T-20	1T COLLECTION	NING NIGH	STD- OPE		Bedroom 2 (Loft)
•		STD- OPENING NIGHT COLLECTION CARPET - T-20	IT COLLECTION	NING NIGH	STD- OPE		Master Bedroom
		I CARPET - T-20	STD- OPENING NIGHT COLLECTION CARPET -	NING NIGH	STD- OPE		Loft Hall
			N/A				Main Hall
			N/A				Main Foyer *(Waiver)
			N/A				Kitchen *(Waiver)
	PEWTER PEWTER	SAWN SCULPTED RED OAK HARDWOOD - F	LPTED RED OAK	AWN SCUI	UPG(4) - 4"-3/8" - SAWN SCULPTED RED OAK HARDWOOD - PEW		Den Family Room
			PET	OD / CAR	HARDWOOD / CARPET		
	IVIETAL		f	CE O V TO	INICICINA		Total Control of the
				MELENA ICE 8" X 10"	MELENA		Loft Ensuite Tub Ceiling
			4	EY 12" X 2	ALLURE GREY 12" X 24"		Loft Bath Floor
	METAL		# **	MELENA ICE 8" X 10"	MELENA I		Main Bath Tub Ceiling
			,n	MELENA ICE 8" X 10"	MELENA		Main Bath Tub Wall
),t		4"/	EY 12" X 2	ALLURE GREY 12" X 24" ~		Main Bath Floor
	METAL			≨	BIANCO		Master Shower Jamb
				WHITE 2"X 2"	WITHW		Mstr Ens Shower Floor
			= +	CE 0" V 10	ALLURE GREY 12 X 24		Mstr Ensuite Shower
			4	N/A	ALL IBE OR		Mstr Ensuite Floor
				N/A	7		Kitchen Bk.Splash
			4"	EY 12" X 2	ALLURE GREY 12" X 24"	7	Breakfast Floor
			4" /	EY 12" X 2	ALLURE GREY 12" X 24"		Kitchen Floor
				N/A	2		Main Hall
			4-	EY 12" X 2	*ALLURE GREY 12" X 24"-		Powder-Room
				N/A			Basement Foyer
ĺ			4" /	EY 12" X 2	ALLURE GREY 12" X 24"		Main Foyer
SQ10	INSERTS THRESHOLDS	-			TILES		
					N/A		Laundry
					N/A		Powder Room
0	FLECTIONS #7141	UPG(2) QUARTZ REFLECTIONS #7141	K300C	<	STD-EURO BKACKWOOD	SID	LOIT BATTI
0	FLECTIONS #7141	UPG(2) QUARTZ REFLECT	K300C	_	STD-EURO BKACKWOOD	STD	Main
0	FLECTIONS #7141	UPG(2) QUARTZ REFLECT	K300C	-	O D-EORO BRACKWOOD	JI.	אומזננו בווזמונכ
TONE							
		01.0(z) 40m1 c nertec 1010 #/ 141	11200000	٧			
	_	IIPG/2) OHARTZ BEE	нэдальс		STD-EURO BKACKWOOD	SI	Kitchen/Breakfast
EDGE		COUNTERTOP	HARDWARE		DOOR STYLE		
			DIODC	COLINTE	CABINETRY / COUNTERTOPS		




ZANCOR HOMES COLOUR CL. RT

	** PAGE 1 OF 2 **	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR</u> to installation.
	Purchaser Initia	M
	nitial	2
4	Wendor	

P 27 2017

ZANCOR HOMES COLOUR CL. .RT

venuor agraema	Action		1	
	Vando		A** C □ O □ O ***	*** DA
SEP 2 2 2017	7		to inform the builder s, PES and/or colour allation.	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>
sultant Signature Date	Décor Consu	ANCOR		With a PES
ocoil)			must be accompanied	Any upgrades in the colour chart must be accompanied
e ognature	ruiciase			
Director Constitution	Direchase			DÉCOR NOTES
		s.com	srm@rogers.com	EMAIL:
Purchaser Signature Date	Purchase	7216	416-616-7216	HOME #/CELL #
1 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	X	OLLELA	SERGIO MOLLELA	PURCHASER(S):
		LOT: 127-1	WASAGA	SITE: W/OPT. LOFT
		before signing.	curacy of colour and selections	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
		nistration fee plus costs	are subject to a \$5000 admi	Any changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs
Vendors's	been pre-selected or installed. In this event the Vendors's	ay have been pre-selected or	ruction progress some items m	manufacturing/manufacturers. Due to construction progress some items may have been selection must be accepted by the purchaser
INITIALS	ve lot variances in	Sa	DISCLAIMER le to Builders selection but not neces	Colours of all materials are as close as possible to
	NO		NO	ELECTRICAL for Bar Fridge
	NO		p NO	ELECTRICAL for Gas Stove / Cooktop
	NO			ELECTRICAL for Built-in Micro / OTR
BOILDERS STANDARD	NO R		NO	ELECTRICAL for Built-in Oven
	NO O	n e	VEC 6"	WATERLINE to Fridge
	NO		ON	GAS LINE
NOTES	DECLINED		UPG (SEE PES)	
ED ON PES	Vame:	YES / NO Package Name:	in 'Schedule E' YES / NO Package Name:	Appliance Package received in 'Schedule E'
		STANDARD	STANDARD	Loft Bathroom
		STANDARD	STANDARD	Main Bathroom
		STANDARD	STANDARD	Master Ensuite
		STANDARD	STANDARD	Powder Room
NOTES		FAUCETS	STANDARD	Kitchen
	DETAILED ON PES	BE	PLUMBING-	
N/A	Basement	iREY	WARM GREY	Powder Room
WARM GREY	Loft Bath		N/A	Laundry (BASEMENT)
WARM GREY	Main Bath	REY	WARM GREY	Main/Upper Hall
WARM GREY	Bedroom 4	JREY	WARM GREY	Den/Study
WARM GREY	Bedroom 3	REY	WARM GREY	Breakfast Area
	Bedroom 2	iREY	WARM GREY	Kitchen Area
WARM GREY	Master Beds	PAINT		
	JIANUARU			
	STANDARD			Exterior Door Hardware
	STANDARD			Interior Doors
	STANDARD			Casing/Baseboards
•		TRIM		
2"-3/4" OVAL OAK HANDRAIL, 2"-3/4" TURNED OAK POST.	DAK HANDRAIL, 2"-3/4" TURNED O	2"-3/4" OVAL OA		Main to Basement Railing Details:
	N/A	CTD BACTAL A		Main to 2nd Railing Details:
D AS CLOSE AS POSSIBLE	MATCH HARDWOOL	STAIN STAIRS TO N		Stair Stain / Species:
	& STAIR STAIN	STAIRS, RAILING & PICKETS & STAIR STAIN	STAIRS, R	




THE BREEZE TH-01


LOT 137-1

AUG 22 ZL1/

OTHER PARTIALS AND PLANS



THE BREEZE TH-01



THE BREEZE TH-01

UPGRADE CABINET HARDWARE KIRTHAI / JSLAND HARDWARE ONLY

(New Image Kitchens)

(Kitchen) /


Bathroom






STANDARD CABIN

(New Image Kitchens)








Mabaga Wabaga

10T 127-1







ZANCOR HOMES - Wasaga Towns EDGE PROFILES (AURIVIA)





H20

Kitchen Standard Edges (40mm)







Z40



Vanity Upgrade Edges (20mm)





Kitchen Upgrade Edges (40mm)











LOT / SITE

27-1 Wasaga

PURCHASER SIGNATURE

Sept-28/17



INTERIOR FINISHES ACKNOWLEDGEMENT / HARDWOOD WAIVER

better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or

may exist with the selection of natural stone materials and shall not hold the Vendor liable for provision of same. **PORCELAIN & NATURAL STONES:** Due to the properties of natural stones including but not limited to **marble, granite, quartz,** no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be expected, including various lighting may affect the overall finished look. Stone should never be cleaned with lemon oil or vinegar. The purchaser acknowledges colour and product variations as well as natural imperfections that

range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually approximately 5'x 8'. STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-

be identical to the materials installed in the home. as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not **CERAMIC TILES**: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the finished product. Although every effort will be made to ensure the colours and materials selected are as close

have an identical match and that there MAY be shade differences between the two products **STAIR STAINS:** Due to the natural properties of wood, many variables can affect the overall look of the finished product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to

upgrades and shall not hold the Builder liable for provision of same. interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain impossible. The type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished all factors that may affect the overall look of the finished product. CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This icludes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are Il factors that may affect the overall look of the finished product. Such factors make exact colour matching

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an All colour charts and

be responsible nor held liable for minor variances of fluctuation in hardwood flooring materials. once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood flooring that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a pre-finished HARDWOOD FLOORING: Due to the natural properties of wood, many variables can affect the overall look of the Variations include but not limited to wood type, colour/stain and wood grain are significant factors

HARDWOOD WAIVER:

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain areas. I/We understand there is a concern due to possible water and other substances being frequently

resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of flooring providing similar degrees of water resistance

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, **SEE COLOUR CHART FOR LOCATIONS**

SITE



APPLIANCE SPEC INFORMATION SHEET

ite	Purchaser Signature Date
Date SOPT 15-2017	Purchaser Signature
eceived during appointment): red after this date and changes are required to ation fee of minimum \$250 will apply. red by head office.	Appliance Specs are DUE (if not received during appointment): 2 WEEKS FROM SIGNED DATE ABOVE — Specs received after this date and changes are required to accommodate the appliances, an administration fee of minimum \$250 will apply. *Changes must be approved by head office.
l by Zancor Homes will be provided. If rework/repair is applied.	If specs not received, the <u>standard openings</u> as determined by Zancor Homes will be provided. If rework/repair is required due to late specs received, additional costs will be applied.
specification for such appliances. The purchaser agrees to e specifications where the size exceeds the standard	Purchaser acknowledges responsibility for providing correct specification for such appliances. The purchaser agrees to deliver forthwith to the Builder the manufacturer's appliance specifications where the size exceeds the standard openings.
very, installation and hook up of appliances and to ensure closing.	NOTE: It is the Purchaser's responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.
lumbing in order to accommodate the specs given by the	Additional charges may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.
TOP LOAD	
FRONT LOADING SIDE BY SIDE	24" (STD SIZE)
LAUNDRY	DISHWASHER
10 INCH	FLUSH INSET
8 INCH	UNDER CABINET
ANS	CHIMNEY (CENTRE VENT)
	- April 3
OVER THE RANGE AMPS	STEAM OVEN AMPS WARMING DRAWER AMPS
MICRO TRIM KIT MODEL	
MICROWAVES	WALL OVENS
FLOSH INSE	<u>z</u>
PANELLED/INTEGRATED	GAS AMPS AMPS
■ BUILT IN FRIDGE ■ WATERLINE REQUIRED	48"
STANDARD OPENING 36" X 72"	36" (STD)
REFRIGERATOR	RANGE
Reverse	SITING: standard F
DATE: 5007 19 2017	STE & LOT: 121-1005aga